

TPM_MGTGROUP

USERGROUP_ID: varchar(10)
 USERGROUP_NM: varchar(40)
 USERGROUP_EXP: varchar(500)
 GROUP_GBN: varchar(2)

TPM_GROUPMENU

USERGROUP_ID: varchar(10)
 MENU_ID: varchar(10)
 FORM_USE: char(1)
 GRD_CREATE: char(1)
 GRD_READ: char(1)
 GRD_UPDATE: char(1)
 GRD_DELETE: char(1)
 GRD_EXCEL: char(1)

TPM_MENU

MENU_ID: varchar(10)
 MENU_NAME: varchar(50)
 M_LEVEL: varchar(2)
 LEVEL_ORDER: numeric
 MENU_GROUP: varchar(5)
 UP_MENU_ID: varchar(10)
 IMG_ID: varchar(20)
 FORM_URL: varchar(100)
 FORM_USE: char(1)
 SMS_FLAG: char(1)
 MAIL_FLAG: char(1)
 MENU_LOG: char(1)
 MAIL_TEMPLT: numeric(10)
 SMS_TEMPLT: numeric(10)
 TXT_COLOR: varchar(20)
 CIMG: varchar(20)
 EIMG: varchar(20)
 EXCEL_YN: varchar(1)
 MENU_PARM: varchar(20)
 STORAGE_MENU_YN: varchar(1)
 W_YN: char(18)
 SERVER_URL: char(18)

TPM_USER

USER_ID: varchar(15)
 USERGROUP_ID: varchar(10)
 PASSWD: varchar(20)
 USER_NAME: char(18)
 REGI_DATE: varchar(8)
 USE_YN: char(1)
 OFFICE_CODE: char varying(5)
 HP_NO: varchar(20)
 COMP_CODE: char varying(6)
 AUTH_CODE: varchar(20)
 MGMCOMP_CODE: char varying(6)
 STATUS: varchar(6)
 MGM_CODE: varchar(20)
 UP_MGMUSER_ID: varchar(20)
 UP_MGMUSER_NAME: varchar(20)
 REG_END_DATE: varchar(8)
 WORK_GROUP_ID: varchar(6)
 LEVEL_CODE: varchar(20)
 DEPT_CD: char(18)
 JOB_DUTY_CD: char(18)
 ID_GBN: char(18)
 REMARK: char(18)
 EMP_NO: char(18)
 GROUP_DTL_NO: char(18)
 EMAIL: char(18)

TPM_USERMENU

MENU_ID: varchar(10)
 USER_ID: varchar(15)
 FORM_USE: char(1)
 GRD_CREATE: char(1)
 GRD_READ: char(1)
 GRD_UPDATE: char(1)
 GRD_DELETE: char(1)
 GRD_EXCEL: char(1)

TPM_COMPANY

COMP_CODE: char varying(6)
 COMP_NAME: char varying(50)
 NUM: char varying(12)
 CEO: char varying(50)
 CEO_HP: char varying(20)
 CON: char varying(50)
 ITEM: char varying(50)
 ZIP: char varying(7)
 ADDR1: char varying(200)
 ADDR2: char varying(200)
 TEL: char varying(20)
 FAX: char varying(20)
 EMAIL: char varying(100)
 HOMEPAGE: char varying(100)
 REGI_DAY: varchar(8)
 USE_YN: char(1)
 MGMUSER_ID: varchar(15)
 STATE: varchar(6)
 OFF_DAY: varchar(8)
 GROUP_CODE: char varying(6)

메뉴파라메터는
전기실등이 여러개 있을때
같은 프로그램을 호출하면서
파라메터로 메뉴를 구분하기
위해서 구분자로 사용한다.

TPM_GROUP_COMP

GROUP_CODE: char varying(6)
 GROUP_NAME: char varying(50)
 NUM: char varying(12)
 CEO: char varying(50)
 CEO_HP: char varying(20)
 CON: char varying(50)
 ITEM: char varying(50)
 ZIP: char varying(7)
 ADDR1: char varying(200)
 ADDR2: char varying(200)
 TEL: char varying(20)
 FAX: char varying(20)
 EMAIL: char varying(100)
 HOMEPAGE: char varying(100)
 REGI_DAY: varchar(8)
 USE_YN: char(1)
 MGMUSER_ID: varchar(15)
 STATE: varchar(6)
 OFF_DAY: varchar(8)

TPM_MGM_COMPANY

MGMCOMP_CODE: char varying(6)
 MGMCOMP_NAME: char varying(50)
 NUM: char varying(12)
 CEO: char varying(50)
 CEO_HP: char varying(20)
 CON: char varying(50)
 ITEM: char varying(50)
 ZIP: char varying(7)
 ADDR1: char varying(200)
 ADDR2: char varying(200)
 TEL: char varying(20)
 FAX: char varying(20)
 EMAIL: char varying(100)
 HOMEPAGE: char varying(100)
 REGI_DAY: varchar(8)
 OFF_DAY: varchar(8)
 STATE: varchar(6)
 USE_YN: varchar(1)

TPM_OFFICE

OFFICE_CODE: char varying(5)
 OFFICE_NAME: char varying(50)
 COMP_CODE: char varying(6)
 MGMCOMP_CODE: char varying(6)
 EXPLAN: char varying(50)
 PART1: char varying(50)
 PART2: char varying(50)
 START_DAY: varchar(8)
 TEL: char varying(20)
 FAX: char varying(20)
 ZIP: char varying(7)
 ADDR1: char varying(200)
 ADDR2: char varying(200)
 MAGOR_NAME: char varying(20)
 MAJOR_HP: char varying(20)
 REGI_DAY: varchar(8)
 STATUS: varchar(6)
 MGMUSER_ID: varchar(15)
 OFFICE_HARD_SIZE: char(18)
 OFFICE_USER_CNT: char(18)
 OFFICE_CNT: char(18)
 OFFICE_AREAR: char(18)
 END_DAY: char(18)

TPM_CONTRACT

OFFICE_CODE: char varying(5)
 CONT_SEQ: integer
 START_DATE: varchar(8)
 END_DATE: varchar(8)
 CONT_KIND_CD: varchar(6)
 CONT_AMT: numeric
 REV_DATE: varchar(8)
 REV_REASON: varchar(200)
 REMARKS: varchar(200)
 CONTRACT_NO: varchar(20)

TPM_DEADLINE

OFFICE_CODE: varchar(6)
END_DATE: varchar(8)
SEQ: char(18)

DEAD_YN: varchar(1)
REG_USER: varchar(20)
REG_DATE: varchar(8)
CANCEL_USER: char(18)
CANCEL_DATE: char(18)

TCM_DEPT

DEPT_CD: varchar(6)

DEPT_NAME: varchar(40)
REG_DATE: varchar(8)
END_DATE: varchar(8)
USE_YN: varchar(1)
SORT_ORDER: integer

THR_DEPT

OFFICE_CODE: varchar(6)
DEPT_CD: varchar(6)

DEPT_NAME: varchar(40)
REG_DATE: varchar(8)
END_DATE: varchar(8)
USE_YN: varchar(1)
SORT_ORDER: integer

TPM_WORKHIS

SEQ_NO: numeric(18,0)

USER_ID: char(12)
IPADDRESS: varchar(15)
WORK_DT: datetime
MENU_ID: varchar(40)
MENU_NM: varchar(100)
WORKSQL: varchar(4000)
WORK_DV: varchar(6)

TCM_JOB_DUTY

JOB_DUTY_CD: varchar(6)

JOB_DUTY_NAME: varchar(40)
REG_DATE: varchar(8)
END_DATE: varchar(8)
USE_YN: varchar(1)
SORT_ORDER: integer
JOB_GRAD_CD: varchar(20)

THR_JOB_DUTY

OFFICE_CODE: varchar(6)
JOB_DUTY_CD: varchar(6)

JOB_DUTY_NAME: varchar(40)
REG_DATE: varchar(8)
END_DATE: varchar(8)
USE_YN: varchar(1)
SORT_ORDER: integer
JOB_GRAD_CD: char(18)

TPM_CONNECTHIS

SEQ_NO: numeric(18,0)
USER_ID: char(12)

IPADDRESS: varchar(100)
START_DT: datetime
END_DT: datetime

TPM_BOARD

BOARD_DIV: varchar(20)
BOARD_NO: numeric

BOARD_TITLE: varchar(200)
BOARD_CONTENT: text
BOARD_WRITER: varchar(20)
BOARD_DATE: varchar(14)
BOARD_CNT: integer
STR_DT: varchar(14)
END_DT: varchar(14)
POP_YN: varchar(1)
GBN_NM: char(18)
W_PX: char(18)
H_PX: char(18)
USER_ID: char(18)

ZIPCODE

ZIP_NO: char(18)
SEQ_NO: char(8)

SIDO: varchar(20)
SIGUNGU: varchar(20)
DONG: varchar(50)
RI: varchar(50)
DOSE: varchar(50)
BENJI: varchar(50)
BILDING: varchar(50)
CHDATE: varchar(10)
FULL_ADDR: varchar(150)

TPM_CODE_MST

CODEDV_NO: char(3)

CODEDV_NM: varchar(30)
DIVISION1_NM: varchar(30)
DIVISION2_NM: varchar(30)
DIVISION3_NM: varchar(30)
DIVISION4_NM: varchar(30)
DIVISION5_NM: varchar(30)
USE_YN: char(1)
SORTORDER: numeric(4)
ABOLITION_DT: char(8)

TPM_FILE

BOARD_DIV: varchar(20)
BOARD_NO: numeric
ATT_NO: integer

FILE_NM: varchar(50)
FILEDATA: text
SYS_FILE_NM: varchar(50)
FILE_PATH: varchar(50)

TPM_CODEBODY

CODEDV_NO: char(3)
CODE_NO: char(6)

CODEDTL_NM: varchar(100)
SHORT_NM: varchar(50)
DIVISION1_NM: varchar(30)
DIVISION2_NM: varchar(30)
DIVISION3_NM: varchar(30)
DIVISION4_NM: varchar(30)
DIVISION5_NM: varchar(30)
PRCS_CD: char(6)
SORTORDER: numeric(4)
USE_YN: char(1)
ABOLITION_DT: char(8)

TPM_ZIPCODE

SEQ_NO: numeric

ZIP_NO: char(6)
SIDO: varchar(50)
SIGUNGU: varchar(50)
DONG: varchar(50)
RI: varchar(50)
DOSE: varchar(50)
BANJI: varchar(30)
APT: varchar(50)
CREATE_DATE: varchar(8)
FULL_ADDR: varchar(200)
REMARKS: varchar(200)

TPM_MESSAGE

SEQ: char(18)

ST_DATE: varchar(20)
ED_DATE: varchar(20)
SMS_REAL_AMT: varchar(50)
SMS_SELL_AMT: varchar(50)
LMS_REAL_AMT: varchar(50)
LMS_SELL_AMT: varchar(50)
MMS_REAL_AMT: varchar(10)
MMS_SELL_AMT: varchar(50)

TPM_BOARD_REPORT

OFFICE_CODE: char(18)
BOARD_DIV: varchar(20)
BOARD_NO: numeric

BOARD_TITLE: varchar(200)
BOARD_CONTENT: text
BOARD_WRITER: varchar(20)
BOARD_DATE: varchar(14)
BOARD_CNT: integer
STR_DT: varchar(14)
END_DT: varchar(14)
POP_YN: varchar(1)
GBN_NM: char(18)
W_PX: char(18)
H_PX: char(18)
USER_ID: char(18)

TPM_FILE_REPORT

BOARD_DIV: varchar(20)
BOARD_NO: numeric
ATT_NO: integer

FILE_NM: varchar(50)
FILEDATA: text
SYS_FILE_NM: varchar(50)
FILE_PATH: varchar(50)

THR_JOB_GRADE

OFFICE_CODE: varchar(6)
JOB_GRADE_CD: varchar(6)
JOB_GRADE_NAME: varchar(40)
REG_DATE: varchar(8)
END_DATE: varchar(8)
USE_YN: varchar(1)
SORT_ORDER: integer

THR_JOB_KIND

OFFICE_CODE: varchar(6)
JOB_KIND_CD: varchar(6)
JOB_KIND_NAME: varchar(40)
REG_DATE: varchar(8)
END_DATE: varchar(8)
USE_YN: varchar(1)
SORT_ORDER: integer

ZIPCODE_DORO

ZIP_NO: char(18)
SEQ_NO: char(8)
SIDO: varchar(20)
SIGUNGU: varchar(20)
MYEON: varchar(50)
DORO: varchar(50)
UNDER_GBN: varchar(50)
BUILD_BON: varchar(50)
BUILD_BU: varchar(10)
BUILD_NO: varchar(50)
DELL_NM: varchar(150)
SIGUN_BUILD_NM: char(18)
LAW_DONG_CODE: char(18)
LAW_DONG_NM: char(18)
RI: char(18)
SAN_YN: char(18)
JIBUN_BON: char(18)
JIBON_BU: char(18)

TPM_MANUAL

BOARD_DIV: char(18)
BOARD_NO: char(18)
GBN_NM: char(18)
BOARD_TITLE: char(18)
BOARD_CONTENT: char(18)
BOARD_WRITER: char(18)
BOARD_DATE: char(18)
BOARD_CNT: char(18)
STR_DT: char(18)
END_DT: char(18)
POP_YN: char(18)
W_PX: char(18)
H_PX: char(18)
USER_ID: char(18)

TPM_MANUAL_FILE

BOARD_DIV: char(18)
BOARD_NO: char(18)
ATT_NO: char(18)
FILE_NM: char(18)
FILEDATA: char(18)
SYS_FILE_NM: char(18)
FILE_PATH: char(18)

TPM_BOARD_OFFICE

BOARD_DIV: char(18)
BOARD_NO: char(18)
LEVEL: char(18)
OFFICE_CODE: char(18)
BOARD_TITLE: char(18)
BOARD_CONTENT: char(18)
BOARD_WRITER: char(18)
BOARD_DATE: char(18)
BOARD_CNT: char(18)
USER_ID: char(18)

TPM_CONFIRM_LINE

OFFICE_CODE: char(18)
MENU_GROUP: char(18)
SEQ: char(18)
DUTY_CD: char(18)
CONFIRM_ID: char(18)
CONFIRM_IS_S: char(18)
USE_YN: char(18)
ORDER_SEQ: char(18)
REG_DATE: char(18)
REG_USER: char(18)

TPM_CONFIRM_INFO

OFFICE_CODE: char(18)
MENU_ID: char(18)
CONFIRM_CODE: char(18)
SORT_SEQ: char(18)
CONFIRM_TH: char(18)

TPM_HOLY

H_YEAR: char(18)
H_DATE: char(18)
H_NAME: char(18)
REG_USER: char(18)
REG_DATE: char(18)

TPM_CONFIRM_HISTORY

OFFICE_CODE: char(18)
CONFIRM_SEQ: char(18)
SEQ: char(18)
CONFIRM_TB_NM: char(18)
HISTORY_SEQ: char(18)
CONFIRM_GBN: char(18)
DUTY_CD: char(18)
CONFIRM_ID: char(18)
CONFIRM_ID_S: char(18)
ORDER_SEQ: char(18)
REAL_USER_ID: char(18)
REAL_USER_NM: char(18)
REAL_CONFIRM: char(18)
REAL_DATE: char(18)
REG_ID: char(18)
REG_DATE: char(18)
CANCEL_REMARK: char(18)

설정관리 > 점검일지, 안전진단

TPM_MENU_ADD

OFFICE_CODE: char(18)
MENU_ID: char(18)

MENU_GROUP: char(18)
MENU_NAME: char(18)
M_LEVEL: char(18)
LEVEL_ORDER: char(18)
UP_MENU_ID: char(18)
FORM_URL: char(18)
FORM_USE: char(18)
FORM_NAME: char(18)
CHK_WEATHER: char(18)
CHK_TEMP: char(18)
CHK_WRITER: char(18)
CHK_REMARKS: char(18)
CHK_REMARKS_NM: char(18)
REG_DATE: char(18)
REG_USER: char(18)
CHK_HEIGHT_YN: char(18)
CHK_HEIGHT: char(18)
CODE_MENU: char(18)
START_DATE: char(18)
END_DATE: char(18)
GRID_HEIGHT: char(18)
PR_FONT_SIZE: char(18)
CHK_REMARK_HEIGHT: char(18)
TIME_INPUT_YN: char(18)
CHK_TEXT_YN: char(18)
CHK_PRE_COPY: char(18)

TPM_MENU_ADD_CONFIRM

OFFICE_CODE: char(18)
MENU_ID: char(18)
ORDER_SEQ: char(18)

CONFIRM_NM: char(18)
USE_YN: char(18)
CONFIRM_USER_ID: char(18)
CONFIRM_USER_ID_S: char(18)

TPM_MENU_ADD_ITEM

OFFICE_CODE: char(18)
MENU_ID: char(18)
ORDER_SEQ: char(18)

ITEM_NM: char(18)
USE_YN: char(18)
ITEM_WIDTH: char(18)

TPM_MENU_ADD_ITEM_DETAIL

OFFICE_CODE: char(18)
MENU_ID: char(18)
SEQ: char(18)

COL1: char(18)
COL2: char(18)
COL3: char(18)
COL4: char(18)
COL5: char(18)
COL6: char(18)
COL7: char(18)
COL8: char(18)

[MENU_ID 구성]

수변전 - 0500203xx
기계실 - 0500403xx

전기점검일지 - 0500205xx
설비점검일지 - 0500405xx

전기안전점검 - 0500207xx
설비안전점검 - 0500407xx

안전진단 - 050060xxx

전기업무일지 - 0500201xx
설비업무일지 - 0500401xx

설정관리 > 업무일지

TPM_UPMOO_ADD

OFFICE_CODE: char(18)
MENU_ID: char(18)

MENU_GROUP: char(18)
MENU_NAME: char(18)
M_LEVEL: char(18)
LEVEL_ORDER: char(18)
UP_MENU_ID: char(18)
FORM_URL: char(18)
FORM_USE: char(18)
FORM_NAME: char(18)
CHK_WEATHER: char(18)
CHK_TEMP: char(18)
CHK_WRITER: char(18)
CHK_REMARK: char(18)
CHK_REMARK_NM: char(18)
REG_DATE: char(18)
REG_USER: char(18)
CHK_HEIGHT_YN: char(18)
CHK_HEIGHT: char(18)
CODE_MENU: char(18)
START_DATE: char(18)
END_DATE: char(18)
GRID_HEIGHT: char(18)
PR_FONT_SIZE: char(18)
TIME_INPUT_YN: char(18)
GRID_NAME: char(18)
CHK_PER_HEIGHT: char(18)
CHK_PER_TEXT: char(18)
CHK_PER: char(18)
CHK_PER_NAME: char(18)
CHK_REMARK_HEIGHT: char(18)
CHK_GBN1: char(18)
CHK_GBN2: char(18)
CHK_GBN3: char(18)
CHK_GBN4: char(18)
CHK_GBN5: char(18)
VIEW_GBN: char(18)

TPM_UPMOO_ADD_CONFIRM

OFFICE_CODE: char(18)
MENU_ID: char(18)
ORDER_SEQ: char(18)

CONFIRM_NM: char(18)
USE_YN: char(18)
CONFIRM_USER_ID: char(18)
CONFIRM_USER_ID_S: char(18)

TPM_UPMOO_ADD_ITEM

OFFICE_CODE: char(18)
MENU_ID: char(18)
ORDER_SEQ: char(18)

ITEM_NM: char(18)
USE_YN: char(18)
ITEM_WIDTH: char(18)

TPM_UPMOO_ADD_ITEM_DETAIL

OFFICE_CODE: char(18)
MENU_ID: char(18)
SEQ: char(18)

COL1: char(18)
COL2: char(18)
COL3: char(18)
COL4: char(18)
COL5: char(18)
COL6: char(18)
COL7: char(18)

점검일지

TPM_REPORT

OFFICE_CODE: char(18)
MENU_ID: char(18)
REPORT_DATE: char(18)

FORM_NAME: char(18)
CHK_WEATHER: char(18)
CHK_WEATHER_TEXT: char(18)
CHK_TEMP: char(18)
CHK_TEMP_TEXT: char(18)
CHK_WRITER: char(18)
CHK_WRITER_TEXT: char(18)
CHK_REMARK: char(18)
CHK_REMARK_TEXT: char(18)
REG_USER: char(18)
REG_DATE: char(18)
CHK_HEIGHT_YN: char(18)
CHK_HEIGHT: char(18)

TPM_REPORT_CONFIRM

OFFICE_CODE: char(18)
MENU_ID: char(18)
ORDER_SEQ: char(18)
REPORT_DATE: char(18)

DEPT_CD: char(18)
CONFIRM_ID: char(18)
CONFIRM_ID_S: char(18)
USE_YN: char(18)
REAL_USER_ID: char(18)
REAL_USER_NM: char(18)
REAL_CONFIRM: char(18)
REAL_DATE: char(18)

TPM_REPORT_LIST

OFFICE_CODE: char(18)
MENU_ID: char(18)
SEQ: char(18)
REPORT_DATE: char(18)

COL1: char(18)
COL2: char(18)
COL3: char(18)
COL4: char(18)
COL5: char(18)
COL6: char(18)
COL7: char(18)
COL8: char(18)

2014~2025까지 있음

업무일지

TPM_UPMOO_REPORT

OFFICE_CODE: char(18)
MENU_ID: char(18)
REPORT_DATE: char(18)

FORM_NAME: char(18)
CHK_WEATHER: char(18)
CHK_WEATHER_TEXT: char(18)
CHK_TEMP: char(18)
CHK_TEMP_TEXT: char(18)
CHK_WRITER: char(18)
CHK_WRITER_TEXT: char(18)
CHK_REMARK: char(18)
CHK_REMARK_TEXT: char(18)
REG_USER: char(18)
REG_DATE: char(18)
CHK_HEIGHT_YN: char(18)
CHK_HEIGHT: char(18)
CHK_REMARK_HEIGHT: char(18)
GRID_NAME: char(18)
CHK_PER_HEIGHT: char(18)
CHK_PER_TEXT: char(18)
CHK_PER: char(18)
CHK_PER_NAME: char(18)
CHK_GBN1: char(18)
CHK_GBN2: char(18)
CHK_GBN3: char(18)
CHK_GBN4: char(18)
CHK_GBN5: char(18)

TPM_UPMOO_REPORT_CONFIRM

OFFICE_CODE: char(18)
MENU_ID: char(18)
ORDER_SEQ: char(18)
REPORT_DATE: char(18)

DEPT_CD: char(18)
CONFIRM_ID: char(18)
CONFIRM_ID_S: char(18)
USE_YN: char(18)
REAL_USER_ID: char(18)
REAL_USER_NM: char(18)
REAL_CONFIRM: char(18)
REAL_DATE: char(18)

TPM_UPMOO_REPORT_LIST

OFFICE_CODE: char(18)
MENU_ID: char(18)
SEQ: char(18)
REPORT_DATE: char(18)

COL1: char(18)
COL2: char(18)
COL3: char(18)
COL4: char(18)
COL5: char(18)
COL6: char(18)
COL7: char(18)
COL4_NM: char(18)
GOODS_OUTPUT_YN: char(18)

TPM_UPMOO_REPORT_LIST_FILE

OFFICE_CODE: char(18)
MENU_ID: char(18)
REPORT_DATE: char(18)
SEQ: char(18)
FILE_SEQ: char(18)

FILE_NM: char(18)
SYS_FILE_NM: char(18)

