

TWK_SCHEDULE_MST

OFFICE_CODE: varchar(6)
MST_MONTH: varchar(6)
MST_NO: int
TITLE: varchar(100)
IMPORTANT_YN: varchar(1)
DESCR: varchar(2000)
DAY_TERM_GBN: varchar(20)
SCH_GBN: varchar(20)
MAIN_DEPT_CD: varchar(20)
MY_SCHEDULE: varchar(1)
START_DATE: varchar(8)
START_TIME: varchar(4)
END_DATE: varchar(8)
END_TIME: varchar(4)
STATUS_CD: varchar(20)
WORK_USER_ID: varchar(20)
WORKER_NAME: varchar(50)
STORE_MENU: varchar(20)
DOC_FOLDER: varchar(20)
REG_USER: varchar(20)
REG_DATE: varchar(20)
RE_WORK_YN: varchar(1)
GOOD_OUTPUT_YN: char(18)
EMP_NO_X: char(18)
REG_SEQ_X: char(18)

TWK_SCHEDULE_NEW

OFFICE_CODE: varchar(6)
MST_NO: int
MST_MONTH: varchar(6)
SC_DATE: char(18)
SEQ: char(18)
TITLE: varchar(100)
IMPORTANT_YN: varchar(1)
DESCR: varchar(2000)
DAY_TERM_GBN: varchar(20)
SCH_GBN: varchar(20)
MAIN_DEPT_CD: varchar(20)
MY_SCHEDULE: varchar(1)
START_DATE: varchar(8)
START_TIME: varchar(4)
RE_WORK_YN: varchar(1)
END_DATE: varchar(8)
END_TIME: varchar(4)
STATUS_CD: varchar(20)
WORK_USER_ID: varchar(20)
WORKER_NAME: varchar(50)
STORE_MENU: varchar(20)
DOC_FOLDER: varchar(20)
REG_USER: varchar(20)
REG_DATE: varchar(20)
GOOD_OUTPUT_YN: char(18)
EMP_NO: char(18)
REQ_SEQ: char(18)

TWK_SCHEDULE_FILE

OFFICE_CODE: varchar(6)
MST_NO: int
MST_MONTH: varchar(6)
SC_DATE: char(18)
SEQ: char(18)
FILE_SEQ: char(18)
FILE_NM: char(18)
SYS_FILE_NM: char(18)

TWK_SCHEDULE_CONFIRM

OFFICE_CODE: char(18)
SC_DATE: char(18)
CONFIRM_SEQ: char(18)
DUTY_CD: char(18)
CONFIRM_ID: char(18)
CONFIRM_ID_S: char(18)
ORDER_SEQ: char(18)
REAL_USER_ID: char(18)
REAL_USER_NM: char(18)
REAL_CONFIRM: char(18)
REAL_DATE: char(18)

TWK_MONTH_BASIC

OFFICE_CODE: char(18)
MST_DATE: char(18)
REG_USER: char(18)
REG_DATE: char(18)

TWK_MONTH_SCHEDULE

OFFICE_CODE: char(18)
MST_DATE: char(18)
MST_MONTH: varchar(6)
MST_NO: int
TITLE: varchar(100)
IMPORTANT_YN: varchar(1)
DESCR: varchar(2000)
SCH_GBN: varchar(20)
MAIN_DEPT_CD: varchar(20)
REG_USER: varchar(20)
REG_DATE: varchar(20)

TWK_SCHEDULE_GBN

OFFICE_CODE: varchar(6)
SCH_GBN: varchar(20)
REG_DATE: varchar(8)
GBN_NAME: varchar(50)
GBN_DESCR: varchar(400)
USE_YN: varchar(1)
REG_USER: varchar(20)
ODER_SEQ: integer
ADD_YN: char(18)

TWK_MONTH_BASIC_IM

OFFICE_CODE: char(18)
MST_DATE: char(18)
REG_USER: char(18)
REG_DATE: char(18)

TWK_MONTH_BASIC_JOB

OFFICE_CODE: char(18)
MST_DATE: char(18)
MST_MONTH: char(18)
MST_NO: char(18)
TITLE: char(18)
REG_USER: char(18)
REG_DATE: char(18)

TWK_MONTH_MAJOR_JOB

OFFICE_CODE: char(18)
MST_DATE: char(18)
MST_MONTH: char(18)
MST_NO: char(18)
TITLE: char(18)
REG_USER: char(18)
REG_DATE: char(18)

TMN_LINE

LINE_NO: integer
DONG_ID: varchar(10)
OFFICE_CODE: varchar(6)

LINE_GBN: varchar(6)
HOUSE_SIZE: varchar(20)
START_FLOOR: integer
END_FLOOR: integer
HO_NO: varchar(4)
EL_CNT: varchar(1)
ROOFTOP_CNT: varchar(1)
DOOR_CNT: char(18)
HO_NM: char(18)
HO_SORT: char(18)

TMN_DONG

OFFICE_CODE: varchar(6)
DONG_ID: varchar(10)

DONG_NAME: varchar(20)
LOWER_FLOOR: integer
HIGHER_FLOOR: integer
VIEW_GBN: varchar(6)
IMAGE_MAP: varchar(200)
REG_DATE: varchar(8)
REG_USER: varchar(20)
SORT_ORDER: char(18)

TMN_DONG_HO

HO_ID: varchar(20)
DONG_ID: varchar(10)
OFFICE_CODE: varchar(6)

FLOOR: varchar(4)
HO: varchar(4)
HOUSE_SIZE: varchar(20)
IBJU_DATE: varchar(8)
HOUSEHOLDER: varchar(30)
HOUSE_PHON_NO: varchar(20)
E_MAIL: varchar(30)
HP_NO: varchar(20)
REMARKS: varchar(100)
HO_PRINT_SEQ: numeric
HO_COMPAR_SEQ: numeric(18,0)
LIVE_TYPE: varchar(20)
LINE_NO: char(18)

설정관리 > 민원설정

TMN_MINWON

OFFICE_CODE: varchar(20)
SLIP_NO: varchar(20)
MINWON_DATE: varchar(20)

GBN: varchar(20)
TIME_INPUT: varchar(1)
TIME: varchar(2)
MINUTE: varchar(2)
DONG_ID: varchar(10)
HO_ID: varchar(20)
LINE_NO: integer
LINE_GBN: char(18)
MINWON_AREAR_SEQ: integer
MINWON_NAME: varchar(30)
HP_NO: varchar(20)
MINOWN_GBN: varchar(20)
RECEIPT_USER: varchar(20)
DESCR: varchar(2000)
TITLE: varchar(200)
REG_DATE: varchar(8)
REG_USER: varchar(20)
STATUS_CD: varchar(6)
IDX: char(18)
DEL_YN: char(18)
DEL_ID: char(18)
DEL_NM: char(18)
DEL_DT: char(18)

TMN_LINE_OUT

OFFICE_CODE: varchar(6)
DONG_ID: varchar(10)
SEQ: integer

GBN: varchar(6)
SUM_DONGHO: varchar(20)
OUT_DONGHO: varchar(4)
USE_YN: integer

TMN_MINWON_WORK

OFFICE_CODE: varchar(20)
SLIP_NO: varchar(20)
MINWON_DATE: varchar(20)
WORK_SEQ: integer

WORK_DATE: varchar(8)
TIME_INPUT: varchar(1)
TIME: varchar(2)
MINUTE: varchar(2)
WORK_USER: varchar(20)
WORK_DESC: varchar(2000)
STATUS_CD: varchar(6)
REG_DATE: varchar(8)
REG_USER: varchar(20)
GOODS_OUTPUT_YN: char(18)
IDX: char(18)
DEL_YN: char(18)
DEL_ID: char(18)
DEL_NM: char(18)
DEL_DT: char(18)

TMN_MINWON_WORK_FILE

OFFICE_CODE: char(18)
SLIP_CODE: char(18)
MINWON_DATE: char(18)
WORK_SEQ: char(18)
FILE_SEQ: integer

FILE_NM: varchar(100)
SYS_FILE_NM: varchar(100)

TMN_MINWON_CONFIRM_ENV

OFFICE_CODE: char(18)

PRINT_CONFIRM: char(18)
PRINT_HO: char(18)

TMN_MINWON_FILE

OFFICE_CODE: char(18)
SLIP_NO: char(18)
MINWON_DATE: char(18)
FILE_SEQ: integer

FILE_NM: varchar(100)
SYS_FILE_NM: varchar(100)

TMN_MINWON_DAILY

OFFICE_CODE: varchar(20)
MINWON_DATE: varchar(20)

CONFIRM_DOC_NO: varchar(20)
CONFIRM_STATUS: varchar(20)

TMN_LAYOUT

OFFICE_CODE: varchar(20)

DESCR_HTML: text

TMN_MINWON_DAILY_SUB

OFFICE_CODE: varchar(20)
MINWON_DATE: varchar(20)
SLIP_NO: varchar(20)

DONG_HO: varchar(50)
MINWON_DESC: varchar(2000)
STATUS_CD: varchar(20)

TMN_CONFIRM

OFFICE_CODE: varchar(20)
MINWON_DATE: varchar(20)
CONFIRM_SEQ: integer

DUTY_CD: char(18)
CONFIRM_ID: char(18)
CONFIRM_ID_S: char(18)
ORDER_SEQ: char(18)
REAL_USER_ID: char(18)
REAL_USER_NM: char(18)
REAL_CONFIRM: char(18)
REAL_DATE: char(18)

TMN_MINWON_CONFIRM

OFFICE_CODE: char(18)
CONFIRM_SEQ: char(18)

CONFIRM_ID: char(18)
ORDER_SEQ: char(18)
REG_USER: char(18)
REG_DATE: char(18)
REAL_DATE: char(18)

TMN_MINWON_COMPANY

OFFICE_CODE: char(18)
COM_GBN: char(18)
REG_DATE: char(18)

COM_NAME: char(18)
USE_YN: char(18)
REG_USER: char(18)
ORDER_SEQ: char(18)

TMN_MINWON_AREAR

OFFICE_CODE: varchar(20)
MINWON_AREAR_SEQ: integer

AREAR_NAME: varchar(50)
REG_DATE: varchar(8)
ORDER_SEQ: char(18)

TMN_MINWON_ENV

OFFICE_CODE: char(18)

VIEW_GBN: char(18)
VIEW_USER: char(18)
STOCK_GBN: varchar(1)
GAUGE_GBN: varchar(1)
MESSAGE_GBN: char(18)
TMN_MINWON_GBN_FLAG: char(18)
TIME_GBN: char(18)

TMN_MINWON_GBN

OFFICE_CODE: varchar(20)
REG_DATE: varchar(8)
GBN_ID: varchar(20)

GBN_NAME: varchar(50)
USE_YN: varchar(1)
REG_USER: varchar(20)
ORDER_SEQ: char(18)

TMN_FLOOR_BASIC


SEQ: integer
OFFICE_CODE: varchar(20)


ST_DONG: varchar(50)
ST_BF_GBN: varchar(1)
ST_FLOOR: varchar(4)
ST_HO: varchar(4)
IN_ST_FLOOR: varchar(4)
END_DONG: varchar(50)
END_BF_GBN: varchar(1)
END_FLOOR: varchar(4)
END_HO: varchar(4)
IN_END_FLOOR: varchar(4)
FOUR_FLOOR_NON: varchar(1)
FOUR_HO_NON: varchar(1)
BLDG_TYPE: varchar(6)
AREAR: decimal(18,4)

TMN_FLOOR_PLAN

OFFICE_CODE: varchar(20)
FLOOR_PLAN_SEQ: integer

FLOOR_PLAN_NAME: varchar(200)
FLOOR_PLAN_HTML: text
REG_USER: char(18)





문서관리 > 기안문서

기안문서

관리소코드
문서순번
제목
내용HTML
작성자
작성일
작성자ID
IDX

기안문서첨부파일

관리소코드 (FK)
문서순번 (FK)
첨부파일순번
파일명
저장파일명

문서관리 > 발송문서

발송문서

관리소코드
문서순번
제목
내용HTML
작성자
작성일
작성자ID
수신처

발송문서첨부파일

관리소코드 (FK)
문서순번 (FK)
첨부파일순번
파일명
저장파일명

문서관리 > 입찰공고

입찰문서

관리소코드
문서순번
제목
내용HTML
작성자
작성일
작성자ID
입찰처

입찰문서첨부파일

관리소코드 (FK)
문서순번 (FK)
첨부파일순번
파일명
저장파일명

문서관리 > 접수문서

접수문서

관리소코드
문서순번
제목
내용HTML
작성자
작성일
작성자ID
발송처

접수문서첨부파일

관리소코드 (FK)
문서순번 (FK)
첨부파일순번
파일명
저장파일명

방송&게시문 > 방송문

방송문

관리소코드
문서순번
제목
내용HTML
작성자
작성일
작성자ID
방송자
방송횟수
비고
방송일
방송시
방송분

방송문첨부파일

관리소코드 (FK)
문서순번 (FK)
첨부파일순번
파일명
저장파일명

방송일시

관리소코드 (FK)
문서순번 (FK)
방송진행순번
방송일
방송시간

방송&게시문 > 광고문

광고문

관리소코드
문서순번
제목
내용HTML
작성자
작성자 번호
작성일
작성자ID
광고시작일
광고종료일

광고문첨부파일

관리소코드 (FK)
문서순번 (FK)
첨부파일순번
파일명
저장파일명

광고장소

관리소코드 (FK)
문서순번 (FK)
순번
광고장소

방송&게시문 > 광고게시문

광고게시물

관리소코드 문서순번
제목 내용 작성일 작성자ID 광고시작일 광고종료일 광고주 대표자 연락처 광고금액 비고 게시장소

광고게시물첨부파일

관리소코드 (FK)
문서순번 (FK)
첨부파일순번

파일명
저장파일명

광고문작성자

관리소코드 순번
작성자 작성일 사용여부 순서

게시장소

관리소코드 게시장소ID
게시장소명 등록일 사용여부 순서

문서관리설정

관리소코드 문서순번
제목 내용HTML 작성일 작성자ID

메시지충전

관리소코드 순번
충전일 충전금액 충전건수 내등록자 내등록일

메시지전송내역

관리소코드 구분 등록일 전송그룹 순번
사번 이름 휴대전화 직책 내용 전송일 전송여부 고유번호 리턴분자 비고 전송금액 문자수 전송유형 SMS건수 전송자 공지번호 공지구분 수신관리소코드

메시지 후렴문구

관리소코드 순번
후렴명 후렴내용 등록자 등록자ID 등록일

메시지사용현황 임시테이블

순번 관리소코드
순번2 충전일 건수 내용 SMS_사용건수 LMS_사용건수 MMS_사용건수 총 남은건수 잔여건수 사용건수

생상문서분류

관리소코드 분류 등록일
분류명 사용여부 순서

생상문서

관리소코드 문서순번
분류 생상일 서류철 관리부서 문서보관함 보존기한 폐기예정일 사용여부 비고 폐기여부 폐기일 폐기사유

문서보관함

관리소코드 보관함코드 등록일
보관함명 사용여부 순서

행정서식

관리소코드
문서순번
제목
내용HTML
작성자
작성일
작성자ID
사용처
IDX

행정서식첨부파일

관리소코드 (FK)
문서순번 (FK)
첨부파일순번
파일명
저장파일명

부과내역서

관리소코드
문서순번
제목
내용HTML
작성자
작성일
작성자ID
IDX

부과내역서첨부파일

관리소코드 (FK)
문서순번 (FK)
첨부파일순번
파일명
저장파일명

자금 / 재무 게시판

관리소코드
문서순번
RULE_DIV
제목
내용HTML
작성자
작성일
작성자ID
IDX

첨부파일

관리소코드 (FK)
문서순번 (FK)
첨부파일순번
RULE_DIV (FK)
파일명
저장파일명

rule_div : 자금 (100001) / 재무 (100002)

광고문_입

관리소코드
문서순번
제목
내용HTML
작성자
작성자 번호
작성일
작성자ID
광고시작일
광고종료일

광고문_입_첨부파일

관리소코드 (FK)
문서순번 (FK)
첨부파일순번
파일명
저장파일명

DB 내용 없음 (30002 만 1줄있음)

광고장소_입

관리소코드 (FK)
문서순번 (FK)
순번
광고장소

문서관리 > 기안문서

TAD_DOC_DRAFT

OFFICE_CODE: varchar(20)
DOC_SEQ: integer

SUBJECT: varchar(200)
DOC_HTML: text
REG_DATE: varchar(8)
REG_USER: varchar(20)
WRITER: char(18)
IDX: integer

TAD_DOC_DRAFT_FILE

OFFICE_CODE: varchar(20)
DOC_SEQ: integer
FILE_SEQ: integer

FILE_NM: varchar(100)
SYS_FILE_NM: varchar(100)

문서관리 > 발송문서

TAD_DOC_SEND

OFFICE_CODE: varchar(20)
DOC_SEQ: integer

SUBJECT: varchar(200)
DOC_HTML: text
REG_DATE: varchar(8)
REG_USER: varchar(20)
RECEIPT_NAME: varchar(50)
WRITER: char(18)

TAD_DOC_SEND_FILE

OFFICE_CODE: varchar(20)
DOC_SEQ: integer
FILE_SEQ: integer

FILE_NM: varchar(100)
SYS_FILE_NM: varchar(100)

문서관리 > 입찰공고

TAD_DOC_BID

OFFICE_CODE: varchar(20)
DOC_SEQ: integer

SUBJECT: varchar(200)
DOC_HTML: text
REG_DATE: varchar(8)
REG_USER: varchar(20)
IB_NAME: varchar(50)
WRITER: char(18)

TAD_DOC_BID_FILE

OFFICE_CODE: varchar(20)
DOC_SEQ: integer
FILE_SEQ: integer

FILE_NM: varchar(100)
SYS_FILE_NM: varchar(100)

문서관리 > 접수문서

TAD_DOC_RECEIPT

OFFICE_CODE: varchar(20)
DOC_SEQ: integer

SUBJECT: varchar(200)
DOC_HTML: text
REG_DATE: varchar(8)
REG_USER: varchar(20)
SEND_NAME: varchar(50)
WRITER: char(18)

TAD_DOC_RECEIPT_FILE

OFFICE_CODE: varchar(20)
DOC_SEQ: integer
FILE_SEQ: integer

FILE_NM: varchar(100)
SYS_FILE_NM: varchar(100)

방송&게시문 > 방송문

TAD_DOC_BROADCAST

OFFICE_CODE: varchar(20)
DOC_SEQ: integer

SUBJECT: varchar(200)
DOC_HTML: text
REG_DATE: varchar(8)
REG_USER: varchar(20)
BROADCASTER: char(18)
BROADCAST_CNT: integer
REMARKS: varchar(100)
WRITER: char(18)
CAST_DATE: char(18)
CAST_HOUR: char(18)
CAST_MINUTE: char(18)

TAD_DOC_BROADCAST_FILE

OFFICE_CODE: varchar(20)
DOC_SEQ: integer
FILE_SEQ: integer

FILE_NM: varchar(100)
SYS_FILE_NM: varchar(100)

TAD_DOC_BROADCAST_TIME

SEQ: integer
OFFICE_CODE: varchar(20)
DOC_SEQ: integer

CAST_DATE: varchar(8)
CAST_TIME: varchar(4)

방송&게시문 > 공고문

TAD_DOC_NOTICE

OFFICE_CODE: varchar(20)
DOC_SEQ: integer

SUBJECT: varchar(200)
DOC_HTML: text
REG_DATE: varchar(8)
REG_USER: varchar(20)
START_DATE: varchar(8)
END_DATE: varchar(8)
WRITER: char(18)
WRITER_ID: char(18)

TAD_DOC_NOTICE_FILE

OFFICE_CODE: varchar(20)
DOC_SEQ: integer
FILE_SEQ: integer

FILE_NM: varchar(100)
SYS_FILE_NM: varchar(100)

TAD_DOC_NOTICE_POINT

OFFICE_CODE: varchar(20)
DOC_SEQ: integer
SEQ: integer

NOTICE_POINT: varchar(20)

방송&게시문 > 광고게시문

TAD_DOC_ADVER

OFFICE_CODE: varchar(20)
DOC_SEQ: integer
SUBJECT: varchar(200)
DOC_HTML: varchar(1000)
REG_DATE: varchar(8)
REG_USER: varchar(20)
START_DATE: varchar(8)
END_DATE: varchar(8)
AD_COMP_NAME: varchar(50)
AD_OWNER: varchar(20)
TEL_NO: varchar(20)
AD_AMOUNT: money
REMARKS: varchar(100)
POINT_ID: char(18)

TAD_DOC_ADVER_FILE

OFFICE_CODE: varchar(20)
DOC_SEQ: integer
FILE_SEQ: integer
FILE_NM: varchar(100)
SYS_FILE_NM: varchar(100)

TAD_REG_USER

OFFICE_CODE: varchar(20)
SEQ: integer
REG_NAME: varchar(20)
REG_DATE: varchar(8)
USE_YN: varchar(1)
ORDER_SEQ: char(18)

TAD_POINT

OFFICE_CODE: varchar(20)
POINT_ID: varchar(20)
POINT_NAME: varchar(50)
REG_DATE: varchar(8)
USE_YN: varchar(8)
ORDER_SEQ: char(18)

TAD_DOC_ENV

OFFICE_CODE: varchar(20)
SAFETY_CODE: integer
SUBJECT: varchar(200)
DOC_HTML: text
REG_DATE: varchar(8)
REG_USER: varchar(20)

TAD_MESSAGE_CHARGE

OFFICE_CODE: varchar(20)
SEQ: varchar(20)
CHARGE_DATE: varchar(20)
CHARGE_AMT: varchar(8)
CHARGE_CNT: varchar(20)
REMARKS: varchar(20)
REG_USER: varchar(30)
REG_DATE: varchar(20)

TAD_MESSAGE_USE

OFFICE_CODE: varchar(20)
SEQ: varchar(20)
GBN: char(18)
REG_DATE: char(18)
SEND_GROUP: char(18)
EMP_NO: varchar(20)
NAME: varchar(8)
HP_NO: varchar(20)
JOB_DUTY_NAME: varchar(20)
SEND_MSG: varchar(30)
SNED_DATE: varchar(20)
SEND_YN: char(18)
SERIAL: char(18)
CALL_COM: char(18)
REMARKS: char(18)
RE_AMT: char(18)
BYTE_LEN: char(18)
MSG_TYPE: char(18)
SMS_CNT: char(18)
SEND_USER_ID: char(18)
BIZ_DATA_NO: char(18)
BIZ_GBN: char(18)
RCV_OFFICE_CODE: char(18)

TAD_MESSAGE_LAST

OFFICE_CODE: char(18)
SEQ: char(18)
LAST_NM: char(18)
LAST_TEXT: char(18)
REG_USER: char(18)
REG_USER_ID: char(18)
REG_DATE: char(18)

TAD_MESSAGE_TMP

R_NUM2: char(18)
OFFICE_CODE: char(18)
R_NUM: char(18)
CHARGE_DATE: char(18)
CHARGE_CNT: char(18)
REMARKS: char(18)
SMS_CNT: char(18)
LMS_CNT: char(18)
MMS_CNT: char(18)
TOT_CNT: char(18)
RE_CNT: char(18)
RE_USE_CNT: char(18)

TAD_MAKE_DOC_GBN

OFFICE_CODE: varchar(20)
DOC_GBN: varchar(20)
REG_DATE: varchar(8)
DOC_GBN_NAME: varchar(50)
USE_YN: varchar(1)
ORDER_SEQ: char(18)

TAD_MAKE_DOC

OFFICE_CODE: varchar(20)
DOC_SEQ: integer
DOC_GBN: varchar(20)
MAKE_DATE: varchar(8)
DOC_FOLDER: varchar(100)
MGM_DEPT_CD: varchar(20)
DOC_STORAGE: varchar(20)
STORAGE_MAX_YEAR: integer
DISUSE_PLAN_DATE: varchar(8)
USE_YN: varchar(1)
REMARKS: varchar(100)
DISUSE_YN: char(18)
DISUSE_DATE: char(18)
DISUSE_REASON: char(18)

TAD_DOC_STORAGE

OFFICE_CODE: varchar(20)
STORAGE_CD: varchar(20)
REG_DATE: varchar(8)
STORAGE_NAME: varchar(50)
USE_YN: varchar(1)
ORDER_SEQ: char(18)

TAD_DOC_ADMIN

OFFICE_CODE: varchar(20)
DOC_SEQ: integer
SUBJECT: varchar(200)
DOC_HTML: text
REG_DATE: varchar(8)
REG_USER: varchar(20)
SEND_NAME: varchar(50)
WRITER: char(18)
IDX: integer

TAD_DOC_ADMIN_FILE

OFFICE_CODE: varchar(20)
DOC_SEQ: integer
FILE_SEQ: integer
FILE_NM: varchar(100)
SYS_FILE_NM: varchar(100)

TAD_DOC_LEVY

OFFICE_CODE: varchar(20)
DOC_SEQ: integer
SUBJECT: varchar(200)
DOC_HTML: text
REG_DATE: varchar(8)
REG_USER: varchar(20)
WRITER: char(18)
IDX: char(18)

TAD_DOC_LEVY_FILE

OFFICE_CODE: varchar(20)
DOC_SEQ: integer
FILE_SEQ: integer
FILE_NM: varchar(100)
SYS_FILE_NM: varchar(100)

TAD_RULE

OFFICE_CODE: varchar(20)
RULE_SEQ: integer
RULE_DIV: varchar(20)
SUBJECT: varchar(200)
DOC_HTML: text
WRITER: char(18)
REG_DATE: varchar(8)
REG_USER: varchar(20)
IDX: integer

TAD_RULE_FILE

OFFICE_CODE: varchar(20)
RULE_SEQ: integer
FILE_SEQ: integer
RULE_DIV: varchar(20)
FILE_NM: varchar(100)
SYS_FILE_NM: varchar(100)

rule_div : 자금 (100001) / 재무 (100002)

TAD_DOC_NOTICE_IB

OFFICE_CODE: varchar(20)
DOC_SEQ: integer
SUBJECT: varchar(200)
DOC_HTML: text
REG_DATE: varchar(8)
REG_USER: varchar(20)
START_DATE: varchar(8)
END_DATE: varchar(8)
WRITER: char(18)
WRITER_ID: char(18)

TAD_DOC_NOTICE_IB_FILE

OFFICE_CODE: varchar(20)
DOC_SEQ: integer
FILE_SEQ: integer
FILE_NM: varchar(100)
SYS_FILE_NM: varchar(100)

DB 내용 없음 (30002 만 1줄있음)

TAD_DOC_NOTICE_IB_POINT

OFFICE_CODE: varchar(20)
DOC_SEQ: integer
SEQ: integer
NOTICE_POINT: varchar(20)

설정관리 > 수변전, 기계실, 안전점검

점검일지설정

관리소코드
메뉴ID
메뉴그룹
메뉴명
결재코드
메뉴레벨
메뉴순번
화면주소
화면사용여부
화면명
기타출력여부
기타제목명
출력높이
화면그리드높이
출력폰트
사용시작일
사용종료일
등록일
등록자
헤더ROW
헤더COL
바디ROW
바디COL
날씨입력여부
근무자입력여부
상위메뉴
온도입력여부
가로입력여부
페이지넘김
전월복사
양호제외

점검일지그리드

관리소코드 (FK)
메뉴ID (FK)
순번
세로 순번
가로 순번
그리드명
헤더 ROW
헤더 COL
바디 ROW
바디 COL
그리드 넓이
입력 형태
사용 여부
헤더 행 높이
행 높이
전일 복사 여부
가로 내부 순번

점검일지헤더

로우 컬럼 구분
로우 넘버
컬럼 번호
관리소코드 (FK)
메뉴ID (FK)
순번 (FK)
로우 병합
컬럼 병합
표시명
셀 넓이
사용 여부
값 형태
배수
월 초기일

점검일지결재라인

관리소코드 (FK)
메뉴ID (FK)
순번
결재자명
사용 여부
결재자1
결재자2

수변전일지

점검일지상세

관리소코드 (FK)
메뉴ID (FK)
순번
점검일 (FK)
데이터 순번
VAL1
VAL2
VAL3
VAL4
VAL5
COL1
COL2
COL3
COL4
COL5
COL6
COL7
COL8
COL9
COL10
COL11
COL12
COL13
COL14
COL15
COL16
COL17
COL18
COL19
COL20
COL21
COL22
COL23
COL24
COL25
COL26
COL27
COL28
COL29
COL30
COL31
COL33
COL34
COL35
COL36
COL37
COL38
COL39
COL40
COL32
COL33_541

점검일지

관리소코드
메뉴ID
점검일
날씨
근무자
기타사항
등록일
등록자
온도

점검일지비고

관리소코드 (FK)
메뉴ID (FK)
순번
점검일 (FK)
비고

점검일지결재

관리소코드 (FK)
메뉴ID (FK)
점검일 (FK)
결재순번
직책
결재자ID
결재자IDS
결재자순번
실결재자ID
실결재자명
실결재자제목
실결재일

[MENU_ID 구성]

수변전 - 0500203xx
기계실 - 0500403xx

전기점검일지 - 0500205xx
설비점검일지 - 0500405xx

전기안전점검 - 0500207xx
설비안전점검 - 0500407xx

안전진단 - 050060xxx

전기업무일지 - 0500201xx
설비업무일지 - 0500401xx

수변전일지 구양식

수변전일지양식

관리소코드 수변전코드
내용HTML 작성일 작성자 날씨여부 온도여부 가로여부 일지명

수변전일지

관리소코드 수변전코드 수변전순번
내용HTML 작성일 작성자 점검자 점검시작일 점검종료일 점검문서번호 날씨여부 온도여부 날씨 온도 가로형 일지명

수변전일지결재

관리소코드 (FK) 수변전코드 (FK) 수변전순번 (FK) 결재순번
직책번호 결재ID 결재자ID_S 순서 결재자ID 결재자 대리결제사유 점검시작일

기계실일지 구양식

기계실일지

관리소코드 기계실코드 기계실순번
내용HTML 작성일 작성자 점검자 점검시작일 점검종료일 점검문서번호 날씨 온도 날씨여부 온도여부 가로형여부 일지명

기계실일지결재

관리소코드 (FK) 기계실코드 (FK) 기계실순번 (FK) 결재순번
부서코드 결재자1 결재자2 순위 실결재자ID 실결재자명 미결제사유 결제일 실결제일

발전기 구양식

수변전일지

관리소코드 수변전코드 수변전순번
내용HTML 작성일 작성자 점검자 점검시작일 점검종료일 점검문서번호 날씨여부 온도여부 날씨 온도 가로형여부 일지명

수변전일지결재

관리소코드 (FK) 수변전코드 (FK) 수변전순번 (FK) 결재순번
직책번호 결재ID 결재ID_S 순서 결재자ID 결재자 대리결제사유 점검시작일

수변전일지양식

관리소코드 수변전코드
내용HTML 작성일 작성자 날씨여부 온도여부 가로형여부 일지명

안전진단

안전진단_기본

관리소코드 안전진단코드
제목 내용HTML 작성일 작성자


안전진단

관리소코드 안전진단코드 안전진단순번
제목 내용HTML 작성일 작성자 점검자 점검시작일 점검종료일 점검문서번호

안전진단결재

관리소코드 (FK) 결재순번 안전진단코드 (FK) 안전진단순번 (FK)
직책번호 결재ID 순서 실결재자ID 실결제자 대리결제사유 점검시작일

기계실일지



안전점검_설정

관리소코드 구분
일지명 내용 등록일 등록자

안전점검

관리소코드 구분 순번
일지명 내용 등록일 등록자 점검시작일 종료일 결재번호

안전점검_결재

관리소코드 (FK) 순번 (FK) 구분 (FK) 결재순번
부서코드 결재자 결재자2 순위 실결재자 ID 실결재자명 미결재사유 결재일 실결재일

전기안전점검_설정

관리소코드 구분
메뉴명 일지명 내용 등록일 등록자

전기안전점검

순번 관리소코드 구분
메뉴명 일지명 내용 등록일 등록자 점검시작일 종료일 결재번호

전기안전점검_결재

결재순번 결재일 순번 (FK) 관리소코드 (FK) 구분 (FK)
부서코드 결재자 결재자2 순위 실결재자 ID 실결재자명 미결재사유 결재일 실결재일

설비안전점검_설정

관리소코드 구분
메뉴명 일지명 내용 등록일 등록자

설비안전점검

순번 관리소코드 구분
메뉴명 일지명 내용 등록일 등록자 점검시작일 종료일 결재번호

설비안전점검_결재

결재순번 결재일 순번 (FK) 관리소코드 (FK) 구분 (FK)
부서코드 결재자 결재자2 순위 실결재자 ID 실결재자명 미결재사유 결재일 실결재일

안전점검상세

관리소코드 (FK)
메뉴ID (FK)
순번
점검일 (FK)
데이터순번
VAL1
VAL2
VAL3
VAL4
VAL5
COL1
COL2
COL3
COL4
COL5
COL6
COL7
COL8
COL9
COL10
COL11
COL12
COL13
COL14
COL15
COL16
COL17
COL18
COL19
COL20
COL21
COL22
COL23
COL24
COL25
COL26
COL27
COL28
COL29
COL30
COL31
COL33
COL34
COL35
COL36
COL37
COL38
COL39
COL40
COL32
COL33_813

안전점검

관리소코드
메뉴ID
점검일
날짜
근무자
기타사항
등록일
등록자
온도
점검종료일
점검자

안전점검비고

관리소코드 (FK)
메뉴ID (FK)
순번
점검일 (FK)
비고

안전점검결재

관리소코드 (FK)
메뉴ID (FK)
점검일 (FK)
결재순번
직책
결재자ID
결재자IDS
결재자순번
실결재자ID
실결재자명
실결재자제목
실결재일

전기분야관리

관리소코드
구분
순번
제목
내용
작성자
등록일
등록자

전기분야관리 파일

관리소코드 (FK)
구분 (FK)
순번 (FK)
파일 순번
파일명
저장파일명

설비영선관리

관리소코드
구분
순번
제목
내용
작성자
등록일
등록자

설비영선관리 파일

관리소코드 (FK)
구분 (FK)
순번 (FK)
파일 순번
파일명
저장파일명

설정관리 > 수변전, 기계실, 안전점검

TPM_MENU_CHK

OFFICE_CODE: varchar(6)
MENU_ID: varchar(10)
MENU_GROUP: varchar(5)
MENU_NAME: varchar(50)
CODE_MENU: varchar(6)
M_LEVEL: varchar(2)
LEVEL_ORDER: numeric(18,0)
FORM_URL: varchar(100)
FORM_USE: varchar(1)
FORM_NAME: varchar(50)
CHK_REMARK: varchar(6)
CHK_REMARK_NM: varchar(50)
CHK_HEIGHT: integer
GRID_HEIGHT: integer
PR_FONT_SIZE: integer
START_DATE: varchar(8)
END_DATE: varchar(8)
REG_DATE: varchar(8)
REG_USER: varchar(20)
HEAD_ROW: integer
HEAD_COL: integer
BODY_ROW: integer
BODY_COL: integer
CHK_WEATHER_YN: varchar(1)
CHK_WRITER_YN: varchar(3)
UP_MENU_ID: varchar(10)
TEMPER_YN: varchar(1)
WIDTH_YN: varchar(1)
PAGE_YN: char(18)
PRE_COPY_YN: char(18)
CHK_COPY_YN: char(18)

TPM_MENU_GRID

OFFICE_CODE: varchar(6)
MENU_ID: varchar(10)
SEQ: integer
VIEW_HEIGHT_SEQ: integer
VIEW_WIDTH_SEQ: integer
GRID_NAME: varchar(30)
HEAD_ROW: integer
HEAD_COL: integer
BODY_ROW: integer
BODY_COL: integer
GRID_WIDTH_SIZE: integer
GRID_HEIGHT_SIZE: integer
INPUT_TYPE: varchar(10)
USE_YN: varchar(1)
HEAD_ROW_HEIGHT: integer
ROW_HEIGHT: integer
BF_COPY_YN: varchar(1)
VIEW_IN_SEQ: integer

TPM_MENU_CHK_TITLE

ROW_COL_GBN: varchar(3)
ROW_NUM: integer
COL_NUM: integer
OFFICE_CODE: varchar(6)
MENU_ID: varchar(10)
SEQ: integer
ROW_SPAN: integer
COL_SPAN: integer
VIEW_NAME: varchar(30)
COL_SIZE: integer
USE_YN: varchar(1)
VALUE_TYPE: varchar(10)
X_RATE: integer
MONTH_INIT_DATE: varchar(8)

TPM_MENU_CHK_CONFIRM

OFFICE_CODE: varchar(6)
MENU_ID: varchar(10)
ORDER_SEQ: integer
CONFIRM_NM: varchar(20)
USE_YN: varchar(6)
CONFIRM_USER_ID: varchar(20)
CONFIRM_USER_ID_S: char(18)

수변전일지

TPM_CHK_REPORT_DTL

OFFICE_CODE: varchar(6)
MENU_ID: varchar(10)
SEQ: integer
REPORT_DATE: varchar(8)
DATA_SEQ: integer
VAL1: varchar(200)
VAL2: varchar(200)
VAL3: varchar(200)
VAL4: varchar(200)
VAL5: varchar(200)
COL1: varchar(20)
COL2: varchar(20)
COL3: varchar(20)
COL4: varchar(20)
COL5: varchar(20)
COL6: varchar(20)
COL7: varchar(20)
COL8: varchar(20)
COL9: varchar(20)
COL10: varchar(20)
COL11: varchar(20)
COL12: varchar(20)
COL13: varchar(20)
COL14: varchar(20)
COL15: varchar(20)
COL16: varchar(20)
COL17: varchar(20)
COL18: varchar(20)
COL19: varchar(20)
COL20: varchar(20)
COL21: varchar(20)
COL22: varchar(20)
COL23: varchar(20)
COL24: varchar(20)
COL25: varchar(20)
COL26: varchar(20)
COL27: varchar(20)
COL28: varchar(20)
COL29: varchar(20)
COL30: varchar(20)
COL31: varchar(20)
COL33: varchar(20)
COL34: varchar(20)
COL35: varchar(20)
COL36: varchar(20)
COL37: varchar(20)
COL38: varchar(20)
COL39: varchar(20)
COL40: varchar(20)
COL32: varchar(20)
COL33_541: varchar(20)

TPM_CHK_REPORT

OFFICE_CODE: varchar(6)
MENU_ID: varchar(10)
REPORT_DATE: varchar(8)
CHK_WEATHER: varchar(50)
CHK_WRITER: varchar(30)
CHK_REMARK: text
REG_DATE: varchar(8)
REG_USER: varchar(20)
CHK_TEMPER: varchar(20)

TPM_CHK_REPORT_2014 ~
TPM_CHK_REPORT_2025
각 테이블 2025까지 있음

TPM_CHK_REPORT_REMARK

OFFICE_CODE: varchar(6)
MENU_ID: varchar(10)
SEQ: integer
REPORT_DATE: varchar(8)
REMARK: varchar(2000)

TPM_CHK_REPORT_CONFIRM

OFFICE_CODE: varchar(6)
MENU_ID: varchar(10)
REPORT_DATE: varchar(8)
CONFIRM_SEQ: integer
DUTY_CD: varchar(20)
CONFIRM_ID: varchar(20)
CONFIRM_ID_S: varchar(20)
ORDER_SEQ: integer
REAL_USER_ID: varchar(20)
REAL_USER_NM: varchar(30)
REAL_CONFIRM: varchar(20)
REAL_DATE: varchar(8)

[MENU_ID 구성]

수변전 - 0500203xx

기계실 - 0500403xx

전기점검일지 - 0500205xx

설비점검일지 - 0500405xx

전기안전점검 - 0500207xx

설비안전점검 - 0500407xx

안전진단 - 050060xxx

전기업무일지 - 0500201xx

설비업무일지 - 0500401xx

수변전일지 구양식

TEC_TRANSFER_ENV

OFFICE_CODE: varchar(20)
TRAN_CODE: varchar(6)
DOC_HTML: text
REG_DATE: varchar(8)
REG_USER: varchar(20)
CHK_WEATHER: char(18)
CHK_TEMP: char(18)
CHK_WIDTH: char(18)
TRAN_NM: char(18)

TEC_TRANSFER

OFFICE_CODE: varchar(20)
TRAN_CODE: varchar(6)
TRAN_SEQ: integer
DOC_HTML: text
REG_DATE: varchar(8)
REG_USER: varchar(20)
TEST_USER: varchar(20)
TEST_ST_DATE: varchar(8)
TEST_END_DATE: varchar(8)
CONFIRM_DOC_NO: varchar(20)
CHK_WEATHER: char(18)
CHK_TEMP: char(18)
WEATHER: char(18)
TEMP: char(18)
CHK_WIDTH: char(18)
TRAN_NM: char(18)

TEC_TRANSFER_CONFIRM

OFFICE_CODE: varchar(20)
TRAN_CODE: varchar(6)
TRAN_SEQ: integer
CONFIRM_SEQ: integer
DUTY_CD: varchar(20)
CONFIRM_ID: char(18)
CONFIRM_ID_S: char(18)
ORDER_SEQ: char(18)
REAL_USER_ID: char(18)
REAL_USER_NM: varchar(50)
REAL_CONFIRM: varchar(1)
ST_DATE: char(18)

기계실일지 구양식

TSY_TRANSFER

OFFICE_CODE: varchar(20)
TRAN_CODE: varchar(6)
TRAN_SEQ: integer
DOC_HTML: text
REG_DATE: varchar(8)
REG_USER: varchar(20)
TEST_USER: varchar(20)
ST_DATE: varchar(8)
END_DATE: varchar(8)
CONFIRM_DOC_NO: varchar(20)
CHK_WEATHER: char(18)
CHK_TEMP: char(18)
WEATHER: char(18)
TEMP: char(18)
CHK_WIDTH: char(18)
TRAN_NM: char(18)

TSY_TRANSFER_CONFIRM

OFFICE_CODE: varchar(20)
TRAN_CODE: varchar(6)
TRAN_SEQ: integer
CONFIRM_SEQ: integer
DUTY_CD: char(18)
CONFIRM_ID: char(18)
CONFIRM_ID_S: char(18)
ORDER_SEQ: char(18)
REAL_USER_ID: char(18)
REAL_USER_NM: char(18)
REAL_CONFIRM: char(18)
ST_DATE: char(18)
REAL_DATE: char(18)

발전기 구양식

TEC_TRANSFER2

OFFICE_CODE: varchar(20)
TRAN_CODE: varchar(6)
TRAN_SEQ: integer
DOC_HTML: text
REG_DATE: varchar(8)
REG_USER: varchar(20)
TEST_USER: varchar(20)
TEST_ST_DATE: varchar(8)
TEST_END_DATE: varchar(8)
CONFIRM_DOC_NO: varchar(20)
CHK_WEATHER: char(18)
CHK_TEMP: char(18)
WEATHER: char(18)
TEMP: char(18)
CHK_WIDTH: char(18)
TRAN_NM: char(18)

TEC_TRANSFER_CONFIRM2

OFFICE_CODE: varchar(20)
TRAN_CODE: varchar(6)
TRAN_SEQ: integer
CONFIRM_SEQ: integer
DUTY_CD: varchar(20)
CONFIRM_ID: char(18)
결재ID_S: char(18)
ORDER_SEQ: char(18)
REAL_USER_ID: char(18)
REAL_USER_NM: varchar(50)
REAL_CONFIRM: varchar(1)
TEST_ST_DATE: char(18)

TEC_TRANSFER_ENV2

OFFICE_CODE: varchar(20)
TRAN_CODE: varchar(6)
DOC_HTML: text
REG_DATE: varchar(8)
REG_USER: varchar(20)
CHK_WEATHER: char(18)
CHK_TEMP: char(18)
CHK_WIDTH: char(18)
TRAN_NM: char(18)

안전진단

TMG_SAFETY_ENV

OFFICE_CODE: varchar(20)
SAFETY_CODE: varchar(20)
SUBJECT: varchar(200)
DOC_HTML: text
REG_DATE: varchar(8)
REG_USER: varchar(20)

TMG_SAFETY

OFFICE_CODE: varchar(20)
SAFETY_CODE: varchar(20)
SAFETY_SEQ: integer
SUBJECT: varchar(200)
DOC_HTML: text
REG_DATE: varchar(8)
REG_USER: varchar(20)
TEST_USER: varchar(20)
START_DATE: varchar(8)
END_DATE: varchar(8)
CONFIRM_DOC_NO: varchar(20)

TMG_SAFETY_CONFIRM

OFFICE_CODE: varchar(20)
CONFIRM_SEQ: integer
SAFETY_CODE: varchar(20)
SAFETY_SEQ: integer
DUTY_CD: varchar(20)
CONFIRM_ID: char(18)
ORDER_SEQ: char(18)
REAL_USER_ID: char(18)
REAL_USER_NM: varchar(50)
REAL_CONFIRM: varchar(1)
START_DATE: char(18)

기계실일지

TPM_MACHINE_REPORT_DTL

OFFICE_CODE: varchar(6)
MENU_ID: varchar(10)
SEQ: integer
REPORT_DATE: varchar(8)
DATA_SEQ: integer

VAL1: varchar(200)
VAL2: varchar(200)
VAL3: varchar(200)
VAL4: varchar(200)
VAL5: varchar(200)
COL1: varchar(20)
COL2: varchar(20)
COL3: varchar(20)
COL4: varchar(20)
COL5: varchar(20)
COL6: varchar(20)
COL7: varchar(20)
COL8: varchar(20)
COL9: varchar(20)
COL10: varchar(20)
COL11: varchar(20)
COL12: varchar(20)
COL13: varchar(20)
COL14: varchar(20)
COL15: varchar(20)
COL16: varchar(20)
COL17: varchar(20)
COL18: varchar(20)
COL19: varchar(20)
COL20: varchar(20)
COL21: varchar(20)
COL22: varchar(20)
COL23: varchar(20)
COL24: varchar(20)
COL25: varchar(20)
COL26: varchar(20)
COL27: varchar(20)
COL28: varchar(20)
COL29: varchar(20)
COL30: varchar(20)
COL31: varchar(20)
COL33: varchar(20)
COL34: varchar(20)
COL35: varchar(20)
COL36: varchar(20)
COL37: varchar(20)
COL38: varchar(20)
COL39: varchar(20)
COL40: varchar(20)
COL32: varchar(20)
COL33__813: varchar(20)

TPM_MACHINE_REPORT

OFFICE_CODE: varchar(6)
MENU_ID: varchar(10)
REPORT_DATE: varchar(8)
CHK_WEATHER: varchar(50)
CHK_WRITER: varchar(30)
CHK_REMARK: text
REG_DATE: varchar(8)
REG_USER: varchar(20)
CHK_TEMPER: varchar(20)

2014~2025까지 테이블있음

TPM_MACHINE_REPORT_REMARK

OFFICE_CODE: varchar(6)
MENU_ID: varchar(10)
SEQ: integer
REPORT_DATE: varchar(8)
REMARK: varchar(2000)

TPM_MACHINE_REPORT_CONFIRM

OFFICE_CODE: varchar(6)
MENU_ID: varchar(10)
REPORT_DATE: varchar(8)
CONFIRM_SEQ: integer
DUTY_CD: varchar(20)
CONFIRM_ID: varchar(20)
CONFIRM_ID_S: varchar(20)
ORDER_SEQ: integer
REAL_USER_ID: varchar(20)
REAL_USER_NM: varchar(30)
REAL_CONFIRM: varchar(20)
REAL_DATE: varchar(8)

TMG_CHECK_ENV

OFFICE_CODE: char(18)
SAFETY_CODE: char(18)
SUBJECT: char(18)
DOC_HTML: char(18)
REG_DATE: char(18)
REG_USER: char(18)

TMG_CHECK

OFFICE_CODE: char(18)
SAFETY_CODE: char(18)
SAFETY_SEQ: char(18)
SUBJECT: char(18)
DOC_HTML: char(18)
REG_DATE: char(18)
REG_USER: char(18)
TEST_USER: char(18)
START_DATE: char(18)
END_DATE: char(18)
CONFIRM_DOC_NO: char(18)

TMG_CHECK_CONFIRM

OFFICE_CODE: char(18)
SAFETY_CODE: char(18)
SAFETY_SEQ: char(18)
CONFIRM_SEQ: char(18)
DUTY_CD: char(18)
CONFIRM_ID: char(18)
CONFIRM_ID_S: char(18)
ORDER_SEQ: char(18)
REAL_USER_ID: char(18)
REAL_USER_NM: char(18)
REAL_CONFIRM: char(18)
START_DATE: char(18)
REAL_DATE: char(18)

TMG_CHECK_ENV_JUNGI

OFFICE_CODE: char(18)
SAFETY_CODE: char(18)
MENU_NAME: char(18)
SUBJECT: char(18)
DOC_HTML: char(18)
REG_DATE: char(18)
REG_USER: char(18)

TMG_CHECK_JUNGI

OFFICE_CODE: char(18)
SAFETY_CODE: char(18)
SAFETY_SEQ: char(18)
MENU_NAME: char(18)
SUBJECT: char(18)
DOC_HTML: char(18)
REG_DATE: char(18)
REG_USER: char(18)
TEST_USER: char(18)
START_DATE: char(18)
END_DATE: char(18)
CONFIRM_DOC_NO: char(18)

TMG_CHECK_CONFIRM_JUNGI

OFFICE_CODE: char(18)
SAFETY_CODE: char(18)
SAFETY_SEQ: char(18)
CONFIRM_SEQ: char(18)
START_DATE: char(18)
DUTY_CD: char(18)
CONFIRM_ID: char(18)
CONFIRM_ID_S: char(18)
ORDER_SEQ: char(18)
REAL_USER_ID: char(18)
REAL_USER_NM: char(18)
REAL_CONFIRM: char(18)
REAL_DATE: char(18)

TMG_CHECK_ENV_SULBI


OFFICE_CODE: char(18)
SAFETY_CODE: char(18)
MENU_NAME: char(18)
SUBJECT: char(18)
DOC_HTML: char(18)
REG_DATE: char(18)
REG_USER: char(18)

TMG_CHECK_SULBI

OFFICE_CODE: char(18)
SAFETY_CODE: char(18)
SAFETY_SEQ: char(18)
MENU_NAME: char(18)
SUBJECT: char(18)
DOC_HTML: char(18)
REG_DATE: char(18)
REG_USER: char(18)
TEST_USER: char(18)
START_DATE: char(18)
END_DATE: char(18)
CONFIRM_DOC_NO: char(18)

TMG_CHECK_CONFIRM_SULBI

OFFICE_CODE: char(18)
SAFETY_CODE: char(18)
SAFETY_SEQ: char(18)
CONFIRM_SEQ: char(18)
START_DATE: char(18)
DUTY_CD: char(18)
CONFIRM_ID: char(18)
CONFIRM_ID_S: char(18)
ORDER_SEQ: char(18)
REAL_USER_ID: char(18)
REAL_USER_NM: char(18)
REAL_CONFIRM: char(18)
REAL_DATE: char(18)



소모품 1
 TEC_SUPPLY, TEC_SUPPLY_GOODS, TEC_SUPPLY_GOODS_SUB, TEC_SUPPLY_RELEASE
 소모품 2
 TSY_SUPPLY, TSY_SUPPLY_GOODS, TSY_SUPPLY_GOODS_SUB, TSY_SUPPLY_RELEASE
 소모품 3
 TSY_SUPPLY_2, TSY_SUPPLY_GOODS_2, TSY_SUPPLY_GOODS_SUB_2, TSY_SUPPLY_RELEASE_2
 소모품 4
 TEC_SUPPLY_1, TEC_SUPPLY_GOODS_1, TEC_SUPPLY_GOODS_SUB_1, TEC_SUPPLY_RELEASE_1
 소모품 5
 TEC_SUPPLY_2, TEC_SUPPLY_GOODS_2, TEC_SUPPLY_GOODS_SUB_2, TEC_SUPPLY_RELEASE_2
 소모품 6
 TEC_SUPPLY_3, TEC_SUPPLY_GOODS_3, TEC_SUPPLY_GOODS_SUB_3, TEC_SUPPLY_RELEASE_3
 소모품 7
 TEC_SUPPLY_4, TEC_SUPPLY_GOODS_4, TEC_SUPPLY_GOODS_SUB_4, TEC_SUPPLY_RELEASE_4
 소모품 8
 TEC_SUPPLY_5, TEC_SUPPLY_GOODS_5, TEC_SUPPLY_GOODS_SUB_5, TEC_SUPPLY_RELEASE_5
 소모품 9
 TEC_SUPPLY_6, TEC_SUPPLY_GOODS_6, TEC_SUPPLY_GOODS_SUB_6, TEC_SUPPLY_RELEASE_6

소모품

관리소코드 소모품번호
품목 규격 제조사 단위 사용처 주무부서 비치장소 폐기구분 폐기일 폐기사유 작성일자 작성자 분류

소모품입고

관리소코드 재고번호 주문일자 주문그룹 주문번호
수량 단위 금액 구입처 구입자 검수구분 검수자 검수일자 등록일자 담당자

소모품입고상세

관리소코드 주문일 주문그룹
비고

1~8까지 있음

소모품출고


관리소코드 재고번호 출고일 출고번호 주문일자 주문번호
수량 단위 금액 처리장소 처리자 작성일자 작성일 처리자명 처리그룹


소모품출고결재

관리소코드 결재일 결재순번
직책 결재자ID 결재자ID_S 결재자순번 실결재자ID 실결재자명 실결재자제목 실결재일

소모품입고상세

관리소코드 주문일
비고





계량기입고

관리소코드 재고번호 주문일자 주문그룹 주문번호	수량 단위 금액 구입처 구입자 구입구분 검수일자 검수인 검수등록일자 검수등록인 검수등록자명 구입자명
---------------------------------------	--

계량기입고상세

관리소코드 주문일자 주문그룹	비고
-----------------------	----

계량기출고

관리소코드 재고번호 출고일자 출고번호 출고일자 주문번호	수량 단위 금액 처리장소 처리일자 처리자 작성일자 작성인 처리그룹
---	--

계량기_분류

관리소코드 환경구분 분류코드	분류명 분류부 사용여부 등록일자 등록자 등록순번
-----------------------	---

계량기_비치장소

관리소코드 환경구분 비치장소코드	비치장소 사용여부 등록일자 등록자 등록순번
-------------------------	-------------------------------------

계량기

관리소코드 재고번호	품목 규격 제조사 단위 사용처 주무부서 비치장소 패키지구분 패키지일 패키지사유 작성일자 작성자 IDX GROUP_CD
---------------	--

고정자산 분류

관리소코드 분류코드	분류명 분류부 사용여부 등록일자 등록자 등록순번
---------------	---

고정자산 비치장소

관리소코드 비치장소코드	비치장소 사용여부 등록일자 등록자 등록순번
-----------------	-------------------------------------

환경_분류


관리소코드 환경구분 분류코드	분류명 분류부 사용여부 등록일자 등록자 등록순번
-----------------------	---

환경_비치장소

관리소코드 환경구분 비치장소코드	비치장소 사용여부 등록일자 등록자 등록순번
-------------------------	-------------------------------------

구입업체등록

관리소코드 업체번호	구입해지구분 등록일자 상호 사업자번호 대표자 휴대전화 회사전화 팩스번호 업태 종목 우편번호 주소1 주소2 작성자 비고
---------------	---



소모품 1

TEC_SUPPLY, TEC_SUPPLY_GOODS, TEC_SUPPLY_GOODS_SUB, TEC_SUPPLY_RELEASE

소모품 2

TSY_SUPPLY, TSY_SUPPLY_GOODS, TSY_SUPPLY_GOODS_SUB, TSY_SUPPLY_RELEASE

소모품 3

TSY_SUPPLY_2, TSY_SUPPLY_GOODS_2, TSY_SUPPLY_GOODS_SUB_2, TSY_SUPPLY_RELEASE_2

소모품 4

TEC_SUPPLY_1, TEC_SUPPLY_GOODS_1, TEC_SUPPLY_GOODS_SUB_1, TEC_SUPPLY_RELEASE_1

소모품 5

TEC_SUPPLY_2, TEC_SUPPLY_GOODS_2, TEC_SUPPLY_GOODS_SUB_2, TEC_SUPPLY_RELEASE_2

소모품 6

TEC_SUPPLY_3, TEC_SUPPLY_GOODS_3, TEC_SUPPLY_GOODS_SUB_3, TEC_SUPPLY_RELEASE_3

소모품 7

TEC_SUPPLY_4, TEC_SUPPLY_GOODS_4, TEC_SUPPLY_GOODS_SUB_4, TEC_SUPPLY_RELEASE_4

소모품 8

TEC_SUPPLY_5, TEC_SUPPLY_GOODS_5, TEC_SUPPLY_GOODS_SUB_5, TEC_SUPPLY_RELEASE_5

소모품 9

TEC_SUPPLY_6, TEC_SUPPLY_GOODS_6, TEC_SUPPLY_GOODS_SUB_6, TEC_SUPPLY_RELEASE_6

TEC_SUPPLY

OFFICE_CODE: varchar(20)
STO_NO: integer
GOODS_NAME: varchar(50)
SIZE: varchar(50)
MAKE_BY: varchar(100)
UNIT: varchar(20)
USE_PLACE: varchar(30)
DEPT_CD: varchar(6)
STORAGE_CD: varchar(6)
DISUSE_GBN: varchar(1)
DISUSE_DATE: varchar(8)
DISUSE_REASON: varchar(30)
REG_DATE: varchar(8)
REG_USER: varchar(20)
GROUP_CD: char(18)

TEC_SUPPLY_GOODS

OFFICE_CODE: varchar(20)
STO_NO: varchar(6)
BUY_DATE: varchar(8)
BUY_GROUP: varchar(20)
BUY_NO: varchar(20)
BUY_CNT: integer
BUY_UNIT: varchar(6)
BUY_AMT: varchar(20)
BUY_COMPANY: varchar(100)
BUY_USER: varchar(8)
TEST_YN: varchar(20)
TEST_USER: varchar(20)
TEST_DATE: char(18)
REG_USER: char(18)
REG_DATE: char(18)
BUY_USER_TEXT: char(18)

TEC_SUPPLY_GOODS_SUB

OFFICE_CODE: integer
BUY_DATE: char(18)
BUY_GROUP: char(18)
REMARKS: varchar(50)

1~8까지 있음

TEC_SUPPLY_RELEASE

OFFICE_CODE: integer
STO_NO: char(18)
RE_DATE: char(18)
RE_NO: char(18)
BUY_DATE: char(18)
BUY_NO: char(18)
RE_CNT: integer
RE_UNIT: char(18)
RE_AMT: char(18)
RE_COMPANY: char(18)
RE_USER: varchar(20)
REG_USER: varchar(20)
REG_DATE: varchar(8)
RE_USER_TEXT: char(18)
RE_GROUP: char(18)

TEC_SUPPLY_CONFIRM

OFFICE_CODE: integer
REPORT_DATE: char(18)
CONFIRM_SEQ: char(18)
DUTY_CD: char(18)
CONFIRM_ID: char(18)
CONFIRM_ID_S: char(18)
ORDER_SEQ: char(18)
REAL_USER_ID: char(18)
REAL_USER_NM: char(18)
REAL_CONFIRM: char(18)
REAL_DATE: char(18)

TEC_SUPPLY_MENU_NM

OFFICE_CODE: integer
MENU_ID: char(18)
MENU_NAME: varchar(50)

TSY_SUPPLY

OFFICE_CODE: varchar(20)
STO_NO: integer
GOODS_NAME: varchar(50)
SIZE: varchar(50)
MAKE_BY: varchar(100)
UNIT: varchar(20)
USE_PLACE: varchar(30)
DEPT_CD: varchar(6)
STORAGE_CD: varchar(6)
DISUSE_GBN: varchar(1)
DISUSE_DATE: varchar(8)
DISUSE_REASON: varchar(30)
REG_DATE: varchar(8)
REG_USER: varchar(20)
GROUP_CD: char(18)

TSY_SUPPLY_GOODS

OFFICE_CODE: varchar(20)
STO_NO: integer
BUY_DATE: varchar(8)
BUY_GROUP: varchar(20)
BUY_NO: varchar(20)
BUY_CNT: integer
BUY_UNIT: varchar(6)
BUY_AMT: varchar(20)
BUY_COMPANY: varchar(100)
BUY_USER: varchar(8)
TEST_YN: varchar(20)
TEST_USER: varchar(20)
TEST_DATE: char(18)
REG_USER: char(18)
REG_DATE: char(18)
BUY_USER_TEXT: char(18)

TSY_SUPPLY_GOODS_SUB

OFFICE_CODE: integer
BUY_DATE: char(18)
BUY_GROUP: char(18)
REMARKS: varchar(50)

TSY_SUPPLY_RELEASE

OFFICE_CODE: integer
STO_NO: char(18)
RE_DATE: char(18)
RE_NO: char(18)
BUY_DATE: char(18)
BUY_NO: char(18)
RE_CNT: integer
RE_UNIT: char(18)
RE_AMT: char(18)
RE_COMPANY: char(18)
RE_USER: varchar(20)
REG_USER: varchar(20)
REG_DATE: varchar(8)
RE_USER_TEXT: char(18)
RE_GROUP: char(18)

TSY_SUPPLY_CONFIRM

OFFICE_CODE: integer
REPORT_DATE: char(18)
CONFIRM_SEQ: char(18)
DUTY_CD: char(18)
CONFIRM_ID: char(18)
CONFIRM_ID_S: char(18)
ORDER_SEQ: char(18)
REAL_USER_ID: char(18)
REAL_USER_NM: char(18)
REAL_CONFIRM: char(18)
REAL_DATE: char(18)

TSY_SUPPLY2

OFFICE_CODE: varchar(20)
STO_NO: integer
GOODS_NAME: varchar(50)
SIZE: varchar(50)
MAKE_BY: varchar(100)
UNIT: varchar(20)
USE_PLACE: varchar(30)
DEPT_CD: varchar(6)
STORAGE_CD: varchar(6)
DISUSE_GBN: varchar(1)
DISUSE_DATE: varchar(8)
DISUSE_REASON: varchar(30)
REG_DATE: varchar(8)
REG_USER: varchar(20)
GROUP_CD: char(18)

TSY_SUPPLY_GOODS2

OFFICE_CODE: varchar(20)
STO_NO: integer
BUY_DATE: varchar(8)
BUY_GROUP: varchar(20)
BUY_NO: varchar(20)
BUY_CNT: integer
BUY_UNIT: varchar(6)
BUY_AMT: varchar(20)
BUY_COMPANY: varchar(100)
BUY_USER: varchar(8)
TEST_YN: varchar(20)
TEST_USER: varchar(20)
TEST_DATE: char(18)
REG_USER: char(18)
REG_DATE: char(18)
BUY_USER_TEXT: char(18)

TSY_SUPPLY_GOODS_SUB2


OFFICE_CODE: integer
BUY_DATE: char(18)
BUY_GROUP: char(18)
REMARKS: varchar(50)

TSY_SUPPLY_CONFIRM2

OFFICE_CODE: integer
REPORT_DATE: char(18)
CONFIRM_SEQ: char(18)
DUTY_CD: char(18)
CONFIRM_ID: char(18)
CONFIRM_ID_S: char(18)
ORDER_SEQ: char(18)
REAL_USER_ID: char(18)
REAL_USER_NM: char(18)
REAL_CONFIRM: char(18)
REAL_DATE: char(18)

TSY_SUPPLY_RELEASE2

OFFICE_CODE: integer
STO_NO: char(18)
RE_DATE: char(18)
RE_NO: char(18)
BUY_DATE: char(18)
BUY_NO: char(18)
RE_CNT: integer
RE_UNIT: char(18)
RE_AMT: char(18)
RE_COMPANY: char(18)
RE_USER: varchar(20)
REG_USER: varchar(20)
REG_DATE: varchar(8)
RE_USER_TEXT: char(18)
RE_GROUP: char(18)



TMN_GAUGE_GOODS

OFFICE_CODE: varchar(20)
STO_NO: varchar(6)
BUY_DATE: varchar(8)
BUY_GROUP: varchar(20)
BUY_NO: varchar(20)
BUY_CNT: integer
BUY_UNIT: varchar(6)
BUY_AMT: varchar(20)
BUY_COMPANY: varchar(100)
BUY_USER: varchar(8)
TEST_YN: varchar(20)
TEST_USER: varchar(20)
TEST_DATE: char(18)
REG_USER: char(18)
REG_DATE: char(18)
BUY_USER_TEXT: char(18)

TMN_GAUGE_GOODS_SUB

OFFICE_CODE: integer
BUY_DATE: char(18)
BUY_GROUP: char(18)
REMARKS: varchar(50)

TMN_GAUGE_RELEASE

OFFICE_CODE: integer
STO_NO: char(18)
RE_DATE: char(18)
RE_NO: char(18)
BUY_DATE: char(18)
BUY_NO: char(18)
RE_CNT: integer
RE_UNIT: char(18)
RE_AMT: char(18)
RE_COMPANY: char(18)
RE_USER: varchar(20)
REG_USER: varchar(20)
REG_DATE: varchar(8)
RE_GROUP: char(18)

TMN_GAUGE_GROUP

OFFICE_CODE: varchar(20)
MENU_GBN: char(18)
GROUP_CD: varchar(20)
GROUP_NM: varchar(20)
USE_YN: char(18)
REG_DATE: char(18)
REG_USER: char(18)
ORDER_SEQ: char(18)

TMN_GAUGE_AREAR

OFFICE_CODE: varchar(20)
MENU_GBN: char(18)
AREAR_CD: varchar(20)
AREAR_NM: varchar(20)
USE_YN: char(18)
REG_DATE: char(18)
REG_USER: char(18)
ORDER_SEQ: char(18)

TMN_GAUGE

OFFICE_CODE: varchar(20)
STO_NO: integer
GOODS_NAME: varchar(50)
SIZE: varchar(50)
MAKE_BY: varchar(100)
UNIT: varchar(20)
USE_PLACE: varchar(30)
DEPT_CD: varchar(6)
STORAGE_CD: varchar(6)
DISUSE_GBN: varchar(1)
DISUSE_DATE: varchar(8)
DISUSE_REASON: varchar(30)
REG_DATE: varchar(8)
REG_USER: varchar(20)
IDX: char(18)
GROUP_CD: char(18)

TMG_FIX_GROUP

OFFICE_CODE: varchar(20)
GROUP_CD: varchar(20)
GROUP_NM: varchar(20)
USE_YN: char(18)
REG_DATE: char(18)
REG_USER: char(18)
ORDER_SEQ: char(18)

TMG_FIX_AREAR

OFFICE_CODE: varchar(20)
AREAR_CD: varchar(20)
AREAR_NM: varchar(20)
USE_YN: char(18)
REG_DATE: char(18)
REG_USER: char(18)
ORDER_SEQ: char(18)

TEC_GROUP


OFFICE_CODE: varchar(20)
MENU_GBN: char(18)
GROUP_CD: varchar(20)
GROUP_NM: varchar(20)
USE_YN: char(18)
REG_DATE: char(18)
REG_USER: char(18)
ORDER_SEQ: char(18)

TEC_AREAR

OFFICE_CODE: varchar(20)
MENU_GBN: char(18)
AREAR_CD: varchar(20)
AREAR_NM: varchar(20)
USE_YN: char(18)
REG_DATE: char(18)
REG_USER: char(18)
ORDER_SEQ: char(18)

TEC_COMPANY

OFFICE_CODE: varchar(20)
COM_CD: integer
USE_YN: varchar(1)
REG_DATE: varchar(8)
COMPANY: varchar(30)
COM_NO: varchar(13)
COM_OWNER: varchar(20)
HP_NO: varchar(20)
COM_PH_NO: varchar(20)
COM_PAX_NO: varchar(20)
TYPE: varchar(20)
ITEM: varchar(20)
ZIP_CODE: varchar(6)
ADDR1: varchar(50)
ADDR2: varchar(50)
REG_USER: varchar(20)
REMARKS: char(18)



장비관리_전기

관리소코드
장비구분
관리번호
장비명
규격식
제조사
제원
설치일
설치장소
폐기구분
폐기일자
폐기사유
비고
작성일
작성자
파일명
저장파일명

장비관리첨부파일

관리소코드 (FK)
장비구분 (FK)
관리번호 (FK)
첨부파일순번
파일명
저장파일명

장비관리_고장

관리소코드 (FK)
장비구분 (FK)
관리번호 (FK)
수선순번
시작일
종료일
처리금액
담당자
연락처
내역
비고
접수시간
도착시간
복구시간

장비관리_고장_첨부파일

관리소코드 (FK)
장비구분 (FK)
관리번호 (FK)
수선순번 (FK)
첨부파일순번
파일명
저장파일명

장비관리_설비

관리소코드
장비구분
관리번호
장비명
규격식
제조사
제원
설치일
설치장소
폐기구분
폐기일자
폐기사유
비고
작성일
작성자
파일명
저장파일명

장비관리첨부파일

관리소코드 (FK)
장비구분 (FK)
관리번호 (FK)
첨부파일순번
파일명
저장파일명

장비관리_고장

관리소코드 (FK)
장비구분 (FK)
관리번호 (FK)
수선순번
시작일
종료일
처리금액
담당자
연락처
내역
비고
접수시간
도착시간
복구시간

장비관리_고장_첨부파일

관리소코드 (FK)
장비구분 (FK)
관리번호 (FK)
수선순번 (FK)
첨부파일순번
파일명
저장파일명

TEC_EQUIPMENT

OFFICE_CODE: varchar(20)
 EQU_GBN: varchar(6)
 EQU_NO: integer

EQU_NAME: varchar(50)
 SIZE: varchar(50)
 FORM: varchar(50)
 MAKE_BY: varchar(100)
 DIMENSION: varchar(50)
 INSTALL_DATE: varchar(8)
 INSTALL_PLACE: varchar(20)
 DISUSE_GBN: varchar(1)
 DISUSE_DATE: varchar(8)
 DISUSE_REASON: varchar(40)
 REMARKS: varchar(100)
 REG_DATE: varchar(8)
 REG_USER: varchar(20)
 FILE_NM: varchar(100)
 SYS_FILE_NM: varchar(200)

TEC_EQUIPMENT_FILE

OFFICE_CODE: varchar(20)
 EQU_GBN: varchar(6)
 EQU_NO: integer
 FILE_SEQ: integer

FILE_NM: varchar(100)
SYS_FILE_NM: varchar(100)

TEC_TROUBLE

OFFICE_CODE: varchar(20)
 EQU_GBN: varchar(6)
 EQU_NO: integer
 REPAIR_SEQ: integer

ST_DATE: varchar(8)
 END_DATE: varchar(8)
 TRO_USER: varchar(20)
 TRO_AMT: money
 EQU_USER: varchar(20)
 EQU_HP: varchar(20)
 CONTENT: varchar(100)
 REMARKS: varchar(100)
 REQ_TIME: char(18)
 ARRIVE_TIME: char(18)
 RESTORE_TIME: char(18)

TEC_TROUBLE_FILE

OFFICE_CODE: varchar(20)
 EQU_GBN: varchar(6)
 EQU_NO: integer
 REPAIR_SEQ: integer
 FILE_SEQ: integer

FILE_NM: varchar(100)
SYS_FILE_NM: varchar(100)

TSY_EQUIPMENT

OFFICE_CODE: varchar(20)
 EQU_GBN: varchar(6)
 EQU_NO: integer

EQU_NAME: varchar(50)
 SIZE: varchar(50)
 FORM: varchar(50)
 MAKE_BY: varchar(100)
 DIMENSION: varchar(50)
 INSTALL_DATE: varchar(8)
 INSTALL_PLACE: varchar(20)
 DISUSE_GBN: varchar(1)
 DISUSE_DATE: varchar(8)
 DISUSE_REASON: varchar(40)
 REMARKS: varchar(100)
 REG_DATE: varchar(8)
 REG_USER: varchar(20)
 FILE_NM: varchar(100)
 SYS_FILE_NM: varchar(200)

TSY_EQUIPMENT_FILE

OFFICE_CODE: varchar(20)
 EQU_GBN: varchar(6)
 EQU_NO: integer
 FILE_SEQ: integer

FILE_NM: varchar(100)
SYS_FILE_NM: varchar(100)

TSY_TROUBLE

OFFICE_CODE: varchar(20)
 EQU_GBN: varchar(6)
 EQU_NO: integer
 REPAIR_SEQ: integer

ST_DATE: varchar(8)
 END_DATE: varchar(8)
 TRO_USER: varchar(20)
 TRO_AMT: money
 EQU_USER: varchar(20)
 EQU_HP: varchar(20)
 CONTENT: varchar(100)
 REMARKS: varchar(100)
 REQ_TIME: char(18)
 ARRIVE_TIME: char(18)
 RESTORE_TIME: char(18)

TSY_TROUBLE_FILE

OFFICE_CODE: varchar(20)
 EQU_GBN: varchar(6)
 EQU_NO: integer
 REPAIR_SEQ: integer
 FILE_SEQ: integer

FILE_NM: varchar(100)
SYS_FILE_NM: varchar(100)

게시판구분 : 환경위생 관리 100001 / 보안경비관리 100002 / 조경 관리 100003

게시판

관리소번호
게시판구분
게시물번호
게시TITLE
게시내용
작성일
조회수
작성자

첨부파일

관리소번호 (FK)
게시판구분 (FK)
게시물번호 (FK)
첨부파일순번
첨부파일명
첨부파일내용
저장파일명
저장파일경로

F:/web/NEW_WEAPT/upload/10002/20140624181227.hwp

사원구분 (emp gbn : 청소 1 / 경비 2)

계약직근태

관리소코드 (FK)
사번 (FK)
등록순번
사원구분 (FK)
등록일
근태코드
시작일
종료일
종사용일수
내용
IDX

계약직직원

관리소코드
사번
사원구분
아이디
입사일
부서코드
직책명
성명
휴대전화번호
일정원
비밀번호
인증번호
사용여부
퇴사일
퇴사사유
비고
음력/양력
생년월일

계약직근태세부

관리소코드 (FK)
사번 (FK)
등록순번 (FK)
근태일
사원구분 (FK)
근태코드

계약직근태첨부파일

관리소코드 (FK)
사번 (FK)
등록순번 (FK)
첨부파일순번
사원구분 (FK)
파일명
저장파일명

근태구분(근태환경)은
시스템 관리 . 공통코드 137 용역근태항목

수목관리

관리소코드
장비구분
관리번호
수목명
분류
과
생산지
규격
식목일
식목장소
폐기구분
폐기일자
폐기사유
비고
작성일
작성자
파일명
저장파일명

수목관리첨부파일

관리소코드 (FK)
장비구분 (FK)
관리번호 (FK)
첨부파일순번
파일명
저장파일명

수목관리_고장

관리소코드 (FK)
장비구분 (FK)
관리번호 (FK)
수선순번
시작일
종료일
처리금액
담당자
연락처
내역
비고
IDX
접수시간
도착시간
복구시간

수목관리_고장_첨부파일

관리소코드 (FK)
장비구분 (FK)
관리번호 (FK)
수선순번 (FK)
첨부파일순번
파일명
저장파일명

게시판구분 : 환경위생관리 100001 / 보안경비관리 100002 / 조경관리 100003

TEN_BOARD

OFFICE_CODE: varchar(6)
BOARD_DIV: varchar(20)
BOARD_NO: numeric
BOARD_TITLE: varchar(200)
BOARD_CONTENT: text
BOARD_DATE: varchar(14)
BOARD_CNT: integer
USER_ID: varchar(20)

TEN_FILE

OFFICE_CODE: varchar(6)
BOARD_DIV: varchar(20)
BOARD_NO: numeric
FILE_SEQ: integer
FILE_NM: varchar(50)
FILEDATA: text
SYS_FILE_NM: varchar(50)
FILE_PATH: varchar(50)

F:/web/NEW_WEAPT/upload/10002/20140624181227.hwp

사원구분 (emp gbn : 청소 1 / 경비 2)

TAD_TMP_ABSENT

OFFICE_CODE: varchar(20)
EMP_NO: varchar(20)
REG_SEQ: integer
EMP_GBN: varchar(6)
REG_DATE: varchar(8)
ABSENT_CD: varchar(20)
START_DATE: varchar(8)
END_DATE: varchar(8)
USE_DAY_CNT: integer
DESCR: varchar(1000)
IDX: integer

TAD_TMP_EMP

OFFICE_CODE: varchar(20)
EMP_NO: varchar(20)
EMP_GBN: varchar(6)
USER_ID: varchar(20)
JOIN_DATE: varchar(8)
DEPT_CD: varchar(20)
JOB_DUTY_CD: varchar(20)
NAME: varchar(30)
HP_NO: varchar(20)
DAILY_RPT_YN: varchar(1)
MINWON_RPT_YN: varchar(1)
PASSWORD: varchar(20)
CERT_NO: varchar(20)
USE_YN: varchar(1)
RESIGN_DATE: varchar(8)
RESIGN_REASON: varchar(100)
REMARKS: varchar(200)
MOON_GBN: char(18)
BIRTH: char(18)

TAD_TMP_ABSENT_SUB

OFFICE_CODE: varchar(20)
EMP_NO: varchar(20)
REG_SEQ: integer
ABSENT_DATE: varchar(8)
EMP_GBN: varchar(6)
ABSENT_CD: varchar(20)

TAD_TMP_ABSENT_FILE

OFFICE_CODE: varchar(20)
EMP_NO: varchar(20)
REG_SEQ: integer
FILE_SEQ: integer
EMP_GBN: varchar(6)
FILE_NM: varchar(100)
SYS_FILE_NM: varchar(100)

근태구분(근태환경)은
시스템관리 . 공통코드 137 용역근태항목

TEN_EQUIPMENT

OFFICE_CODE: varchar(20)
EQU_GBN: varchar(6)
EQU_NO: integer
EQU_NAME: varchar(50)
FORM: varchar(50)
DIMENSION: varchar(50)
MAKE_BY: varchar(100)
SIZE: varchar(50)
INSTALL_DATE: varchar(8)
INSTALL_PLACE: varchar(20)
DISUSE_GBN: varchar(1)
DISUSE_DATE: varchar(8)
DISUSE_REASON: varchar(40)
REMARKS: varchar(100)
REG_DATE: varchar(8)
REG_USER: varchar(20)
FILE_NM: varchar(100)
SYS_FILE_NM: varchar(200)

TEN_EQUIPMENT_FILE


OFFICE_CODE: varchar(20)
EQU_GBN: varchar(6)
EQU_NO: integer
FILE_SEQ: integer
FILE_NM: varchar(100)
SYS_FILE_NM: varchar(100)

TEN_TROUBLE

OFFICE_CODE: varchar(20)
EQU_GBN: varchar(6)
EQU_NO: integer
REPAIR_SEQ: integer
ST_DATE: varchar(8)
END_DATE: varchar(8)
TRO_USER: varchar(20)
TRO_AMT: money
EQU_USER: varchar(20)
EQU_HP: varchar(20)
CONTENT: varchar(100)
REMARKS: varchar(100)
IDX: char(18)
REQ_TIME: char(18)
ARRIVE_TIME: char(18)
RESTORE_TIME: char(18)

TEN_TROUBLE_FILE

OFFICE_CODE: varchar(20)
EQU_GBN: varchar(6)
EQU_NO: integer
REPAIR_SEQ: integer
FILE_SEQ: integer
FILE_NM: varchar(100)
SYS_FILE_NM: varchar(100)



현재 사용 안함

표지작성

관리소코드 년월 순번 구분	내용 등록자 등록일
-------------------------	------------------

장기수선표지

관리소명 계획년월 순번	계획명 여부 조정 출력수 기타출력 기타출력 기타출력 아파트명 결재표시 결재표시	기간 조정 월 내용1 내용2 내용3 라인1 라인2
--------------------	--	--

장기수선결재선

관리소명 (FK) 계획년월 (FK) 순번 (FK) 라인순번 결재순번	결재자명 비고
---	------------

관리소장기수선목차

관리소명 계획년월 순번 목차순번	상세기간 출력순번 출력구분
----------------------------	----------------------

장기수선목차

목차순번	레벨 목차명 상세기간 출력메뉴명 비고
------	----------------------------------

조정안

관리소코드 구분 순번	제목 내용 작성 자 등록 일 등록 자
-------------------	---

조정안 파일

관리소코드 (FK) 구분 (FK) 순번 (FK) 파일 순번	파일명 저장파일명
---	--------------

현재 사용 안함 (여기까지)

적립및사용현황

관리소코드 일자 순번	구분 적요 기초잔액 적립금액 사용금액 잔액
-------------------	--

TRP_BS_MAKE_ACC1

관리소코드 일자 년월	기준금액 적립금액 사용금액 잔액 적립요구액 월적립금액 면적 총금액 수선일 수선예정일 등록자 등록일
-------------------	---

TRP_MONTH_REPAIR_RUN

관리소코드 년월 순번 종별코드 RUN_SEQ	R_GBN R_ST_DATE R_ED_DATE R_ITEM1 R_COMPANY R_AMT1 R_REMARKS1 L_DATE L_AMT REG_USER REG_DATE
--------------------------------------	--

연차별적립계획 테이블설정

관리소코드 탭_구분
년도번호 총금액 반올림구분1 반올림구분2

연차별적립계획 기준 금액

관리소코드 년월 순번 종별코드 년도
년도순번 구분 전면최종년 부분최종년 전면금액_연간 부분금액_연간 전면금액_잔여 부분금액_잔여

연차별적립계획 테이블

관리소코드 년월 순번 분류코드 탭_구분
항목1 항목2 항목3 항목4 항목5 항목6 항목7 항목8 항목9

연차별적립계획 테이블2

관리소코드 년월 순번 분류코드 탭_구분
항목1 항목2 항목3 항목4 항목5 항목6 항목7 항목8 항목9

연차별적립계획 테이블3


관리소코드 년월 순번 종별코드 년도
년도순번 구분 전면금액_연간수선비 전면합산금액_연간수선비 부분금액_연간수선비 부분합산금액_연간수선비 전면금액_잔여계획 전면합산금액_잔여계획 부분금액_잔여계획 부분합산금액_잔여계획


공사시행절차

관리소코드 순번
제목 내용 자 성 등 일 록 자

공사시행절차 파일

관리소코드 (FK) 순번 (FK) 파일 순번
파일명 실파일명





현재 사용 안함

TRP_COVER

OFFICE_CODE: char(18)
PLAN_MONTH: char(18)
SEQ: char(18)
COVER_GBN: char(18)
DESCR_HTML: char(18)
USER_ID: char(18)
REG_DATE: char(18)

TRP_MONTH_REPAIR_TITLE

OFFICE_CODE: varchar(6)
PLAN_MONTH: varchar(6)
SEQ: integer
PLAN_TITLE: varchar(40)
FIX_YN: varchar(1)
TOT_PLAN_TERM: varchar(50)
PR_PLAN_MONTH: varchar(50)
PR_ETC1: varchar(50)
PR_ETC2: varchar(50)
PR_ETC3: varchar(50)
PR_OFFICE_NAME: varchar(50)
CONFIRM_LINE1_CNT: integer
CONFIRM_LINE2_CNT: char(18)

TRP_MONTH_REPAIR_CONFIRM

OFFICE_CODE: varchar(6)
PLAN_MONTH: varchar(6)
SEQ: integer
LINE_SEQ: integer
CON_SEQ: integer
CONF_USER_NAME: varchar(20)
REMARK: varchar(50)

TRP_MONTH_REPAIR_CONTENT

OFFICE_CODE: varchar(6)
PLAN_MONTH: varchar(6)
SEQ: integer
CONT_SEQ: integer
DTL_TERM: varchar(50)
PR_SEQ: integer
PR_GBN: varchar(1)

TRP_REPAIR_CONTENT

CONT_SEQ: integer
CONTENT_NAME: varchar(50)
LEVEL: integer
DTL_TERM: varchar(50)
PRINT_MENU: varchar(50)
REMARK: varchar(50)

TRP_JOJUNG

OFFICE_CODE: char(18)
RULE_DIV: char(18)
RULE_SEQ: char(18)
SUBJECT: char(18)
DOC_HTML: char(18)
WRITER: char(18)
REG_DATE: char(18)
REG_USER: char(18)

TRP_JOJUNG_FILE

OFFICE_CODE: char(18)
RULE_DIV: char(18)
RULE_SEQ: char(18)
FILE_SEQ: char(18)
FILE_NM: char(18)
SYS_FILE_NM: char(18)

현재 사용 안함 (여기까지)

TRP_BS_ACCOUNT

OFFICE_CODE: char(18)
BS_DATE: char(18)
SEQ: char(18)
BS_GBN: char(18)
ACC_NAME: char(18)
BS_AMT: char(18)
SAVE_AMT: char(18)
USE_AMT: char(18)
BAL_AMT: char(18)

TRP_BS_MAKE_ACC

OFFICE_CODE: char(18)
MAKE_DATE: char(18)
PLAN_MONTH: char(18)
BS_AMT: char(18)
SAVE_AMT: char(18)
USE_AMT: char(18)
BAL_AMT: char(18)
SAVE_NEED_AMT: char(18)
SAVE_MONTH_AMT: char(18)
HOUSE_AREAR: char(18)
TOT_AREAR: char(18)
REPAIR_SET_DATE: char(18)
REPARI_MODI_DATE: char(18)
REG_USER: char(18)
REG_DATE: char(18)

TRP_MONTH_REPAIR_RUN

관리소코드: char(18)
년월: char(18)
순번: char(18)
종별코드: char(18)
RUN_SEQ: char(18)
R_GBN: char(18)
R_ST_DATE: char(18)
R_ED_DATE: char(18)
R_ITEM: char(18)
R_COMPANY: char(18)
R_AMT: char(18)
R_REMARKS: char(18)
L_DATE: char(18)
L_AMT: char(18)
REG_USER: char(18)
REG_DATE: char(18)

TRP_REPAIR_MONTH_AMT_ENV

OFFICE_CODE: char(18)
TAB_GBN: char(18)
YEAR_NUM: char(18)
TOT_AMT: char(18)
ROUND_GBN_1: char(18)
ROUND_GBN_2: char(18)

TRP_REPAIR_MONTH_TEMP

OFFICE_CODE: char(18)
PLAN_MONTH: char(18)
SEQ: char(18)
KIND_CODE: char(18)
YEAR: char(18)
YEAR_NUM: char(18)
BOTH_GBN: char(18)
ALL_MAX: char(18)
SUB_MAX: char(18)
LAST_ALL: char(18)
LAST_SUB: char(18)
CUT_ALL: char(18)
CUT_SUB: char(18)

TRP_REPAIR_MONTH_AMT

OFFICE_CODE: char(18)
PLAN_MONTH: char(18)
SEQ: char(18)
CODE: char(18)
TAB_GBN: char(18)
COL1: char(18)
COL2: char(18)
COL3: char(18)
COL4: char(18)
COL5: char(18)
COL6: char(18)
COL7: char(18)
COL8: char(18)
COL9: char(18)

TRP_REPAIR_MONTH_AMT2

OFFICE_CODE: char(18)
PLAN_MONTH: char(18)
SEQ: char(18)
CODE: char(18)
TAB_GBN: char(18)
COL1: char(18)
COL2: char(18)
COL3: char(18)
COL4: char(18)
COL5: char(18)
COL6: char(18)
COL7: char(18)
COL8: char(18)
COL9: char(18)

TRP_REPAIR_MONTH_AMT3

OFFICE_CODE: char(18)
PLAN_MONTH: char(18)
SEQ: char(18)
KIND_CODE: char(18)
YEAR: char(18)
YEAR_NUM: char(18)
BOTH_GBN: char(18)
LAST_ALL: char(18)
SUM_LAST_ALL: char(18)
LAST_SUB: char(18)
SUM_LAST_SUB: char(18)
CUL_ALL: char(18)
SUM_CUT_ALL: char(18)
CUT_SU: char(18)
SUM_CUT_SUB: char(18)

TRP_PROGRAM

OFFICE_CODE: char(18)
DOC_SEQ: char(18)
SUBJECT: char(18)
DOC_HTML: char(18)
WRITER: char(18)
REG_DATE: char(18)
REG_USER: char(18)

TRP_PROGRAM_FILE

OFFICE_COD: char(18)
DOC_SE: char(18)
FILE_SEQ: char(18)
FILE_NM: char(18)
SYS_FILE_NM: char(18)



전자결재 > 기안문서

기안서설정

관리소코드
문서번호TITLE
문서번호채번
결재란_넓이_화면
결재란_넓이_출력

기안서결재라인

관리소코드 (FK) 순번
결재자명
사용여부
결재자1
결재자2
넓이_화면
넓이_출력

기안서

관리소코드 순번
문서번호TITLE
문서번호
기안일자
시행기간
보존년한
협조공람
기안자
수신처
발신처
제목
등록자
등록일
기안내용
지시사항
등록자명

기안서첨부파일

관리소코드 (FK) 파일순번 순번 (FK)
파일명
파일데이터
시스템파일명
파일경로

기안서세부

관리소코드 (FK) 순번 (FK) 세부순번
내용

기안서결재

관리소코드 (FK) 결재순번 순번 (FK)
직책
결재자ID
결재자HDS
결재자순번
실결재자ID
실결재자명
실결재자제목
실결재일
취소사유

전자결재 > 지출결의

지출결의서설정

관리소코드
문서번호TITLE
문서번호채번
출력제목

지출결의서결재라인

관리소코드 (FK) 순번
결재자명
사용여부
결재자1
결재자2
넓이_화면
넓이_출력

지출결의상세TITLE

관리소코드 (FK) 순번
상세TITLE_COL
상세TITLE_NAME
넓이
사용여부

지출결의계정과목

관리소코드 (FK) 계정코드
계정과목명
계정설명
사용여부

지출결의서

관리소코드 순번
문서번호TITLE
문서번호
기안일자
시행기간
보존년한
협조공람
기안자
수신처
발신처
제목
등록자
등록일
기안내용
기안본문
비고
총금액
지시사항
등록자명

지출결의서첨부파일

관리소코드 (FK) 파일순번 순번 (FK)
파일명
파일데이터
시스템파일명
파일경로

지출결의서세부

관리소코드 (FK) 순번 (FK) 세부순번
계정과목
금액
비고1
비고2
비고3
비고4
계정과목명
보기순번

결의서기초설정

관리소코드
결재표시구분
결재적용일
수정결재여부

지출결의서결재

관리소코드 (FK) 결재순번 순번 (FK)
직책
결재자ID
결재자HDS
결재자순번
실결재자ID
실결재자명
실결재자제목
실결재일
취소사유

입주자대표회의

동대표

관리소코드 순번
취임일 동호 직위 성명 휴대전화 음력/양력 생년월일 비고 퇴임여부 퇴임일 퇴임사유

합동대표회의

합동대표

관리소코드 순번
취임일 동호 직위 성명 휴대전화 음력/양력 생년월일 비고 퇴임여부 퇴임일 퇴임사유

선거관리위원회

위원회

관리소코드 순번
취임일 동호 직위 성명 휴대전화 음력/양력 생년월일 비고 위촉구분 퇴임여부 퇴임일 퇴임사유

충간소음관리위원회

노인회

관리소코드 순번
취임일 동호 직위 성명 휴대전화 음력/양력 생년월일 비고 퇴임여부 퇴임일 퇴임사유 위촉구분

통반장명단

통반장

관리소코드 순번
취임일 동호 직위 성명 휴대전화 음력/양력 생년월일 비고 퇴임여부 퇴임일 퇴임사유

부녀회

부녀회

관리소코드 순번
취임일 동호 직위 성명 휴대전화 음력/양력 생년월일 비고 퇴임여부 퇴임일 퇴임사유

노인회명단

노인회

관리소코드 순번
취임일 동호 직위 성명 휴대전화 음력/양력 생년월일 비고 퇴임여부 퇴임일 퇴임사유

번영회명단

번영회

관리소코드 순번
취임일 동호 직위 성명 휴대전화 음력/양력 생년월일 비고 퇴임여부 퇴임일 퇴임사유

임차인대표회의

임차인대표명단

관리소코드 순번
취임일 동호 직위 성명 휴대전화 음력/양력 생년월일 비고 퇴임여부 퇴임일 퇴임사유

임차인선거관리위원회

임차인선거관리위원회

관리소코드 순번
취임일 동호 직위 성명 휴대전화 음력/양력 생년월일 위촉구분 비고 퇴임여부 퇴임일 퇴임사유

관리단명단

관리단명단

관리소코드 순번
취임일 동호 직위 성명 휴대전화 음력/양력 생년월일 위촉구분 비고 퇴임여부 퇴임일 퇴임사유

커뮤니티소위원회

커뮤니티

관리소코드 순번
취임일 동호 직위 성명 휴대전화 음력/양력 생년월일 위촉구분 비고 퇴임여부 퇴임일 퇴임사유

위원회

위원회

관리소코드 순번
취임일 동호 직위 성명 휴대전화 음력/양력 생년월일 위촉구분 비고 퇴임여부 퇴임일 퇴임사유

게시판

관리소번호 게시판구분 게시물번호
게시TITLE 게시내용 작성일 조회수 작성자 IDX WRITER

첨부파일

관리소번호 (FK) 게시판구분 (FK) 게시물번호 (FK) 첨부파일순번
첨부파일명 첨부파일내용 저장파일명 저장파일경로

조직도

관리소코드 구분
배치도_HTML

전자결재 > 기안문서

TME_DRAFT_BASE

OFFICE_CODE: varchar(20)
 DOC_NO_TITLE: varchar(30)
 DOC_NO_GBN: varchar(1)
 SCREEN_WIDTH: integer
 PRINT_WIDTH: integer

TME_DRAFT_CONFIRM_LINE

OFFICE_CODE: varchar(20)
 ORDER_SEQ: integer
 CONFIRM_NM: varchar(20)
 USE_YN: varchar(6)
 CONFIRM_USER_ID: varchar(20)
 CONFIRM_USER_ID_S: char(18)
 SCREEN_WIDTH: integer
 PRINT_WIDTH: integer

TME_DRAFT

OFFICE_CODE: varchar(20)
 SEQ: integer
 DOC_NO_TITLE: varchar(30)
 DOC_NO: varchar(20)
 DRAFT_DATE: varchar(8)
 TRY_TERM: varchar(30)
 REMAIN_YEAR: varchar(30)
 CO_WORK: varchar(30)
 PUBLIC_VIEW: varchar(30)
 DRAFT_MAN: varchar(60)
 RECEIVE: varchar(50)
 SENDER: varchar(30)
 CONTROL: varchar(30)
 DOC_TITLE: varchar(200)
 REG_USER: varchar(20)
 REG_DATE: varchar(20)
 DRAFT_CONTENT_TEXT: varchar(2000)
 ORDER_TEXT: varchar(2000)
 REG_USER_NM: char(18)

TME_DRAFT_FILE

OFFICE_CODE: varchar(20)
 FILE_SEQ: integer
 SEQ: integer
 FILE_NM: varchar(100)
 FILEDATA: text
 SYS_FILE_NM: varchar(200)
 FILE_PATH: varchar(200)

TME_DRAFT_DTL

OFFICE_CODE: varchar(20)
 SEQ: integer
 DTL_SEQ: integer
 DESCR: varchar(200)

TME_DRAFT_CONFIRM

OFFICE_CODE: varchar(20)
 CONFIRM_SEQ: integer
 SEQ: integer
 DUTY_CD: varchar(20)
 CONFIRM_ID: varchar(20)
 CONFIRM_ID_S: varchar(20)
 ORDER_SEQ: integer
 REAL_USER_ID: varchar(20)
 REAL_USER_NM: varchar(30)
 REAL_CONFIRM: varchar(20)
 REAL_DATE: varchar(8)
 CANCEL_REMARK: char(18)

전자결재 > 지출결의

TME_PAY_BASE

OFFICE_CODE: varchar(20)
 DOC_NO_TITLE: varchar(30)
 DOC_NO_GBN: varchar(1)
 PR_TITLE: varchar(50)

TME_PAY_CONFIRM_LINE

OFFICE_CODE: varchar(20)
 ORDER_SEQ: integer
 CONFIRM_NM: varchar(20)
 USE_YN: varchar(6)
 CONFIRM_USER_ID: varchar(20)
 CONFIRM_USER_ID_S: char(18)
 SCREEN_WIDTH: integer
 PRINT_WIDTH: integer

TME_PAY_DTL_TITLE

OFFICE_CODE: varchar(20)
 T_SEQ: integer
 TITLE_COL: varchar(30)
 TITLE_NAME: varchar(50)
 VIEW_WIDTH: integer
 USE_YN: varchar(1)

TME_PAY_ACCT

OFFICE_CODE: varchar(20)
 ACCT_CODE: varchar(20)
 ACCT_NAME: varchar(50)
 ACCT_DESCR: varchar(200)
 USE_YN: varchar(1)

TME_PAY

OFFICE_CODE: varchar(20)
 SEQ: integer
 DOC_NO_TITLE: varchar(30)
 DOC_NO: varchar(20)
 DRAFT_DATE: varchar(8)
 TRY_TERM: varchar(30)
 REMAIN_YEAR: varchar(30)
 CO_WORK: varchar(30)
 PUBLIC_VIEW: varchar(30)
 DRAFT_MAN: varchar(60)
 RECEIVE: varchar(50)
 SENDER: varchar(30)
 CONTROL: varchar(30)
 DOC_TITLE: varchar(200)
 REG_USER: varchar(20)
 REG_DATE: varchar(20)
 DRAFT_CONTENT_TEXT: varchar(2000)
 DESCR_TITLE: varchar(500)
 MISC_TEXT: varchar(500)
 TOT_AMOUNT: numeric
 ORDER_TEXT: varchar(2000)
 REG_USER_NM: char(18)

TME_PAY_FILE

OFFICE_CODE: varchar(20)
 FILE_SEQ: integer
 SEQ: integer
 FILE_NM: varchar(100)
 FILEDATA: text
 SYS_FILE_NM: varchar(200)
 FILE_PATH: varchar(200)

TME_PAY_DTL

OFFICE_CODE: varchar(20)
 USE_GBN: varchar(20)
 ST_DT: numeric
 UP_GBN: varchar(200)

TME_PAY_DTL

OFFICE_CODE: varchar(20)
 SEQ: integer
 DTL_SEQ: integer
 ACCT_CODE: varchar(20)
 AMOUNT: numeric
 DESCR1: varchar(200)
 DESCR2: varchar(200)
 DESCR3: varchar(200)
 DESCR4: varchar(200)
 ACCT_NAME: varchar(50)
 VIEW_SEQ: varchar(5)

TME_PAY_CONFIRM

OFFICE_CODE: varchar(20)
 CONFIRM_SEQ: integer
 SEQ: integer
 DUTY_CD: varchar(20)
 CONFIRM_ID: varchar(20)
 CONFIRM_ID_S: varchar(20)
 ORDER_SEQ: integer
 REAL_USER_ID: varchar(20)
 REAL_USER_NM: varchar(30)
 REAL_CONFIRM: varchar(20)
 REAL_DATE: varchar(8)
 CANCEL_REMARK: char(18)

입주자대표회의

TME_EMP_TOWN

OFFICE_CODE: varchar(20)
EMP_NO: varchar(20)

REG_DATE: char(18)
DONG: char(18)
HO: char(18)
GRADE_CD: char(18)
NAME: char(18)
HP_NO: char(18)
BIRTH: char(18)
MOON_GBN: char(18)
REMARKS: varchar(200)
DISUSE_YN: char(18)
DISUSE_DATE: char(18)
DISUSE_REASON: char(18)

통반장명단

TME_EMP_CLASS

OFFICE_CODE: varchar(20)
EMP_NO: varchar(20)

REG_DATE: char(18)
DONG: char(18)
HO: char(18)
GRADE_CD: char(18)
NAME: char(18)
HP_NO: char(18)
BIRTH: char(18)
MOON_GBN: char(18)
REMARKS: varchar(200)
DISUSE_YN: char(18)
DISUSE_DATE: char(18)
DISUSE_REASON: char(18)

임차인대표회의

TME_EMP_RENT

OFFICE_CODE: varchar(20)
EMP_NO: varchar(20)

REG_DATE: char(18)
DONG: char(18)
HO: char(18)
GRADE_CD: char(18)
NAME: char(18)
HP_NO: char(18)
BIRTH: char(18)
MOON_GBN: char(18)
REMARKS: varchar(200)
DISUSE_YN: char(18)
DISUSE_DATE: char(18)
DISUSE_REASON: char(18)

위원회

TME_HOEUL_140

OFFICE_CODE: varchar(20)
EMP_NO: varchar(20)

REG_DATE: char(18)
DONG: char(18)
HO: char(18)
GRADE_CD: char(18)
NAME: char(18)
HP_NO: char(18)
BIRTH: char(18)
MOON_GBN: char(18)
APPOINT: char(18)
REMARKS: varchar(200)
DISUSE_YN: char(18)
DISUSE_DATE: char(18)
DISUSE_REASON: char(18)

합동대표회의

TME_EMP_WITH

OFFICE_CODE: varchar(20)
EMP_NO: varchar(20)

REG_DATE: char(18)
DONG: char(18)
HO: char(18)
GRADE_CD: char(18)
NAME: char(18)
HP_NO: char(18)
BIRTH: char(18)
MOON_GBN: char(18)
REMARKS: varchar(200)
DISUSE_YN: char(18)
DISUSE_DATE: char(18)
DISUSE_REASON: char(18)

부녀회

TME_EMP_WOMEN

OFFICE_CODE: varchar(20)
EMP_NO: varchar(20)

REG_DATE: char(18)
DONG: char(18)
HO: char(18)
GRADE_CD: char(18)
NAME: char(18)
HP_NO: char(18)
BIRTH: char(18)
MOON_GBN: char(18)
REMARKS: varchar(200)
DISUSE_YN: char(18)
DISUSE_DATE: char(18)
DISUSE_REASON: char(18)

임차인선거관리위원회

TME_EMP_RENTCOM

OFFICE_CODE: varchar(20)
EMP_NO: varchar(20)

REG_DATE: char(18)
DONG: char(18)
HO: char(18)
GRADE_CD: char(18)
NAME: char(18)
HP_NO: char(18)
BIRTH: char(18)
MOON_GBN: char(18)
APPOINT: char(18)
REMARKS: varchar(200)
DISUSE_YN: char(18)
DISUSE_DATE: char(18)
DISUSE_REASON: char(18)

TME_BOARD

OFFICE_CODE: varchar(6)
BOARD_DIV: varchar(20)
BOARD_NO: numeric

BOARD_TITLE: varchar(200)
BOARD_CONTENT: text
BOARD_DATE: varchar(14)
BOARD_CNT: integer
USER_ID: varchar(20)
IDX: char(18)
WRITER: char(18)

선거관리위원회

TME_EMP_COM

OFFICE_CODE: varchar(20)
EMP_NO: varchar(20)

REG_DATE: char(18)
DONG: char(18)
HO: char(18)
GRADE_CD: char(18)
NAME: char(18)
HP_NO: char(18)
BIRTH: char(18)
MOON_GBN: char(18)
REMARKS: varchar(200)
APPOINT: char(18)
DISUSE_YN: char(18)
DISUSE_DATE: char(18)
DISUSE_REASON: char(18)

노인회명단

TME_EMP_CITIZEN

OFFICE_CODE: varchar(20)
EMP_NO: varchar(20)

REG_DATE: char(18)
DONG: char(18)
HO: char(18)
GRADE_CD: char(18)
NAME: char(18)
HP_NO: char(18)
BIRTH: char(18)
MOON_GBN: char(18)
REMARKS: varchar(200)
DISUSE_YN: char(18)
DISUSE_DATE: char(18)
DISUSE_REASON: char(18)

관리단명단

TME_HOEUL_120

OFFICE_CODE: varchar(20)
EMP_NO: varchar(20)

REG_DATE: char(18)
DONG: char(18)
HO: char(18)
GRADE_CD: char(18)
NAME: char(18)
HP_NO: char(18)
BIRTH: char(18)
MOON_GBN: char(18)
APPOINT: char(18)
REMARKS: varchar(200)
DISUSE_YN: char(18)
DISUSE_DATE: char(18)
DISUSE_REASON: char(18)

층간소음관리위원회

TME_EMP_FLOOR

OFFICE_CODE: varchar(20)
EMP_NO: varchar(20)

REG_DATE: char(18)
DONG: char(18)
HO: char(18)
GRADE_CD: char(18)
NAME: char(18)
HP_NO: char(18)
BIRTH: char(18)
MOON_GBN: char(18)
REMARKS: varchar(200)
DISUSE_YN: char(18)
DISUSE_DATE: char(18)
DISUSE_REASON: char(18)
APPOINT: char(18)

번영회명단

TME_EMP_PROSPER

OFFICE_CODE: varchar(20)
EMP_NO: varchar(20)

REG_DATE: char(18)
DONG: char(18)
HO: char(18)
GRADE_CD: char(18)
NAME: char(18)
HP_NO: char(18)
BIRTH: char(18)
MOON_GBN: char(18)
REMARKS: varchar(200)
DISUSE_YN: char(18)
DISUSE_DATE: char(18)
DISUSE_REASON: char(18)

커뮤니티소위원회

TME_HOEUL_130

OFFICE_CODE: varchar(20)
EMP_NO: varchar(20)

REG_DATE: char(18)
DONG: char(18)
HO: char(18)
GRADE_CD: char(18)
NAME: char(18)
HP_NO: char(18)
BIRTH: char(18)
MOON_GBN: char(18)
APPOINT: char(18)
REMARKS: varchar(200)
DISUSE_YN: char(18)
DISUSE_DATE: char(18)
DISUSE_REASON: char(18)

TME_FILE

OFFICE_CODE: varchar(6)
BOARD_DIV: varchar(20)
BOARD_NO: numeric
FILE_SEQ: integer

FILE_NM: varchar(50)
FILEDATA: text
SYS_FILE_NM: varchar(50)
FILE_PATH: varchar(50)

TME_LAYOUT

OFFICE_CODE: varchar(20)
LAY_GBN: char(18)

DESCR_HTML: text

그룹관리

사용자그룹ID
사용자그룹명
사용자그룹설명
그룹구분

그룹별메뉴관리

사용자그룹ID (FK)
메뉴ID (FK)
사용유무
쓰기권한
읽기권한
수정권한
삭제권한
엑셀출력

메뉴

메뉴ID
메뉴명
레벨
레벨별출력순
메뉴그룹
상위메뉴ID
이미지ID
폼URL
사용유무
자동SMS
자동메일
메뉴로그기록여부
메일템플릿
SMS_템플릿
TEXT_COLOR
CIMG
EIMG
엑셀전환여부
메뉴파라미터
보관메뉴여부
W_YN
SERVER_URL

메뉴파라미터는 전기실등이 여러개 있을때 같은 프로그램을 호출하면서 파라미터로 메뉴를 구분하기 위해서 구분자로 사용한다.

사용자

사용자ID
사용자그룹ID (FK)
패스워드
사용자명
등록일
사용여부
관리소코드 (FK)
휴대전화
회사코드 (FK)
인증코드
전산회사코드 (FK)
현재상태
관리자코드
상위관리자ID
상위관리자명
페이지
작업그룹ID
레벨코드
부서코드
직책코드
ID구분
비고
사원번호
세부그룹
이메일

사용자별메뉴관리

메뉴ID (FK)
사용자ID (FK)
사용유무
쓰기권한
읽기권한
수정권한
삭제권한
엑셀출력

관리회사(org92)

회사코드
관리회사명
사업자번호
대표자
대표자휴대폰
업태
종목
우편번호
주소1
주소2
전화번호
팩스
E_MAIL
homepage
등록일
사용여부
관리자
상태
해지일
그룹코드

관리그룹

그룹코드
그룹명
사업자번호
대표자
대표자휴대폰
업태
종목
우편번호
주소1
주소2
전화번호
팩스
E_MAIL
homepage
등록일
사용여부
관리자
상태
해지일

전산회사(org90)

전산회사코드
관리회사명
사업자번호
대표자
대표자휴대폰
업태
종목
우편번호
주소1
주소2
전화번호
팩스
E_MAIL
homepage
등록일
해지일
사용상태
사용여부

관리소(org10)

관리소코드
관리소명
회사코드 (FK)
전산회사코드
출력명
건물구분
관리구분
관리시작일
전화
팩스
우편번호
주소1
주소2
관리소장
관리소장hp
등록일
사용상태
관리자id
사용용량
사용자수
세대수
관리면적
해지일

관리소관리계약

관리소코드 (FK)
계약순번
계약시작일
계약만기일
계약유형
계약금액
계약해지일
계약해지사유
비고
계약번호

업무마감

관리소코드 마감일 SEQ
마감여부 등록자 등록일 CANCEL_USER CANCEL_DATE

부서

부서코드
부서명 등록일 종료일 사용유무 순번

관리소부서

관리소코드 부서코드
부서명 등록일 종료일 사용유무 순번

작업이력관리

일련번호
사용자번호 IP주소 작업일자 메뉴ID 메뉴명 작업SQL 작업구분_수정/삭제

직책

직책코드
직책명 등록일 종료일 사용유무 순번 직위코드

관리소직책

관리소코드 직책코드
직책명 등록일 종료일 사용유무 순번 JOB_GRAD_CD

접속이력

일련번호 사용자번호
IP주소 시작시간 종료시간

게시판

게시판구분 게시물번호
게시TITLE 게시내용 작성자 작성일 조회수 등록일 만료일 구분 GBN_NM W_PX H_PX USER_ID

지번주소

우편번호 일련번호
시도 시군구 동리 도서 번지 당좌 날짜 모든 주소

코드마스터

코드구분번호
코드구분명 국분명1 구분명2 구분명3 구분명4 구분명5 사용여부 정렬순서 페이지일자

첨부파일

게시판구분 (FK) 게시물번호 (FK) 첨부파일순번
첨부파일명 첨부파일내용 저장파일명 저장파일경로

코드내역

코드구분번호 (FK) 코드번호
코드상세명 약어명 구분명1 구분명2 구분명3 구분명4 구분명5 PRICS_CD 정렬순서 사용여부 페이지일자

우편번호

일련번호
우편번호 시도 시군구 동리 도시 번지 아파트빌딩 작성일자 전체주소 비고

메시지금액관리

순번
시작일 종료일 SMS구매액 SMS판매액 LMS구매액 LMS판매액 MMS구매액 MMS판매액

게시판

OFFICE_CODE 게시판구분 게시물번호
게시TITLE 게시내용 작성자 작성일 조회수 등록일 만료일 구분 GBN_NM W_PX H_PX USER_ID

첨부파일

게시판구분 게시물번호 첨부파일순번
첨부파일명 첨부파일내용 저장파일명 저장파일경로

설정관리 > 점검일지, 안전진단

점검일지양식

관리소코드
메뉴ID
메뉴그룹
메뉴명
메뉴레벨
순위
상위메뉴
화면 URL
화면 사용여부
화면명
날씨여부
온도여부
작성자유부
비고여부
비고명
등록일
등록자유부
높이
높이
CODE_MENU
START_DATE
END_DATE
GRID_HEIGHT
PR_FONT_SIZE
비고높이
TIME_INPUT_YN
양호제외
전일복사

점검일지결재선

관리소코드 (FK)
메뉴ID (FK)
순번
결재자
사용여부
결재자1
결재자2

항목설정

관리소코드 (FK)
메뉴ID (FK)
순번
항목명
사용여부
너비

점검일지항목

관리소코드 (FK)
메뉴ID (FK)
순번
컬럼1
컬럼2
컬럼3
컬럼4
컬럼5
컬럼6
컬럼7
컬럼8

[MENU_ID 구성]

수변전 - 0500203xx
기계실 - 0500403xx

전기점검일지 - 0500205xx
설비점검일지 - 0500405xx

전기안전점검 - 0500207xx
설비안전점검 - 0500407xx

안전진단 - 050060xxx

전기업무일지 - 0500201xx
설비업무일지 - 0500401xx

설정관리 > 업무일지

업무일지양식

관리소코드
메뉴ID
메뉴그룹
메뉴명
메뉴레벨
순위
상위메뉴
화면 URL
화면 사용여부
화면명
날씨여부
온도여부
작성자유부
비고여부
비고명
등록일
등록자유부
높이
높이
메뉴코드
시작일
종료일
그리드높이
글자크기
시분여부
그리드명
인원현황높이
인원현황글부
인원현황여부
인원현황명
비고높이
지시사항
인수인계사항
휴게기간
특기사항
인원현황
VIEW_GBN

업무일지결재선

관리소코드
메뉴ID
순번
결재자
사용여부
결재자1
결재자2

업무일지항목설정

관리소코드
메뉴ID
순번
항목명
사용여부
너비

업무일지항목

관리소코드
메뉴ID
순번
컬럼1
컬럼2
컬럼3
컬럼4
컬럼5
컬럼6
컬럼7

TPM_MGTGROUP

USERGROUP_ID: varchar(10)
 USERGROUP_NM: varchar(40)
 USERGROUP_EXP: varchar(500)
 GROUP_GBN: varchar(2)

TPM_GROUPMENU

USERGROUP_ID: varchar(10)
 MENU_ID: varchar(10)
 FORM_USE: char(1)
 GRD_CREATE: char(1)
 GRD_READ: char(1)
 GRD_UPDATE: char(1)
 GRD_DELETE: char(1)
 GRD_EXCEL: char(1)

TPM_MENU

MENU_ID: varchar(10)
 MENU_NAME: varchar(50)
 M_LEVEL: varchar(2)
 LEVEL_ORDER: numeric
 MENU_GROUP: varchar(5)
 UP_MENU_ID: varchar(10)
 IMG_ID: varchar(20)
 FORM_URL: varchar(100)
 FORM_USE: char(1)
 SMS_FLAG: char(1)
 MAIL_FLAG: char(1)
 MENU_LOG: char(1)
 MAIL_TEMPLT: numeric(10)
 SMS_TEMPLT: numeric(10)
 TXT_COLOR: varchar(20)
 CIMG: varchar(20)
 EIMG: varchar(20)
 EXCEL_YN: varchar(1)
 MENU_PARM: varchar(20)
 STORAGE_MENU_YN: varchar(1)
 W_YN: char(18)
 SERVER_URL: char(18)

TPM_USER

USER_ID: varchar(15)
 USERGROUP_ID: varchar(10)
 PASSWD: varchar(20)
 USER_NAME: char(18)
 REGI_DATE: varchar(8)
 USE_YN: char(1)
 OFFICE_CODE: char varying(5)
 HP_NO: varchar(20)
 COMP_CODE: char varying(6)
 AUTH_CODE: varchar(20)
 MGMCOMP_CODE: char varying(6)
 STATUS: varchar(6)
 MGM_CODE: varchar(20)
 UP_MGMUSER_ID: varchar(20)
 UP_MGMUSER_NAME: varchar(20)
 REG_END_DATE: varchar(8)
 WORK_GROUP_ID: varchar(6)
 LEVEL_CODE: varchar(20)
 DEPT_CD: char(18)
 JOB_DUTY_CD: char(18)
 ID_GBN: char(18)
 REMARK: char(18)
 EMP_NO: char(18)
 GROUP_DTL_NO: char(18)
 EMAIL: char(18)

TPM_USERMENU

MENU_ID: varchar(10)
 USER_ID: varchar(15)
 FORM_USE: char(1)
 GRD_CREATE: char(1)
 GRD_READ: char(1)
 GRD_UPDATE: char(1)
 GRD_DELETE: char(1)
 GRD_EXCEL: char(1)

TPM_COMPANY

COMP_CODE: char varying(6)
 COMP_NAME: char varying(50)
 NUM: char varying(12)
 CEO: char varying(50)
 CEO_HP: char varying(20)
 CON: char varying(50)
 ITEM: char varying(50)
 ZIP: char varying(7)
 ADDR1: char varying(200)
 ADDR2: char varying(200)
 TEL: char varying(20)
 FAX: char varying(20)
 EMAIL: char varying(100)
 HOMEPAGE: char varying(100)
 REGI_DAY: varchar(8)
 USE_YN: char(1)
 MGMUSER_ID: varchar(15)
 STATE: varchar(6)
 OFF_DAY: varchar(8)
 GROUP_CODE: char varying(6)

메뉴파라메터는
전기실등이 여러개 있을때
같은 프로그램을 호출하면서
파라메터로 메뉴를 구분하기
위해서 구분자로 사용한다.

TPM_GROUP_COMP

GROUP_CODE: char varying(6)
 GROUP_NAME: char varying(50)
 NUM: char varying(12)
 CEO: char varying(50)
 CEO_HP: char varying(20)
 CON: char varying(50)
 ITEM: char varying(50)
 ZIP: char varying(7)
 ADDR1: char varying(200)
 ADDR2: char varying(200)
 TEL: char varying(20)
 FAX: char varying(20)
 EMAIL: char varying(100)
 HOMEPAGE: char varying(100)
 REGI_DAY: varchar(8)
 USE_YN: char(1)
 MGMUSER_ID: varchar(15)
 STATE: varchar(6)
 OFF_DAY: varchar(8)

TPM_MGM_COMPANY

MGMCOMP_CODE: char varying(6)
 MGMCOMP_NAME: char varying(50)
 NUM: char varying(12)
 CEO: char varying(50)
 CEO_HP: char varying(20)
 CON: char varying(50)
 ITEM: char varying(50)
 ZIP: char varying(7)
 ADDR1: char varying(200)
 ADDR2: char varying(200)
 TEL: char varying(20)
 FAX: char varying(20)
 EMAIL: char varying(100)
 HOMEPAGE: char varying(100)
 REGI_DAY: varchar(8)
 OFF_DAY: varchar(8)
 STATE: varchar(6)
 USE_YN: varchar(1)

TPM_OFFICE

OFFICE_CODE: char varying(5)
 OFFICE_NAME: char varying(50)
 COMP_CODE: char varying(6)
 MGMCOMP_CODE: char varying(6)
 EXPLAN: char varying(50)
 PART1: char varying(50)
 PART2: char varying(50)
 START_DAY: varchar(8)
 TEL: char varying(20)
 FAX: char varying(20)
 ZIP: char varying(7)
 ADDR1: char varying(200)
 ADDR2: char varying(200)
 MAGOR_NAME: char varying(20)
 MAJOR_HP: char varying(20)
 REGI_DAY: varchar(8)
 STATUS: varchar(6)
 MGMUSER_ID: varchar(15)
 OFFICE_HARD_SIZE: char(18)
 OFFICE_USER_CNT: char(18)
 OFFICE_CNT: char(18)
 OFFICE_AREAR: char(18)
 END_DAY: char(18)

TPM_CONTRACT

OFFICE_CODE: char varying(5)
 CONT_SEQ: integer
 START_DATE: varchar(8)
 END_DATE: varchar(8)
 CONT_KIND_CD: varchar(6)
 CONT_AMT: numeric
 REV_DATE: varchar(8)
 REV_REASON: varchar(200)
 REMARKS: varchar(200)
 CONTRACT_NO: varchar(20)

TPM_DEADLINE

OFFICE_CODE: varchar(6)
END_DATE: varchar(8)
SEQ: char(18)

DEAD_YN: varchar(1)
REG_USER: varchar(20)
REG_DATE: varchar(8)
CANCEL_USER: char(18)
CANCEL_DATE: char(18)

TCM_DEPT

DEPT_CD: varchar(6)

DEPT_NAME: varchar(40)
REG_DATE: varchar(8)
END_DATE: varchar(8)
USE_YN: varchar(1)
SORT_ORDER: integer

THR_DEPT

OFFICE_CODE: varchar(6)
DEPT_CD: varchar(6)

DEPT_NAME: varchar(40)
REG_DATE: varchar(8)
END_DATE: varchar(8)
USE_YN: varchar(1)
SORT_ORDER: integer

TPM_WORKHIS

SEQ_NO: numeric(18,0)

USER_ID: char(12)
IPADDRESS: varchar(15)
WORK_DT: datetime
MENU_ID: varchar(40)
MENU_NM: varchar(100)
WORKSQL: varchar(4000)
WORK_DV: varchar(6)

TCM_JOB_DUTY

JOB_DUTY_CD: varchar(6)

JOB_DUTY_NAME: varchar(40)
REG_DATE: varchar(8)
END_DATE: varchar(8)
USE_YN: varchar(1)
SORT_ORDER: integer
JOB_GRAD_CD: varchar(20)

THR_JOB_DUTY

OFFICE_CODE: varchar(6)
JOB_DUTY_CD: varchar(6)

JOB_DUTY_NAME: varchar(40)
REG_DATE: varchar(8)
END_DATE: varchar(8)
USE_YN: varchar(1)
SORT_ORDER: integer
JOB_GRAD_CD: char(18)

TPM_CONNECTHIS

SEQ_NO: numeric(18,0)
USER_ID: char(12)

IPADDRESS: varchar(100)
START_DT: datetime
END_DT: datetime

TPM_BOARD

BOARD_DIV: varchar(20)
BOARD_NO: numeric

BOARD_TITLE: varchar(200)
BOARD_CONTENT: text
BOARD_WRITER: varchar(20)
BOARD_DATE: varchar(14)
BOARD_CNT: integer
STR_DT: varchar(14)
END_DT: varchar(14)
POP_YN: varchar(1)
GBN_NM: char(18)
W_PX: char(18)
H_PX: char(18)
USER_ID: char(18)

ZIPCODE

ZIP_NO: char(18)
SEQ_NO: char(8)

SIDO: varchar(20)
SIGUNGU: varchar(20)
DONG: varchar(50)
RI: varchar(50)
DOSE: varchar(50)
BENJI: varchar(50)
BILDING: varchar(50)
CHDATE: varchar(10)
FULL_ADDR: varchar(150)

TPM_CODE_MST

CODEDV_NO: char(3)

CODEDV_NM: varchar(30)
DIVISION1_NM: varchar(30)
DIVISION2_NM: varchar(30)
DIVISION3_NM: varchar(30)
DIVISION4_NM: varchar(30)
DIVISION5_NM: varchar(30)
USE_YN: char(1)
SORTORDER: numeric(4)
ABOLITION_DT: char(8)

TPM_FILE

BOARD_DIV: varchar(20)
BOARD_NO: numeric
ATT_NO: integer

FILE_NM: varchar(50)
FILEDATA: text
SYS_FILE_NM: varchar(50)
FILE_PATH: varchar(50)

TPM_CODEBODY

CODEDV_NO: char(3)
CODE_NO: char(6)

CODEDTL_NM: varchar(100)
SHORT_NM: varchar(50)
DIVISION1_NM: varchar(30)
DIVISION2_NM: varchar(30)
DIVISION3_NM: varchar(30)
DIVISION4_NM: varchar(30)
DIVISION5_NM: varchar(30)
PRICS_CD: char(6)
SORTORDER: numeric(4)
USE_YN: char(1)
ABOLITION_DT: char(8)

TPM_ZIPCODE

SEQ_NO: numeric

ZIP_NO: char(6)
SIDO: varchar(50)
SIGUNGU: varchar(50)
DONG: varchar(50)
RI: varchar(50)
DOSE: varchar(50)
BANJI: varchar(30)
APT: varchar(50)
CREATE_DATE: varchar(8)
FULL_ADDR: varchar(200)
REMARKS: varchar(200)

TPM_MESSAGE

SEQ: char(18)

ST_DATE: varchar(20)
ED_DATE: varchar(20)
SMS_REAL_AMT: varchar(50)
SMS_SELL_AMT: varchar(50)
LMS_REAL_AMT: varchar(50)
LMS_SELL_AMT: varchar(50)
MMS_REAL_AMT: varchar(10)
MMS_SELL_AMT: varchar(50)

TPM_BOARD_REPORT

OFFICE_CODE: char(18)
BOARD_DIV: varchar(20)
BOARD_NO: numeric

BOARD_TITLE: varchar(200)
BOARD_CONTENT: text
BOARD_WRITER: varchar(20)
BOARD_DATE: varchar(14)
BOARD_CNT: integer
STR_DT: varchar(14)
END_DT: varchar(14)
POP_YN: varchar(1)
GBN_NM: char(18)
W_PX: char(18)
H_PX: char(18)
USER_ID: char(18)

TPM_FILE_REPORT

BOARD_DIV: varchar(20)
BOARD_NO: numeric
ATT_NO: integer

FILE_NM: varchar(50)
FILEDATA: text
SYS_FILE_NM: varchar(50)
FILE_PATH: varchar(50)

THR_JOB_GRADE

OFFICE_CODE: varchar(6)
JOB_GRADE_CD: varchar(6)
JOB_GRADE_NAME: varchar(40)
REG_DATE: varchar(8)
END_DATE: varchar(8)
USE_YN: varchar(1)
SORT_ORDER: integer

THR_JOB_KIND

OFFICE_CODE: varchar(6)
JOB_KIND_CD: varchar(6)
JOB_KIND_NAME: varchar(40)
REG_DATE: varchar(8)
END_DATE: varchar(8)
USE_YN: varchar(1)
SORT_ORDER: integer

ZIPCODE_DORO

ZIP_NO: char(18)
SEQ_NO: char(8)
SIDO: varchar(20)
SIGUNGU: varchar(20)
MYEON: varchar(50)
DORO: varchar(50)
UNDER_GBN: varchar(50)
BUILD_BON: varchar(50)
BUILD_BU: varchar(10)
BUILD_NO: varchar(50)
DELL_NM: varchar(150)
SIGUN_BUILD_NM: char(18)
LAW_DONG_CODE: char(18)
LAW_DONG_NM: char(18)
RI: char(18)
SAN_YN: char(18)
JIBUN_BON: char(18)
JIBON_BU: char(18)

TPM_MANUAL

BOARD_DIV: char(18)
BOARD_NO: char(18)
GBN_NM: char(18)
BOARD_TITLE: char(18)
BOARD_CONTENT: char(18)
BOARD_WRITER: char(18)
BOARD_DATE: char(18)
BOARD_CNT: char(18)
STR_DT: char(18)
END_DT: char(18)
POP_YN: char(18)
W_PX: char(18)
H_PX: char(18)
USER_ID: char(18)

TPM_MANUAL_FILE

BOARD_DIV: char(18)
BOARD_NO: char(18)
ATT_NO: char(18)
FILE_NM: char(18)
FILEDATA: char(18)
SYS_FILE_NM: char(18)
FILE_PATH: char(18)

TPM_BOARD_OFFICE

BOARD_DIV: char(18)
BOARD_NO: char(18)
LEVEL: char(18)
OFFICE_CODE: char(18)
BOARD_TITLE: char(18)
BOARD_CONTENT: char(18)
BOARD_WRITER: char(18)
BOARD_DATE: char(18)
BOARD_CNT: char(18)
USER_ID: char(18)

TPM_CONFIRM_LINE

OFFICE_CODE: char(18)
MENU_GROUP: char(18)
SEQ: char(18)
DUTY_CD: char(18)
CONFIRM_ID: char(18)
CONFIRM_IS_S: char(18)
USE_YN: char(18)
ORDER_SEQ: char(18)
REG_DATE: char(18)
REG_USER: char(18)

TPM_CONFIRM_INFO

OFFICE_CODE: char(18)
MENU_ID: char(18)
CONFIRM_CODE: char(18)
SORT_SEQ: char(18)
CONFIRM_TH: char(18)

TPM_HOLY

H_YEAR: char(18)
H_DATE: char(18)
H_NAME: char(18)
REG_USER: char(18)
REG_DATE: char(18)

TPM_CONFIRM_HISTORY

OFFICE_CODE: char(18)
CONFIRM_SEQ: char(18)
SEQ: char(18)
CONFIRM_TB_NM: char(18)
HISTORY_SEQ: char(18)
CONFIRM_GBN: char(18)
DUTY_CD: char(18)
CONFIRM_ID: char(18)
CONFIRM_ID_S: char(18)
ORDER_SEQ: char(18)
REAL_USER_ID: char(18)
REAL_USER_NM: char(18)
REAL_CONFIRM: char(18)
REAL_DATE: char(18)
REG_ID: char(18)
REG_DATE: char(18)
CANCEL_REMARK: char(18)

설정관리 > 점검일지, 안전진단

TPM_MENU_ADD

OFFICE_CODE: char(18)
MENU_ID: char(18)
MENU_GROUP: char(18)
MENU_NAME: char(18)
M_LEVEL: char(18)
LEVEL_ORDER: char(18)
UP_MENU_ID: char(18)
FORM_URL: char(18)
FORM_USE: char(18)
FORM_NAME: char(18)
CHK_WEATHER: char(18)
CHK_TEMP: char(18)
CHK_WRITER: char(18)
CHK_REMARKS: char(18)
CHK_REMARKS_NM: char(18)
REG_DATE: char(18)
REG_USER: char(18)
CHK_HEIGHT_YN: char(18)
CHK_HEIGHT: char(18)
CODE_MENU: char(18)
START_DATE: char(18)
END_DATE: char(18)
GRID_HEIGHT: char(18)
PR_FONT_SIZE: char(18)
CHK_REMARK_HEIGHT: char(18)
TIME_INPUT_YN: char(18)
CHK_TEXT_YN: char(18)
CHK_PRE_COPY: char(18)

TPM_MENU_ADD_CONFIRM

OFFICE_CODE: char(18)
MENU_ID: char(18)
ORDER_SEQ: char(18)
CONFIRM_NM: char(18)
USE_YN: char(18)
CONFIRM_USER_ID: char(18)
CONFIRM_USER_ID_S: char(18)

TPM_MENU_ADD_ITEM

OFFICE_CODE: char(18)
MENU_ID: char(18)
ORDER_SEQ: char(18)
ITEM_NM: char(18)
USE_YN: char(18)
ITEM_WIDTH: char(18)

TPM_MENU_ADD_ITEM_DETAIL

OFFICE_CODE: char(18)
MENU_ID: char(18)
SEQ: char(18)
COL1: char(18)
COL2: char(18)
COL3: char(18)
COL4: char(18)
COL5: char(18)
COL6: char(18)
COL7: char(18)
COL8: char(18)

[MENU_ID 구성]

수변전 - 0500203xx
기계실 - 0500403xx

전기점검일지 - 0500205xx
설비점검일지 - 0500405xx

전기안전점검 - 0500207xx
설비안전점검 - 0500407xx

안전진단 - 050060xxx

전기업무일지 - 0500201xx
설비업무일지 - 0500401xx

설정관리 > 업무일지

TPM_UPMOO_ADD

OFFICE_CODE: char(18)
MENU_ID: char(18)
MENU_GROUP: char(18)
MENU_NAME: char(18)
M_LEVEL: char(18)
LEVEL_ORDER: char(18)
UP_MENU_ID: char(18)
FORM_URL: char(18)
FORM_USE: char(18)
FORM_NAME: char(18)
CHK_WEATHER: char(18)
CHK_TEMP: char(18)
CHK_WRITER: char(18)
CHK_REMARK: char(18)
CHK_REMARK_NM: char(18)
REG_DATE: char(18)
REG_USER: char(18)
CHK_HEIGHT_YN: char(18)
CHK_HEIGHT: char(18)
CODE_MENU: char(18)
START_DATE: char(18)
END_DATE: char(18)
GRID_HEIGHT: char(18)
PR_FONT_SIZE: char(18)
TIME_INPUT_YN: char(18)
GRID_NAME: char(18)
CHK_PER_HEIGHT: char(18)
CHK_PER_TEXT: char(18)
CHK_PER: char(18)
CHK_PER_NAME: char(18)
CHK_REMARK_HEIGHT: char(18)
CHK_GBN1: char(18)
CHK_GBN2: char(18)
CHK_GBN3: char(18)
CHK_GBN4: char(18)
CHK_GBN5: char(18)
VIEW_GBN: char(18)

TPM_UPMOO_ADD_CONFIRM

OFFICE_CODE: char(18)
MENU_ID: char(18)
ORDER_SEQ: char(18)
CONFIRM_NM: char(18)
USE_YN: char(18)
CONFIRM_USER_ID: char(18)
CONFIRM_USER_ID_S: char(18)

TPM_UPMOO_ADD_ITEM

OFFICE_CODE: char(18)
MENU_ID: char(18)
ORDER_SEQ: char(18)
ITEM_NM: char(18)
USE_YN: char(18)
ITEM_WIDTH: char(18)

TPM_UPMOO_ADD_ITEM_DETAIL

OFFICE_CODE: char(18)
MENU_ID: char(18)
SEQ: char(18)
COL1: char(18)
COL2: char(18)
COL3: char(18)
COL4: char(18)
COL5: char(18)
COL6: char(18)
COL7: char(18)

점검일지

TPM_REPORT

OFFICE_CODE: char(18)
MENU_ID: char(18)
REPORT_DATE: char(18)

FORM_NAME: char(18)
CHK_WEATHER: char(18)
CHK_WEATHER_TEXT: char(18)
CHK_TEMP: char(18)
CHK_TEMP_TEXT: char(18)
CHK_WRITER: char(18)
CHK_WRITER_TEXT: char(18)
CHK_REMARK: char(18)
CHK_REMARK_TEXT: char(18)
REG_USER: char(18)
REG_DATE: char(18)
CHK_HEIGHT_YN: char(18)
CHK_HEIGHT: char(18)

TPM_REPORT_CONFIRM

OFFICE_CODE: char(18)
MENU_ID: char(18)
ORDER_SEQ: char(18)
REPORT_DATE: char(18)

DEPT_CD: char(18)
CONFIRM_ID: char(18)
CONFIRM_ID_S: char(18)
USE_YN: char(18)
REAL_USER_ID: char(18)
REAL_USER_NM: char(18)
REAL_CONFIRM: char(18)
REAL_DATE: char(18)

TPM_REPORT_LIST

OFFICE_CODE: char(18)
MENU_ID: char(18)
SEQ: char(18)
REPORT_DATE: char(18)

COL1: char(18)
COL2: char(18)
COL3: char(18)
COL4: char(18)
COL5: char(18)
COL6: char(18)
COL7: char(18)
COL8: char(18)

2014~2025까지 있음

업무일지

TPM_UPMOO_REPORT

OFFICE_CODE: char(18)
MENU_ID: char(18)
REPORT_DATE: char(18)

FORM_NAME: char(18)
CHK_WEATHER: char(18)
CHK_WEATHER_TEXT: char(18)
CHK_TEMP: char(18)
CHK_TEMP_TEXT: char(18)
CHK_WRITER: char(18)
CHK_WRITER_TEXT: char(18)
CHK_REMARK: char(18)
CHK_REMARK_TEXT: char(18)
REG_USER: char(18)
REG_DATE: char(18)
CHK_HEIGHT_YN: char(18)
CHK_HEIGHT: char(18)
CHK_REMARK_HEIGHT: char(18)
GRID_NAME: char(18)
CHK_PER_HEIGHT: char(18)
CHK_PER_TEXT: char(18)
CHK_PER: char(18)
CHK_PER_NAME: char(18)
CHK_GBN1: char(18)
CHK_GBN2: char(18)
CHK_GBN3: char(18)
CHK_GBN4: char(18)
CHK_GBN5: char(18)

TPM_UPMOO_REPORT_CONFIRM

OFFICE_CODE: char(18)
MENU_ID: char(18)
ORDER_SEQ: char(18)
REPORT_DATE: char(18)

DEPT_CD: char(18)
CONFIRM_ID: char(18)
CONFIRM_ID_S: char(18)
USE_YN: char(18)
REAL_USER_ID: char(18)
REAL_USER_NM: char(18)
REAL_CONFIRM: char(18)
REAL_DATE: char(18)

TPM_UPMOO_REPORT_LIST

OFFICE_CODE: char(18)
MENU_ID: char(18)
SEQ: char(18)
REPORT_DATE: char(18)

COL1: char(18)
COL2: char(18)
COL3: char(18)
COL4: char(18)
COL5: char(18)
COL6: char(18)
COL7: char(18)
COL4_NM: char(18)
GOODS_OUTPUT_YN: char(18)

TPM_UPMOO_REPORT_LIST_FILE

OFFICE_CODE: char(18)
MENU_ID: char(18)
REPORT_DATE: char(18)
SEQ: char(18)
FILE_SEQ: char(18)

FILE_NM: char(18)
SYS_FILE_NM: char(18)

