SupportOS+ · Design-System Reskin

R4 Final Acceptance + Release v1.9.0 — the acceptance record of the presentation-layer reskin: traceability to the frozen Design Contract, the 5-second AI-identification blind test, the SUS instrument, the CI snapshot locks, and the release record. Report 4 of the printable series (Deep Audit · UX Recovery & Reskin Plan · Review Analysis & Industry Benchmark · Reskin Acceptance).

Document	SupportOS-Plus-Reskin-Acceptance-Report.pdf
Series	4 of 4 — the printable report series (docs/audit/)
Program	Design-System Reskin RS-01..RS-21 (decisions.md D6)
Item	RS-21 — R4: final acceptance + release (Batch RS-3)
Contract	Design Contract v1.0 (FROZEN 2026-10-28) — docs/audit/design-contract-v1.md
Status	R4 package complete — GATE G4 (owner final acceptance) pending
Date	2026-10-29

Table of Contents

1. Executive Summary 3

2. Program Record and Gates 3

2.1 Gate receipts . . . 3

2.2 Commit chain (Batch RS-2, R1–R3) . . . 4

3. R4 Traceability Matrix — screen region → DS-C id → DC row 4

3.1 Archetype coverage (DC §4) . . . 4

3.2 Shell chrome (DC §6) . . . 4

3.3 Registered exceptions and contractual keeps (DC §7) . . . 5

4. Blind Test — 5-second AI-reply identification 5

4.1 Mechanism pre-check (always-on, automated) . . . 5

4.2 Result (recorded at G4) . . . 5

5. SUS Questionnaire — target ≥ 68 5

6. CI Snapshot Locks — the reskin drift gate 6

6.1 What is locked . . . 6

6.2 The discipline . . . 6

7. Release v1.9.0 6

7.1 CHANGELOG — the [1.9.0] section (verbatim) . . . 6

8. GATE G4 — Owner Final Acceptance 7

1. Executive Summary

On 28 October 2026 the owner set the program's goal: 'everything is working fine, we need to reskin only according to the new design system' (decisions.md D6) — after the UX verdict of 0/10 with the Inbox named as the worst page. The reskin was executed as a presentation-only program under a frozen contract: Design Contract v1.0 (DC v1.0) extracted from the owner-approved design lab (Gate G1), ported 1:1 into the egui codebase across three waves — R1 tokens, R2 widget sets, R3 page rebuilds — with every behavior, query, write, shortcut and workflow byte-identical. This report is the R4 acceptance record: it closes the program by tracing every screen element back to the contract, packaging the human acceptance instruments (the 5-second AI-identification blind test and the SUS questionnaire), locking every rebuilt page against visual drift in CI, and cutting release v1.9.0.

23 routes	every page re-rendered through the DC widget set (R3 complete)
17 + 6	canonical DS-C component sheets + DS-A archetype recipes, all traced
24 / 175 / 171	kittest suites / tests (173 kittest + 2 style lint) / goldens diff-locking every page
v1.9.0	the reskin release, tagged from the verified acceptance state

The scope contract never moved: no feature, data, workflow, shortcut or page-set change (D6; DC G-6). Data-layer defects surfaced during the rebuild are footnoted as receipt-cited quirks (DC C-1) and stay visible — they were documented, never faked fixed. The gate sequence followed rule.md: G1 (lab conformance, commit af5bc2a) → G2/G3 evidence packs at the Batch RS-2 STOP (token pins + the 23-suite golden set) → this R4 package → GATE G4, the owner's final acceptance.

2. Program Record and Gates

2.1 Gate receipts

Gate	Scope	Receipt
G1	Design-lab conformance (RS-01..RS-10, HTML/CSS/JS only)	Owner approved the conformed lab as the final design — commit af5bc2a design-lab-v4; receipt: owner 'continue' after the RS-1 STOP.
G2	Token sign-off (R1)	RS-12's 1:1 --ds-* → design.rs LIGHT/DARK port + the DC pin tests; style lint enforces no-raw-color / on-scale in CI.
G3	Inbox pilot acceptance (R3 first wave)	RS-16 rebuilt the Inbox onto DS-A-05; the six r3_inbox_page_* goldens at 1440/1024/800 × 900, light + dark, a11y check ON.
G4	Final acceptance (R4)	This report — presented to the owner with the traceability matrix, the blind test, the SUS instrument and release v1.9.0.

Table 2.1 — gate receipts. G2/G3 evidence packs were presented at the Batch RS-2 STOP (completed.md, 2026-10-29).

2.2 Commit chain (Batch RS-2, R1–R3)

```
af5bc2a (RS-1 lab) → 8b83daf (G1) → f84d43c (RS-11) → fbf106c (RS-12) → 8bb994f (RS-13)
→ b5e613d (RS-14) → 9718cd7 (RS-15) → d172cfc (RS-15) → 8490eee (CI fix) → 7001cf8..c4b7315
(RS-19 waves) → 5ddb782..feee18a (RS-20 waves) → 5c12fd1 (batch record) → this batch
(RS-21)
```

Batch RS-2 closed 2026-10-29 with: fmt clean; clippy -D warnings 0 (workspace + core sandbox); app-shell 236 + core 485 + core sandbox 493 + xtask 11 + style-lint 2, all green; kittest 170 tests across the 22 suites green (every page golden diff-locked twice, a11y check ON); SPP_SMOKE exit 0 (24 frames painted on a fresh binary).

3. R4 Traceability Matrix — screen region → DS-C id → DC row

The full matrix lives at **docs/audit/acceptance/traceability-matrix.md** and is machine-checked: **scripts/gate_traceability.py** (a CI step in both ci.yml and release.yml) fails the build when (a) any DS-C/DS-A id cited in the matrix does not exist in the frozen DC, (b) any app route (PageKey) has no matrix section, (c) any cited golden-lock file is missing, or (d) any design.rs DC doc-tag stops resolving to the DC. One registered alias exists (G-7): DS-C-04 — the code's label for the MetricTile half of the DC's DS-C-03 sheet. The gate accepts the alias only while the matrix declares it.

3.1 Archetype coverage (DC §4)

DS-A recipe	Pages (routes)	Core components
DS-A-01 List page	customers · organizations · incidents	DS-C-01 header + counter pill · DS-C-10 FilterBar · DS-C-05 DataTable · DS-C-17 DetailPanel over DS-A-03 · DS-C-14 EmptyState
DS-A-02 Dashboard	dashboard · reports · issue-radar · custom-objects · outreach · automation · support-graph · knowledge*	DS-C-01 · DS-C-09 tabs/grouped · DS-C-03 Stat/MetricTile · DS-C-23 bar rows · DS-C-02 cards · DS-C-06 chips/badges · DS-C-15 callout roles
DS-A-03 Detail record	(composition recipe) — DetailPanel content everywhere	record-head + two-col blocks / cards (DS-C-19 avatars, DS-C-18 kv)
DS-A-04 Settings	settings · connectors · notifications · onboarding · live-chats	DS-C-09 rail · DS-C-12/13 forms · DS-C-02 + danger zones · DS-C-16 armed confirm
DS-A-05 Inbox workspace	inbox	views rail · list rows + DS-C-06 unread dot · reader with DS-C-20 role-typed cards · DS-C-21 Composer · DS-C-22 copilot
DS-A-06 Console / log	operations · ai-center · diagnostics · sync-health · search	DS-C-24 hero (sync-health; B-2 closure) · event rows + level dots · chips · tables

*Table 3.1 — the six archetype recipes over the 23 routes. *Knowledge rides the DS-A-02 block stack over the DS-C-09 rail (RS-18 wave B). Shell chrome traces to DC §6.*

3.2 Shell chrome (DC §6)

Region	DC trace	Lock
Sidebar nav (NAV_GROUPS verbatim; active = neutral fill + 500)	§6	SPP_SMOKE paint gate

Region	DC trace	Lock
Global search (⌘K) stays in the sidebar	§6	SPP_SMOKE paint gate
Theme switch light/dark (persisted; header outline act)	§6 + §2 + DS-C-11	SPP_SMOKE paint gate
Shell page: Runtime card + ported-pages hint (stale-checklist tag)	DS-C-02 + DS-C-15 hint	SPP_SMOKE paint gate (harness exception, RS-20h)

3.3 Registered exceptions and contractual keeps (DC §7)

- **E-1** — blur shadows render as hairline strokes; motion only where egui animates natively (painter model).
- **C-1** — receipt-cited data-layer quirks stay visible as quirk footnotes (knowledge freshness void, Load/Pressure swap, endpoint-name combo, approvals raw-JSON collapse, notifications raw-UTC hover, campaign report top-level-key read, outreach raw severity tokens, radar severity tokens).
- **C-2** — data-track items labeled mocked (unread counts, assignee, draft persistence) until the async track lands.

4. Blind Test — 5-second AI-reply identification

DC basis DS-C-22: 'AI is always violet, in every surface' (G-2) and the 5-second identification pre-check passes on the card alone. The full protocol lives at **docs/audit/acceptance/blind-test-protocol.md**. Summary: ten single-card stimuli (five AI-authored, five non-AI) cropped from the checked-in kittest goldens flash for five seconds each; the participant answers 'was this written by AI?'. Pass bar: ≥ 9/10 correct and zero false-AI calls on the non-AI set (a violet mis-read of human content is precisely the failure the DC forbids).

4.1 Mechanism pre-check (always-on, automated)

- AI content can only render through the typed DS-C-22 widget set (cop_suggest / cop_chat / cop_similar) or the ai role arm of message_card_with — there is no free-form card for AI rows.
- §5 DS.TONE is the single status→color site; the style lint (CI) bans raw color sites, so no page can hand-tint a surface violet outside the tone map.
- Every AI surface is diff-locked in the kittest goldens — a tone regression fails the CI snapshots job.

4.2 Result (recorded at G4)

Participant	Correct /10	False-AI (of 5)	Time per card	Pass
awaiting G4 administration	—	—	—	—

Aggregate verdict: pending G4. Any miss is a reskin defect — fix the DS-C-22 surface, re-lock the goldens, re-run.

5. SUS Questionnaire — target ≥ 68

The standard System Usability Scale (Brooke 1996), applied to v1.9.0 after at least 30 minutes of real work — the Inbox first (the UX-0/10 page), plus a list page, a console page and Settings. The full instrument and scoring sheet live at **docs/audit/acceptance/sus-questionnaire.md**: ten canonical statements, 5-point Likert, scored per participant (odd −1, even 5−x, sum × 2.5 → 0–100). Pass bar: ≥ 68 for every participant and for the mean.

SUS measures usability — it complements, never replaces, the traceability matrix and the golden locks. A failing score is recorded, the named friction is fixed, and the full instrument is re-administered as a new row.

Participant	Q1..Q10	SUS	Pass ≥ 68
awaiting G4 administration	—	—	—

Mean SUS: pending G4 · n: pending · caveat (n=1 where applicable): recorded verbatim at G4.

6. CI Snapshot Locks — the reskin drift gate

Before RS-21 the 23 kittest suites ran only in this lab: the goldens were diff-locked twice locally, but CI never rendered them (the suites are kittest-ui-gated and need a Vulkan rasterizer). RS-21 adds the **snapshots** job to ci.yml: the runner installs Mesa's lavapipe — the software-rasterizer family the baselines were produced with — and runs the whole set with UPDATE_SNAPSHOTS deliberately unset: every one of the 171 goldens diffs against the committed baselines and any pixel drift fails the build. The same gate rides the release workflow, so a tagged release cannot carry a drifted page.

6.1 What is locked

- **Real pages, not mocks** — every suite renders the production page struct over a seeded in-memory mirror (fixed-timestamp fixtures), 1440/1024/800 × 900, light + dark, a11y check ON.
- **Interaction goldens** — the heaviest states per page are locked too (Workload tab, Usage tab, New-Rule/New-Type/New-Campaign forms, Try-export, Neighborhood, errors filter, Mark-complete, Help-Scout tab, Mentions tab, detail panels).
- **The widget set itself** — kittest_widgets.rs locks the DS-C primitives (16+2 goldens after the DS-C-24 hero pair joined in RS-20f); style_lint.rs enforces the no-raw-color / on-scale rules.
- **Traceability** — the matrix's golden-lock column is gate-checked: a suite file that disappears fails the traceability gate before any snapshot can silently rot.

6.2 The discipline

Regeneration is a deliberate, reviewed act: UPDATE_SNAPSHOTS=1 produces the new baselines, a clean re-run must then pass byte-identical (the repo's diff-locked-twice rule), and the diff ships in the commit that justifies it. In CI the rule is stricter — there is no regeneration; drift is failure.

7. Release v1.9.0

The reskin ships as **v1.9.0** — a minor bump: the presentation layer changed wholesale; the feature surface did not. The workspace version is bumped, the CHANGELOG carries the release notes (the section below is read from CHANGELOG.md at report-build time), and the tag v1.9.0 is cut from the verified acceptance state. The release workflow builds the AppImage and the .deb on ubuntu:22.04 (glibc 2.35 baseline), verifies them in clean containers, and publishes with checksums — composing the GitHub release notes from this same CHANGELOG section.

7.1 CHANGELOG — the [1.9.0] section (verbatim)

```
## [1.9.0] — 2026-10-29

### Changed — Design-System reskin (the presentation layer, rebuilt on DC v1.0)

The owner-approved reskin (decisions.md D6: "everything is working fine, we need
to reskin only according to the new design system") ships in full. Every one of
the app's 23 routes now renders through the Design Contract v1.0 widget set —
the contract was extracted from the owner-approved design lab (Gate G1, commit
`af5bc2a`), and the Rust port never leads it. **No feature, data, workflow,
shortcut or page-set change**: every query, write, dialog and key binding is
byte-identical to 1.8.x; data-layer defects surfaced during the rebuild are
footnoted as receipt-cited quirks (DC C-1) and stay visible.

- **R1 — tokens (RS-12):** every `--ds-*` design token ported 1:1 into
`design.rs` (LIGHT + DARK); DS.TONE is the single status→color map; the
style lint (CI) bans raw color sites and off-scale spacing.
- **R2 — widget sets (RS-13/14/15):** the 17 canonical DS-C components (cards,
tables, tabs, chips, buttons, forms, empty states, callout roles, toasts,
detail panel, avatars, role-typed message cards, composer, AI identity set,
console hero) as typed egui widgets — one DC sheet, one widget.
- **R3 — page waves (RS-16..RS-20):** all 23 routes rebuilt onto the six DS-A
archetype recipes, with the archetype's presentation fixes applied (counter
pills, filter bars, bar lists, danger zones, hero band) and every interactive
control carrying its visible label for accessibility (`Response::labelled_by`
/ `widget_info`) — zero visual change from the lab.
- **Locked against drift:** 24 suites / 175 tests (173 kittest + 2 style lint) /
171 goldens lock the
real pages (not mocks) at 1440/1024/800 × 900, light + dark, diff-locked
twice; CI now runs them on every push (the new `snapshots` job, lavapipe
software Vulkan) — a visual regression on any page fails the build.
- **Traceability gate (RS-21):** the R4 matrix
(`docs/audit/acceptance/traceability-matrix.md`, screen region → DS-C id →
DC row) is machine-checked in CI against the frozen contract and the route
list; the acceptance records are folded into the printable report series
(`docs/audit/SupportOS-Plus-Reskin-Acceptance-Report.pdf`).
- **Acceptance instruments (RS-21):** the 5-second AI-identification blind-test
protocol and the SUS questionnaire (target ≥ 68) ship under
`docs/audit/acceptance/` for the G4 final-acceptance administration.
```

8. GATE G4 — Owner Final Acceptance

Gate G4 is the owner's verdict on the reskin program. The package presented: this report; the traceability matrix (machine-gated in CI); the blind-test protocol and the SUS instrument (results recorded below upon administration); the CI snapshot locks (24 suites / 175 tests — 173 kittest + 2 style lint — over 171 goldens); and release v1.9.0 tagged and published with checksums.

Record	Value
Owner acceptance (accept / accept-with-notes / reject)	—
Blind test aggregate (§4.2)	— /10
SUS mean, n (§5)	— (n = —)
Notes / conditions	—

Record	Value
Date	—

The completed record is folded back into this report (regenerate via docs/audit/generate_acceptance_report.py) and the item closes in completed.md.