SupportOS+ · Design-System Reskin

R4 Final Acceptance + Release v1.9.1 — the acceptance record of the presentation-layer reskin: traceability to the frozen Design Contract, the 5-second AI-identification blind test, the SUS instrument, the CI snapshot locks, and the release record. Report 4 of the printable series (Deep Audit · UX Recovery & Reskin Plan · Review Analysis & Industry Benchmark · Reskin Acceptance).

Document	SupportOS-Plus-Reskin-Acceptance-Report.pdf
Series	4 of 4 — the printable report series (docs/audit/)
Program	Design-System Reskin RS-01..RS-21 (decisions.md D6)
Item	RS-21 — R4: final acceptance + release (Batch RS-3)
Contract	Design Contract v1.0 (FROZEN 2026-10-28) — docs/audit/design-contract-v1.md
Status	Closed — GATE G4 owner verdict: accepted (2026-10-30); blind-test miss disclosed in §4.2, not waived; the accepted state releases as v1.9.1 (v1.9.0, tagged at the RS-3 STOP, predates the fix wave)
Date	2026-10-30

Table of Contents

1. Executive Summary 3

2. Program Record and Gates 3

2.1 Gate receipts . . . 3

2.2 Commit chain (Batch RS-2, R1–R3) . . . 4

3. R4 Traceability Matrix — screen region → DS-C id → DC row 4

3.1 Archetype coverage (DC §4) . . . 4

3.2 Shell chrome (DC §6) . . . 4

3.3 Registered exceptions and contractual keeps (DC §7) . . . 5

4. Blind Test — 5-second AI-reply identification 5

4.1 Mechanism pre-check (always-on, automated) . . . 5

4.2 Result (recorded at G4 — 2026-10-30, chat administration) . . . 5

5. SUS Questionnaire — target ≥ 68 6

6. CI Snapshot Locks — the reskin drift gate 6

6.1 What is locked . . . 6

6.2 The discipline . . . 6

7. Release v1.9.1 7

7.1 CHANGELOG — the [1.9.1] section (verbatim) . . . 7

8. GATE G4 — Owner Final Acceptance 8

1. Executive Summary

On 28 October 2026 the owner set the program's goal: 'everything is working fine, we need to reskin only according to the new design system' (decisions.md D6) — after the UX verdict of 0/10 with the Inbox named as the worst page. The reskin was executed as a presentation-only program under a frozen contract: Design Contract v1.0 (DC v1.0) extracted from the owner-approved design lab (Gate G1), ported 1:1 into the egui codebase across three waves — R1 tokens, R2 widget sets, R3 page rebuilds — with every behavior, query, write, shortcut and workflow byte-identical. This report is the R4 acceptance record: it closes the program by tracing every screen element back to the contract, packaging the human acceptance instruments (the 5-second AI-identification blind test and the SUS questionnaire), locking every rebuilt page against visual drift in CI, and cutting release v1.9.0.

23 routes	every page re-rendered through the DC widget set (R3 complete)
17 + 6	canonical DS-C component sheets + DS-A archetype recipes, all traced
24 / 175 / 171	kittest suites / tests (173 kittest + 2 style lint) / goldens diff-locking every page
v1.9.0	the reskin release, tagged from the verified acceptance state

The scope contract never moved: no feature, data, workflow, shortcut or page-set change (D6; DC G-6). Data-layer defects surfaced during the rebuild are footnoted as receipt-cited quirks (DC C-1) and stay visible — they were documented, never faked fixed. The gate sequence followed rule.md: G1 (lab conformance, commit af5bc2a) → G2/G3 evidence packs at the Batch RS-2 STOP (token pins + the 23-suite golden set) → this R4 package → GATE G4, the owner's final acceptance.

2. Program Record and Gates

2.1 Gate receipts

Gate	Scope	Receipt
G1	Design-lab conformance (RS-01..RS-10, HTML/CSS/JS only)	Owner approved the conformed lab as the final design — commit af5bc2a design-lab-v4; receipt: owner 'continue' after the RS-1 STOP.
G2	Token sign-off (R1)	RS-12's 1:1 --ds-* → design.rs LIGHT/DARK port + the DC pin tests; style lint enforces no-raw-color / on-scale in CI.
G3	Inbox pilot acceptance (R3 first wave)	RS-16 rebuilt the Inbox onto DS-A-05; the six r3_inbox_page_* goldens at 1440/1024/800 × 900, light + dark, a11y check ON.
G4	Final acceptance (R4)	This report — presented to the owner with the traceability matrix, the blind test, the SUS instrument and release v1.9.0.

Table 2.1 — gate receipts. G2/G3 evidence packs were presented at the Batch RS-2 STOP (completed.md, 2026-10-29).

2.2 Commit chain (Batch RS-2, R1–R3)

```
af5bc2a (RS-1 lab) → 8b83daf (G1) → f84d43c (RS-11) → fbf106c (RS-12) → 8bb994f (RS-13)
→ b5e613d (RS-14) → 9718cd7 (RS-15) → d172cfc (RS-15) → 8490eee (CI fix) → 7001cf8..c4b7315
(RS-19 waves) → 5ddb782..feee18a (RS-20 waves) → 5c12fd1 (batch record) → this batch
(RS-21)
```

Batch RS-2 closed 2026-10-29 with: fmt clean; clippy -D warnings 0 (workspace + core sandbox); app-shell 236 + core 485 + core sandbox 493 + xtask 11 + style-lint 2, all green; kittest 170 tests across the 22 suites green (every page golden diff-locked twice, a11y check ON); SPP_SMOKE exit 0 (24 frames painted on a fresh binary).

3. R4 Traceability Matrix — screen region → DS-C id → DC row

The full matrix lives at **docs/audit/acceptance/traceability-matrix.md** and is machine-checked: **scripts/gate_traceability.py** (a CI step in both ci.yml and release.yml) fails the build when (a) any DS-C/DS-A id cited in the matrix does not exist in the frozen DC, (b) any app route (PageKey) has no matrix section, (c) any cited golden-lock file is missing, or (d) any design.rs DC doc-tag stops resolving to the DC. One registered alias exists (G-7): DS-C-04 — the code's label for the MetricTile half of the DC's DS-C-03 sheet. The gate accepts the alias only while the matrix declares it.

3.1 Archetype coverage (DC §4)

DS-A recipe	Pages (routes)	Core components
DS-A-01 List page	customers · organizations · incidents	DS-C-01 header + counter pill · DS-C-10 FilterBar · DS-C-05 DataTable · DS-C-17 DetailPanel over DS-A-03 · DS-C-14 EmptyState
DS-A-02 Dashboard	dashboard · reports · issue-radar · custom-objects · outreach · automation · support-graph · knowledge*	DS-C-01 · DS-C-09 tabs/grouped · DS-C-03 Stat/MetricTile · DS-C-23 bar rows · DS-C-02 cards · DS-C-06 chips/badges · DS-C-15 callout roles
DS-A-03 Detail record	(composition recipe) — DetailPanel content everywhere	record-head + two-col blocks / cards (DS-C-19 avatars, DS-C-18 kv)
DS-A-04 Settings	settings · connectors · notifications · onboarding · live-chats	DS-C-09 rail · DS-C-12/13 forms · DS-C-02 + danger zones · DS-C-16 armed confirm
DS-A-05 Inbox workspace	inbox	views rail · list rows + DS-C-06 unread dot · reader with DS-C-20 role-typed cards · DS-C-21 Composer · DS-C-22 copilot
DS-A-06 Console / log	operations · ai-center · diagnostics · sync-health · search	DS-C-24 hero (sync-health; B-2 closure) · event rows + level dots · chips · tables

*Table 3.1 — the six archetype recipes over the 23 routes. *Knowledge rides the DS-A-02 block stack over the DS-C-09 rail (RS-18 wave B). Shell chrome traces to DC §6.*

3.2 Shell chrome (DC §6)

Region	DC trace	Lock
Sidebar nav (NAV_GROUPS verbatim; active = neutral fill + 500)	§6	SPP_SMOKE paint gate

Region	DC trace	Lock
Global search (⌘K) stays in the sidebar	§6	SPP_SMOKE paint gate
Theme switch light/dark (persisted; header outline act)	§6 + §2 + DS-C-11	SPP_SMOKE paint gate
Shell page: Runtime card + ported-pages hint (stale-checklist tag)	DS-C-02 + DS-C-15 hint	SPP_SMOKE paint gate (harness exception, RS-20h)

3.3 Registered exceptions and contractual keeps (DC §7)

- **E-1** — blur shadows render as hairline strokes; motion only where egui animates natively (painter model).
- **C-1** — receipt-cited data-layer quirks stay visible as quirk footnotes (knowledge freshness void, Load/Pressure swap, endpoint-name combo, approvals raw-JSON collapse, notifications raw-UTC hover, campaign report top-level-key read, outreach raw severity tokens, radar severity tokens).
- **C-2** — data-track items labeled mocked (unread counts, assignee, draft persistence) until the async track lands.

4. Blind Test — 5-second AI-reply identification

DC basis DS-C-22: 'AI is always violet, in every surface' (G-2) and the 5-second identification pre-check passes on the card alone. The full protocol lives at **docs/audit/acceptance/blind-test-protocol.md**. Summary: ten single-card stimuli (five AI-authored, five non-AI) cropped from the checked-in kittest goldens flash for five seconds each; the participant answers 'was this written by AI?'. Pass bar: ≥ 9/10 correct and zero false-AI calls on the non-AI set (a violet mis-read of human content is precisely the failure the DC forbids).

4.1 Mechanism pre-check (always-on, automated)

- AI content can only render through the typed DS-C-22 widget set (cop_suggest / cop_chat / cop_similar) or the ai role arm of message_card_with — there is no free-form card for AI rows.
- §5 DS.TONE is the single status→color site; the style lint (CI) bans raw color sites, so no page can hand-tint a surface violet outside the tone map.
- Every AI surface is diff-locked in the kittest goldens — a tone regression fails the CI snapshots job.

4.2 Result (recorded at G4 — 2026-10-30, chat administration)

Participant	Correct /10	False-AI (of 5)	Time per card	Pass
owner (n=1)	5 /10	2 of 5	not enforced (chat)	no — bar not met

Pre-registered bar (≥ 9/10 and 0 false-AI) NOT met — recorded, not spun. Misses on the AI draft cards (light + dark) and the dark copilot panel; false-AI on the amber internal-note card and the Ada Lovelace agent reply in page context. Gate G4 verdict: the owner accepted with this score in view — the two false-AI surfaces stand as disclosed, owner-accepted limitations.

5. SUS Questionnaire — target ≥ 68

The standard System Usability Scale (Brooke 1996), applied to v1.9.0 after at least 30 minutes of real work — the Inbox first (the UX-0/10 page), plus a list page, a console page and Settings. The full instrument and scoring sheet live at **docs/audit/acceptance/sus-questionnaire.md**: ten canonical statements, 5-point Likert, scored per participant (odd −1, even 5−x, sum × 2.5 → 0–100). Pass bar: ≥ 68 for every participant and for the mean. SUS measures usability — it complements, never replaces, the traceability matrix and the golden locks. A failing score is recorded, the named friction is fixed, and the full instrument is re-administered as a new row.

Participant	Q1..Q10	SUS	Pass ≥ 68
owner (n=1)	4 · 2 · 5 · 1 · 4 · 1 · 4 · 1 · 4 · 2	85.0	yes

Mean SUS: 85.0 · n: 1 · caveat (n=1): the sole participant — recorded verbatim, not a population estimate. Chat administration 2026-10-30.

6. CI Snapshot Locks — the reskin drift gate

Before RS-21 the 23 kittest suites ran only in this lab: the goldens were diff-locked twice locally, but CI never rendered them (the suites are kittest-ui-gated and need a Vulkan rasterizer). RS-21 adds the **snapshots** job to ci.yml: the runner installs Mesa's lavapipe — the software-rasterizer family the baselines were produced with — and runs the whole set with UPDATE_SNAPSHOTS deliberately unset: every one of the 171 goldens diffs against the committed baselines and any pixel drift fails the build. A release tag is cut on a main commit, so the tagged commit's goldens are diffed by the snapshots job; the Release workflow re-runs fmt, clippy and the workspace tests before publishing.

6.1 What is locked

- **Real pages, not mocks** — every suite renders the production page struct over a seeded in-memory mirror (fixed-timestamp fixtures), 1440/1024/800 × 900, light + dark, a11y check ON.
- **Interaction goldens** — the heaviest states per page are locked too (Workload tab, Usage tab, New-Rule/New-Type/New-Campaign forms, Try-export, Neighborhood, errors filter, Mark-complete, Help-Scout tab, Mentions tab, detail panels).
- **The widget set itself** — kittest_widgets.rs locks the DS-C primitives (16+2 goldens after the DS-C-24 hero pair joined in RS-20f); style_lint.rs enforces the no-raw-color / on-scale rules.
- **Traceability** — the matrix's golden-lock column is gate-checked: a suite file that disappears fails the traceability gate before any snapshot can silently rot.

6.2 The discipline

Regeneration is a deliberate, reviewed act: UPDATE_SNAPSHOTS=1 produces the new baselines, a clean re-run must then pass byte-identical (the repo's diff-locked-twice rule), and the diff ships in the commit that justifies it. In CI the rule is stricter — there is no regeneration; drift is failure.

7. Release v1.9.1

The accepted state ships as **v1.9.1** — a patch bump: v1.9.0 was tagged and pushed at the R4 STOP, before the owner's G4 rejection produced the fix wave (RS-4-1..11), so the fixes live first in v1.9.1; the presentation layer changed, the feature surface did not. The workspace version is bumped, the CHANGELOG carries the release notes (the section below is read from CHANGELOG.md at report-build time), and the annotated tag v1.9.1 is cut from the G4-accepted state. The release workflow builds the AppImage and the .deb on ubuntu:22.04 (glibc 2.35 baseline), verifies them in clean containers, and publishes with checksums — composing the GitHub release notes from this same CHANGELOG section.

7.1 CHANGELOG — the [1.9.1] section (verbatim)

```
## [1.9.1] — 2026-10-30

### Fixed — the Gate-G4 rejection fix wave (RS-4-1..RS-4-11), on the accepted state

v1.9.0 was tagged at the R4 STOP **before** the owner's live-use rejection was
diagnosed; every fix below lives first in this release. The owner re-tested the
fixed build, administered the acceptance instruments and closed GATE G4 with
the verdict **accepted** (2026-10-30; blind test + SUS records under
`docs/audit/acceptance/`).

- **The copilot panel rendered as a 42.5 px sliver overlapped by the reader**
(the reported defect, at the owner's live 1625×828 aspect): egui lays
widgets inside `ui.horizontal` out in EXTEND mode — text never wraps there —
so a 369-character suggested reply laid out at full single-line width, blew
the card's frame rect past the window edge, and the panel's size guard
re-clamped the 320 px panel at that blown-out right edge, leaving the reader
and composer to fill wrongly-reserved space. Root cause fixed:
`cop_suggest` bullets now wrap explicitly with `break_long_tokens`
(RS-4-4); rich-span body text token-breaks too (RS-4-3); the fix is locked
by pixel tests, not by assertion.
- **HTML fragments could leak into the copilot summary** — `<br>`/`<p>` from
raw ticket bodies reached the analyzer output. The analyzer now consumes
strip_html'd bodies; core richtext gains `strip_html` + `break_long_tokens`
with unit tests (RS-4-1/RS-4-2).
- **Cc/Bcc fields span the full composer width** instead of the narrower
legacy box (RS-4-5).
- **The Ctrl+Enter send hint sits in the composer foot** — where the shortcut
acts — instead of the views rail (RS-4-6).
- **Blank-name customers no longer render a headerless row**: conversation
list and detail queries fall back to the email local-part, then
`customer` (the Judy-row evidence; unit-tested, RS-4-7).
- **The dashboard/reports goldens never drift at midnight again** (RS-4-11
clock seam): the chart subtitle and the reports builder date inputs derived
their 30-day window from the wall clock, so their snapshot locks carried
disclosed 120-px drift budgets — both budgets are DELETED and both suites
lock byte-exact with zero tolerance; the 7d-stale backlog predicate reads
the anchored window instead of the DB engine's `now` (production semantics
unchanged; regression-tested both ways).
- **New permanent snapshot lock:** `kittest_inbox_copilot` locks the
copilot-open state class — never locked before — at the owner's live aspect
1625×828 light + dark, plus closed (RS-4-8). The verified set is 24 suites /
175 tests / 171 goldens, all green over lavapipe+Xvfb; the tag is cut on the
main commit CI's snapshots job already diffed, and the Release workflow
```

```
re-runs fmt, clippy and the workspace tests before publishing.
```

8. GATE G4 — Owner Final Acceptance

Gate G4 is the owner's verdict on the reskin program. The package presented: this report; the traceability matrix (machine-gated in CI); the blind-test protocol and the SUS instrument (results recorded below); the CI snapshot locks (24 suites / 175 tests — 173 kittest + 2 style lint — over 171 goldens); and the accepted state released as v1.9.1 with checksums (v1.9.0, tagged at the RS-3 STOP, is superseded by the fix release).

Record	Value
Owner acceptance (accept / accept-with-notes / reject)	accept — GATE G4 closed 2026-10-30
Blind test aggregate (§4.2)	5 /10 — pre-registered bar not met (2 false-AI); disclosed and owner-accepted
SUS mean, n (§5)	85.0 (n = 1)
Notes / conditions	Verdict given with the blind-test miss in view: the false-AI surfaces (amber internal-note card; Ada Lovelace agent reply in page context) stand as disclosed limitations; SUS 85.0 clears the ≥ 68 bar.
Date	2026-10-30

The completed record is folded back into this report (regenerate via docs/audit/generate_acceptance_report.py) and the item closes in completed.md.