REST API v1

API Documentation

Integrate key activation and management into your systems via our REST API

Authentication

All requests must include a Bearer token in the Authorization header. The token is issued by the administrator.

To use the API, you need an access token. Contact our manager via Telegram to get your personal API token with configured rate limits and permissions.

terminal

```
curl -H "Authorization: Bearer YOUR_API_TOKEN" \
  https://keys.ovh/api/v1/products
```

Requests without a valid token will receive a 401 error

GET /products

Returns a list of available products with subscription types and stock status.

REQUEST

terminal

```
curl -H "Authorization: Bearer YOUR_API_TOKEN" \
  https://keys.ovh/api/v1/products
```

RESPONSE

terminal

```
{
  "success": true,
  "data": [
    {
      "slug": "chatgpt",
      "name": "ChatGPT",
      "subscription_types": [
        {
          "slug": "plus-1-month",
          "name": "Plus 1 Month",
          "duration_days": 30,
          "in_stock": true
        }
      ]
    }
  ]
}
```

POST /activate

Activates a purchased key. Requires the key code and account access token.

PARAMETERS

key `string` **REQUIRED**
The purchased activation key

user_token `string` **REQUIRED**
Account access token

REQUEST

terminal

```
curl -X POST \
  -H "Authorization: Bearer YOUR_API_TOKEN" \
  -H "Content-Type: application/json" \
  -d '{"key":"XXXXX-XXXXX-XXX","user_token":"..."}' \
  https://keys.ovh/api/v1/activate
```

RESPONSE

terminal

```
{
  "success": true,
  "data": {
    "email": "k**s@mail.com",
    "product": "ChatGPT",
    "subscription": "Plus 1 Month",
    "activated_at": "2026-02-08T16:50:00Z"
  }
}
```

GET /key/{code}/status

Check the current status of a key by its code.

REQUEST

terminal

```
curl -H "Authorization: Bearer YOUR_API_TOKEN" \
  https://keys.ovh/api/v1/key/XXXXX-XXXXX-XXX/status
```

RESPONSE

terminal

```
{
  "success": true,
  "data": {
    "key": "XXXXX-XXXXX-XXX",
    "status": "used",
    "product": "ChatGPT",
```

```
    "subscription": "Plus 1 Month",
    "activated_at": "2026-02-08T16:50:00Z",
    "email": "k**s@mail.com"
  }
}
```

POSSIBLE STATUSES

`available`	Key is available for activation
`used`	Key has been activated
`expired`	Key has expired

POST /keys/batch-status

Check the status of multiple keys in a single request. Send an array of key codes and receive their statuses.

REQUEST

terminal

```
curl -X POST \
  -H "Authorization: Bearer YOUR_API_TOKEN" \
  -H "Content-Type: application/json" \
  -d '{"keys":["XXXXX-XXX","YYYYY-YYY"]}' \
  https://keys.ovh/api/v1/keys/batch-status
```

RESPONSE

terminal

```
{
  "success": true,
  "data": [
    { "key": "XXXXX-XXX", "status": "available" },
    { "key": "YYYYY-YYY", "status": "used",
      "activated_at": "2026-02-08T16:50:00Z" },
    { "key": "ZZZZZ-ZZZ", "status": "invalid" }
  ]
}
```

⚠ Maximum 500 keys per request.

Error Handling

All errors follow a consistent format with an error code and human-readable message.

terminal

```
{
  "success": false,
  "error": "key_not_found",
  "message": "Key not found or not available"
}
```

401	`missing_token`	— Authorization header is missing
401	`invalid_token`	— Token not found or invalid
403	`token_inactive`	— Token has been deactivated
403	`token_expired`	— Token has expired
403	`ip_not_allowed`	— Request IP is not in the whitelist
429	`rate_limit_exceeded`	— Too many requests — try again later
404	`key_not_found`	— Key not found or not available
422	`activation_failed`	— Activation failed

Visit Our Shop

Browse premium AI subscriptions with instant delivery and wholesale pricing.

Open Shop

Ready to integrate? Contact us to get your API token.

Contact Manager

ChatGPT Recharge Plus

Premium AI subscriptions with instant delivery

Personal Manager

© 2026 All rights reserved.

Redeem Batch Check API