목차

1.1 플러그인 설치. Installation With Package Control

- ctrl + shitf + p

1.2 플러그인 삭제

1.3 SideBarEnhancements 플러그인 설치

- ctrl + shitf + p

1.4 SideBarEnhancements plugin 설치

1.5 Projects > Edit Preview URLS

Projects > Edit Preview URLS. It will open a JSON file named SidebarEnhancements.json


```json
{
   "D:\\workspace\\Lecture\\JavaScript\\Source\\WebContent": {
     "url_testing":"http://localhost",
     "url_production":"http://www.project.com"
   }
}
```

1.6 Shortcut Keys
Preferences > Key Bindings

```json
[
  { "keys": ["F12"],
    "command": "side_bar_open_in_browser",
    "args":{"paths":[], "type":"testing"}
  }
]
```

2. 설치할 plugin

2.1 Html, CSS 관련 플러그인

이름	설명
SideBar Enhancements	
Color Highlighter	Command + Shift + C 를 누르면 색상 선택기가 노출됩니다.
FileIcons	파일 아이콘 플러그인
Alignment	Alignment plugin helps to easily align multiple selections, or multi-line selections. type ctrl + alt + a on Windows 3 에서 작동 안됨
CSS Format	css 코드 포맷팅을 손쉽게 하기
ConvertToUTF8	인코딩 변환

2.2 JavaScript 관련 플러그인

이름	설명
jQuery	

SublimeCodeIntel	https://packagecontrol.io/packages/SublimeCodeIntel 선택 명령 프롬프트 C:\Users\Administrator>python -m pip install --upgrade pip C:\Users\Administrator>pip3 install --upgrade --pre CodeIntel Available settings: ● A list of disabled languages can be set using "disabled_languages". 　Ex. "disabled_languages": ['css'] ● Live autocomplete can be disabled by setting "live" to false. ● Information for more settings is available in 　the SublimeCodeIntel.sublime-settings file in the package.
JavaScript refactor	

DocBlockr	This is an extension for those of you who like to add detailed comments to function definitions.
	
	``
	1 /**
	2 * [foobar description]
	3 * @param {[type]} baz [description]
	4 * @param {[type]} quux [description]
	5 * @return {[type]}
	6 */
	7 function foobar (baz, quux) { }
	``
	
	// Transform the selection in any way we want.
	var escaped = escapeHtml(selection);
	
	// Place the trans... in the clipboard.
	e.clipboardData.se js/script.js:70 plain', escaped);
	Definition:

SublimeREPL	SublimeREPL run an interpreter of languages(NodeJS, Python)
	
	REPL [python]
	
	Python 2.7.4 (default, Sep 26 2013, 03:20:26)
	[GCC 4.7.3] on linux2
	Type "help", "copyright", "credits" or "license" for more information.
	>>> lst = [1, 2, 3, 4]
	>>> lst.index(1)
	0
	>>> lst.index(4)
	3
	>>> 48**100
	133083354007896946373070271446891440284335157056990129135420264003917073657489860220290

D3js v4	
AngularJS	
SublimeLinter	ESLint + JSHint
Babel	
JsFormat	
LiveReload	

sublimtext

Handlebars	6
Better CoffeeScript	
TypeScript	

https://www.youtube.com/watch?v=NrYzJz1P4fE
https://www.sitepoint.com/essential-sublime-text-javascript-plugins/
https://tutorialzine.com/2016/10/15-awesome-sublime-text-plugins-for-web-development

sublimtext

3. 단축키

- goto anything : ctrl+ p 입력하는 문자는 파일명, @는 메소드와 같은 심볼 :는 라인수, #는 단어 찾기
- Command Palette : ctrl + shift + p 모든 커맨드를 실행할 수 있다.
- 바꾸기 패널 : ctrl + alt + f (찾아 바꾸기)
- 북마크 토글 : ctrl + F2
- 북마크 찾기 : F2, ~F2
- 화면레이아웃 바꾸기 : ctrl + alt + 숫자(1~)
- 문장 위,아래로 이동하기 : ctrl + ctrl + up/down
- 멀티셀렉션 지정 : ctrl + shift + up/down 또는 alt + 왼쪽 마우스 선택
- 선택한 줄 복사하기 : ctrl + shift + d