Department of Veterans Affairs

Chapter 33 Long Term Solution (LTS)

Web Service (WS)

VA/DoD Identity Repository (VADIR) Demographics

Interface Control Document

Version 2.1.1

March 2022

Revision History

Date	Version	Description	Author
March 2022	2.1.1	Renamed MGAB table to MGIB to match output. Explicitly stated SSN required for findPersonByCriteria method. Added notes describing missing code value behavior to lookup table entry sections.	Patrick Lewis
November 2021	2.1	Revisions for 2.1	Patrick Lewis
June 2021	2.0.4	Revisions for 2.0.4	Patrick Lewis (Halfaker)
March 2021	2.0.3	Revisions reflect 2.0.3 rewritten service and changes from previous.	Patrick Lewis (Halfaker)
October 2019	2.0	Revised ICD. Updated POC in table1	Bruce Makinney, Sandeep Kaur
3/2/2018	1.3	Updated for new endpoints, security fixes.	CSRA
12/2/2016	1.0	Added data element tables for Service Period and getKicker Info operations	SRA International, Inc.
09/12/2016	0.1	Added additional fields to ActiveService & TrainingPeriod, and additional fields CallStatus, CallStatusNote to SearchResults.	SRA International, Inc.

Table of Contents

1. Introduction 1
   1.1. Purpose 1
   1.2. Scope 1
   1.3. System Identification 2
      1.3.1. VADIR 2
      1.3.2. Digital GI Bill 2
   1.4. Operational Agreement 3
2. Interface Definition 4
   2.1. System Overview 4
   2.2. Interface Overview 4
   2.3. Data Transfer 5
   2.4. Transaction Types 5
   2.5. Data Exchanges 5
   2.6. Precedence and Criticality 5
   2.7. Communications Methods 5
   2.8. Performance Requirements 6
   2.9. Security 6
3. Interface Requirements 7
   3.1. Chapter 33 LTS Interface Requirements 7
      3.1.1. Interface Processing Time Requirements 7
      3.1.2. Message/File Requirements 7
      3.1.3. Constraints 7
      3.1.4. Interface Initiation 7
      3.1.5. Flow Control 7
      3.1.6. Security Requirements 7
4. Interface Verification 8
5. Web Service 9
   5.1. End Points 9
      5.1.1. getPerson Request 10
      5.1.2. getPerson Response 10
      5.1.3. findPeopleByCriteria Request 10
      5.1.4. findPeopleByCriteria Response 11
      5.1.5. getContactInfo Request 13
      5.1.6. getContactInfoResponse 13
      5.1.7. getServicePeriods Request 14
      5.1.8. getServicePeriodsResponse 14

5.1.9. **getKickerInfo Request** 21
5.1.10. **getKickerInfo Response** 21
6. Data Specification 23
6.1.1. **callStatus Data Elements** 23
6.1.2. **Character of Service Codes** 23
6.1.3. **Project Codes** 24
6.1.4. **Statute Codes** 25
6.1.5. **Service Codes and Names/Descriptions** 26
6.1.6. **Kicker Rate Code** 27
6.1.7. **Component Codes and Names/Descriptions** 29
6.1.8. **MGIB Status Codes and Descriptions** 31
6.1.9. **Education Level Codes and Descriptions** 31
6.1.10. **Chapter 30 Enroll Status Code and Description** 32
6.1.11. **MGSR Status Code, Description and Reason** 33
6.1.12. **PGIB Loss Code and Description** 34
6.1.13. **Narrative Reason for Separation Code and Description** 34
7. Summary of Technical Changes for version 2.x 38
7.1. Date and Number Data Elements changed to Strings 38
7.2. Procedural .wsdl and .xsd 38
7.3. Type Suffix in type definitions 38
7.4. Changes to The Production URL to Accommodate Disaster Recovery 38
8. ICD Review and Concurrence 39

List of Tables

Table 1: VADIR System Information 2
Table 2: Digital GI Bill System Information 2
Table 3: WSDL Names and Operation Names 7
Table 4: VADIR's Person PortType from VSCH33Service?WSDL 9
Table 5: VADIR's getPerson Request 10
Table 6: VADIR's getPerson Response 10
Table 7: VADIR's findPeopleByCriteria Request 10
Table 8: VADIR's findPeopleByCriteria Response 11
Table 9: VADIR's SearchResults Data Element: 11
Table 10: VADIR's ArrayOfPerson Data Element 11
Table 11: VADIR's Person Data Element 11
Table 12: VADIR's Alias Data Element 12
Table 13: VADIR's getContactInfo Request 13
Table 14: VADIR's getContactInfo Response 13
Table 15: VADIR's ContactInfoResults Data Element 13
Table 16: VADIR's ContactInfos Data Element 13
Table 17: VADIR's ContactInfo Data Element 13
Table 18: VADIR's AddressType Data Element 13
Table 19: VADIR's Phone Data Element 14
Table 20: VADIR's getServicePeriods Request 14
Table 21: VADIR's getServicePeriods Response 14
Table 22: VADIR's servicePeriodResults Response Data Element 14
Table 23: VADIR's ServicePeriod Data Element 16
Table 24: VADIR's exclusionPeriod Data Element 17
Table 25: VADIR's TrainingPeriod Data Element 17
Table 26: VADIR's activePeriod Data Element 18
Table 27: VADIR's purpleHearts Data Element 19
Table 28: VADIR's purpleHeart Data Element 19
Table 29: VADIR's bdnEnts Data Element 19
Table 30: VADIR's bdnEnt Data Element 19
Table 31: VADIR's ch1606Ents Data Element 19
Table 32: VADIR's ch1606Ent Data Element 20
Table 33: VADIR's militaryAcademyPeriods Data Element 20
Table 34: VADIR's militaryAcademyPeriod Data Element 20
Table 35: VADIR's ch30Ent Data Element 20
Table 36: VADIR's cip Data Element 21
Table 37: VADIR's getKickerInfo Request 21
Table 38: VAIDR's kickerInfoResults Data element 21
Table 39: VADIR's kickerInfos Data element 21
Table 40: VADIR's KickerInfo Data Element 22
Table 41: CallStatus and CallStatusNote Details 23
Table 42: Character of Service Codes 23
Table 43: Project Codes 24
Table 44: Statute Codes 25
Table 45: Service Codes 26
Table 46: kickerRateCode 27
Table 47: pnlCatCd Codes 29
Table 48: mgad_loss_cat_codes 31
Table 49: eduLvl 31

Table 50: ch30EnrlStat 32
Table 51: Project Codes 33
Table 52: pgib Codes 34
Table 53: narrativeReasonForSeparation Codes 34

1. Introduction

Chapter 33 of the Montgomery GI Bill (MGIB) is an education benefits program created by Congress in July 2008. Formally titled the Post/911 Montgomery GI Bill, Chapter 33 provides education benefits for service members and Veterans who have served on Active Duty for 90 or more days since September 10, 2001. Veterans who qualify for Chapter 33 benefits are eligible to receive up to 100% payment of tuition and fees for education and training programs taken through accredited colleges or universities; a monthly housing stipend; up to $1,000 a year for books and supplies; a relocation allowance; and reimbursement for certification, licensing, work-study programs, or tutorial assistance. After meeting specific eligibility requirements, Veterans can also transfer their unused benefits to their spouses and dependents.

The Chapter 33 Long Term Solution (LTS) is a web service that automates the processing of the complex eligibility calculations and completion of forms for Chapter 33 claims. Chapter 33 LTS is used to establish eligibility, determine payment, or disallow a claim should eligibility requirements or some other validating factor not be met. Automation of Chapter 33 claims benefits the Department of Veterans Affairs (VA) and Veterans by providing efficient and streamlined determination of eligibility, accurate calculation of payments, and timely distribution of benefits to the Veterans and to the institutions that serve Veteran education needs.

1.1. Purpose

This Interface Control Document (ICD) describes the software interface between the VA/Department of Defense (DoD) Identity Repository (VADIR) and Chapter33 LTS through the VADIR Chapter 33 Web Service. The purpose of the ICD is to specify interface requirements to be met by the participating systems. It describes the concept of operations for the interface, defines the message structure and protocols which govern the interchange of data, and identifies the communication paths along which the data is expected to flow.

1.2. Scope

This ICD specifies the interface(s) between VADIR and Chapter 33 LTS. Upon formal approval by each participating system, this ICD shall be incorporated into the requirements baseline for each system. This document provides details on the functional, performance, operational, and design requirements for the interface between VADIR and Chapter 33 LTS. This document describes the web service parameters and record layouts for the data that VADIR exposes for consumption by Chapter 33 LTS. It is intended for use by all parties requiring such information, including software developers, system designers, and testers responsible for implementing the interface.

1.3. System Identification

This ICD describes the interface between VADIR and Digital GI Bill.

1.3.1. VADIR

Table 1: VADIR System Information

System	Details
Identification number	1682
Title	VA/DoD Identity Repository
Abbreviation	VADIR
Version number	1.0
Release number	1.0
Point of Contact	Alexander V. Torres

1.3.2. Digital GI Bill

Table 2: Digital GI Bill System Information

System	Details
Identification number	2745
Title	Digital GI Bill
Abbreviation	DGIB
Version number	N/A
Release number	1.0
Point of Contact	Riley Ross

1.4. Operational Agreement

This ICD provides the specification for an interface between Chapter 33 LTS and VADIR regarding demographics data requirements. The Chapter 33 LTS Project Manager is responsible for notifying the vendor and the VADIR Project Manager of any potential or planned changes to data feeds, once these changes are known, to minimize adverse impacts on Chapter 33 LTS and VADIR.

Chapter 33 LTS developers and users are expected to protect VADIR data in accordance with the Privacy Act and Trade Secrets Act guidelines. The following considerations will be made when conducting interfacing operations with VADIR:

> Chapter 33 LTS agrees not to misuse or disclose Personally Identifiable Information (PII) other than as permitted or required by this Agreement or as Required by Law;
>
> Chapter 33 LTS agrees to use appropriate safeguards to prevent use or unauthorized disclosure of the personal information other than as defined in this Agreement;
>
> Chapter 33 LTS agrees to mitigate, to the extent practicable, any harmful effect that is known to VADIR of misuse or unauthorized disclosure or breach of PII by any Business Partner in violation of the requirements of this Agreement;
>
> Chapter 33 LTS agrees to immediately report to the Intellectual Property Enforcement Officer (IPEO), and the Austin Information Technology Center (AITC) Information Security Officer (ISO), or VADIR ISO any misuse or disclosure of the PII not provided for by this Agreement of which it becomes aware, thereby triggering AITC to trigger their incident response procedures, which includes notifying all stakeholders; and,
>
> Chapter 33 LTS agrees to ensure that any agent, including a subcontractor, to whom it provides protected information received from VADIR, agrees to the same restrictions and conditions that apply through this Agreement to Chapter 33 LTS with respect to such information. Chapter 33 LTS further accepts responsibility to ensure that these agents comply with VA regulations regarding privacy training and rules of behavior.

2. Interface Definition

This software interface provides the necessary data exchange between VADIR and Chapter 33 LTS to facilitate the population and display the agreed upon data feed to support data required from VADIR to Chapter 33 LTS.

VADIR uses the Simple Object Access Protocol (SOAP) protected by Transport Layer Security (TLS) between the Chapter 33 LTS and VADIR servers after mutual authentication has been established. Data transferred under this agreement includes Service Members 'military service information as well as information concerning their eligibility for, participation in, and utilization of several Education benefits which existed prior to implementation of the Post-9/11 MGIB program. These included Chapter 30 (Active Component), Chapter 1606 (Selected Reserve), and Chapter 1607 (REAP) as well as utilization and payment information from the VBA Benefits Delivery Network (BDN).

Details of data transferred and of the Extensible Markup Language (XML) schema file are included in this ICD and defined in section 5.

2.1. System Overview

VADIR was established to support the OneVA/DoD data-sharing initiative to consolidate data transfers between the DoD and VA. DoD's Defense Manpower Data Center (DMDC) stages shared data in a VA-specific satellite database, as defined in a Joint DoD/VA Memorandum of Understanding (MOU), and replicates it to a VA data repository called VADIR. This data is then available to VA organizations to assist in determining Veterans' eligibility for benefits as well as to analyze the total Veteran population for other strategic needs.

VADIR contains Service Member Demographics data, including biographical, military history and contact information. This information is utilized by various applications hosted within the VA.

2.2. Interface Overview

The interface utilizes a SOAP message over HTTPS with bi-directional certificate validation based on VA-issued and commercial certificates; this allows the interface to identify and authorize the server-to-server communications to a specific endpoint identified by a Uniform Resource Locator (URL). TLS provides the message's confidentiality and integrity between the endpoints.

The Ch33 Person Service consists of the following operations:

- getPerson – Returns DoD biographical information.
- getContactInfo – Returns DoD-provided mailing address and phone number.
- findPeopleByCriteria – Returns a maximum of fifty results that meet the supplied search criteria.
- getServicePeriods – Returns DoD military service including service periods, exclusion periods, training periods, Guard/Reserve activation periods, Career Intermission Plan (CIP) participation, Ch30 eligibility information, Ch1606 eligibility information, Military affiliation and duty status, Military Academy periods, payments and used eligibility for multiple education programs, and Purple Heart information.
- getKickerInfo – Returns Ch30/Ch1606 kicker amounts previously awarded.

2.3. Data Transfer

The data transfer between Chapter 33 LTS and VADIR is accomplished via a Java web service. Queries are performed against the VADIR database using appropriate uniquely identifying input, generally the individual's DoD Electronic Data Exchange Person Identifier (EDIPI). VADIR fetches the different data sets and provides the data using the structures and field names specified in Section 5 of this document.

Occasionally DMDC adds new codes and send them to VADIR. These new codes will be transferred to DGIB. However, the codes will transfer and display in the payload but the descriptions won't until the look up table is updated.

2.4. Transaction Types

This interface does not require any transaction types.

2.5. Data Exchanges

Chapter 33 LTS provides the initial data exchange through a WSDL:

VSCH33Service?wsdl has several operations where:

a. Chapter 33 LTS provides identity traits (SN) to fetch the Veteran information from the VADIR findPeopleByCriteria operation. VADIR returns one or more records with Demographic Information.
b. Chapter 33 LTS provides EDIPI to the VADIR getContactInfo operation to fetch complete Demographic Information.
c. Chapter 33 LTS provides EDIPI to the VADIR getPerson operation to fetch complete Person Information.
d. Chapter 33 LTS provides EDIPI to the VADIR getServicePeriods operation to fetch ServicePeriod and education-specific Information.
e. Chapter 33 LTS provides EDIPI to the VADIR getKickerInfo operation to fetch KickerInfo Response Information.

Two new fields, callStatus & callStatusNote, have been added to all Response objects:

a. callStatus field contains either "Success" or "Error" with a numerical error code.
b. callStatusNote field provides a text description of the error.

Please refer to Section 6.1.1 for additional details on callStatus and callStatusNote.

2.6. Precedence and Criticality

Accurate client data is necessary to make informed decisions. As such, accuracy is assigned the highest priority and takes precedence over all conflicting interface requirements.

2.7. Communications Methods

The communication between VADIR and the service providers' systems is based on the SOAP over HTTPS protocol after a bi-directional TLS certificate validation.

2.8. Performance Requirements

Payload shall be returned in no more than 2 seconds.

2.9. Security

This data transmission interface complies with Federal Information Processing Standards (FIPS) Publication 199. The following confidentiality, integrity and availability categorizations have been laid out regarding the transfer and handling of data germane to Chapter 33 LTS:

Confidentiality of Data: **High**

Integrity of Data: **High**

Availability of Data: **Moderate**

These categories also mirror similar National Institute of Standards and Technology (NIST) Special Publication 800-60 standards to which VADIR adheres.

3. Interface Requirements

3.1. Chapter 33 LTS Interface Requirements

3.1.1. Interface Processing Time Requirements

Payload shall be returned in no more than 2 seconds.

3.1.2. Message/File Requirements

The data is exchanged using an XML format. Details for the format of the message containing the data can be found in Section 4 - Interface Verification.

3.1.3. Constraints

Not Applicable.

3.1.4. Interface Initiation

Chapter 33 LTS initiates by invoking operations on the VSCH33Service?WSDL

Table 3: WSDL Names and Operation Names

WSDL Name	Operation Name
VSCH33Service?WSDL	getPerson
VSCH33Service?WSDL	getContactInfo
VSCH33Service?WSDL	findPeopleByCriteria
VSCH33Service?WSDL	getServicePeriods
VSCH33Service?WSDL	getKickerInfo

3.1.5. Flow Control

This interface, although initialized from Chapter 33 LTS, is controlled via the implemented control methods utilized in the VADIR web service.

3.1.6. Security Requirements

The interface is designed to utilize HTTPS with bi-directional certificate validation.

Mutual TLS Authentication is used with VA issued certificates to identify and authorize server-to-server communications to a specific endpoint identified by a URL where your services reside. TLS encrypts the request and return messages, providing confidentiality and integrity between the endpoints.

Current security requirements include a minimum of TLSv1.1 for network transport and SHA2 encryption inside the certificates. Additional restrictions and ongoing mitigation are in place as part of the CRISP process which maintains this application at a state acceptable with VA security standards.

4. Interface Verification

The following qualification methods will be used to verify that requirements have been met:

- Demonstration: Ensuring that the VSCH33Service?WSDL is accessible at end points as listed in Section 5, demonstrating that the service is properly deployed and accessible from requesting entities.
- Test: Once the accessibility of endpoints is established, run through the SOAP UI test to validate that the request is processed successfully, and a corresponding response is generated.
- Analysis: Verify that the SOAP response has all the fields/data elements as described in Section 5.
- Inspection: Cross check SOAP response against the VADIR DB, ensuring that the data conforms to what is present in the VADIR DB.

5. Web Service

5.1. End Points

The following URLs identify the service in each environment:

Environment	Endpoint URL
Dev/Test/PIT	https://vaausvdrapppit.aac.va.gov/vdrCH33/v2/VSCH33Service?WSDL
PreProd	https://vaausvdrapppp.aac.va.gov/vdrCH33/v2/VSCH33Service?WSDL
Production	https://vavdrappprd.va.gov/vdrCH33/v2/VSCH33Service?WSDL

Table 4: VADIR's Person PortType from VSCH33Service?WSDL

Operation	Input	Output
getPerson	getPerson	getPersonResponse
getContactInfo	getContactInfo	getContactInfoResponse
findPeopleByCriteria	findPeopleByCriteria	findPeopleByCriteriaResponse
getServicePeriods	getServicePeriods	getServicePeriodsResponse
getKickerInfo	getKickerInfo	getKickerInfoResponse

Note: All input parameters are required unless optional is indicated.

5.1.1. getPerson Request

Table 5: VADIR's getPerson Request

Field	Type	Format	Field Description
personId	String	10-digit number	EDIPI of the Veteran or Service Member

5.1.2. getPerson Response

The following tables contain the getPerson response elements and structure.

Table 6: VADIR's getPerson Response

Field	Field Type	Format	Description
Results	Person	Refer to Person Data Element	zero or more Persons as retrieved from VADIR
callStatus	String	Refer to section 6.1.1	Refer to section 6.1.1
callStatusNote	String	Refer to section 6.1.1	Refer to section 6.1.1

5.1.3. findPeopleByCriteria Request

The following illustrates the findPeopleByCriteria request elements and structure.

Note: SSN is a required field.

Table 7: VADIR's findPeopleByCriteria Request

Field	Type	Format	Field Description
ssn **(Required)**	String	9-digit string value; may have leading zeros	Social Security Number
ssnMatchType	String	'EQUALS' (Default) or 'STARTS WITH'	Sets the search mode for ssn from an equals to a ' %; search
firstName	String	String	First Name
firstResult	String	1,0 Default 0	1 indicates "best guess" for exact match (Deprecated)
lastName	String	String	Last Name
lastNameMatchType	String	'EQUALS' (Default) or 'STARTS WITH'	Sets the search mode for last name from an equals to a ' %; search
maxResults	String	Numeric – defaults to 50 – 200 cut off.	Number of people allowed to be returned.
dateOfBirth	String	YYYY-MM-DD	Date of Birth

5.1.4. findPeopleByCriteria Response

The following tables contain the findPeopleByCriteria response elements and structure.

Table 8: VADIR's findPeopleByCriteria Response

Field	Field Type	Format	Description
findPeopleByCriteriaReturn	SearchResults	See SearchResults Data Element	Search results from findPeopleByCriteria Request

Table 9: VADIR's SearchResults Data Element:

Field	Field Type	Format	Description
Results	ArrayOfPerson	Refer to ArrayOfPerson Data Element	zero or more Persons as retrieved from VADIR
availableCount	String	Integer	Number of persons retrieved
callStatus	String	Refer to section 6.1.1	Refer to section 6.1.1
callStatusNote	String	Refer to section 6.1.1	Refer to section 6.1.1

Table 10: VADIR's ArrayOfPerson Data Element

Field	Field Type	Format	Description
Person	Person	Refer to Person Data Element	Person element retrieved from VADIR

Table 11: VADIR's Person Data Element

Field	Field Type	Format	Description
callStatus	String	Refer to section 6.1.1	Refer to section 6.1.1
callStatusNote	String	Refer to section 6.1.1	Refer to section 6.1.1
socialSecurityNumber	String	9-digit number	Social Security Number
vaId	String	10-digit number	EDIPI of the identified person
firstName	String	String	First Name
middleName	String	String	Middle Name
lastName	String	String	Last Name
cadency	String	String	Addition to name (Jr., Sr., III, etc.); known as "Suffix"
dateOfBirth	String	YYYY-MM-DD	Date of Birth
dateOfDeath	String	YYYY-MM-DD	Date of Death
deathInd	String	Single character value	Y indicates person is deceased even if a date of death is unknown.
gender	String	'Male' or 'Female'	Indicates Gender
Alias	Alias	Refer to Alias Data Element	Aliases used by the person

Table 12: VADIR's Alias Data Element

Field	Field Type	Format	Description
firstName	String	String	First Name
lastName	String	String	Last Name
effectiveDate	String	YYYY-MM-DD	Effective Date

5.1.5. getContactInfo Request

Table 13: VADIR's getContactInfo Request

Field	Field Type	Format	Description
personId	String	10-digit number	EDIPI of the request Veteran or Service Member

5.1.6. getContactInfoResponse

The following contains getContactInfo response elements and structure.

Table 14: VADIR's getContactInfo Response

Field	Field Type	Format	Description
getContactInfoReturn	contactInfoResults	See contactInfoResults Data Element	Search results from getContactInfo Request

Table 15: VADIR's ContactInfoResults Data Element

Field	Field Type	Format	Description
Results	ContactInfos	Refer to ContactInfo Data Element	ContactInfo results from VADIR
callStatus	String	Refer to section 6.1.1	Refer to section 6.1.1
callStatusNote	String	Refer to section 6.1.1	Refer to section 6.1.1

Table 16: VADIR's ContactInfos Data Element

Field	Field Type	Format	Description
contactInfo	ContactInfo	Refer to ContactInfo Data Element	Results of ContactInfo from VADIR

Table 17: VADIR's ContactInfo Data Element

Field	Field Type	Format	Description
vaId	String	10-digit number	EDIPI of the Veteran
address	AddressType	Refer to AddressType Data Element	Address of the Veteran
Phone	Phone	Refer to phone Data Element	Phone Number details of the Veteran

Table 18: VADIR's AddressType Data Element

Field	Field Type	Format	Description
effectiveDate	String	YYYY-MM-DD	Effective Date
addressLine1	String	String	Address of the Veteran
addressLine2	String	String	Address of the Veteran

Field	Field Type	Format	Description
city	String	String	Name of the city
state	String	two-character state code	USPS two-letter code for the State
zipcode	String	5-digit zipcode	Zipcode
zipcodeExtension	String	4-digit zipcode extension	Zipcode extension
countryCode	String	2-character country code	FIPS Country code

Table 19: VADIR's Phone Data Element

Field	Field Type	Format	Description
phoneNumber	String	10-digit phone number	Phone Number
phoneType	String	F FAX H Home M Mobile or Cell phone R Relay W Work	Single character code for PhoneType

5.1.7. getServicePeriods Request

Table 20: VADIR's getServicePeriods Request

Field	Field Type	Format	Description
personId	String	10-digit number	EDIPI of the request Veteran

5.1.8. getServicePeriodsResponse

The following tables contain the getServicePeriods response elements and structure.

Table 21: VADIR's getServicePeriods Response

Field	Field Type	Format	Description
GetServicePeriodsReturn	servicePeriodResults	See servicePeriodResults Data Element	Search results from getServicePeriods Request

Table 22: VADIR's servicePeriodResults Response Data Element

Field	Field Type	Format	Description
results	ServicePeriods (Zero to many)	Refer to ServicePeriod Data Element	Service Period results from VADIR
cipEnt	Cip	Refer to cipEnt Data Element	CIP Program participation information.

Field	Field Type	Format	Description
callStatus	String	Refer to section 6.1.1	Refer to section 6.1.1
callStatusNote	String	Refer to section 6.1.1	Refer to section 6.1.1
activeServiceIndicator	String	'Y' or 'N'	Indicator of current active Federal service based upon the Military Status which is calculated from the Service Periods
awards	purpleHearts	Refer to Awards Data Element	Collection of Purple Heart information from VADIR sources.
bdnEnts	bdnEnts	Refer to bdnEnts Data Element	Collection of BDN Entries
ch1606Ents	ch1606Ents	Refer to ch1606Ents Data Element	Collection of Ch1606 Entries
ch30Ent	ch30Ent	Refer to ch30Ent Data Element	A single Ch30 Entry describing the requested information from VADIR
militaryAcademy Periods	militaryAcademyPeriods	Refer to militaryAcademy Periods Data Element	Collection of Military Academy periods
militaryStatus	String	Two numeric digits from 01 to 16	Codes denoting the military status of the individual based upon examination of their service records. Sometimes called "Duty Status Code
militaryStatusDesc	String	Free text string	Description of the Military Status Code
resultsHash	String	Formatted string comprising sha 256 hash of legacy values and sha 256 hash of new values with a "–" char in the middle.	A digital fingerprint for the information retrieved at this time for this person – used for comparisons to previous retrievals to detect data changes

Table 23: VADIR's ServicePeriod Data Element

Field	Field Type	Format	Description
vaId	String	10-digit number	EDIPI of the requested Veteran or Service Member
eod	String	YYYY-MM-DD	Enter on Duty (EOD) Date
rad	String	YYYY-MM-DD	Release from Active Duty (RAD) Date
basd	String	YYYY-MM-DD	Basic Active Service Date
charSvcCd	String	See 6.1.2	Code value for characterOfService
characterOfService	String	See 6.1.2	CharacterOfService
pnlCatCd	String	See 6.1.6	Code corresponding to personnelCagegory
personnelCategory	String	See 6.1.6	Component of Military
svcCd	String	See 6.1.4	Code corresponding to Branch of Service
branchOfService	String	See 6.1.4	Military Service
mgibCd	String	String	String value for mgibSeparationCode
mgibSeparationCode	String	String	Separation Code
pgibCd	String	See 6.1.11	Code value for pgibSeparationCode
pgibSeparationCode	String	See 6.1.11	Post-9/11 GI Bill (PGIB) separation description
nrsCd	String	See 6.1.12	Narrative Reason for Separation Code Value
narrativeReason SeparationCode	String	See 6.1.12	Narrative Reason for Separation Description
exclusionPeriod	ExclusionPeriod (Zero to many allowed)	Refer to ExclusionPeriod data element	Period of non-qualifying service
trainingPeriod	TrainingPeriod (Zero to many allowed)	Refer to TrainingPeriod data element	Period under which service member is training.
activePeriod	ActivePeriod (Zero to many allowed)	Refer to ActivePeriod data element	Period of active duty service

Table 24: VADIR's exclusionPeriod Data Element

Field	Field Type	Format	Description
beginDate	String	YYYY-MM-DD	Begin Date
endDate	String	YYYY-MM-DD	End Date
exclusionPerdTyp	String	"ROTC" or "APPELLATE"	Description of the Exclusion type
exclusionPerdTypCd	String	String	Raw code value for exclusion type

Table 25: VADIR's TrainingPeriod Data Element

Field Name	Field Type	Format	Description
beginDate	String	YYYY-DD-MM	Begin Date
endDate	String	YYYY-DD-MM	End Date
projectCode	String	See Section 6.1.3	Data element providing granularity to differentiate between the various contingencies, indicates training period, or indicates AGR Status

Table 26: VADIR's activePeriod Data Element

Field Name	Field Type	Format	Description
beginDate	String	YYYY-MM-DD	Begin Date
charSvcCd	String	See 6.1.2	Code for character of service
characterOfService	String	See 6.1.2	Description for character of service
endDate	String	YYYY-MM-DD	End Date
statuteCd	String		Code value for Statute
Statute	String	See 6.1.3	The legal authority under which a Guard or Reserve member is called to Active Duty. Required under DoDI 7730.54 Enclosure 8.
mgibCd	String		Code value for MGIB Separation
mgibSeparationCode	String		Description of MGIB Separation
pgibCd	String	See 6.1.11	Code value for PGIB Separation
pgibSeparationCode	String	See 6.1.11	Description of PGIB Separation
nrsCd	String	See 6.1.12	Code value for narrative reason for the member's separation from the Service.
narrativeReasonSeparationCode	String	See 6.1.12	The narrative reason for the member's separation from the Service.
projectCode	String	See 6.1.3	Data element providing granularity to differentiate between the various contingencies.

Table 27: VADIR's purpleHearts Data Element

Field Name	Field Type	Format	Description
purpleHeart	purpleHeart	Container for repeating type	Zero to many purpleHeart objects

Table 28: VADIR's purpleHeart Data Element

Field Name	Field Type	Format	Description
purpleHeartIndCd	String	'Y' if evidence of purple heart found	Alone if no other data known.
awardBranchOfService	String	See 6.1.4	Branch of service that awarded the purple Heart
awardDate	String	YYYY-MM-DD	Date medal awarded
awardServiceCd	String	See 6.1.4	Code value for awardBranchOfService

Table 29: VADIR's bdnEnts Data Element

Field Name	Field Type	Format	Description
bdnEnt	bdnEnt	Container for repeating type	Zero to many bdnEnt objects

Table 30: VADIR's bdnEnt Data Element

Field Name	Field Type	Format	Description
bnftLstPmtDt	String	YYYY-MM-DD	Benefit Last Payment Date
bnftMasterRecStat	String	String	Code value for bnftMasterRecStatDsc
bnftMasterRecStatDsc	String	String	Benefit Master Record Status
eduPgmEntlDelimitDt	String	YYYY-MM-DD	Benefit Program Delimit Date (Date by which benefit must be used)
eduPgmEntlDysQy	String	Always Zero	Benefit Entitlement Days Quantity
eduPgmEntlMtsQy	String	Numeric value 0 to 36	Benefit Entitlement Months Quantity
eduPgmTypCd	String	'1','2','4','5'	Program type Code

Table 31: VADIR's ch1606Ents Data Element

Field Name	Field Type	Format	Description
ch1606Ent	ch1606Ent	See Ch1606Ent Data Element	Zero to many ch1606Ent objects

Table 32: VADIR's ch1606Ent Data Element

Field Name	Field Type	Format	Description
mgsrBgnDt	String	YYYY-MM-DD	Zero to many ch1606Ent objects
mgsrStatCd	String	See 6.1.10	Mgsr Status Code
mgsrStatCdDsc	String	See 6.1.10	Mgsr Status Description
mgsrStatCdRsn	String	See 6.1.10	Mgsr Status Reason
mgsrStatEffDt	String	YYYY-MM-DD	Mgsr Status Effective Date
pnlCatCd	String	See 6.1.6	Military Component code
pnlCatCdDsc	String	See 6.1.6	Military Component

Table 33: VADIR's militaryAcademyPeriods Data Element

Field Name	Field Type	Format	Description
militaryAcademyPeriod	militaryAcademyPeriod	Container for repeating type	Zero to many militaryAcademyPeriod objects

Table 34: VADIR's militaryAcademyPeriod Data Element

Field Name	Field Type	Format	Description
beginDate	String	YYYY-MM-DD	Date academy participation began
branchOfService	String	See 6.1.4	Name of service for the academy
commissionBranchOfService	String	See 6.1.4	Name of service into which the person was commissioned.
commissionSvcCd	String	See 6.1.4	Service code of service into which the person was commissioned.
endDate	String	YYYY-MM-DD	Date academy participation ended
svcCd	String	See 6.1.4	Service code of academy

Table 35: VADIR's ch30Ent Data Element

Field Name	Field Type	Format	Description
branchOfService	String	See 6.1.4	Branch of Service under which entitlement secured.
ch30EnrlStatCd	String	See 6.19	Ch 30 DoD Status Code
ch30EnrlStatCdDsc	String	See 6.19	Ch 30 DoD Status Description
charSvcCd	String	See 6.1.2	Character of Service Code
charSvcCdDsc	String	See 6.1.2	Character of Service Description
eduLvlCd	String	See 6.1.8	Education Level Code
eduLvlCdDsc	String	See 6.1.8	Education Level Description
entlDt	String	YYYY-MM-DD	Entitlement Date
eod	String	YYYY-MM-DD	Entered on Duty Date
mgadBprAm	String	Numeric value	Basic Pay Reduction Amount
mgadCtrbAm	String	Numeric value	Contribution Amount
mgadEnlYrs	String	Numeric value	The length in years of the current enlisted active service agreement.

Field Name	Field Type	Format	Description
mgadLossCatCd	String	See 6.1.7	A code derived from the Separation Program Designator (SPD) code.
mgadLossCatCdDsc	String	See 6.1.7	Description of mgadLossCatCd
rad	String	YYYY-MM-DD	Release from Active-Duty Date
svcCd	String	See 6.1.4	Code for Branch of Service

Table 36: VADIR's cip Data Element

Field Name	Field Type	Format	Description
cipInd	String	'Y','N','X'	Yes, No, or No record (X). If this field is X the other date fields do not apply and are not shown.
cipBgnDt	String	YYYY-MM-DD	Beginning of Sabbatical
cipEndDt	String	YYYY-MM-DD	End of Sabbatical

5.1.9. getKickerInfo Request

Table 37: VADIR's getKickerInfo Request

Field	Field Type	Format	Description
personId	String	10-digit number	EDIPI of the request Veteran

5.1.10. getKickerInfo Response

Table 38: VAIDR's kickerInfoResults Data element

Field	Field Type	Format	Description
results	kickerinfos	See kickerInfos Data Element	Container for the results
callStatus	String	Refer to section 6.1.1	Refer to section 6.1.1
callStatusNote	String	Refer to section 6.1.1	Refer to section 6.1.1

Table 39: VADIR's kickerInfos Data element

Field	Field Type	Format	Description
kickerInfo	kickerinfo	See kickerInfoResults Data Element	Container for the repeating element of kicker information for the veteran described below

Table 40: VADIR's KickerInfo Data Element

Field	Field Type	Format	Description
service	String	See 6.1.4	A Single character that maps to a service type as described in the Format column.
component	String	See 6.1.6	A single character that maps to a valid value as depicted in Format column.
kickerType	String	Valid values are CH30 Kicker CH1606 Kicker	KickerType with a value of either CH30 Kicker or CH1601
kickerRateCode	String	See Section 6.1.5	A 2-letter code with a value as shown in Format column.
kickerDescription	String	String	Description of the Kicker
beginDate	String	YYYY-MM-DD	Begin Date
endDate	String	YYYY-MM-DD	End Date
eligibilityStatus	String	String	Eligibility Status
eligibilityStatusDate	String	YYYY-MM-DD	Eligibility Status Date

6. Data Specification

Note: Though codes and expected values are listed here and are current as of the date of this document, this is not an exhaustive list. More codes can and will be added as the DoD and DMDC see fit in order to adequately track the careers and activities of military personnel and operations.

6.1.1. callStatus Data Elements

Table 41: CallStatus and CallStatusNote Details

callStatus	callStatusNote
Error 16820001	Invalid Search Criteria. Verify input value for SSN/EDIPI
Error 16820002	Null Condition. Please contact VADIR Services Support
Error 16820003	Error in Database Call. Please contact VADIR Services Support
Error 16820004	Error during transformation. Please contact VADIR Services Support
Error 16820005	General Error. Please contact VADIR Services Support - <additional information about unexpected error>
Success	Person Not Found
Success	No Data Found
Success	Success

6.1.2. Character of Service Codes

Note: Where Codes in a lookup table are not present, the value or description field for that code will be blank while the code value will be returned as is.

Note: Character of service is the lone exception to this rule as unknown or blank character of service codes are assumed to be honorable. In this instance, the description may be honorable while the code accurately represents the blank that comes from the Database.

Table 42: Character of Service Codes

Code	Value
A	Honorable
B	Under honorable conditions (general)

Code	Value
D	Bad conduct
E	Under other than honorable conditions
F	Dishonorable
H	Under honorable conditions (absence of a negative report)
J	Honorable for VA Purposes (Administrative use by VA only)
K	Dishonorable for VA Purposes (Administrative use by VA only)
Y	Uncharacterized
Z	Unknown

6.1.3. Project Codes

The service returns a project code but does not return the description. The descriptions are provided in the table below for reference.

Where Training = Y the activation is for training and displayed as training.

Note: Where Codes in a lookup table are not present, the value or description field for that code will be blank while the code value will be returned as is.

Table 43: Project Codes

Code	Description	Training Indicator
3AX	Southwest Border Support	N
3AZ	COVID-19 Response	N
3GC	Deepwater Horizon	N
3HQ	Operation Unified Assistance (OUA) (West Africa/Ebola)	N
3HS	Operation Freedom's Sentinel	N
3JH	Mexico Wildland Firefighting	N
3JO	Border Patrol (Jump Start)	N
3JT	Unified Response (Haiti)	N
9BU	Southern Watch/Desert Thunder	N
9EC	Uphold Democracy (Haiti)	N
9EV	Joint Endeavor/Guard	N
9FC	UNKNOWN - IGNORE	N
9FF	Joint Forge	N
9FS	Allied Force	N
9FV	Joint Guardian	N
9GF	Overseas Contingency Operation (OCO)	N
9GY	Hurricane Katrina (Aug 31, 2005)	N
9HA	Hurricane Ophelia (Wilma Sep 14, 2005)	N
9HB	Hurricane Rita (Sep 21, 2005)	N
9HC	Pakistan	N
999	Unknown	N
A20	AD - ADT - IADT	Y
A21	AD - ADT - AT	Y
A22	AD - ADT - OTD	Y

Code	Description	Training Indicator
A25	AD - ADOT - ADOS	N
A26	AD - ADOT - AGR	N
A27	AD - ADOT - Involuntary	N
A28	AD - Other	N
A99	AD - Unknown (derived period)	N
B21	FTNG - AT	Y
B22	FTNGD - OTD	Y
B25	FTNGD - OS	N
B26	FTNGD - AGR	N
B27	FTNGD - Involuntary	N
B99	FTNGD - Unknown (derived period)	N
HSM	Hurricane Maria	N
HSN	Hurricane Nate	N
TSH	Hurricane Harvey	N
TSI	Hurricane Irma	N
X10	Major Disaster Category	N
Y10	Army Reserve Disaster or Emergency Event	N
Y11	Navy Reserve Disaster or Emergency Event	N
Y12	Marine Reserve Disaster or Emergency Event	N
Y13	Air Force Reserve Disaster or Emergency Event	N
Y30	USCGR Collector (Disaster or Emergency Event)	N
Y60	USCGR Southwest Border	N
Y61	USCGR COVID-19 Response (Unverified)	N
P01	PHS Reserve Voluntary initial active duty training	Y
P02	PHS Reserve Voluntary training	Y
P05	PHS Reserve Operational Use	N
PA1	(Not Final) Public Health Emergency	N
PA2	(Not Final) Public Health Emergency	N
PB1	(Not Final) PHS Reserve National Emergency (Title 50)	N
PB2	(Not Final) PHS Reserve National Emergency (Title 50)	N
VAB	Record reported by VA from VBA Legacy BIRLS Data - No DoD Project Code Exists	N

6.1.4. Statute Codes

Table 44: Statute Codes

Code	Description
A	Section 688 of 10 U.S.C.
B	Section 12301(a) of 10 U.S.C.
C	Section 12301(d) of 10 U.S.C.
D	Section 12302 of 10 U.S.C.
E	Section 12304 of 10 U.S.C.
F	Section 331 of 14 U.S.C.
G	Section 359 of 14 U.S.C.
H	Section 367 of 14 U.S.C.
I	Section 12406 of 10 U.S.C.
J	Section 502(f) of 32 U.S.C.

Code	Description
K	Section 12301(h) of 10 U.S.C.
L	Section 712 of 14 U.S.C.
M	Section 12301(b) of 10 U.S.C.
N	Section 502(f)(1)(B) of 32 U.S.C.
O	Section 10147 of 10 U.S.C.
P	Section 502(a) of 32 U.S.C.
Q	Section 502(f)(1)(A) of 32 U.S.C.
R	Section 12322 of 10 U.S.C.
S	Section 12301(g) of 10 U.S.C.
T	Section 10148 of 10 U.S.C.
U	Section 12303 of 10 U.S.C.
V	Section 322 of 10 U.S.C.
W	Section 333 of 10 U.S.C.
X	Section 12402 of 10 U.S.C.
Y	Section 802 of 10 U.S.C.
Z	Unknown (for use with Project Code A99 or B99)
1	Section 12304(a) of 10 U.S.C.
2	Section 12304(b) of 10 U.S.C.
3	Section 12323 of 10 U.S.C.
4	Section 251 of 10 U.S.C.
5	Section 688A of 10 U.S.C.
6	Section 204(c)(2)(A) of 42 U.S.C.
7	Section 204(c)(2)(C) of 42 U.S.C.
8	Section 204(c)(2)(D) of 42 U.S.C.
9	Section 204(c)(2)(B) of 42 U.S.C.

6.1.5. Service Codes and Names/Descriptions

Note: Where Codes in a lookup table are not present, the value or description field for that code will be blank while the code value will be returned as is.

Table 45: Service Codes

Code	Value
1	Foreign Army
A	Army
C	Coast Guard
D	Office of the Secretary of Defense
F	Air Force
H	Public Health Service
M	Marine Corps
N	Navy
O	National Oceanic and Atmospheric Administration
S	Space Force
X	Not applicable
Z	Unknown

6.1.6. Kicker Rate Code

Note: Where Codes in a lookup table are not present, the value or description field for that code will be blank while the code value will be returned as is.

Table 46: kickerRateCode

Code	Value
B1	$28,500 Active Duty Kicker 20021001, TOE 48 months (2 yrs AD plus 2 yrs Sel Res). (OBSOLETE as of 20041001)
B2	$35,000 Active Duty Kicker 20021001, TOE 36 months. (OBSOLETE as of 20041001)
B3	$30,000 Active Duty Kicker 20031001, TOE 48 months (2 yrs AD plus 2 yrs Sel Res). (OBSOLETE as of 20041001)
B4	$37,000 Active Duty Kicker 20031001, TOE 36 months. (OBSOLETE as of 20041001)
B5	$42,000 Active Duty Kicker 20031001, TOE 48 months (OBSOLETE as of 20041001)
B6	$47,000 Active Duty Kicker 20031001, TOE 60 months. (OBSOLETE as of 20041001)
B7	$50,000 Active Duty Kicker 20031001, TOE 72 months. (OBSOLETE as of 20041001)
B8	$28,500 Active Duty Kicker 20021001, TOE 24 months. (OBSOLETE as of 20041001)
B9	$30,000 Active Duty Kicker 20031001, TOE 24 months. (OBSOLETE as of 20041001)
BA	$8,000 Active Duty Kicker (Navy) before 881001, TOE 24 Months (MGIB 2X4) (OBSOLETE as of 20041001)
BC	$26,500 Active Duty Kicker as of 970307, TOE 48 months (2yrs AD plus 2yrs Sel Res) (OBSOLETE as of 20041001)
BD	$26,500 Active Duty Kicker as of 970307, TOE 24 months (OBSOLETE as of 20041001)
BE	$33,000 Active Duty Kicker as of 970307, TOE 36 months (OBSOLETE as of 20041001)
BF	$40,000 Active Duty Kicker as of 970307, TOE 48 months (OBSOLETE as of 20041001)
BG	$50,000 Active Duty Kicker as of 981112, TOE 48 months (OBSOLETE as of 20041001)
BL	$8,000 Active Duty Kicker 850701-930331, TOE 24 months (OBSOLETE as of 20041001)
BM	$12,000. Active Duty Kicker 850701-930331, TOE 24 months (OBSOLETE as of 20041001)
BN	$12,000 Active Duty Kicker 850701-930331, TOE 36 months (OBSOLETE as of 20041001)
BP	$14,400 Active Duty Kicker 850701-930331, TOE 48 months (OBSOLETE as of 20041001)
BQ	No Kicker - Active Duty Kicker as of 850701 (OBSOLETE as of 20041001)
BR	$8,000 Active Duty Kicker 850701-930401, TOE 24 months (MGIB 2x2x4) (OBSOLETE as of 20041001)
BS	$20,000 Active Duty Kicker 930401-970307, TOE 24 months (MGIB2x2x4) (OBSOLETE as of 20041001)
BT	$20,000 Active Duty Kicker 930401, TOE 24 months. (OBSOLETE as of 20041001)
BV	$25,000 Active Duty Kicker 930401, TOE 36 months. (OBSOLETE as of 20041001)
BW	$30,000 Active Duty Kicker 930401, TOE 48 months. (OBSOLETE as of 20041001)
BX	$30,000 Active Duty Kicker 991201, TOE 60 months. (OBSOLETE as of 20041001)
BY	$50,000 Active Duty Kicker 991201, TOE 60 months. (OBSOLETE as of 20041001)
D2	$150 Active Duty Kicker 20041001, TOE 24 months.
D3	$150 Active Duty Kicker 20041001, TOE 36 months.
D4	$150 Active Duty Kicker 20041001, TOE 48 months.
D5	$150 Active Duty Kicker 20041001, TOE 60 months.

Code	Value
D6	$150 Active Duty Kicker 20041001, TOE 72 months.
D9	$150 Active Duty Kicker 20041001, TOE 48 months (2 yrs AD plus 2 yrs Sel Res).
E2	$250 Active Duty Kicker 20041001, TOE 24 months.
E3	$250 Active Duty Kicker 20041001, TOE 36 months.
E4	$250 Active Duty Kicker 20041001, TOE 48 months.
E5	$250 Active Duty Kicker 20041001, TOE 60 months.
E6	$250 Active Duty Kicker 20041001, TOE 72 months.
E9	$250 Active Duty Kicker 20041001, TOE 48 months (2 yrs AD plus 2 yrs Sel Res).
F2	$350 Active Duty Kicker 20041001, TOE 24 months.
F3	$350 Active Duty Kicker 20041001, TOE 36 months.
F4	$350 Active Duty Kicker 20041001, TOE 48 months.
F5	$350 Active Duty Kicker 20041001, TOE 60 months.
F6	$350 Active Duty Kicker 20041001, TOE 72 months.
F9	$350 Active Duty Kicker 20041001, TOE 48 months (2 yrs AD plus 2 yrs Sel Res).
G2	$450 Active Duty Kicker 20041001, TOE 24 months.
G3	$450 Active Duty Kicker 20041001, TOE 36 months.
G4	$450 Active Duty Kicker 20041001, TOE 48 months.
G5	$450 Active Duty Kicker 20041001, TOE 60 months.
G6	$450 Active Duty Kicker 20041001, TOE 72 months.
G9	$450 Active Duty Kicker 20041001, TOE 48 months (2 yrs AD plus 2 yrs Sel Res).
H2	$550 Active Duty Kicker 20041001, TOE 24 months.
H3	$550 Active Duty Kicker 20041001, TOE 36 months.
H4	$550 Active Duty Kicker 20041001, TOE 48 months.
H5	$550 Active Duty Kicker 20041001, TOE 60 months.
H6	$550 Active Duty Kicker 20041001, TOE 72 months.
H9	$550 Active Duty Kicker 20041001, TOE 48 months (2 yrs AD plus 2 yrs Sel Res).
J2	$650 Active Duty Kicker 20041001, TOE 24 months.
J3	$650 Active Duty Kicker 20041001, TOE 36 months.
J4	$650 Active Duty Kicker 20041001, TOE 48 months.
J5	$650 Active Duty Kicker 20041001, TOE 60 months.
J6	$650 Active Duty Kicker 20041001, TOE 72 months.
J9	$650 Active Duty Kicker 20041001, TOE 48 months (2 yrs AD plus 2 yrs Sel Res).
K2	$750 Active Duty Kicker 20041001, TOE 24 months.
K3	$750 Active Duty Kicker 20041001, TOE 36 months.
K4	$750 Active Duty Kicker 20041001, TOE 48 months.
K5	$750 Active Duty Kicker 20041001, TOE 60 months.
K6	$750 Active Duty Kicker 20041001, TOE 72 months.

Code	Value
K9	$750 Active Duty Kicker 20041001, TOE 48 months (2 yrs AD plus 2 yrs Sel Res).
L2	$850 Active Duty Kicker 20041001, TOE 24 months.
L3	$850 Active Duty Kicker 20041001, TOE 36 months.
L4	$850 Active Duty Kicker 20041001, TOE 48 months.
L5	$850 Active Duty Kicker 20041001, TOE 60 months.
L6	$850 Active Duty Kicker 20041001, TOE 72 months.
L9	$850 Active Duty Kicker 20041001, TOE 48 months (2 yrs AD plus 2 yrs Sel Res).
M2	$950 Active Duty Kicker 20041001, TOE 24 months.
M3	$950 Active Duty Kicker 20041001, TOE 36 months.
M4	$950 Active Duty Kicker 20041001, TOE 48 months.
M5	$950 Active Duty Kicker 20041001, TOE 60 months.
M6	$950 Active Duty Kicker 20041001, TOE 72 months.
M9	$950 Active Duty Kicker 20041001, TOE 48 months (2 yrs AD plus 2 yrs Sel Res).
RA	$100 Selected Reserve Kicker
RB	$200 Selected Reserve Kicker
RC	$350 Selected Reserve Kicker
ZZ	Unknown or not applicable

6.1.7. Component Codes and Names/Descriptions

Note: Where Codes in a lookup table are not present, the value or description field for that code will be blank while the code value will be returned as is.

Table 47: pnlCatCd Codes

The below table shows the comprehensive list of all the PNL CAT Codes. The codes in Red are for information only and not available in VADIR DB as they are not relevant to the VA Benefits.

Code	Value
A	Active duty member
D	Disabled American veteran
E	DoD and Uniformed Service contract employee
F	Former member (Reserve service, discharged from RR or SR following notification of retirement eligibility)
H	Medal of Honor recipient
I	Non-DoD civil service employee, except Presidential appointee
J	Academy student
K	Non-appropriated fund DoD and Uniformed Service employee (NAF)
L	Lighthouse service
M	Non-federal Agency civilian associates
N	National Guard member

Code	Value
O	Non-DoD contract employee
Q	Reserve retiree not yet eligible for retired pay ("Gray Area Retiree")
R	Retired military member eligible for retired pay
T	Foreign military member
U	DoD OCONUS Hires
V	Reserve member
W	DoD Beneficiary, a person who receives benefits from the DoD based on prior association, condition or authorization, an example is a former spouse
Y	Service affiliates

6.1.8. MGIB Status Codes and Descriptions

Note: These codes come from the mgad_loss_cat_codes table. The naming switch is confusing and is handled in the DB code for Ch33. It is noted explicitly here for clarity that these are the values for the mgad_los_cat_codes table in the VADIR DB used to represent MGIB Status.

Note: Where Codes in a lookup table are not present, the value or description field for that code will be blank while the code value will be returned as is.

Table 48: mgad_loss_cat_codes

Code	Value
00	Invalid, record correction, change of status
01	Service connected disability
02	Disability existed prior to Military Service
03	Physical or mental condition interfering with performance of duty
04	Hardship
05	Reduction in force for the convenience of the Government
06	Convenience of government, Other
07	Expiration of term of service
08	Other separation to civil life
09	Death
10	Dropped from strength
11	Immediate reenlistment

6.1.9. Education Level Codes and Descriptions

Note: Where Codes in a lookup table are not present, the value or description field for that code will be blank while the code value will be returned as is.

Table 49: eduLvl

Code	Value
11	Less than high school diploma
12	Attending high school, junior or less
13	Attending high school, senior
14	Secondary school credential near completion
21	Test-based equivalency diploma
22	Occupational program certificate
23	Correspondence school diploma
24	High school certificate of attendance
25	Home study diploma
26	Adult education diploma
31	High school diploma
41	Completed one semester of college, no high school diploma
42	One year of college certificate of equivalency
43	1-2 years college, no degree

Code	Value
44	Associate degree
45	Professional nursing diploma
46	3-4 year college, no degree
51	Baccalaureate
52	1 or more years of graduate school, no degree
61	Master's Degree
62	Post Masters Degree
63	First professional degree
64	Doctorate Degree
65	Post doctorate degree
99	Unknown

6.1.10. Chapter 30 Enroll Status Code and Description

Note: Where Codes in a lookup table are not present, the value or description field for that code will be blank while the code value will be returned as is.

Table 50: ch30EnrlStat

Code	Value
00	Unknown
01	Ineligible
02	Ineligible
03	Participant
04	Ineligible
05	Participant
06	Participant
09	Participant
10	Chapter 32 Transfer
11	Dual Eligibility
20	Ineligible
21	Participant
22	Participant
23	Participant
25	Participant
26	Participant
27	Open Window
28	Open Window
30	Undetermined
32	Ineligible
33	Ineligible
34	Ineligible
35	Ineligible

Code	Value
45	Participant

6.1.11. MGSR Status Code, Description and Reason

Note: New codes provided to VADIR won't display the description until the lookup table is updated with the new description value.

Table 51: Project Codes

Code	Description	Reason
AA	No entitlement	Has not executed SR contract/service obligation
AB	No entitlement	Has not completed IADT
AC	No entitlement	Did not complete secondary school diploma or equivalent
AD	No entitlement	Erroneously reported as eligible
BA	Eligible	Serving in an initial period of eligibility
BB	Eligible	Serving in a subsequent period of eligibility
BC	Eligible	Involuntarily transferred to non-qualifying position or unit
BD	Eligible	Completed service obligation
BE	Eligible	Separated because of disability
BF	Eligible	Separated for unit inactivation or RIF
BG	Eligible	Separated for unit inactivation or RIF
CA	Suspended	Completed requirements of baccalaureate or equivalent degree
CB	Suspended	In period of non-availability, not for missionary obligation
CC	Suspended	In period of non-availability for missionary obligation
CD	Suspended	Awaiting determination of unsatisfactory participation
CE	Suspended	Voluntarily transferred to non-qualifying position or unit
CF	Suspended	Began AGR Status
CG	Suspended	In receipt of ROTC scholarship
DA	Terminated	Failed to reaffiliate within time limit
DB	Terminated	Discharged without grant of authorized non-availability
DC	Terminated	Deceased
DD	Terminated	Unsatisfactory participation
DE	Terminated	Failed to participate satisfactorily
WW	Not Applicable	Not Applicable
ZZ	Unknown	Unknown

6.1.12. PGIB Loss Code and Description

Note: Where Codes in a lookup table are not present, the value or description field for that code will be blank while the code value will be returned as is.

Table 52: pgib Codes

Code	Value
00	Invalid, record correction, change of status
01	Service connected disability
02	Disability existed prior to Military Service
03	Physical or mental condition interfering with performance of duty
04	Hardship
05	Reduction in force for the convenience of the Government
06	Qualifying active duty period
07	Disqualifying active duty period
08	Non qualifying Active Duty Period
09	Qualifying Active Duty Period when all Active Duty exceeds 2 years. Note: MC Reserve requires additional calculation.
10	Partially Qualifying Active Duty Period: Qualifying service based on event Start and Stop Dates.
16	Qualifying Open Active Duty Period: If period concludes honorably then will qualify
18	Non Qualifying Open Active Duty Period
19	Qualifying Open Active Duty Period when all Active Duty exceeds 2 years. Note: MC Reserve requires additional calc.
97	Non Qualifying Period due to erroneous report from the Service.
98	Cannot determine qualifying period. Data quality issue in transaction.
99	Unknown/Not Applicable

6.1.13. Narrative Reason for Separation Code and Description

Note: Where Codes in a lookup table are not present, the value or description field for that code will be blank while the code value will be returned as is.

Table 53: narrativeReasonForSeparation Codes

Code	Value
001	WEIGHT CONTROL FAILURE
002	FRAUDULENT ENTRY INTO MILITARY SERVICE
003	PARENTHOOD OR CUSTODY OF MINOR CHILDREN
004	MILITARY PERSONNEL SECURITY PROGRAM
005	FRAUDULENT ENTRY INTO MILITARY SERVICE (DRUG ABUSE)
006	FRAUDULENT ENTRY INTO MILITARY SERVICE (ALCOHOL ABUSE)
007	DISRUPTIVE BEHAVIOR DISORDER
008	MENTAL DISORDER (OTHER)
009	PHYSICAL STANDARDS
010	CONDITION, NOT A DISABILITY
011	PERSONALITY DISORDER

Code	Value
012	ADJUSTMENT DISORDER
013	IMPULSE CONTROL DISORDER
014	FAILURE TO COMPLETE A COURSE OF INSTRUCTION
015	UNSATISFACTORY PERFORMANCE
016	SUBSTANDARD PERFORMANCE
017	PATTERN OF MISCONDUCT
018	MISCONDUCT (CIVIL CONVICTION)
019	MISCONDUCT (DRUG ABUSE)
020	MISCONDUCT (SEXUAL PERVERSION)
021	MISCONDUCT (OTHER)
022	MISCONDUCT (MINOR INFRACTIONS)
023	MISCONDUCT (SERIOUS OFFENSE)
024	MISCONDUCT (ANTHRAX REFUSAL)
025	UNACCEPTABLE CONDUCT (ANTHRAX REFUSAL)
026	UNACCEPTABLE CONDUCT
027	DRUG REHABILITATION FAILURE
028	ALCOHOL REHABILITATION FAILURE
029	HOMOSEXUAL CONDUCT (ACTS)
030	HOMOSEXUAL CONDUCT (STATEMENT)
031	HOMOSEXUAL CONDUCT (MARRIAGE OR ATTEMPTED MARRIAGE)
032	IN LIEU OF TRIAL BY COURT MARTIAL
033	SUFFICIENT SERVICE FOR RETIREMENT
034	MEDAL OF HONOR RECIPIENT
035	COMPLETION OF REQUIRED ACTIVE SERVICE
036	EARLY RELEASE PROGRAM-VOLUNTARY SEPARATION INCENTIVE (VSI)
037	EARLY RELEASE PROGRAM-SPECIAL SEPARATION BENEFIT (SSB)
038	REDUCTION IN FORCE
039	ATTEND CIVILIAN SCHOOL
040	CIVIL OFFICE
041	CONSCIENTIOUS OBJECTOR
042	FORCE SHAPING (VSP)
043	ALIEN
044	SURVIVING FAMILY MEMBER - SOLE SURVIVORSHIP
045	HARDSHIP
046	PREGNANCY OR CHILDBIRTH
047	ECCLESIASTICAL ENDORSEMENT
048	HOLIDAY EARLY RELEASE PROGRAM
049	SECRETARIAL AUTHORITY
050	FAILED MEDICAL/PHYSICAL PROCUREMENT STANDARDS
051	INTERDEPARTMENTAL TRANSFER

Code	Value
052	INTRADEPARTMENTAL TRANSFER
053	IMMEDIATE ENLISTMENT OR REENLISTMENT
054	DISMISSAL - NO REVIEW
055	MISCELLANEOUS/ GENERAL REASONS
056	FORCE SHAPING (BOARD SELECTED)
057	ERRONEOUS ENTRY (OTHER)
058	NON-RETENTION ON ACTIVE DUTY
059	MISCONDUCT (AWOL)
060	MISCONDUCT (DESERTION)
061	MAXIMUM AGE
062	MAXIMUM SERVICE OR TIME IN GRADE
063	INSUFFICIENT RETAINABILITY (ECONOMIC REASONS)
064	LACK OF JURISDICTION
065	DISABILITY, SEVERANCE PAY, COMBAT RELATED (ENHANCED)
066	DISABILITY, SEVERANCE PAY, NON COMBAT (ENHANCED)
067	DISABILITY, EXISTED PRIOR TO SERVICE, PEB (ENHANCED)
068	DISABILITY, SEVERANCE PAY (ENHANCED)
069	DISABILITY, EXISTED PRIOR TO SERVICE, MED BOARD (ENHANCED)
070	DISABILITY, NOT IN LINE OF DUTY (ENHANCED)
071	DISABILITY, AGGRAVATION (ENHANCED)
072	DISABILITY, OTHER (ENHANCED)
073	ERRONEOUS ENTRY (ALCOHOL ABUSE)
074	UNDER AGE
075	COMPETENT AUTHORITY, WITHOUT BOARD ACTION
076	DISABILITY, SEVERANCE PAY, COMBAT RELATED
077	DISABILITY, SEVERANCE PAY
078	DISABILITY, EXISTED PRIOR TO SERVICE, PEB
079	DISABILITY, EXISTED PRIOR TO SERVICE, MED BOARD
080	DISABILITY, SEVERANCE PAY, NON COMBAT
081	DISABILITY, NOT IN LINE OF DUTY
082	DISABILITY, AGGRAVATION
083	DISABILITY, OTHER
084	ERRONEOUS ENTRY (DRUG ABUSE)
085	ENTRY LEVEL PERFORMANCE AND CONDUCT
086	NON-SELECTION, PERMANENT PROMOTION
087	NON-SELECTION, TEMPORARY PROMOTION
088	FAILURE TO COMPLETE COMMISSIONING OR WARRANT PROGRAM
089	COURT MARTIAL (ALCOHOL)
090	COURT MARTIAL (HOMOSEXUAL CONDUCT)
091	COURT MARTIAL (DESERTION)

Code	Value
092	COURT MARTIAL (OTHER)
093	COURT MARTIAL (DRUG ABUSE)
094	COURT MARTIAL (ANTHRAX REFUSAL)
095	SURVIVING FAMILY MEMBER
096	DEFECTIVE ENLISTMENT AGREEMENT
097	FAILURE TO ACCEPT REGULAR APPOINTMENT
098	ACCEPT COMMISSION OR WARRANT IN SAME BRANCH OF SERVICE
099	ACCEPT COMMISSION OR WARRANT IN ANOTHER BRANCH OF SERVICE
100	ENTER OFFICER TRAINING PROGRAM
101	REQUEST FOR EXTENSION OF SERVICE DENIED
102	DISMISSAL - AWAITING APPELLATE REVIEW
103	ENROLLMENT IN SERVICE ACADEMY
104	EARLY RETIREMENT
105	DISABILITY, PERMANENT (ENHANCED)
106	DISABILITY, TEMPORARY (ENHANCED)
107	DISABILITY, PERMANENT
108	DISABILITY, TEMPORARY
109	PERSONAL ALCOHOL ABUSE
110	PERSONAL DRUG ABUSE
111	EARLY SEPARATION
112	VOLUNTARY RETIREMENT
113	EARLY RETIREMENT FROM SERVICE
114	CAREER INTERMISSION PROGRAM
115	DISABILITY, COMBAT RELATED, IDES
900	NOT APPLICABLE
999	UNKNOWN

7. Summary of Technical Changes for version 2.x

The changes from previous versions of the VADIR Chapter 33 LTS web service are a direct result of security mandates, or due to address operational concerns made evident over time. Many of these are invisible in the interface.
The below summary describes the changes addressed that may be visible to end users. The changes here do not reflect data changes, specifically the changes between v2.0.x and v2.1.x

7.1. Date and Number Data Elements changed to Strings

Date and number elements now show in the .xsd as type string. This completed a previous interface revision that changed some types to string. The format of the dates is the same and while this changes the .xsd, the output remains the same.

7.2. Procedural .wsdl and .xsd

The exposed and functional .wsdl and .xsd files are now generated by the system and must be reached by the ?WSDL and ?XSD signifiers in the URL. This is part of the above-mentioned rewrite and simplification. As a part of this, the hard control over the XML Namespaces from the previous version has been replaced by auto assigned names. If the name of the namespaces for the datatypes is a part of the client app, accommodations need to be made.

7.3. Type Suffix in type definitions

Again, in the ?WSDL and ?XSD, the addition of the suffix "type" to many type definitions was necessary to avoid name collisions that were not accommodated in the more simplified underlying architecture's libraries. This change does affect the tags that show up in the output and will require accommodation by the consuming system.

7.4. Changes to The Production URL to Accommodate Disaster Recovery

We introduced a Global Traffic Manager (GTM) entry to the address routing for services, starting with v2. The new top level name is https://vavdrappprd.va.gov, which is a change from the previous https://vavdrappprd.aac.va.gov. While the old URL address works, the new address allows administrators to repoint to VADIR's Disaster Recovery site in Philadelphia without having client applications alter their configuration. Please note the change.

8. ICD Review and Concurrence

The parties below have reviewed the Chapter 33 Long Term Solution (LTS) Web Service (WS) Interface Control Document and concur.

.

_____

Alex Torres, VADIR System Owner Date

_____

Riley Ross, Chapter 33 IT Project Manager Date