



February 8, 2023

Long COVID Signs/Symptoms

- It affects around 10-30% of patients after acute COVID.
- Diagnosis is based on symptomatic presentation after COVID. No testing is required.
- Symptoms include abdominal pain, anosmia, chest pain, cognitive impairment (brain fog), dizziness, dyspnea, fatigue, headache, insomnia, mood changes, palpitations, paresthesia's, and post exertional malaise.
- Presentation can be variable and symptoms can fluctuate, relapse, or remit.
- Holistic treatment strategies for long COVID include discussion of pacing and energy conservation; individualized, symptom-guided, phased return to activity programs; maintaining adequate hydration and a healthy diet; and treatment of underlying medical conditions.
- Prognosis based on this study: Most patients recover within a year of mild infection with vaccinated people having the lowest risk for breathing difficulties compared to unvaccinated people.
- BIVALENT COVID-19 boosters are effective against XBB , XBB1.5 VARIANTS

Clinical Corner Recurrent UTI

- For Female patients, most non-pregnant, usually no urine testing is warranted.
- Do Urine testing for patients not improving with antibiotics or symptoms of fever/ abdominal pain, flank pain, chills, shaking or gross hematuria or more than 3 urine infections in the last 12 months, hx of treatment failure/ all patient with diabetes, or with any urological abnormalities.
- All pregnant patients and patients with any immunocompromising conditions (history of kidney transplant), or any abnormal urological conditions should get testing done.
- No follow up urine cultures are needed after treatment for acute UTI.
- All pediatric patients with possible UTI should have a urine analysis and urine culture performed. Pediatric patients with fever and UTI symptoms at risk of not tolerating oral treatment should be evaluated in clinic.
- Use smartrxuti to find the right treatment for UTI.
- Use pediatric smartrxuti for pediatric patients.
- If patient has more than 3 UTIs per year and with positive culture, then refer to urology.