

<표 4> F 분포표($\alpha = 0.05$)

$\nu_2 \backslash \nu_1$	10	12	13	20	24	30	40	60	120	∞
1	241.88	243.91	244.69	248.01	249.05	250.10	251.14	252.20	253.25	254.30
2	19.40	19.41	19.42	19.45	19.45	19.46	19.47	19.48	19.49	19.50
3	8.79	8.74	8.73	8.66	8.64	8.62	8.59	8.57	8.55	8.53
4	5.96	5.91	5.89	5.80	5.77	5.75	5.72	5.69	5.66	5.63
5	4.74	4.68	4.66	4.56	4.53	4.50	4.46	4.43	4.40	4.36
6	4.06	4.00	3.98	3.87	3.84	3.81	3.77	3.74	3.70	3.67
7	3.64	3.57	3.55	3.44	3.41	3.38	3.34	3.30	3.27	3.23
8	3.35	3.28	3.26	3.15	3.12	3.08	3.04	3.01	2.97	2.93
9	3.14	3.07	3.05	2.94	2.90	2.86	2.83	2.79	2.75	2.71
10	2.98	2.91	2.89	2.77	2.74	2.70	2.66	2.62	2.58	2.54
11	2.85	2.79	2.76	2.65	2.61	2.57	2.53	2.49	2.45	2.40
12	2.75	2.69	2.66	2.54	2.51	2.47	2.43	2.38	2.34	2.30
13	2.67	2.60	2.58	2.46	2.42	2.38	2.34	2.30	2.25	2.21
14	2.60	2.53	2.51	2.39	2.35	2.31	2.27	2.22	2.18	2.13
15	2.54	2.48	2.45	2.33	2.29	2.25	2.20	2.16	2.11	2.07
16	2.49	2.42	2.40	2.28	2.24	2.19	2.15	2.11	2.06	2.01
17	2.45	2.38	2.35	2.23	2.19	2.15	2.10	2.06	2.01	1.96
18	2.41	2.34	2.31	2.19	2.15	2.11	2.06	2.02	1.97	1.92
19	2.38	2.31	2.28	2.16	2.11	2.07	2.03	1.98	1.93	1.88
20	2.35	2.28	2.25	2.12	2.08	2.04	1.99	1.95	1.90	1.84
21	2.32	2.25	2.22	2.10	2.05	2.01	1.96	1.92	1.87	1.81
22	2.30	2.23	2.20	2.07	2.03	1.98	1.94	1.89	1.84	1.78
23	2.27	2.20	2.18	2.05	2.01	1.96	1.91	1.86	1.81	1.76
24	2.25	2.18	2.15	2.03	1.98	1.94	1.89	1.84	1.79	1.73
25	2.24	2.16	2.14	2.01	1.96	1.92	1.87	1.82	1.77	1.71
26	2.22	2.15	2.12	1.99	1.95	1.90	1.85	1.80	1.75	1.69
27	2.20	2.13	2.10	1.97	1.93	1.88	1.84	1.79	1.73	1.67
28	2.19	2.12	2.09	1.96	1.91	1.87	1.82	1.77	1.71	1.65
29	2.18	2.10	2.08	1.94	1.90	1.85	1.81	1.75	1.70	1.64
30	2.16	2.09	2.06	1.93	1.89	1.84	1.79	1.74	1.68	1.62
40	2.08	2.00	1.97	1.84	1.79	1.74	1.69	1.64	1.58	1.51
60	1.99	1.92	1.89	1.75	1.70	1.65	1.59	1.53	1.47	1.39
120	1.91	1.83	1.80	1.66	1.61	1.55	1.50	1.43	1.35	1.25
∞	1.83	1.75	1.67	1.57	1.52	1.46	1.39	1.32	1.22	1.00

<표 5> 본페로니 동시신뢰구간을 위한 t 값

(표의 값은 g 개의 95% 본페로니 동시신뢰구간을 구하는 경우에 필요한 자유도 ν 인 t 값 즉, $t_{0.05/2g}(\nu)$ 를 나타낸다.)

$\nu \backslash g$	2	3	4	5	6	7	8	9	10
5	3.1634	3.5341	3.8100	4.0321	4.2193	4.3818	4.5257	4.6553	4.7733
6	2.9687	3.2875	3.5212	3.7074	3.8630	3.9971	4.1152	4.2209	4.3168
7	2.8412	3.1276	3.3353	3.4995	3.6358	3.7527	3.8552	3.9467	4.0293
8	2.7515	3.0158	3.2060	3.3554	3.4789	3.5844	3.6766	3.7586	3.8325
9	2.6850	2.9333	3.1109	3.2498	3.3642	3.4616	3.5465	3.6219	3.6897
10	2.6338	2.8701	3.0382	3.1693	3.2768	3.3682	3.4477	3.5182	3.5814
11	2.5931	2.8200	2.9809	3.1058	3.2081	3.2949	3.3702	3.4368	3.4966
12	2.5600	2.7795	2.9345	3.0545	3.1527	3.2357	3.3078	3.3714	3.4284
13	2.5326	2.7459	2.8961	3.0123	3.1070	3.1871	3.2565	3.3177	3.3725
14	2.5096	2.7178	2.8640	2.9768	3.0688	3.1464	3.2135	3.2727	3.3257
15	2.4899	2.6937	2.8366	2.9467	3.0363	3.1118	3.1771	3.2346	3.2860
16	2.4729	2.6730	2.8131	2.9208	3.0083	3.0821	3.1458	3.2019	3.2520
17	2.4581	2.6550	2.7925	2.8982	2.9840	3.0563	3.1186	3.1735	3.2224
18	2.4450	2.6391	2.7745	2.8784	2.9627	3.0336	3.0948	3.1486	3.1966
19	2.4334	2.6251	2.7586	2.8609	2.9439	3.0136	3.0738	3.1266	3.1737
20	2.4231	2.6126	2.7444	2.8453	2.9271	2.9958	3.0550	3.1070	3.1534
21	2.4138	2.6013	2.7316	2.8314	2.9121	2.9799	3.0382	3.0895	3.1352
22	2.4055	2.5912	2.7201	2.8188	2.8985	2.9655	3.0231	3.0737	3.1188
23	2.3979	2.5820	2.7097	2.8073	2.8863	2.9525	3.0095	3.0595	3.1040
24	2.3909	2.5736	2.7002	2.7969	2.8751	2.9406	2.9970	3.0465	3.0905
25	2.3846	2.5660	2.6916	2.7874	2.8649	2.9298	2.9856	3.0346	3.0782
30	2.3596	2.5357	2.6574	2.7500	2.8247	2.8872	2.9409	2.9880	3.0298
35	2.3420	2.5145	2.6334	2.7238	2.7966	2.8575	2.9097	2.9554	2.9960
40	2.3289	2.4989	2.6157	2.7045	2.7759	2.8355	2.8867	2.9314	2.9712
45	2.3189	2.4868	2.6021	2.6896	2.7599	2.8187	2.8690	2.9130	2.9521
50	2.3109	2.4772	2.5913	2.6778	2.7473	2.8053	2.8550	2.8984	2.9370
60	2.2990	2.4630	2.5752	2.6603	2.7286	2.7855	2.8342	2.8768	2.9146
70	2.2906	2.4529	2.5639	2.6479	2.7153	2.7715	2.8195	2.8615	2.8987
80	2.2844	2.4454	2.5554	2.6387	2.7054	2.7610	2.8086	2.8502	2.8870
90	2.2795	2.4395	2.5489	2.6316	2.6978	2.7530	2.8002	2.8414	2.8779
100	2.2757	2.4349	2.5437	2.6259	2.6918	2.7466	2.7935	2.8344	2.8707

<표 6> 최대계수 t 동시신뢰구간을 위한 백분위수 ($u_\alpha(g, \nu)$)

		$\alpha = 0.05$									
ν	g	1	2	3	4	5	6	8	10	12	15
3	3	3.183	3.960	4.430	4.761	5.023	5.233	5.562	5.812	6.015	6.259
4	4	2.777	3.382	3.745	4.003	4.203	4.366	4.621	4.817	4.975	5.166
5	5	2.571	3.091	3.399	3.619	3.789	3.928	4.145	4.312	4.447	4.611
6	6	2.447	2.916	3.193	3.389	3.541	3.664	3.858	4.008	4.129	4.275
7	7	2.365	2.800	3.056	3.236	3.376	3.489	3.668	3.805	3.916	4.051
8	8	2.306	2.718	2.958	3.128	3.258	3.365	3.532	3.660	3.764	3.891
9	9	2.262	2.657	2.885	3.046	3.171	3.272	3.430	3.552	3.651	3.770
10	10	2.228	2.609	2.829	2.994	3.103	3.199	3.351	3.468	3.562	3.677
11	11	2.201	2.571	2.794	2.933	3.048	3.142	3.288	3.400	3.491	3.602
12	12	2.179	2.540	2.747	2.892	3.004	3.095	3.236	3.345	3.433	3.541
15	15	2.132	2.474	2.669	2.805	2.910	2.994	3.126	3.227	3.309	3.409
20	20	2.086	2.411	2.594	2.722	2.819	2.898	3.020	3.114	3.190	3.282
25	25	2.060	2.374	2.551	2.673	2.766	2.942	2.959	3.048	3.121	3.208
30	30	2.042	2.350	2.522	2.641	2.732	2.905	2.918	3.005	3.075	3.160
40	40	2.021	2.321	2.488	2.603	2.690	2.760	2.869	2.952	3.019	3.100
60	60	2.000	2.292	2.454	2.564	2.649	2.716	2.821	2.900	2.964	3.041
		$\alpha = 0.01$									
3	3	5.841	7.127	7.914	8.479	8.919	9.277	9.838	10.269	10.616	11.034
4	4	4.604	5.462	5.985	6.362	6.656	6.897	7.274	7.565	7.801	8.087
5	5	4.032	4.700	5.106	5.398	5.625	5.812	6.106	6.333	6.519	6.744
6	6	3.707	4.271	4.611	4.855	5.046	5.202	5.449	5.640	5.796	5.985
7	7	3.500	3.998	4.296	4.510	4.677	4.814	5.031	5.198	5.335	5.502
8	8	3.355	3.809	4.080	4.273	4.424	4.547	4.742	4.894	5.017	5.168
9	9	3.250	3.672	3.922	4.100	4.239	4.353	4.532	4.672	4.785	4.924
10	10	3.169	3.567	3.801	3.981	4.098	4.205	4.373	4.503	4.609	4.739
11	11	3.106	3.495	3.707	3.865	3.988	4.087	4.247	4.370	4.470	4.593
12	12	3.055	3.418	3.631	3.782	3.899	3.995	4.146	4.263	4.359	4.475
15	15	2.947	3.279	3.472	3.608	3.714	3.800	3.935	4.040	4.125	4.229
20	20	2.845	3.149	3.323	3.446	3.541	3.617	3.738	3.831	3.907	3.999
25	25	2.788	3.075	3.239	3.354	3.442	3.514	3.626	3.713	3.783	3.869
30	30	2.750	3.027	3.185	3.295	3.379	3.448	3.555	3.637	3.704	3.785
40	40	2.705	2.969	3.119	3.223	3.303	3.367	3.468	3.545	3.607	3.683
60	60	2.660	2.913	3.055	3.154	3.229	3.290	3.384	3.456	3.515	3.586

<표 7> 더빈-왓슨 검정의 기각역 ($\alpha = 0.05$)

n	$p - 1 = 1$		$p - 1 = 2$		$p - 1 = 3$		$p - 1 = 4$		$p - 1 = 5$	
	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U
15	1.08	1.36	0.95	1.54	0.82	1.75	0.69	1.97	0.56	2.21
16	1.10	1.37	0.98	1.54	0.86	1.73	0.74	1.93	0.62	2.15
17	1.13	1.38	1.02	1.54	0.90	1.71	0.78	1.90	0.67	2.10
18	1.16	1.39	1.05	1.53	0.93	1.69	0.82	1.87	0.71	2.06
19	1.18	1.40	1.08	1.53	0.97	1.68	0.86	1.85	0.75	2.02
20	1.20	1.41	1.10	1.54	1.00	1.68	0.90	1.83	0.79	1.99
21	1.22	1.42	1.13	1.54	1.03	1.67	0.93	1.81	0.83	1.96
22	1.24	1.43	1.15	1.54	1.05	1.66	0.96	1.80	0.86	1.94
23	1.26	1.44	1.17	1.54	1.08	1.66	0.99	1.79	0.90	1.92
24	1.27	1.45	1.19	1.55	1.10	1.66	1.01	1.78	0.93	1.90
25	1.29	1.45	1.21	1.55	1.12	1.66	1.04	1.77	0.95	1.89
26	1.30	1.46	1.22	1.55	1.14	1.65	1.06	1.76	0.98	1.88
27	1.32	1.47	1.24	1.56	1.16	1.65	1.08	1.76	1.01	1.86
28	1.33	1.48	1.26	1.56	1.18	1.65	1.10	1.75	1.03	1.85
29	1.34	1.48	1.27	1.56	1.20	1.65	1.12	1.74	1.05	1.84
30	1.35	1.49	1.28	1.57	1.21	1.65	1.14	1.74	1.07	1.83
31	1.36	1.50	1.30	1.57	1.23	1.65	1.16	1.74	1.09	1.83
32	1.37	1.50	1.31	1.57	1.24	1.65	1.18	1.73	1.11	1.82
33	1.38	1.51	1.32	1.58	1.26	1.65	1.19	1.73	1.13	1.81
34	1.39	1.51	1.33	1.58	1.27	1.65	1.21	1.73	1.15	1.81
35	1.40	1.52	1.34	1.58	1.28	1.65	1.22	1.73	1.16	1.80
36	1.41	1.52	1.35	1.59	1.29	1.65	1.24	1.73	1.18	1.80
37	1.42	1.53	1.36	1.59	1.31	1.66	1.25	1.72	1.19	1.80
38	1.43	1.54	1.37	1.59	1.32	1.66	1.26	1.72	1.21	1.79
39	1.43	1.54	1.38	1.60	1.33	1.66	1.27	1.72	1.22	1.79
40	1.44	1.54	1.39	1.60	1.34	1.66	1.29	1.72	1.23	1.79
45	1.48	1.57	1.43	1.62	1.38	1.67	1.34	1.72	1.29	1.78
50	1.50	1.59	1.46	1.63	1.42	1.67	1.38	1.72	1.34	1.77
55	1.53	1.60	1.49	1.64	1.45	1.68	1.41	1.72	1.38	1.77
60	1.55	1.62	1.51	1.65	1.48	1.69	1.44	1.73	1.41	1.77
65	1.57	1.63	1.54	1.66	1.50	1.70	1.47	1.73	1.44	1.77
70	1.58	1.64	1.55	1.67	1.52	1.70	1.49	1.74	1.46	1.77
75	1.60	1.65	1.57	1.68	1.54	1.71	1.51	1.74	1.49	1.77
80	1.61	1.66	1.59	1.69	1.56	1.72	1.53	1.74	1.51	1.77
85	1.62	1.67	1.60	1.70	1.57	1.72	1.55	1.75	1.52	1.77
90	1.63	1.68	1.61	1.70	1.59	1.73	1.57	1.75	1.54	1.78
95	1.64	1.69	1.62	1.71	1.60	1.73	1.58	1.75	1.56	1.78
100	1.65	1.69	1.63	1.72	1.61	1.74	1.59	1.76	1.57	1.78

참 고 문 헌

- 강 근석, 김 성철, 김 지현, 이 윤오, 이 정진, 이 창수 (2003) 통계학, 자유아카데미
- 박 성현 (1990) 회귀분석, 대영사
- Akaike, H. (1973) Information theory as an extension of the maximum likelihood principle, In B.N. Petrov and F. Csaki (Eds.), *Proceedings, 2nd International Symposium on Information Theory*, Budapest: Akademiai Kiado, 267-281.
- Allen, D. M. (1971) Mean square error of prediction as a criterion for selecting variables, *Technometrics*, **13**, 469-475.
- Andrews, D. F. (1974) A robust method for multiple linear regression, *Technometrics*, **16**, 523-531.
- Andrews, D. F. and Pregibon, D. (1978) Finding outliers that matter, *Journal of the Royal Statistical Society, Series B.* **40**, 85-93.
- Ashford, J. R. (1959) An approach to the analysis of data for semiquantitative responses in biological assay, *Biometrics*, **15**, 573-581.
- Barndorff-Nielsen, D. E. (1978) *Information and Exponential Families in Statistical Theory*. Chichester, Wiley.
- Beaton, A. E. and Tukey, J. W. (1974) The fitting of power series, meaning polynomials, illustrated on band spectroscopic data, *Technometrics*, **16**, 147-185.
- Belsley, D. A., Kuh, E. and Welsch, R. E. (1980) *Regression Diagnostics*. Wiley, New York.

- Benjamini, Y. and Hochberg, Y. (1995) Controlling the false discovery rate: A practical and powerful approach to multiple testing, *Journal of the Royal Statistical Society, Series B.*, **57**, 289-300.
- de Boor, C. (1978) *A Practical Guide to Splines*, Berlin, Springer-Verlag.
- Box, G. E. P., Hunter, W. G. and Hunter, J. S. (2005) *Statistics for Experimenters*, Wiley, New York.
- Box, D. E. P. and Cox, D. R. (1964) An analysis of transformations, *Journal of the Royal Statistical Society, Series B.*, **26**, 211-252.
- Box, D. E. P. and Tidwell, P. W. (1962) Transformation of the independent variables, *Technometrics*, **4**, 531-550.
- Breiman, L., Friedman, J. H., Olshen, R. and Stone, C. J. (1984) *Classification and Regression Trees*, Wadsworth, Belmont.
- Breiman, L. (1995) Better subset selection using the nonnegative garrote, *Technometrics*, **37**, 373-384.
- Breslow, N.E. (1972) Discussion of "Regression models and life tables" by D.R. Cox, *Journal of the Royal Statistical Society, Series B.*, **34**, 187-220.
- Buckley, T. and James, I. (1979) Linear regression with censored data, *Biometrika*, **66**, 429-436.
- Carroll, R. J., Ruppert, D., and Stefanski, L. A. (1995) *Measurement Error in Nonlinear Models*, Chapman and Hall, London.
- Chui, C. K. (1992) *An Introduction to Wavelets*, Academic Press, San Diego.
- Cook, R. D. (1977) Detection of influential observations in linear regression, *Technometrics*, **19**, 15-18.
- Cox, D. R. (1970) *The Analysis of Binary Data*, Chapman and Hall, London.
- Cox, D. R. (1972) Regression models and life tables (with discussion), *Journal of the Royal Statistical Society, Series B.* **34**, 187-220.

- Cox, D. R. and Oakes, D. (1984) *Analysis of Survival Data*, Chapman and Hall, London.
- Cook, J. and Stefanski, L. A. (1995) A simulation extrapolation method for parametric measurement error models, *Journal of the American Statistical Association*, **89**, 1314-1328.
- Craven, P. and Wahba, G. (1979) Smoothing noisy data spline functions : estimating the correct degree of smoothing by the method of generalized cross-validation, *Numerische Mathematik*, **31**, 377-403.
- Daubechies, I. (1992) *Ten Lectures on Wavelets*, Society for industrial and applied mathematics, Philadelphia.
- Dobson, A. J. (1983) *An Introduction to Statistical Modelling*, Chapman and Hall, London.
- Draper, N. R. and Smith, H. (1998) *Applied Regression Analysis*, 2nd ed., Wiley, New York.
- Duggan, J. M., Dobson, A. J., Johnson, H. and Fahey, P. P. (1986) Peptic ulcer and non-steroidal anti-inflammatory agents, *Gut*, **27**, 929-933.
- Efron, B. (2008) Microarrays, empirical Bayes and the two-groups model, *Statistical Science*, **23**, 1-22.
- Eubank, R. L. (1988) *Spline Smoothing and Nonparametric Regression*, Marcel Dekker, New York.
- Fan, J. and Gijbels, I. (1996) *Local Polynomial Modelling and Its Applications*, Chapman and Hall, New York.
- Fuller, W. A. (1987) *Measurement Error Models*, John Wiley and Sons, New York.
- Hastie, T. and Tibshirani, R. (1990) *Generalized Additive Models*, Chapman and Hall, London.
- Hastie, T., Tibshirani, R. and Friedman, J. (2001) *The Elements of Statistical Learning: Data Mining, Inference, and Prediction*, Springer, New York.

- Härdle, W. (1991) *Smoothing Techniques*, Springer-Verlag, New York.
- Hoerl, A. E. and Kennard, R. W. (1970) Ridge regression : biased estimation for non-orthogonal problems, *Technometrics*, **12**, 55-67.
- James, W. and Stein, C. (1961) Estimation with quadratic loss, *Proceedings of the 4th Berkeley Symposium in Mathematical Statistics and Probability*, **1**, 361-379.
- Kalbfleisch, J. D. and Prentice, R. L. (1980) *The Statistical Analysis of Failure Time Data*, Wiley, New York.
- Kennedy, W. J. and Gentle, J. E. (1980) *Statistical Computing*, Marcel Dekker, New York.
- Kim, C. (1996) Cook's distance in spline smoothing, *Statistics and Probability Letters*, **31**, 13-19.
- Kim, C. (1996) Local influence and replacement measure, *Communications in Statistics*, **25**, 49-61.
- Kim, C. and Storer, B. E. (1996) Reference values for Cook's distance, *Communications in Statistics*, **25**, 691-708.
- Kim, C., Storer, B. E., and Jeong, M. (1996) A note on Box-Cox transformation diagnostics, *Technometrics*, **38**, 178-180.
- Kim, C. and Hwang, S. (2000) Influential subsets on the variable selection, *Communications in Statistics*, **29**, 335-347.
- Kim, C., Oh, M., Yang, S. and Choi, H. (2009) A local linear estimation of conditional hazard function in censored data, Unpublished manuscript.
- Lexis, W. (1879) Über die Theorie der Stabilität Statistischer Reichen, *die Theorie der Stabilität Jahrbücher für National Ökonomie und Statistik*, **32**, 60-98.
- Linhart, H. and Zucchini, W. (1986) *Model Selection*, New York: Wiley.
- Miller, R.G.(1979) Least squares regression with censored data, *Biometrika*, **63**, 449-464.
- Miller, R. G. (1981) *Survival Analysis*, Wiley, New York.

- Mallows, C. L. (1973) Some comments on C_p , *Technometrics*, **15**, 661-675.
- McCullagh, P. and Nelder, J. A. (1989) *Generalized Linear Models*, Chapman and Hall, London.
- Myers, R. H. (1971) *Response Surface Methodology*, Allyn & Bacon, Boston.
- Myers, R. H. (1990) *Classical and Modern Regression with Applications*, 2nd ed., PWS-Kent Publishers, Boston.
- Nelder, J. A. and Wedderburn, R. W. M. (1972) Generalized linear models, *Journal of the Royal Statistical Society . Series A*, **135**, 370-384.
- Nelson, W.B. (1969) Hazard plotting for incomplete failure data, *Journal of Quality and Technology*, **1**, 27-52.
- Roberts, G., Martyn, A. L., Dobson, A. J. and McCarthy, W. H. (1981) Tumor thickness and histological type in malignant melanoma in New South Wales, Australia, 1970-76, *Pathology*, **13**, 763-770.
- Spiersdijk, L. (2008) Nonparametric conditional hazard rate estimation, *Computational Statistics and Data Analysis*, **52**, 2419-2434.
- Tibshirani, R. (1996) Regression shrinkage and selection via the lasso, *Journal of the Royal Statistical Society, Series B*, **58**, 267-288.
- Tsai, C. L. and Wu, X. (1990) Diagnostics in transformation and weighted regression, *Technometrics*, **32**, 315-322.
- Wahba, G., Golub, G. H. and Heath, C. G. (1979) Generalized cross validation as a method for choosing a good ridge parameter, *Technometrics*, **21**, 215-223.
- Wand, M. P. and Jones, M. C. (1995) *Kernel Smoothing*, Chapman and Hall, New York.
- Wold, S. (1974) Spline functions in data analysis, *Technometrics*, **16**, 1-11.
- Wood, C. L. (1978) Comparison of linear trends in binomial proportions, *Biometrics*, **34**, 496-504.

찾 아 보 기 (영문)

(A)

absolute error loss function.....	295	beta-binomial distribution.....	352
accelerated failure time model.....	440	bias.....	23
additive model.....	414	biasing parameter.....	279
adjusted R^2	112, 212	BIC.....	228
adjusted dependent variable.....	312	binary data or dichotomous data.....	331
AFT.....	440	binomial distribution.....	13
AIC.....	225	BLUE.....	55
Akaike Information Criterion.....	225	Box-Cox transformation model.....	257
all possible regression.....	218	break point.....	238
Alternating Conditional Expectation..	416	Buckley-James estimator.....	440
analysis of variance.....	240		
analysis of variance model.....	317		
analysis of variance table.....	63		
Anscombe residual.....	316		
arcsine transformation.....	339		

(B)

backfitting.....	415
baseline hazard.....	435
Bayes estimator.....	296
Bayes risk.....	296
Bayesian Information Criterion.....	228
Bernoulli trial.....	13
best linear unbiased estimator.....	23
best linear unbiased estimator.....	55

(C)

calibration.....	267
canonical analysis.....	249
case I interval-censored data.....	427
case II interval-censored data.....	427
categorical.....	342
categorical data.....	342
Cauchy-Schwarz inequality.....	388
censoring indicator.....	424
census.....	3
centered model.....	90
central limit theorem.....	17
change point.....	238
characteristic roots.....	462
classical linear model.....	302

- Classification and Regression Trees....418
 coefficient of determination.....59, 62
 complementary log-log.....308
 complete data.....424
 complete orthogonal basis.....389
 complete orthonormal system.....389
 condition number.....188
 conditional likelihood.....437
 conditional probability distribution.....10
 confidence band.....72
 confidence limits.....29
 CONS.....389
 consistent estimator.....23
 contingency table.....342
 continuous random variable.....7
 continuous variable.....4
 contour plot.....249
 control.....342
 controlled at α34
 corner-point constraint.....320
 correlation analysis.....86
 covariance.....11
 Cox regression model.....435
 cross validation.....221, 404
 cross-validators residual.....168
 cubic spline.....398
 cumulative hazard function.....423
 current model.....207, 312
 current status data.....427
 CV.....404
 (D)
 Daubechies basis.....391
 degrees of freedom.....27
 delete-one lemma.....404
 delta method.....31
 dependent variable.....42
 derivative matrix.....365
 design matrix.....102
 deterministic model.....41
 deviance.....313
 deviance residual.....317
 discrete random variable.....7
 discrete variable.....4
 discrimination.....267
 dispersion parameter.....307, 352
 distribution.....5
 double exponential distribution.....260
 doubly censored data.....427
 dummy variable.....233
 (E)
 ED50.....337
 eigenvalue analysis.....249
 eigenvalue.....462
 eigenvector.....462
 empirical Bayes estimator.....297
 empirical logistic transformation.....339
 entropy distance.....225
 error mean square.....63
 error sum of squares, SSE.....61
 error vector.....102
 estimation space.....152
 estimator.....22

- expectation function 103
- expected value 7
- explained deviation 60
- explanatory variable 43
- exponential family 304
- externally studentized residual 168
- extra sum of squares 135
- extrapolation 70
- (F)
- factor 303
- false discovery rate 37
- family of Lehmann alternatives 436
- family-wise error rate 35
- father wavelet 392
- FDR 37
- first-order autocorrelation coefficient .. 190
- first-order autoregressive model 190
- Fisher information matrix 26
- Fisher information number 306
- Fisher's method of scoring 309
- fitted regression equation 48
- follow up 426
- Fourier basis 389
- frequency 342
- full model 134, 207
- full rank 151
- function space 388
- functional invariance property 26
- FWER 35
- (G)
- Gauss-Markov 55
- GCV 280, 404
- generalized additive model 415
- generalized cross validation 280, 404
- generalized inverse 457
- generalized linear model 302, 307
- generalized MLE 432
- GLM 307
- global approach 375
- Gram-Schmidt orthogonalization 468
- Greenwood's formula 432
- grid search 258, 405
- (H)
- Haar basis 391, 400
- hard-thresholding estimator 391
- hat matrix 131
- hazard rate 423
- Hessian matrix 471
- heteroscedasticity 252
- high-leverage point 171
- (I)
- incomplete data 424
- independent 10
- independent variable 43
- indicator variable 233
- influence curve 180
- influence function 263
- influence measure 166, 173
- influential observation 171, 172
- influential set 172
- inner product 388
- internally studentized residual 167