

Agent Forge Winning Playbook: Premortem

TL;DR

Premortem: Paste a press release and 30 Singaporean persona agents (the Kopitiam Panel) react, giving you a Blast Score (share raising severe objections) + a sentence-level blast map + tomorrow's fake front page + a rewrite that actually drops the score, all in 90 seconds.

The demo in one shot: front-page cold open → tile board ignites → 84% → rewrite → 31% → callback where the front page re-renders as a "page-12 brief."

Three big risks: ① the Kimi Tier 0 trap (\$10 top-up required) ② live on-stage fan-out (cache replay is the default path) ③ ethics of ethnic/religious personas (already redesigned into concern lenses).

1. Morning Checklist (08:00-10:00, no coding, setup only)

Admin

- ☐ Submit SMU Visitor Self-Registration (mandatory, you may not be let in without it)
- ☐ Check Luma registration status (new registration is currently closed, so confirm your own registration / QR)
- ☐ Join the hackathon chat: <https://tinyurl.com/aibuilders0613>
- ☐ Bag: laptop, charger, confirm phone hotspot data

Accounts & Credits (all in the morning, before the queue)

- ☐ Kimi: sign up at platform.moonshot.ai + **top up \$10-20** (Tier 0 = 1 concurrent request / 3 RPM, unusable for a demo. \$10 = Tier 1 = 50 concurrent). Confirm the Tier shown in the console
- ☐ Kimi credit link: theaibuilders.dev/kimicredits
- ☐ Bright Data: sign up + API key + **create 1 Web Unlocker zone and 1 SERP zone** (created instantly, no KYC). Credits: get.brightdata.com/aibuilders10
- ☐ Daytona: sign up at app.daytona.io + API key (theaibuilders.dev/daytonacredits)
- ☐ Open the SenseNova credits page (theaibuilders.dev/sensenovacredits). If it's a Chinese-only console, don't push it, ask the booth/mentor. Insurance: a Replicate account + warm `lucataco/sensenova-u1-8b-mot` once

- ☐ Just issue a TokenRouter key (theaibuilders.dev link), integration only in the lottery slot
- ☐ **Actually test one call per API over the hotspot** (registering a credit link ≠ an active key)

Content pre-writing (not code, within the allowed scope)

- ☐ MerlionTel fictional press release (around 8 sentences, an AI that listens to call content to personalize ads)
- ☐ Boring control press release (opening of a Jurong customer service center)
- ☐ E-Pay 2019 ad text (for the smoke test) + an entity-swapped version with a fictional brand (for the mechanism test)
- ☐ Paper draft of the 30-persona list (see §4 below)
- ☐ Print the demo script or put it in a phone note

Dev environment decisions

- Working folder is `C:\hack\premortem` (never build inside OneDrive: sync lock + uvicorn reload conflicts)
- Add `PYTHONIOENCODING=utf-8` to the venv activation (prevents emoji-output crashes in a cp949 console)

Use the 10:30-11:30 workshop time: scout the real SenseNova access path + per-sponsor prize structure (which tools have dedicated prizes) → the basis for choosing Daytona vs TokenRouter in the 15:20 lottery slot

2. Product Definition

Item	Detail
Name	Premortem (a real business ritual: assume you've failed and do the autopsy first)
Panel name	Kopitiam Panel (name of the on-screen 30-tile grid, a local laugh point)
Front-page artifact	Tomorrow's Headline (fictional masthead "The Straits Standard" + SIMULATED watermark)
One-liner	Paste your launch announcement. 30 grounded Singaporean AI personas tear it apart in 90 seconds, before the real ones do.
Problem	Message testing = a focus group (\$5-15k, 2-6 weeks, 8-12 people) or nothing at all. PR disasters (Pepsi/Kendall, E-Pay 2019, Bud Light) cost millions

Item	Detail
Buyer	PR/comms agencies, corporate communications teams, government comms (Singapore is an ultra-intense public-communications state)
Positioning	Not a go/no-go oracle but "generating, in 4 minutes with receipts, the pre-launch risk briefing doc the comms team writes by hand anyway"

Judging-criteria mapping

Criterion	Our card
Completeness	Text + API pipeline, so minimal demo-failure risk. Triple defense via CUT lines. Cache replay is the default path
Innovation	future-artifact output (the front page) + sentence-level blast attribution + a closed fix loop (measured delta). Differentiated from the Synthetic Users genre: launch red-teaming + SG local grounding, not research interviews
Real-Life Problem	A real budget line (\$5-15k focus group) and named disaster cases. The "automating what's already done by hand" frame
Sponsored Usage	Kimi DEEP + Bright Data MED + SenseNova (images) + 1 of Daytona/TokenRouter as a lottery. Name the tools during the demo + a quantified-usage slide for Q&A

3. Meeting Concerns Head-On (4 from the user + 3 found in critique)

3-1. Do the personas represent the groups well?

- **Design answer:** we don't claim census representativeness. We claim **"coverage of the stakeholder space"** (the question of whether a perspective was missed, not estimating proportions). Each persona = an archetype card + a **grounding pack of 5-10 real utterance quotes scraped via Bright Data**. Never claim opinion share ("12% of the aunties are angry"), only claim discrete findings ("this objection logic exists and someone actually said this")
- **Trap (found in critique):** a quote scraped from r/singapore may be a young English-speaking Reddit user talking *about* the elderly → the grounding can become "decoration." Be honest: objections with evidence get a 🗳️ citation chip, ones without are marked as model speculation
- **English Q&A answer:** §8 card 1

3-2. But you can't touch the hardware (a phone launch)

- **Design answer: we simulate the launch moment, not ownership.** At launch, even real consumers react with only the spec sheet + price + photos + keynote (pre-orders are the proof). Mine predecessor/competitor reviews via Bright Data and inject them as proxy experience ("complaints about the last model's battery → skepticism of 'again this time?'")
- **Stage line:** "We don't predict battery life. We predict whether your launch communication survives first contact with the public."
- VideoDB (personas "watch" the ad video) is a SKIP today, only a roadmap line: "comms text today, creative assets next." (transcript alone can't see the real landmines like casting, skin tone, music. Claiming it rashly invites a counterattack)

3-3. Differentiation from prompt engineering / ChatGPT

- **Answer:** ① live grounding refreshed with this week's real discourse ② quantitative aggregation of 30 structured outputs (Blast Score, clusters, stability bands) ③ blast attribution at the sentence-index level ④ a closed loop: rewrite → re-sim → measured delta ⑤ future artifacts. One line: **"ChatGPT gives you an opinion. Premortem gives you a measurement."**
- Frame it as: the model call is the cheapest part, and the product is the harness (the collect → sim → aggregate → artifact → re-measure pipeline)

3-4. Output format

A one-page decision doc (single web page):

1. **Blast Score banner:** % of the panel raising a severe objection (severity $\geq$ 2), median of 3 runs $\pm$ band ("84% $\pm$ 3")
2. **Kopitiam Panel 30-tile grid:** sentiment color, click → that persona's quote
3. **Top-5 objection clusters:** % raising it + representative quote + 🗨️ evidence chip
4. **Blast map:** number of panelists triggered per input sentence (zoom on the top sentence: "this one sentence detonated 71%")
5. **Tomorrow's Headline:** an HTML/CSS front page (with 1 U1-generated photo inserted) + (if time) a comment thread
6. **Fix & re-run:** before/after of the 2 rewritten sentences + Blast Score delta. Items that can't be fixed with wording get an "UNFIXABLE BY WORDING" label
7. Stakeholder badges: 📰 would a journalist run a story YES/NO, ⚖️ regulator interest, etc.

3-5. (Critique) Backtest contamination: E-Pay/Pepsi are in the training data

- **Concede first, on stage:** "Correct, that's a smoke test. If we failed on E-Pay we'd be broken; passing proves the plumbing, not foresight."
- Then present 3 controls: ① the original E-Pay text (smoke) ② **an entity-swapped version with a fictional brand** (mechanism check) ③ **a boring press release scores low** (proving it's not a fire alarm that always rings)

3-6. (Critique) A 0-100 score is pseudo-quantification

- Drop the weighted composite score. **Blast Score = a countable number** (share of the panel raising a severe objection). An anchored severity rubric (0-3: 2 = intent to protest publicly / boycott / negative coverage). Claim the **delta** (same doc, before/after), not the level. Block the variance attack with a 3-run band

3-7. (Critique) First-person roleplay of ethnic/religious personas = on-stage digital brownface risk

- **Design pivot (important):** identity-based personas are converted into **concern lenses**. The system never plays a community in the first person like "As a Malay, I...". It reports as a third-person risk register: "concerns likely to surface in this community + real quoted evidence"
- Lifestyle personas (auntie, tech bro, etc., based on age/occupation) keep their first-person quotes (preserving the laugh point)
- Killer move: **put the result of running Premortem on our own demo script in a backup slide** (if an ethics question comes, flip it into the best moment on the spot)

4. Kopitiam Panel Design (N=30, tunable via config, pitch line is "same harness runs 300")

10 lifestyle archetypes × 2 variants = 20 (first-person quotes allowed)

#	Persona	Lens
1	 Toa Payoh retiree auntie	price, font size, WhatsApp forwards
2	 Poly student / NSF	TikTok, meme potential
3	 HWZ tech bro	spec comparison, EDMW cynicism
4	 Punggol young HDB parents	child safety, cost
5	 Grab gig worker	cost-of-living anger
6	 Raffles Place finance pro	ROI, reputation

#	Persona	Lens
7	 Gen-Z activist	greenwashing radar
8	 Micro-influencer	angle to rip it apart for views
9	 Kopitiam towkay (heartland SME)	impact on small businesses
10	 CPF-anxious mid-career PMET	job insecurity, change fatigue

5 concern lenses × 1 = 5 (third-person risk register only)

11.  Accessibility & elderly-usability lens
12.  Halal-compliance & religious-sensitivity lens
13.  Racial-representation & multicultural (CMIO) lens
14.  Privacy & PDPA lens
15.  Low-income & affordability lens

5 stakeholders × 1 = 5

16.  CNA/ST journalist (calculating newsworthiness)
17.  Regulator (PDPA/IMDA/MAS per scenario)
18.  Opposition politician
19.  Competitor PR head
20.  Own employee (morale/leaks)

Variants are generated by trait jitter (age ±, optimism/pessimism prior). The panel auto-composer is CUT (an invisible feature): replaced by 3 scenario-preset dropdowns.


Reaction protocol (JSON mode, sentence-index approach)

```
{
  "persona_id": "auntie_1",
  "sentiment": -2,
  "severity": 3,
  "top_objection": "...",
  "objection_category": "privacy",
  "quote": "one sentence, first-person for archetypes / third-person finding
for lenses",
  "would_share": {"yes": true, "where": "whatsapp"},
  "trigger_idx": [3, 7],
  "evidence_id": "gp_reddit_014 or null",
  "question": "one question to ask at the press conference"
}
```

The input press release is provided in the prompt with [1] [2] [3]... numbers on each sentence → no verbatim matching needed (avoiding the trap where the model paraphrases and

20-40% of matches fail).

5. Architecture



Offline: grounding packs (Bright Data pre-scrape → grounding_packs/*.json)

Lottery: run the scrape job in a Daytona sandbox, or route the rewrite via TokenRouter

Core snippets (for reference, code written on the day)

Kimi fan-out:

```
import os, asyncio
from openai import AsyncOpenAI

client = AsyncOpenAI(api_key=os.environ["MOONSHOT_API_KEY"],
                    base_url="https://api.moonshot.ai/v1")
SEM = asyncio.Semaphore(20)
```

```

async def react(shared_prefix, persona_prompt):
    async with SEM:
        r = await client.chat.completions.create(
            model="kimi-k2.6",
            messages=[{"role": "system", "content": shared_prefix}, #
            {"role": "user", "content": persona_prompt}],
            response_format={"type": "json_object"},
            temperature=0.7, max_tokens=400) # limiter bills by max_tokens:
        fix at 400
        return r.choices[0].message.content
# await 1 warm-up call, then fan out the other 29 (60 concurrent cold = all
# cache misses)
# emit SSE as each completes via asyncio.as_completed (not all at once at the
# end)

```

Bright Data (all synchronous, 2-15s):

```

import requests
H = {"Authorization": "Bearer <TOKEN>"}
REQ = "https://api.brightdata.com/request"
reddit = requests.post(REQ, headers=H, json={
    "zone": "<unlocker_zone>", "format": "raw",
    "url": "https://www.reddit.com/r/singapore/hot.json?limit=50"}).json()
news = requests.post(REQ, headers=H, json={
    "zone": "<serp_zone>", "format": "raw",
    "url": "https://www.google.com/search?q=
<topic>&tbm=nws&gl=sg&hl=en&brd_json=1"}).json()
# HWZ: thread URL with data_format="markdown". Amazon reviews are async
# (minutes), so pre-cache only
# quote-fence the scraped text (prompt-injection defense) + strip handles
# (PDPA)

```

SSE notes: text/event-stream + Cache-Control: no-cache , the frontend is served directly by FastAPI (kills CORS at the source), dedupe EventSource reconnect duplicates with run_id+seq . Failed personas become gray "abstained" tiles, and aggregation divides by the number of responders.

Cost: 30 personas × (~3k in / 0.4k out), on cache hit **~\$0.12-0.15 per run** (\$0.95/M in on miss, \$0.16/M on hit, \$4/M out)

6. Sponsor Integration Map

Tool	Role	Depth	Time	Risk	Fallback
Kimi K2.6	Panel engine (fan-out + prefix cache + JSON mode)	DEEP	Core	Tier 0 trap, TPM undisclosed	\$10-20 top-up, 11:35 burst test, OpenRouter moonshotai/kimi-k2.6
Bright Data	grounding packs (r/singapore, Google News SG, HWZ)	MED	20-min box	Low (sync API, no KYC)	Morning pre-scrape → JSON cache. MCP free tier (no card) is the last resort
SenseNova U1	1 scandal photo for the front page (open-source model)	MED	15 min	Official console is Chinese / sign-up friction	① ask the booth ② Replicate lucataco/sensenova-u1-8b-mot (warming required, 2 min cold) ③ pre-generate 3 images. Front-page text is always HTML/CSS
Daytona	Isolated execution of the scrape job (production story)	Lottery	25-min box	0 demo pixels	Only if there's a dedicated prize. Screenshot + a one-line pitch
TokenRouter	Routing the rewrite call (cross-model scoring story)	Lottery	20-min box	Docs say Kimi unsupported, BYOK possible	Try behind an env-flag, roll back immediately on 4xx
VideoDB	Watching the ad video (roadmap line only)	SKIP	-	-	"comms text today, creative assets next"
Nosana / Terminal 3	-	SKIP	-	Crypto ops 1-2h+ / need to write a TEE contract	If asked: "depth over logo-collecting"

Naming during the demo: at tile ignition "running on Kimi K2.6's swarm-scale API with prefix caching", on a quote click "grounded in live Bright Data scrapes", at the front page "scandal photo by SenseNova U1". Q&A backup slide, quantified: "Kimi 31 calls (cache hit 90%) | Bright Data 3 sources, N quotes | SenseNova 1 photo | Daytona sandboxed scrape".

7. Build Timeline (hacking 11:30-16:30, lunch 12:30)

Execution principle

The original draft was a 7-hour plan in a 4-hour window (critique verdict). Below is the cut-down version. **If CUT B (13:10) isn't met, stop all feature additions immediately.**

Solo timeline

- **11:30-11:45** C:\hack\premortem skeleton, venv, .env keys, confirm SSE dummy events in the browser. **11:35 Kimi 40-burst test** → **this result decides N and the semaphore**
- **11:45-12:15** Persona schema (sentence index built in) + 6 hardcoded personas end-to-end. **[CUT A: minimal demo possible]**
- **12:15-12:40** fan-out + as_completed SSE + tile ignition v1
- **12:40-13:10** Panel of 30 (3 calls × 10 generated) + Blast Score + clustering + **cache replay** ?demo=1 . **[CUT B: robust demo]** Lunch at the keyboard
- **13:10-13:40** Blast map (sentence-index aggregation + zoom on the top sentence) + 3 scenario presets + dark theme
- **13:40-14:20** Fix & re-run: before/after scorecard + the 2 rewritten sentences side by side (no diff view). **[CUT C: full wow]**
- **14:20-14:50** Wire 1-2 grounding pack sources (20-min box) + 3-run stability + 4 calibration cache runs (E-Pay / entity-swap / boring control / MerlionTel rewrite) + self-dogfood run screenshot
- **14:50-15:20** Tomorrow's Headline (HTML/CSS + pre-generated U1 photo) + **the boring page-12 callback version**
- **15:20-15:40** One lottery slot: Daytona (if there's a dedicated prize) or TokenRouter. Independent of the demo path
- **15:40-16:25 FREEZE.** Wi-Fi off, full demo acceptance test → 2+ rehearsals (timer) → record a backup screen capture → fix P0 only

3-person split (if a team forms)

- **A (you):** backend, fan-out, aggregation, SSE, demo cache. Sole merge authority

- **B:** frontend only. Works against the fixture JSON + SSE schema contract that A commits at 12:00: {run_id, seq, persona_id, name, emoji, kind, sentiment, severity, quote, objection, trigger_idx[], evidence_id}
- **C:** content + sponsors: persona curation, scenario text, credit verification, grounding scrapes, front-page CSS, demo script, recording
- Integration 13:30 / 15:00, freeze 15:45

Sacrifice ladder

- **30 min behind:** cut the lottery slot, the comment-thread artifact, and all live calls
- **60 min behind:** cut the artifact + image, shrink the Blast map to sentence numbers inside the objection list, 30→24 personas
- **90 min behind:** cut fix & re-run. Demo = replay of the best cache run + the report. Defend rehearsal time with your life
- **Never cut:** cache replay, 2 rehearsals, backup recording, the 6-persona fallback path

8. 2-Minute Demo Script (6 beats)

🔑 Key staging principle

For Run 1, **press RUN early during the handoff/HDMI connection** so the tiles are already flowing as the hook ends (live, but 0 wait). Run 2 (rewrite) is **always cached**, and disclose it honestly in one line. Defend the final 35 seconds (31% + callback) no matter what: if you're behind, cut the middle.

Time	Beat	Screen	Line (English verbatim)
0:00-0:08	Cold open	Scandal front page, fullscreen	"This is tomorrow's front page. The press release that causes it hasn't been published yet. We have 90 seconds to stop it."
0:08-0:20	Present the case	Headline 60pt + RUN button only	"MerlionTel wants to announce an AI that listens to your calls to personalize ads. Sounds fine to their PR team. Let's ask Singapore first." (one beat for laughs)
0:20-0:45	Tile ignition	30 tiles change color, counter slams to 84%	Horse-race commentary: "There goes the Toa Payoh auntie... the HWZ tech bro is typing... the Grab

Time	Beat	Screen	Line (English verbatim)
			uncle just went red. Blast Score: 84. That means 84% of this panel would go public against you."
0:45-1:10	Diagnosis	Giant "78% PRIVACY" stat → auntie tile quote caption 36pt → solo zoom on the trigger sentence + "71%"	"One sentence did most of the damage." (read the sentence) "71% of the panel triggered on this line alone."
1:10-1:35	Fix & re-measure	The 2 rewritten sentences side by side → cached re-sim → 84 → 31	"Premortem rewrites it, keeping every factual claim. We pre-ran the rewrite during the break to save you 60 seconds: same panel. Thirty-one."
1:35-2:00	Callback + close	Front page re-renders as a page-12 brief ("MerlionTel announces opt-in personalisation; analysts shrug") → one-line calibration	"And tomorrow's paper? Page 12. We smoke-tested this on the 2019 E-Pay ad: it catches what Singapore actually caught. Ninety seconds. Fifteen cents. Cheaper than one apology."

What was cut: the comment thread (gray noise from the back rows), the sponsor logo map (moved to a Q&A backup slide), judge paste-your-own ("come by after, bring your worst draft" is a booth line), VideoDB, the architecture slide.

Stage guidance

- Dark theme (black background + white text + neon fill). **No red text on black** (it evaporates on a projector): red fill + white text. Test the light-theme toggle on the actual projector at lunch
- Font floor 28pt, Blast counter 120pt+, quotes 36pt+, the trigger sentence 40-60pt solo
- OS do-not-disturb, kiosk mode, 0 tabs. **Only one saved network on the laptop, the hotspot** (prevents it secretly switching to SMU_visitor mid-demo)
- Backup recording mp4 + switch via hotkey within 5 seconds, rehearse out loud once
- If two people: the speaker faces only the audience (never turns to the screen), the driver proceeds on a line cue ("...and Singapore answers" = RUN)
- At least 2 rehearsals, hard timer, hand signals at 1:00/1:30/1:45

9. Q&A Defense Cards (English verbatim)

1. "How do you know personas predict real reactions, not LLM vibes?"

"We ran three controls. The 2019 E-Pay ad as a smoke test: and yes, that one is in training

data, which is exactly why we treat it as plumbing, not foresight. Second, an entity-swapped fictional version: it still catches the mechanism. Third, a boring press release that correctly scores low, so this is not a fire alarm that always rings. It's a smoke detector, not an oracle, and the roadmap is calibration against a paid human panel."

2. **"Isn't simulating ethnic or religious groups itself stereotyping?"**

"We made a deliberate design call: identity-sensitive perspectives are concern lenses, not characters. The system never speaks as a community. It reports which concerns are likely to surface, in third person, with real scraped quotes as evidence. And we ran Premortem on our own demo script before bringing it here." (present the backup slide)

3. **"Isn't this just 30 GPT calls?"**

"The model call is the cheapest part. The product is the harness: live grounding packs per segment, enforced structured output, an anchored severity rubric, stability bands across runs, sentence-level attribution, and a closed rewrite loop with a measured delta. ChatGPT gives you an opinion. Premortem gives you a measurement."

4. **"What about hardware launches you can't touch?"**

"We simulate the launch moment, not ownership. At launch, real consumers also have only the spec sheet, the price, and the ad. We mine predecessor reviews as proxy experience. We don't predict battery life; we predict whether your launch survives first contact."

5. **"What does 84 actually mean? Run it twice, same number?"**

"It's countable: the share of the panel raising at least one severe objection under an anchored rubric. We show the median of three runs with the spread: 84 plus or minus 3. And we trust deltas more than levels: same document, before and after."

6. **"Couldn't the rewrite just game your own personas?"** (Goodhart)

"The rewrite must preserve every factual claim, checked separately, and some objections get labeled unfixable-by-wording because the problem is the decision, not the copy. We reduce defensible objections; we don't promise applause."

7. **"Business model?"**

"Comms teams already write a pre-launch risk briefing by hand. We generate it in four minutes with receipts. The alternative is a \$5-15k focus group and a three-week wait, or skipping the test and becoming the case study."

8. **"Moat?"**

"A calibration library of historical launches, per-segment scraping pipelines, and panel templates per industry. Every real outcome that comes back makes the panel sharper."

10. Risk Register

#	Risk	Mitigation
1	TPM/429 blowup during live on-stage fan-out (#1 demo killer)	Cache replay is the default path, live is a single pre-trigger only. The 11:35 burst test decides N. max_tokens=400, sem=20, failed tiles gray-abstain
2	Kimi Tier 0 (1 concurrent)	Morning \$10-20 top-up + confirm Tier 1 in the console
3	SenseNova access friction	Booth first, warm Replicate, pre-generate 3 photos, front-page text is HTML
4	Venue Wi-Fi	Single saved network = hotspot, Wi-Fi-off acceptance test, backup recording
5	JSON malformed 2-5%	Pydantic + 1 retry + abstain handling, denominator is the responder count
6	OneDrive/cp949	C:\hack + PYTHONIOENCODING=utf-8
7	Scope blowup	CUT A/B/C + sacrifice ladder. Freeze features if CUT B isn't met by 13:10
8	Ethics question	concern-lens design + dogfood slide (the question becomes the highlight)
9	The fake front page itself becomes a problem (POFMA sensitivity)	No real-outlet masthead: fictional "The Straits Standard" + diagonal SIMULATED watermark
10	Prompt injection via scraped text / PDPA	quote-fence + strip user handles, "public, aggregated, no identifiers"

11. Team Recruiting Pitch (at 11:30 formation, 30 seconds)

"I'm building Premortem: paste your press release, thirty grounded Singaporean AI personas tear it apart, and you get the exact sentence that detonates, tomorrow's front page, and a rewrite that measurably drops the risk. The backend core is scoped with hard cut lines. I need one frontend person for a tile-board UI against a fixed JSON schema, and one content person for persona grounding and the demo script. We integrate four-plus sponsor tools, which is what the prizes score on, and the demo is cache-safe: we will not be debugging live at 4:30."

Roles: B = frontend (tile board, fixture-based), C = content/sponsors (personas, scenarios, credits, front-page CSS, recording). Up to 6 is possible, but beyond 4 the coordination cost outweighs it: 3-4 recommended.

12. One-Page Summary (this alone is enough on your phone)

1. Morning: SMU registration + all credits + **Kimi \$10 top-up** + one API call each over the hotspot + write the 4 press-release texts
2. 11:35: Kimi burst test → lock in N
3. Reach CUT B (30 tiles + Blast Score + cache replay) by 13:10, no excuses
4. Demo: front-page cold open → 84% → trigger sentence → 31% → **page-12 callback** → "Cheaper than one apology."
5. Absolute rules: no live debugging, the last 45 minutes are freeze + rehearsal

Related

- [Event Record](#) (logistics, links, result record)
- [Sea x OpenAI Record](#) (previous hackathon, MVP build lessons)
- [Hackathon Index](#)