

Setup and Workspace Installing Python Etherpad Testing Installation: The Interactive shell Tools for working environment Creating workspace: Directory structure Windows and Linux Command line Some shortcut keys

Gaurav Gupta

Installing Python

Python available at the official website: https://www.python.org/

- · Windows: Download the executable and run it.
- Linux: Run the command on Ubuntu shell sudo apt-get install python3

tuteur.py@gmail.com

CONFIDENTIAL & RESTRICTED

Gaurav Gupta

Oh!! Did I Introduce you to Etherpad

Etherpad is a shared notepad available at the following link.

https://etherpad.net/p/py_learnbay

Consider it as your friend, you get to know why soon.

Gaurav Gupta Testing Installation: The Interactive shell • Windows: Press Windows Key and type Microsoft Windows [Version 10.0.14393] (c) 2016 Microsoft Corporation. All rights reserved. cmd. On the Terminal type python :\Users\GuptaG>python ython 3.4.3 (v3.4.3:9b73f1c3e601, Feb 24 2015, 22:43:06) ype "help", "copyright", "credits" or "license" for more Linux : Open a terminal (Ubuntu CTRL+ALT+T) and type python. ** if you get error like command not found, add python installation path tuteur.py@gmail.com

Tools for working environment

Gaurav Gupta

CONFIDENTIAL & RESTRICTED


Use an IDE

Pycharm IDE with Python 3.x.x https://www.jetbrains.com/pycharm/download/

Use any text editor and Command line (my preferred way)


Write Scripts using a text editor: Notepad++, vi, vim, Sublime Text..

Windows or Linux command line for executing.



	Windows	Linux
Go to the folder	cd <folder name=""></folder>	cd <folder name=""></folder>
	Ex:	Ex:
	cd Workspace	cd Workspace
Go to the previous directory	cd	cd
List files in current directory	dir	ls
		ls –la
Use up and down arrow key	s to view previous comr	mands in cmd window

	CONFIDENTIAL & RESTE
rtcuts	Gaurav Gupta
To select everything in current file	
Save current file	
To switch files	
To open new file	
To copy selected text	
To paste selected text	
·	(you can use Ctrl
tuteur.py@gmail.com	
	Save current file To switch files To open new file To copy selected text To paste selected text Arrow keys to make selection of a part of text ing to make selection faster)



Gaurav Gupta

Python Kickstart

- Using Interpreter and a Script
- Intro to print function
- Dir and help functions

tuteur.py@gmail.com

CONFIDENTIAL & RESTRICTED

Gaurav Gupta

Using Interpreter

• Open cmd window and type:

1 + 2

• Create a python script and type the same thing there.

Save at **f1.py**

• Now run from the command line as:

python f1.py #before doing this just check version of python

Gaurav Gupta

Intro to print function

- In a python script type:
 print(1 + 2)
 now save it and run again.
- · Now try working with variables.
- Printing multiple values from single print function
- And yes PRINT IS A FUNCTION

tuteur.py@gmail.com

CONFIDENTIAL & RESTRICTED

Gaurav Gupta

Creating a Variable: Dir And Help functions

- Create a variable in the current scope and check what all things are available there
- **Dir** gives the list of available attributes and objects in the current scope or of the object if passed and argument.
- **Help** method returns help information, depending on how it is invoked.
- Help can be called without argument, with the names of builtins, or with names specified as a string

Gaurav Gupta

Python Syntax ,Keywords and Operators

- Tokens : building blocks
- Python Comments
- Print Method
- Input()
- Type() and basic types in python
- Conversion Between Types

tuteur.py@gmail.com

CONFIDENTIAL & RESTRICTED

Gaurav Gupta

Tokens: building blocks

- Smallest individual components that make up a program.
- 4 Types :
 - Keywords
 - Identifiers
 - Operators
 - Literals

Gaurav Gupta Keywords • Special reserved words predefined or reserved by the language. finally class is False return lambda None continue for try while def from nonlocal True del global with and not elif if yield as or else assert import pass break in raise except tuteur.py@gmail.com

Identifiers

Gaurav Gupta

CONFIDENTIAL & RESTRICTED

- Identifiers can be a combination of letters in lowercase (a to z) or uppercase
 (A to Z) or digits (0 to 9) or an underscore (_)
- Variable names, class names, function names and module names are all identifiers.
- Some special identifiers in Python :

__*__ : Special Reserved system defined names

__* : Used to define private class members

Operators

Gaurav Gupta

CONFIDENTIAL & RESTRICTED

- + ,- ,*, /, >, <, =, <=, >=, ==, !=, >>, <<, &, |, ~, ^
- +=, -=, *=, /=, =
- (,),[,],{,}

tuteur.py@gmail.com

Literals

Gaurav Gupta

CONFIDENTIAL & RESTRICTED

These are just constant values:

integer : 1,-1,0....

Floating : -1.0, 0.0, 3.14

string : ", ' ', 'a', 'abcd'

Boolean : True, False

Gaurav Gupta

String Dilemma

- Single, Double or Triple Quotes??
- 'Quoted String' "Quoted String" """ Quoted String"" '" Quoted String"
- Single quote can be used in double quoted string and vice versa:

```
' single ' in single ' ; "double " in double" : Wrong ' double " in single' ; "single ' in double" : Right
```

""" Multi Line string"""

tuteur.py@gmail.com

Comments

Gaurav Gupta

CONFIDENTIAL & RESTRICTED

- Single line comments start with #.
 - # This is a single line comment in python
- Multi line comments can use the triple quote syntax.

111111

This is a multi line comment in python.

111111

Gaurav Gupta

Print Function

- Print method prints to the standard output
- Syntax:

```
print(<var/const>, ..., sep= '<separator>', end = '<delimiter>', file = <file
object>)
```

sep, file and end, arguments are optional and should appear in the end.

• Escape Sequences: \n and \t

tuteur.py@gmail.com

CONFIDENTIAL & RESTRICTED

Gaurav Gupta

Type Method

• Syntax:

type(<object argument>)

- Returns the type of the argument
- Argument might be variables, objects
- Some basic types are:
 int, float, string, bool, complex

```
Converting Between types

• int(<string>), int(<int>), int(<float>) # converts string containing digits to int

• str(<int/float/....>) # converts any type to its string representation
```

Gaurav Gupta

Conversion Between Types

- String to **Int**: int(<string variable/constant>)
- String to **float**: float(<string variable /constant >)
- Any Type to **String**: str(<variable /constant >)
- bin() method returns the binary representation of an integer