Infant and Toddler AutoScore™ Form

**Infant Form**

Ages 4–9 months

**SPANISH**

# SPM™-2

## Sensory Processing Measure, Second Edition

Tara J. Glennon, EdD, OTR/L, FAOTA  Diana A. Henry, MS, OT/L, FAOTA
Heather Kuhaneck, PhD, OTR/L, FAOTA  L. Diane Parham, PhD, OTR/L, FAOTA
Cheryl L. Ecker, MA, OTR/L

WPS unlocking potential

## Score Summary Sheet
Ages 4 to 6 months

| Child being evaluated | Today's date | Date of birth | Age (months) | Rater | Relationship to child |
|---|---|---|---|---|---|
| | | | | | |

| | %ile | T | VIS | HEA | TOU | T&S | BOD | BAL | ST | PLN | SOC | T | %ile | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Severe Difficulties | >99 | 80 | – | – | – | – | – | – | – | – | – | 80 | >99 | Severe Difficulties |
| | >99 | 79 | – | – | – | – | – | – | – | – | – | 79 | >99 | |
| | >99 | 78 | – | – | – | – | – | – | – | – | – | 78 | >99 | |
| | >99 | 77 | 32–40 | 28–40 | – | 25–40 | 34–40 | 28–40 | 157–240 | 33–40 | 35–40 | 77 | >99 | |
| | >99 | 76 | – | – | – | – | – | – | – | – | – | 76 | >99 | |
| | 99 | 75 | – | – | – | – | – | – | – | – | – | 75 | 99 | |
| | 99 | 74 | – | – | 26–40 | – | – | – | – | – | – | 74 | 99 | |
| | 99 | 73 | 30–31 | 24–27 | – | 23–24 | 27–33 | 24–27 | 133–156 | – | 31–34 | 73 | 99 | |
| | 99 | 72 | – | – | – | – | – | – | – | 32 | – | 72 | 99 | |
| | 98 | 71 | – | – | 22–25 | – | 23–26 | 23 | 130–132 | – | – | 71 | 98 | |
| | 98 | 70 | 28–29 | – | – | 20–22 | – | 22 | 123–129 | 31 | 29–30 | 70 | 98 | |
| Moderate Difficulties | 97 | 69 | – | 21–23 | 21 | – | 21–22 | – | – | – | – | 69 | 97 | Moderate Difficulties |
| | 96 | 68 | – | – | – | 18–19 | – | 21 | 119–122 | 30 | 26–28 | 68 | 96 | |
| | 96 | 67 | 27 | – | 20 | – | – | 20 | 114–118 | – | – | 67 | 96 | |
| | 95 | 66 | – | 20 | – | – | 20 | – | 111–113 | – | 25 | 66 | 95 | |
| | 93 | 65 | – | – | – | 16–17 | – | – | 107–110 | 29 | 24 | 65 | 93 | |
| | 92 | 64 | 26 | 19 | 19 | – | 19 | 19 | 104–106 | – | 23 | 64 | 92 | |
| | 90 | 63 | – | – | – | 15 | – | – | 103 | 28 | 22 | 63 | 90 | |
| | 88 | 62 | – | 18 | 18 | – | 18 | – | – | 27 | 21 | 62 | 88 | |
| | 86 | 61 | – | – | – | 14 | – | 18 | 102 | – | 20 | 61 | 86 | |
| | 84 | 60 | 25 | 17 | – | – | – | – | 101 | 26 | – | 60 | 84 | |
| Typical | 82 | 59 | – | – | 17 | 13 | 17 | 17 | 99–100 | 25 | 19 | 59 | 82 | Typical |
| | 79 | 58 | – | 16 | – | – | – | – | 97–98 | 24 | – | 58 | 79 | |
| | 76 | 57 | 24 | – | 16 | 12 | 16 | – | 96 | 23 | 18 | 57 | 76 | |
| | 73 | 56 | – | – | – | – | – | 16 | 94–95 | 22 | – | 56 | 73 | |
| | 69 | 55 | 23 | 15 | – | – | – | – | 93 | 21 | 17 | 55 | 69 | |
| | 66 | 54 | – | – | – | – | 15 | – | 92 | 20 | – | 54 | 66 | |
| | 62 | 53 | – | – | 15 | – | – | – | 91 | 19 | 16 | 53 | 62 | |
| | 58 | 52 | 22 | – | – | 11 | – | 15 | 90 | 18 | – | 52 | 58 | |
| | 54 | 51 | – | – | – | – | – | – | – | 17 | – | 51 | 54 | |
| | 50 | 50 | 21 | 14 | – | – | 14 | – | 89 | 16 | 15 | 50 | 50 | |
| | 46 | 49 | – | – | 14 | – | – | 14 | 88 | 15 | – | 49 | 46 | |
| | 42 | 48 | 20 | – | – | – | – | – | – | 14 | 14 | 48 | 42 | |
| | 38 | 47 | – | – | – | – | – | – | 87 | 13 | – | 47 | 38 | |
| | 34 | 46 | – | 13 | – | – | 13 | 13 | – | 12 | – | 46 | 34 | |
| | 31 | 45 | 19 | – | 13 | – | – | – | 86 | 11 | 13 | 45 | 31 | |
| | 27 | 44 | – | – | – | – | – | – | 85 | – | – | 44 | 27 | |
| | 24 | 43 | 18 | – | – | 10 | – | 12 | 84 | – | – | 43 | 24 | |
| | 21 | 42 | – | – | – | – | – | – | 83 | – | 12 | 42 | 21 | |
| | 18 | 41 | 17 | 12 | 12 | – | – | – | 81–82 | – | – | 41 | 18 | |
| | 16 | 40 | 10–16 | 10–11 | 10–11 | – | 10–12 | 10–11 | 60–80 | 10 | 10–11 | 40 | 16 | |
| | %ile | T | VIS | HEA | TOU | T&S | BOD | BAL | ST | PLN | SOC | T | %ile | |
| | Raw score | | | | | | | | | | | Raw score | | |
| | T-score | | | | | | | | | | | T-score | | |

| DIF Score: Compare Two SPM-2 Forms | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Form 2 T-score | | | | | | | | | | See DIF score calc. sheet on reverse. Ranges below are given in absolute values (difference without a sign). |
| DIF score | | | | | | | | | | |
| No Difference | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | \| 0 to 9 \| |
| Probable Difference | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | \| 10 to 14 \| |
| Definite Difference | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | \| ≥15 \| |

The SPM-2 is available online at **platform.wpspublish.com.**

Additional copies of this form (W-710E) may be purchased from WPS. Please contact us at **800.648.8857** or **wpspublish.com**.

Copyright © 2021 by Western Psychological Services. Not to be reproduced, adapted, and/or translated in whole or in part without prior written permission of WPS (rights@wpspublish.com). All rights reserved. Printed in USA. 9 8 7 6 5 4 3 2 1

Translation by Susana Urbina, PhD

## Compare Two SPM-2 Forms: Calculate DIF Scores

| Form 1 | | Form 2 | |
|---|---|---|---|
| Infant Form (Spanish) | | ☐ I/T Caregiver Self-Report Form (Spanish)<br>☐ Other: _____ | |
| **Name of client** | | **Name of person being rated** (if other than client) | |
| **Date of birth** | **Date form completed** | **Date of birth** | **Date form completed** |
| **Rater's name** | | **Rater's name** | |
| **Rater's relationship to client** | | **Rater's relationship to client** | |

| | | Scale | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | VIS | HEA | TOU | T&S | BOD | BAL | ST | PLN | SOC |
| **DIF calculation** | Form 1 *T*-score | | | | | | | | | |
| | Form 2 *T*-score | | | | | | | | | |
| | DIF score | | | | | | | | | |
| **DIF interpretation** | \| 0 to 9 \| No Difference | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ |
| | \| 10 to 14 \| Probable Difference | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ |
| | \| ≥15 \| Definite Difference | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ |

**VIS** = Vision; **HEA** = Hearing; **TOU** = Touch; **T&S** = Taste and Smell; **BOD** = Body Awareness; **BAL** = Balance and Motion; **ST** = Sensory Total; **PLN** = Planning and Ideas; **SOC** = Social Participation

## DIF Score Calculation Instructions

1. Enter the *T*-scores for each scale from Forms 1 and 2 into the spaces provided in the table above.
2. For the DIF calculation, subtract Form 2 *T*-score from Form 1 *T*-score.
3. Enter the value in the DIF score row.
4. Check the DIF interpretation box (No Difference, Probable Difference, or Definite Difference) for the absolute value (regardless of whether it is a positive or negative number) of the DIF score.

*Note*: A positive DIF value that falls in the Probable Difference or Definite Difference range indicates more problems reported in Form 1 than in Form 2. A negative DIF value that falls in the Probable Difference or Definite Difference range indicates more problems reported in Form 2 than in Form 1.

Infant and Toddler AutoScore™ Form

**Infant Form**

Ages 4–9 months

SPANISH

# SPM™-2

Sensory Processing Measure, Second Edition

Tara J. Glennon, EdD, OTR/L, FAOTA  Diana A. Henry, MS, OT/L, FAOTA
Heather Kuhaneck, PhD, OTR/L, FAOTA  L. Diane Parham, PhD, OTR/L, FAOTA
Cheryl L. Ecker, MA, OTR/L

WPS unlocking potential

## Score Summary Sheet
Ages 7 to 9 months

| Child being evaluated | Today's date | Date of birth | Age (months) | Rater | Relationship to child |
|---|---|---|---|---|---|
| | | | | | |

| | %ile | T | VIS | HEA | TOU | T&S | BOD | BAL | ST | PLN | SOC | T | %ile | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Severe Difficulties | >99 | 80 | – | – | – | – | – | – | – | – | – | 80 | >99 | Severe Difficulties |
| | >99 | 79 | – | – | – | – | – | – | – | – | – | 79 | >99 | |
| | >99 | 78 | – | – | – | – | – | – | – | – | – | 78 | >99 | |
| | >99 | 77 | 37–40 | 26–40 | 23–40 | 23–40 | 28–40 | 26–40 | 144–240 | 27–40 | 34–40 | 77 | >99 | |
| | >99 | 76 | – | – | – | – | – | – | – | – | – | 76 | >99 | |
| | 99 | 75 | – | – | – | – | – | – | – | – | – | 75 | 99 | |
| | 99 | 74 | – | – | – | – | – | – | – | – | – | 74 | 99 | |
| | 99 | 73 | 31–36 | 23–25 | 22 | 21–22 | – | 23–25 | 122–143 | 26 | 30–33 | 73 | 99 | |
| | 99 | 72 | – | – | – | – | 24–27 | – | – | – | – | 72 | 99 | |
| | 98 | 71 | 30 | 22 | – | – | – | – | 121 | – | 29 | 71 | 98 | |
| | 98 | 70 | – | – | 20–21 | 19–20 | – | 22 | – | – | – | 70 | 98 | |
| Moderate Difficulties | 97 | 69 | – | – | – | – | 22–23 | – | 120 | – | 24–28 | 69 | 97 | Moderate Difficulties |
| | 96 | 68 | – | 21 | – | 18 | – | 21 | 118–119 | 25 | 23 | 68 | 96 | |
| | 96 | 67 | 27–29 | – | – | – | 21 | 20 | 112–117 | – | 22 | 67 | 96 | |
| | 95 | 66 | – | 20 | – | 17 | – | – | – | – | 21 | 66 | 95 | |
| | 93 | 65 | – | – | 19 | – | 20 | – | 111 | – | – | 65 | 93 | |
| | 92 | 64 | 26 | – | – | 16 | – | 19 | 110 | 23–24 | 20 | 64 | 92 | |
| | 90 | 63 | – | 19 | – | – | 19 | – | 106–109 | – | – | 63 | 90 | |
| | 88 | 62 | 25 | – | – | – | – | 18 | 105 | – | – | 62 | 88 | |
| | 86 | 61 | – | 18 | 18 | 15 | 18 | – | 103–104 | 22 | 19 | 61 | 86 | |
| | 84 | 60 | 24 | 17 | – | – | – | 17 | 102 | – | – | 60 | 84 | |
| Typical | 82 | 59 | – | – | – | – | – | – | 101 | – | 18 | 59 | 82 | Typical |
| | 79 | 58 | – | – | 17 | 14 | 17 | 16 | 99–100 | 21 | – | 58 | 79 | |
| | 76 | 57 | 23 | – | – | – | – | – | 98 | 20 | – | 57 | 76 | |
| | 73 | 56 | – | 16 | – | – | – | – | 97 | 19 | 17 | 56 | 73 | |
| | 69 | 55 | – | – | – | 13 | 16 | 15 | 96 | – | – | 55 | 69 | |
| | 66 | 54 | 22 | – | 16 | – | – | – | 95 | 18 | 16 | 54 | 66 | |
| | 62 | 53 | – | 15 | – | – | – | – | 93–94 | 17 | – | 53 | 62 | |
| | 58 | 52 | – | – | – | 12 | 15 | 14 | 91–92 | 16 | 15 | 52 | 58 | |
| | 54 | 51 | 21 | – | 15 | – | – | – | 90 | – | – | 51 | 54 | |
| | 50 | 50 | 20 | 14 | – | – | – | – | 89 | 15 | 14 | 50 | 50 | |
| | 46 | 49 | 19 | – | – | – | – | 13 | 88 | – | – | 49 | 46 | |
| | 42 | 48 | – | – | 14 | 11 | 14 | – | 87 | 14 | 13 | 48 | 42 | |
| | 38 | 47 | – | 13 | – | – | – | – | 85–86 | – | – | 47 | 38 | |
| | 34 | 46 | 18 | – | – | – | – | 12 | 84 | – | – | 46 | 34 | |
| | 31 | 45 | – | – | 13 | – | – | – | – | 13 | – | 45 | 31 | |
| | 27 | 44 | 17 | – | – | – | 13 | – | 83 | – | 12 | 44 | 27 | |
| | 24 | 43 | – | – | – | – | – | – | 82 | 12 | – | 43 | 24 | |
| | 21 | 42 | 16 | 12 | 12 | – | – | 11 | 80–81 | – | – | 42 | 21 | |
| | 18 | 41 | – | – | – | – | 12 | – | 78–79 | 11 | 11 | 41 | 18 | |
| | 16 | 40 | 10–15 | 10–11 | 10–11 | 10 | 10–11 | 10 | 60–77 | 10 | 10 | 40 | 16 | |
| %ile | T | VIS | HEA | TOU | T&S | BOD | BAL | ST | PLN | SOC | T | %ile | | |
| Raw score | | | | | | | | | | | | Raw score | | |
| *T*-score | | | | | | | | | | | | *T*-score | | |

### DIF Score: Compare Two SPM-2 Forms

| | VIS | HEA | TOU | T&S | BOD | BAL | ST | PLN | SOC | |
|---|---|---|---|---|---|---|---|---|---|---|
| Form 2 *T*-score | | | | | | | | | | See DIF score calc. sheet on reverse. Ranges below are given in absolute values (difference without a sign). |
| DIF score | | | | | | | | | | |
| No Difference | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | \| 0 to 9 \| |
| Probable Difference | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | \| 10 to 14 \| |
| Definite Difference | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | \| ≥15 \| |

The SPM-2 is available online at **platform.wpspublish.com.**

Additional copies of this form (W-710E) may be purchased from WPS. Please contact us at **800.648.8857** or **wpspublish.com.**

Copyright © 2021 by Western Psychological Services. Not to be reproduced, adapted, and/or translated in whole or in part without prior written permission of WPS (rights@wpspublish.com). All rights reserved. Printed in USA. 9 8 7 6 5 4 3 2 1

Translation by Susana Urbina, PhD

## Compare Two SPM-2 Forms: Calculate DIF Scores

| Form 1 | | Form 2 | |
|---|---|---|---|
| Infant Form (Spanish) | | ☐ I/T Caregiver Self-Report Form (Spanish)<br>☐ Other: _____ | |
| **Name of client** | | **Name of person being rated** (if other than client) | |
| **Date of birth** | **Date form completed** | **Date of birth** | **Date form completed** |
| **Rater's name** | | **Rater's name** | |
| **Rater's relationship to client** | | **Rater's relationship to client** | |

| | | Scale | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | VIS | HEA | TOU | T&S | BOD | BAL | ST | PLN | SOC |
| **DIF calculation** | Form 1 *T*-score | | | | | | | | | |
| | Form 2 *T*-score | | | | | | | | | |
| | DIF score | | | | | | | | | |
| **DIF interpretation** | \| 0 to 9 \| No Difference | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ |
| | \| 10 to 14 \| Probable Difference | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ |
| | \| ≥15 \| Definite Difference | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ |

**VIS** = Vision; **HEA** = Hearing; **TOU** = Touch; **T&S** = Taste and Smell; **BOD** = Body Awareness; **BAL** = Balance and Motion; **ST** = Sensory Total; **PLN** = Planning and Ideas; **SOC** = Social Participation

## DIF Score Calculation Instructions

1. Enter the *T*-scores for each scale from Forms 1 and 2 into the spaces provided in the table above.
2. For the DIF calculation, subtract Form 2 *T*-score from Form 1 *T*-score.
3. Enter the value in the DIF score row.
4. Check the DIF interpretation box (No Difference, Probable Difference, or Definite Difference) for the absolute value (regardless of whether it is a positive or negative number) of the DIF score.

*Note*: A positive DIF value that falls in the Probable Difference or Definite Difference range indicates more problems reported in Form 1 than in Form 2. A negative DIF value that falls in the Probable Difference or Definite Difference range indicates more problems reported in Form 2 than in Form 1.

# Scoring Worksheet

## **Infant** Form (Spanish)

Ages 4–9 months

| Name of child being evaluated | | Gender |
|---|---|---|
| | | |
| **Today's date** | **Date of birth** | **Age (months)** |
| | | |
| **Rater's name** | | |
| | | |
| **Rater's relationship to child being evaluated** | | |
| | | |

| VIS raw score |
|---|
| |

+

| HEA raw score |
|---|
| |

+

| TOU raw score |
|---|
| |

+

| T&S raw score |
|---|
| |

+

| BOD raw score |
|---|
| |

+

| BAL raw score |
|---|
| |

=

| ST Sensory Total raw score |
|---|
| |

| PLN raw score |
|---|
| |

| SOC raw score |
|---|
| |

| VIS items | | | | Item |
|---|---|---|---|---|
| 1 | 2 | **3** | 4 | 1. |
| 1 | 2 | **3** | 4 | 2. |
| **1** | 2 | 3 | 4 | 3. |
| 1 | **2** | 3 | 4 | 4. |
| 1 | 2 | **3** | 4 | 5. |
| **1** | 2 | 3 | 4 | 6. |
| 1 | **2** | 3 | 4 | 7. |
| **1** | 2 | 3 | 4 | 8. |
| 1 | 2 | **3** | 4 | 9. |
| **1** | 2 | 3 | 4 | 10. |

| HEA items | | | | Item |
|---|---|---|---|---|
| **1** | 2 | 3 | 4 | 11. |
| **1** | 2 | 3 | 4 | 12. |
| **1** | 2 | 3 | 4 | 13. |
| **1** | 2 | 3 | 4 | 14. |
| **1** | 2 | 3 | 4 | 15. |
| **1** | 2 | 3 | 4 | 16. |
| **1** | 2 | 3 | 4 | 17. |
| 1 | **2** | 3 | 4 | 18. |
| **1** | 2 | 3 | 4 | 19. |
| **1** | 2 | 3 | 4 | 20. |

| TOU items | | | | Item |
|---|---|---|---|---|
| **1** | 2 | 3 | 4 | 21. |
| **1** | 2 | 3 | 4 | 22. |
| **1** | 2 | 3 | 4 | 23. |
| **1** | 2 | 3 | 4 | 24. |
| 1 | **2** | 3 | 4 | 25. |
| **1** | 2 | 3 | 4 | 26. |
| 1 | **2** | 3 | 4 | 27. |
| **1** | 2 | 3 | 4 | 28. |
| **1** | 2 | 3 | 4 | 29. |
| **1** | 2 | 3 | 4 | 30. |

| Item | T&S items | | | |
|---|---|---|---|---|
| 31. | 4 | 3 | 2 | **1** |
| 32. | 4 | 3 | 2 | **1** |
| 33. | 4 | 3 | 2 | **1** |
| 34. | 4 | 3 | 2 | **1** |
| 35. | 4 | 3 | 2 | **1** |
| 36. | 4 | 3 | 2 | **1** |
| 37. | 4 | 3 | 2 | **1** |
| 38. | 4 | 3 | 2 | **1** |
| 39. | 4 | 3 | 2 | **1** |
| 40. | 4 | 3 | 2 | **1** |

| Item | BOD items | | | |
|---|---|---|---|---|
| 41. | 4 | 3 | 2 | **1** |
| 42. | 4 | **3** | 2 | 1 |
| 43. | 4 | 3 | 2 | **1** |
| 44. | 4 | 3 | **2** | 1 |
| 45. | 4 | 3 | 2 | **1** |
| 46. | 4 | 3 | 2 | **1** |
| 47. | 4 | 3 | 2 | **1** |
| 48. | 4 | 3 | 2 | **1** |
| 49. | 4 | 3 | 2 | **1** |
| 50. | 4 | 3 | 2 | **1** |

| Item | BAL items | | | |
|---|---|---|---|---|
| 51. | 4 | 3 | 2 | **1** |
| 52. | 4 | 3 | **2** | 1 |
| 53. | 4 | 3 | 2 | **1** |
| 54. | 4 | 3 | 2 | **1** |
| 55. | 4 | 3 | 2 | **1** |
| 56. | 4 | 3 | **2** | 1 |
| 57. | 4 | 3 | **2** | 1 |
| 58. | 4 | 3 | 2 | **1** |
| 59. | 4 | 3 | 2 | **1** |
| 60. | 4 | 3 | 2 | **1** |

| Item | PLN items | | | |
|---|---|---|---|---|
| 61. | 4 | 3 | 2 | **1** |
| 62. | 4 | 3 | 2 | **1** |
| 63. | 4 | 3 | 2 | **1** |
| 64. | 4 | 3 | **2** | 1 |
| 65. | 4 | 3 | 2 | **1** |
| 66. | 4 | 3 | 2 | **1** |
| 67. | 4 | 3 | **2** | 1 |
| 68. | 4 | 3 | **2** | 1 |
| 69. | 4 | 3 | **2** | 1 |
| 70. | 4 | 3 | 2 | **1** |

| Item | SOC items | | | |
|---|---|---|---|---|
| 71. | **1** | 2 | 3 | 4 |
| 72. | **1** | 2 | 3 | 4 |
| 73. | **1** | 2 | 3 | 4 |
| 74. | **1** | 2 | 3 | 4 |
| 75. | **1** | 2 | 3 | 4 |
| 76. | 1 | **2** | 3 | 4 |
| 77. | 1 | **2** | 3 | 4 |
| 78. | **1** | 2 | 3 | 4 |
| 79. | **1** | 2 | 3 | 4 |
| 80. | **1** | 2 | 3 | 4 |

## Scoring Instructions

1. For any missing responses, circle the median score for that item, indicated in bold typeface on the Scoring Worksheet. (Note: If a total of *eight or more* responses are missing, or *four or more* responses are missing on any single 10-item scale, do not proceed with scoring.)
2. Calculate the raw score for each scale (except ST) by summing the circled item scores and entering the total in the corresponding Raw Score box.
3. Calculate the ST raw score by summing the raw scores of the VIS, HEA, TOU, T&S, BOD, and BAL scales. Do **not** include the raw scores for the PLN and SOC scales in the ST raw score. Enter the total in the ST Raw Score box.
4. Transfer the raw scores for each scale (VIS, HEA, TOU, T&S, BOD, BAL, ST, PLN, SOC) to the corresponding spaces on the lower half of the Score Summary Sheet. There are two Score Summary Sheets in this form: one is for ages 4 to 6 months, and the other is for ages 7 to 9 months. Be sure to use the sheet corresponding to the age of the person being assessed.
5. On the Score Summary Sheet, circle the raw score value for each scale in that scale's column. Connect the circled values for a visual representation of the SPM-2 results. The SPM-2 interpretive ranges are delineated by shading: Typical (no shading), Moderate Difficulties (light shading), and Severe Difficulties (darker shading).
6. For each circled raw score, read across the row to obtain the *T*-score and percentile rank on the left or right margin.
7. Enter the *T*-score for each scale in the corresponding space below its raw score.

**Difference (DIF) scores:** To calculate a Difference (DIF) score between two forms, use the DIF score calculation worksheet on the reverse side of the Score Summary Sheet of this form. Transfer the DIF scores to the labeled spaces on the bottom half of the Score Summary Sheet and check the corresponding Interpretive Range box.

Please refer to Chapter 3 of the SPM-2 Manual for complete instructions on how to interpret SPM-2 scores.

Infant and Toddler AutoScore™ Form

**Infant Form**

Ages 4–9 months

**SPANISH**

# SPM™-2

Tara J. Glennon, EdD, OTR/L, FAOTA  Diana A. Henry, MS, OT/L, FAOTA
Heather Kuhaneck, PhD, OTR/L, FAOTA  L. Diane Parham, PhD, OTR/L, FAOTA
Cheryl L. Ecker, MA, OTR/L

WPS
unlocking potential

| Nombre del/de la niño/a | | Sexo |
|---|---|---|
| | | |
| **Fecha de hoy** | **Fecha de nacimiento** | **Edad (meses)** |
| | | |
| **Nombre del respondiente** | | |
| | | |
| **La relación del respondiente con el/la niño/a** | | |
| | | |
| **Proveedor/Agencia** | | |
| | | |

## Instrucciones

**Instrucciones:** Por favor conteste estas preguntas en base a *la conducta típica del/de la niño/a durante el mes pasado*. Seleccione *solo* la respuesta que mejor describa la frecuencia con la cual esta conducta ocurre, usando la siguiente escala de evaluación.

**Nunca:** La conducta *nunca* o *casi nunca* ocurre.

**Ocasionalmente:** La conducta ocurre *a veces*.

**Frecuentemente:** La conducta ocurre *a menudo*.

**Siempre:** La conducta ocurre *siempre* o *casi siempre*.

Algunas preguntas inquieren acerca de que si este/a bebé muestra "angustia" en ciertas situaciones. Muestras de angustia pueden incluir gestos (gimiendo, llorando, fastidiándose, haciendo gestos de dolor, haciendo muecas, luciendo asustado/a o disgustado/a); movimientos (retorciéndose, moviendo brazos o piernas, poniéndose tenso/a, estremeciéndose, empujando, pestañando de repente, extendiendo los dedos, tapándose las orejas o los ojos, retirando la mano, el pie, o la cabeza); o cambios en su cuerpo (enrojeciendo, sarpullido, sudando, respirando de forma alterada, haciendo arcadas, vomitando).

**POR FAVOR PRESIONE CON FUERZA CUANDO CIRCULE SUS RESPUESTAS.**

| Nunca | Ocasional-mente | Frecuente-mente | Siempre | *Este niño o esta niña . . .* **VISIÓN** |
|---|---|---|---|---|
| N | O | F | S | 1. Se fastidia o cierra los ojos cuando hay una luz fuerte. |
| N | O | F | S | 2. Mira fijamente a las luces que parpadean o brillan intermitentemente. |
| N | O | F | S | 3. Muestra angustia en habitaciones de colores fuertes. |
| N | O | F | S | 4. Mira fijamente a las luces brillantes. |
| N | O | F | S | 5. Mira fijamente a objetos que giran. |
| N | O | F | S | 6. Tiene problemas para seguir objetos que se mueven con la vista. |
| N | O | F | S | 7. Mira a objetos con el rabillo del ojo. |
| N | O | F | S | 8. Tiene dificultad para encontrar un juguete que esté sobre una alfombra o frazada estampada. |
| N | O | F | S | 9. Mira fijamente a la gente o a los objetos. |
| N | O | F | S | 10. Tiene dificultad para encontrar un juguete favorito que esté entre otros objetos. |
| | | | | *Este niño o esta niña . . .* **OÍDO** |
| N | O | F | S | 11. Muestra angustia con sonidos hogareños normales como el sonido de la aspiradora o el de jalar la cadena de la taza del baño. |
| N | O | F | S | 12. No hace caso de los sonidos cotidianos como el repique de juguetes o el timbre del teléfono. |
| N | O | F | S | 13. No me mira cuando lo/la llamo por su nombre. |
| N | O | F | S | 14. Tiene dificultad para dormir con ruidos suaves en el fondo como el de pisadas o el del teclado de una computadora. |
| N | O | F | S | 15. Parece no darse cuenta o confundirse acerca de donde provienen los sonidos. |
| N | O | F | S | 16. Muestra angustia al oír el bullicio de una fiesta o de una habitación llena de gente. |
| N | O | F | S | 17. No nota que hay nuevas voces o nuevos sonidos en la habitación. |
| N | O | F | S | 18. Prefiere los juguetes que hacen bulla a los que son silenciosos. |
| N | O | F | S | 19. No hace caso de los sonidos fuertes como una sirena o truenos. |
| N | O | F | S | 20. No reconoce mi voz. |
| | | | | *Este niño o esta niña . . .* **TACTO** |
| N | O | F | S | 21. Muestra angustia cuando su piel desnuda toca superficies texturizadas como ciertas ropas, el pasto, la arena, la alfombra, o los juguetes peludos. |
| N | O | F | S | 22. Muestra angustia cuando toca comidas con los dedos. |
| N | O | F | S | 23. Muestra angustia o se aparta cuando lo/la tocan. |
| N | O | F | S | 24. Se fastidia si es que la temperatura de la comida, del agua del baño, o de una toallita húmeda no está precisamente correcta. |
| N | O | F | S | 25. Se fastidia cuando lo/la están vistiendo o le están cambiando el pañal. |
| N | O | F | S | 26. Llora o empuja hacia atrás cuando lo cargan. |
| N | O | F | S | 27. Se frota las manos o la cara con telas o con animales de peluche. |
| N | O | F | S | 28. Muestra angustia, hace arcadas, o vomita en reacción a comidas de ciertas texturas como comida blanda o crujiente. |
| N | O | F | S | 29. Jadea o tose cuando come, cuando bebe, cuando toma de la mamadera o cuando mama. |
| N | O | F | S | 30. Pone sus manos, su cabeza, o su cuerpo contra objetos que vibran como la lavadora de platos o la lavadora de ropa. |

Copyright © 2021 by Western Psychological Services. Not to be reproduced, adapted, and/or translated in whole or in part without prior written permission of WPS (rights@wpspublish.com). All rights reserved. Printed in USA. 9 8 7 6 5 4 3 2 1

W-710E

Translation by Susana Urbina, PhD

| Nunca | Ocasional-mente | Frecuente-mente | Siempre | *Este niño o esta niña . . .* | GUSTO Y OLFATO |
|---|---|---|---|---|---|
| N | O | F | S | **31.** Se fastidia cuando hay ciertos olores a su alrededor. | |
| N | O | F | S | **32.** Huele la comida antes de comérsela. | |
| N | O | F | S | **33.** Evita comidas que tengan olores fuertes. | |
| N | O | F | S | **34.** Hace arcadas en reacción a ciertos olores. | |
| N | O | F | S | **35.** Huele los juguetes u otros objetos que no son comibles. | |
| N | O | F | S | **36.** Se fastidia durante una comida si hay cambios entre alimentos que tienen sabores diferentes. | |
| N | O | F | S | **37.** No muestra preferir comidas de un cierto sabor a las de otros sabores. | |
| N | O | F | S | **38.** Evita comidas que tengan sabores fuertes. | |
| N | O | F | S | **39.** Hace arcadas cuando prueba las comidas. | |
| N | O | F | S | **40.** Insiste en comer solo la misma marca de ciertos alimentos. | |
| | | | | *Este niño o esta niña . . .* | CONCIENCIA DEL CUERPO |
| N | O | F | S | **41.** Juega de manera brusca con objetos, mascotas, u otros niños. | |
| N | O | F | S | **42.** Muerde los juguetes, la ropa, u otros objetos repetidamente. | |
| N | O | F | S | **43.** Se cansa fácilmente cuando le dan de comer. | |
| N | O | F | S | **44.** Hace movimientos grandes y rápidos con los brazos y las piernas repetidamente. | |
| N | O | F | S | **45.** Se golpea la cabeza a propósito contra el suelo, la pared, o contra algún objeto. | |
| N | O | F | S | **46.** Pone demasiada comida en su boca. | |
| N | O | F | S | **47.** Se mueve despacio o con lentitud. | |
| N | O | F | S | **48.** Mueve su cuerpo de modos raros, sacudiendo los dedos o agitando las muñecas. | |
| N | O | F | S | **49.** Afloja el cuerpo cuando un adulto lo/la carga. | |
| N | O | F | S | **50.** Se muerde o se golpea. | |
| | | | | *Este niño o esta niña . . .* | EQUILIBRIO Y MOVIMIENTO |
| N | O | F | S | **51.** Muestra angustia cuando lo mecen o lo mueven de arriba abajo. | |
| N | O | F | S | **52.** Se fastidia cuando yace sobre su estómago. | |
| N | O | F | S | **53.** Trata de zafarse, se pone tieso/a, o se fastidia cuando lo balancean o lo/la levantan en alto. | |
| N | O | F | S | **54.** Se sobresalta o llora cuando lo/la mueven de repente. | |
| N | O | F | S | **55.** Necesita un movimiento intenso para calmarse. | |
| N | O | F | S | **56.** Necesita algún movimiento para poder dormirse como ir en un auto o mecerse en un asiento para bebés. | |
| N | O | F | S | **57.** Busca movimiento intenso o continuo como balancearse, mecerse, o moverse de arriba abajo. | |
| N | O | F | S | **58.** Se fastidia cuando su cabeza está boca abajo. | |
| N | O | F | S | **59.** Muestra angustia cuando lo/la mueven de una posición a otra. | |
| N | O | F | S | **60.** Tiene dificultad para alzar la cabeza cuando lo/la levantan luego de estar echado/a. | |
| | | | | *Este niño o esta niña . . .* | PLANIFICACIÓN E IDEAS |
| N | O | F | S | **61.** No explora nuevas maneras de jugar con objetos familiares. | |
| N | O | F | S | **62.** No inicia juegos con los juguetes. | |
| N | O | F | S | **63.** No explora nuevos ambientes. | |
| N | O | F | S | **64.** Tiene dificultad para bajarse de una silla, de un sillón, o de un sitio alto. | |
| N | O | F | S | **65.** Tiene dificultad para controlar la comida en la boca. | |
| N | O | F | S | **66.** Tiene dificultad para controlar los líquidos en la boca. | |
| N | O | F | S | **67.** Tiene dificultad para maniobrar alrededor de obstáculos o bajo o encima de ellos. | |
| N | O | F | S | **68.** No trata de imitar las acciones de otros como hacer adiós. | |
| N | O | F | S | **69.** Tiene dificultad imitando sonidos correctamente como haciendo ruido con los labios y la lengua o diciendo "mamá." | |
| N | O | F | S | **70.** Tiene dificultad imitando expresiones de la cara, o movimientos de la boca o de la lengua correctamente. | |
| | | | | *Este niño o esta niña . . .* | PARTICIPACIÓN SOCIAL |
| N | O | F | S | **71.** Responde a mi voz o a mi cara con expresiones vocales o faciales. | |
| N | O | F | S | **72.** Sonríe, se ríe, o se une a juegos como "el escondite." | |
| N | O | F | S | **73.** Hace sonidos vocales de felicidad cuando juego con él o ella. | |
| N | O | F | S | **74.** Me mira a los ojos por más que un vistazo cuando yo le hablo. | |
| N | O | F | S | **75.** Mueve sus brazos o sus piernas activamente cuando juega conmigo. | |
| N | O | F | S | **76.** Mira a lo que yo estoy mirando. | |
| N | O | F | S | **77.** Trata de darles cosas a los adultos o de tomarlas. | |
| N | O | F | S | **78.** Se calma fácilmente con un adulto familiar cuando esta alterado/a. | |
| N | O | F | S | **79.** Expresa una variedad de emociones como alegría, tristeza, y frustración. | |
| N | O | F | S | **80.** Se acerca hacia adelante y abre la boca cuando le están dando de comer. | |