

Role Guide 1: PI / System Admin

Step-by-step instructions for the PI / System Admin role in the ABF-FST Digital Respondent Portal.

STUDY	Developing and Validating the Agribusiness Bankability Framework for Food Systems Transformation through Novel Financing Models in Zimbabwe (ABF-FST)
PRINCIPAL RESEARCHER	Happyson Saina, Doctor of Strategic Management candidate, Chinhoyi University of Technology
SUPERVISORS	Dr L. Chikazhe and Dr J. Kanyepe
FOR	The Principal Investigator (full access)
SYSTEM ADDRESS	https://research.agribizframework.com
CONTACT	0773943709 · abffst.research.cut@gmail.com
VERSION	Version 1.3 · 20 September 2026

Screenshots in this document use **fictional demonstration data**. Organisation and person names, phone numbers and figures shown in them are not real study records.

Contents

1. Your role at a glance	3
2. Signing in and your screens	4
Signing in	4
Finding your way around	4
Your screens	5
Changing your password	5
3. Your routine	7
4. Step-by-step tasks	8
4.1 Creating staff accounts for the whole team	8
4.2 Reading the dashboards	8
4.3 Using Reports (analytics and charts)	9
4.4 Reassigning cases between Contact RAs	12
4.5 Pairing a Main case with its Reserve, and assigning a Contact RA	13
4.6 Moving cases through verification (bulk)	13
4.7 Downloading data	14
4.8 Checking the audit log	15
4.9 Recording a withdrawal	16
4.10 Activating a Reserve case	16
4.11 Reviewing questionnaires in the QA Queue	17
4.12 Working QA exceptions	18
4.13 Downloading or emailing completed forms (Form PDFs)	19
4.14 KoboToolbox: rotating credentials and changing forms	19
4.15 Before the first live invitation	20
5. Rules you must follow	21
6. Troubleshooting	22
7. Quick reference	23

1. Your role at a glance

As PI you own the study and the system. You see every screen, approve how fieldwork runs, create accounts, decide replacements and withdrawals, review the audit trail, and are the only person who can download the full operational data and the complete KoboToolbox data for cleaning and analysis.

You can

- Open all 19 screens, including the Audit Log and every export.
- Create, change and deactivate staff accounts and roles.
- Do everything the Field Coordinator can: register organisations, assign Contact RAs, verify cases in bulk, invite, activate Reserves, record withdrawals, take QA decisions, manage KII and document records, log costs.
- Download the full operational export, and each KoboToolbox form as an Excel workbook and a PDF ZIP.
- Manage the KoboToolbox forms and the connection to them.

You cannot

- Change a Sample ID or Master ID, or move a case through statuses the rules do not allow — nobody can.
- Pass a questionnaire QA without writing a note.
- Invite a locked Reserve.

Where this fits

The System Manual explains how the whole system works. This guide covers only what you do. Ask the Field Coordinator or PI when something is outside your role.

2. Signing in and your screens

Signing in

1. Open <https://research.agribizframework.com/admin/login> in any modern browser (Chrome, Edge, Firefox or Safari), on a computer, tablet or phone.
2. Type your **Username** and **Password**, then select **Sign in**.


The image shows a web browser window displaying the internal sign-in page. At the top, a dark blue header bar contains the text 'CHINHOMY UNIVERSITY OF TECHNOLOGY' and 'ABF-FST Research Operations Centre'. Below the header, the main content area is light gray. In the center, there is a white rectangular box titled 'Internal sign in'. Inside this box, there are two input fields: 'Username' with the text 'pi.admin' entered, and 'Password' which is empty. Below these fields is a dark blue button labeled 'Sign in'.

Figure 1. The sign-in screen for all internal staff.

3. You arrive on your start screen: **Executive Dashboard**. The bar across the top lists only the screens your role (PI / System Admin) can open.

Accounts

There is no self-registration. The PI / System Admin creates every account and sets its role. Ask the PI if you need an account, a different role, or a password reset.

Finding your way around

- The **top bar** shows your username and role, and the screens you can use. It is not a full menu with some items greyed out: anything absent is simply not part of your role.
- Most screens have a **← Back to ...** link at the top that returns you to the screen you came from.
- Registers show **20 rows per page**. Use **Previous** and **Next** at the foot of the list, and the **Search** box above it.
- **Change password** (top right) lets you set a new password at any time. Choose a long password you do not use anywhere else.
- **Sign out** (top right) ends your session. Always sign out on a shared or public computer.
- If you are inactive for a while you may be asked to sign in again. This protects research data on unattended devices.




Figure 2. Opening a screen outside your role (for example from an old bookmark) shows this card instead of the screen.

Your screens

Screen	What you use it for
Executive, Sampling, Contact, QA, KII/Doc dashboards	Monitor progress against targets.
Reports	Analytics and charts for supervision meetings and progress reports.
Main-400 Register, Organisations	The sample: cases, bulk verification, new organisations.
Appointments, Follow-ups	Oversee contact and reminders.
Form PDFs	Completed forms for all three KoboToolbox forms.
QA Queue, QA Exceptions	Quality decisions and flags.
KII Register, Documents	Qualitative and documentary strands.
Reserve Activation	Replace dropped cases.
Cost	Fieldwork spend.
Audit Log	Who did what, when.
Export	All data downloads.

Changing your password

1. Select **Change password** in the top right corner.
2. Enter your **Current password**, then the **New password** twice, and select **Change password**.




Figure 3. Change Password screen.

- 3. Use the new password next time you sign in. If you have forgotten your password, ask the PI to reset it.

3. Your routine

A suggested rhythm. Adjust it to the Field Coordinator's plan.

When	What to do
Daily	Executive Dashboard and Reports (last 7 days); QA Exceptions older than two days; Follow-ups backlog.
Weekly	Coverage and administration-mode balance in Reports; Reserve activations; Audit Log review; cost review; download the questionnaire workbook to monitor data quality.
When staff change	Create or deactivate accounts; reassign cases.
Before data lock (30 Nov 2026)	Close QA decisions and exceptions; final exports; store them securely.

4. Step-by-step tasks

4.1 Creating staff accounts for the whole team

1. Open **docs/templates/ABF-FST_Staff_Accounts_Template.xlsx**. On the **Staff** sheet, type one person per row in the yellow cells: full name, email, role (drop-down), and for Contact RAs the provinces they cover (or All).
2. Send the file to the technical administrator. They check it with a dry run, then run `manage.py create_staff_accounts --file <sheet> --assign-cases`.
3. Every new account gets a random temporary password in a private credentials file. Give each person their own username and password separately (e.g. username by email, password by phone) and ask them to change it at first sign-in. Then delete the file.
4. With `--assign-cases`, Main cases still on the shared `contact_ra` account are shared out evenly among the Contact RAs covering each province. Adjust later with **Reassign cases** on the register.

One account at a time

1. Open <https://research.agribizframework.com/django-admin/> and sign in with your PI account.
2. Select **Users** → **Add user**. Enter a username (e.g. firstname.lastname) and a strong temporary password; save.
3. Fill in the name and **email address**, choose the **Role** under **ABF-FST role**, and save. Leave **Staff status** unticked for everyone except the PI.
4. To remove access, untick **Active** and save. Do not delete users; their audit history must remain.

4.2 Reading the dashboards

Dashboards are for monitoring; nothing on them changes data. Figures refresh whenever the screen is opened.




Figure 4. Executive Dashboard: completions against the 400 / 60 / 50–75 targets, days to data lock, spend, and the lowest-filled strata.

Dashboard	What it tells you	Use it to
Executive	QUAN completed out of 400, KII completed out of 60, documents coded against 50–75, days to the 30 November 2026 data lock, spend to date, lowest-filled strata.	See overall progress and where fieldwork attention is most needed.
Sampling	Main cases by province, verified/total by stratum, Reserve activations by reason.	Check the design stays balanced across strata.
Contact	Organisations verified, eligible respondents identified, invitations sent and opened, upcoming appointments, refusals, unreachable cases.	Track outreach and spot stalled contact.
QA Dashboard	Submissions today and in total, the open QA queue, decisions recorded, completions by administration mode.	Keep the QA backlog under control.
KII/Doc Dashboard	KII completed against 60; KIIs by status; documents by type and QA status.	Track the qualitative and documentary strands.

Targets versus records

The registers hold more records than the targets (for example 90 KII records for 60 completed interviews). The surplus is reserve depth for non-response, not extra work.

4.3 Using Reports (analytics and charts)

1. Select **Reports** in the top bar.




Figure 5. Reports: headline figures for the chosen period.

- Choose the period with **Last 7 days**, **Last 30 days**, **Last 90 days** or **All time**. Case progress (the funnel and workflow) is always cumulative; time-based figures such as submissions per day follow the period.
- Read the headline cards: questionnaires submitted, passed QA, response rate (submitted ÷ invited), median completion time, follow-ups sent, withdrawals, Reserves activated, and fieldwork cost per QA-passed case.




Figure 6. Case funnel: each case counted once at every stage it has reached.

- Select **Show table** on any chart to see the exact numbers, for example to copy them into a progress report.




Figure 7. The same chart as a table.

5. Use **Coverage** to see, by province, organisation type and size, what share of cases have been invited and have submitted. Short bars show where contact effort should go next.




Figure 8. Coverage by group.

6. Check **How questionnaires were completed**. If one administration mode dominates (more than 70% once at least 10 questionnaires are in), the chart shows an imbalance alert so the team can review the mix.




Figure 9. Administration modes.

- Review **Time to complete the questionnaire** and **QA outcomes**. Very short or very long completions are what the QA duration rules flag.





Figure 10. Completion-time distribution.

Reports show counts and rates only — never names or answers — so they are safe to discuss with supervisors.

4.4 Reassigning cases between Contact RAs

Use **Reassign cases** on the Main-400 Register to hand many cases to a Contact RA at once — for example when new RAs start, or when an RA leaves. For a single case, use **Assigned Contact RA** on the case page.

- Open **Main-400 Register** and find **Reassign cases** (below the verification tool).
- Choose **From** (Anyone, Unassigned, or a Contact RA), a **Province** or All provinces, and **To** (the Contact RA receiving the cases, or Nobody to unassign).



Reassign cases

From: Province: How many: To:

Cases move in Sample ID order. To split a large province, move part of it with "How many", then the rest to the next RA.

Figure 11. Reassign cases: the button shows how many cases will move.


3. To split a large province, type a number in **How many**. Cases move in Sample ID order, so move part of the province to one RA, then the rest to the next.
4. Select **Move N cases** and confirm. The move is written to the audit log with every Sample ID.

What the RA sees

A Contact RA sees only the cases assigned to them, including on Follow-ups. Reassigning a case moves its reminders with it.

4.5 Pairing a Main case with its Reserve, and assigning a Contact RA


1. Open the Main case (**Main-400 Register → View**).
2. In **Assigned Contact RA**, choose the RA from the list. The change saves straight away and shows **Currently: <name>**. That RA now sees the case; other Contact RAs do not.



Assigned Contact RA

Figure 12. Assigned Contact RA.

3. In **Matched Reserve case**, choose the Reserve. Only locked Reserves not already paired are offered, same-stratum ones first. A cross-stratum choice is allowed but flagged in the audit log.



Matched Reserve case


The Reserve that replaces this case if it drops out. Activating that Reserve later still requires an authorised reason and an evidence note.

Figure 13. Matched Reserve case.

4.6 Moving cases through verification (bulk)

Every Main case must reach **S03 Eligible respondent identified** before it is invited, otherwise its status will not follow the respondent and no reminders are offered. Verification (S00 → S01 → S02 → S03) can be done for all cases at a step at once.

1. Open **Main-400 Register**.
2. In **Move cases through verification**, choose the step, for example **S00 Selected → S01 Verification required**. The button shows how many Main cases are at that step, e.g. **Move all 48**.



Move cases through verification

Figure 14. The bulk verification tool on the register.

3. Select the button and confirm. Each case is moved individually and each move is written to the audit log under your name.
4. Repeat for **S01 → S02** and **S02 → S03**.

Only verification is bulk

Statuses from S04 onwards follow real events (invitation sent, link opened, questionnaire submitted, QA decision) or an individual decision on the case page. They are never changed in bulk.

4.7 Downloading data

ABF-FST Research Operations Centre
pi.admin · PI / System Admin

Change password · Sign out

Executive · Sampling · Reports · Contact · QA Dashboard · KII/Doc Dashboard · Main-400 Register · Organisations · Appointments · Follow-ups · Form PDFs · QA Queue · QA Exceptions · KII Register

← Back to Dashboard

Data Export

De-identified analysis export

CSV with no contact-identifying fields -- safe for analysis and sharing with the wider research team. Available to Analysts, Field Coordinators and the PI/Admin.

[Download analysis export \(CSV\)](#)

Full operational export

Includes contact data (names, phone, email, gatekeeper details). Internal operations use only -- never distributed externally. PI/Admin only.

[Download operational export \(CSV\)](#)

KoboToolbox data — every completed form

Straight from KoboToolbox. The Excel workbook has one row per submission with answers as codes (for SPSS, Stata or R) and as labels, a question dictionary, the choice lists, and a sheet for each repeating group; questionnaire rows also show the matched case, QA state and any withdrawal. The ZIP holds every completed form as a PDF with a manifest. PI only; every download is audited.

Main Study Questionnaire	Excel workbook	All completed forms (PDF ZIP)
Main Study KII Guide	Excel workbook	All completed forms (PDF ZIP)
Document, Digital Platform & Media Analysis Tool	Excel workbook	All completed forms (PDF ZIP)

A large ZIP starts downloading straight away and grows as each form is added.

Research study: This portal supports data collection for a doctoral research study on agribusiness financing readiness. Your participation and responses are used for research purposes only. No score, rating, or

Figure 15. Data Export.

Download	Contains	Who
De-identified analysis export (CSV)	One row per questionnaire: sample_id, master_id, province, actor_family, value_chain, size_class, administration_mode, qa_status, submitted_at, completion_seconds. No names or contact details. Participants who withdrew are left out.	PI, Field Coordinator, Analyst
Full operational export (CSV)	Every questionnaire, including withdrawn ones (consent_withdrawn), plus organisation name, respondent name, phone, email and gatekeeper details. Internal operations only.	PI only
KoboToolbox data: Excel workbook	Every submission's answers for one form: data_codes (codes for SPSS/Stata/R), data_labels, a sheet per repeat group, the questions dictionary, the choices lists, and for the questionnaire the matched case, QA status, withdrawal flag and workflow status.	PI only
KoboToolbox data: All completed forms (PDF ZIP)	Every completed form as a PDF, with manifest.csv listing file, record, KoboToolbox id and submission time.	PI only

Getting all the data for cleaning and analysis


1. Select **Export**.
2. Under **KoboToolbox data — every completed form**, select **Excel workbook** for the **Main Study Questionnaire**. Repeat for the **Main Study KII Guide** and the **Document, Digital Platform & Media Analysis Tool**.
3. Select **All completed forms (PDF ZIP)** for each form you need as PDFs. A large ZIP starts at once and grows while it downloads — let it finish.
4. Open the workbook's **README** sheet first. Use `data_codes` for statistical software and `data_labels` for reading. `meta/rootUuid` identifies a submission across edits; `_parent_id` links repeat rows to their submission.
5. For analysis without identities, share only the **De-identified analysis export** and the workbook columns you have checked contain no names or contact details.

Handle raw data carefully

Workbooks and PDFs contain the answers themselves, and the KII Guide identifies people. Store them only on encrypted, access-controlled storage as the data management plan requires. Every download is recorded in the audit log.

4.8 Checking the audit log

1. Select **Audit Log**. Each row shows when, the action (e.g. `invitation.issued`, `consent.recorded`, `sampling.bulk_workflow_transition`, `kobo.data_exported`), the record, and the user.



When	Action	Object	User
9/15/2026, 7:36:40 PM	invitation.issued	InvitationToken:40	contact.ra
9/15/2026, 7:34:06 PM	invitation.issued	InvitationToken:39	contact.ra
9/15/2026, 7:30:55 PM	consent.recorded	ConsentRecord:38	system
9/15/2026, 7:30:55 PM	eligibility.checked	Respondent:49	system
9/15/2026, 7:30:27 PM	consent.recorded	ConsentRecord:37	system
9/15/2026, 7:30:22 PM	eligibility.checked	Respondent:48	system
9/15/2026, 7:30:08 PM	invitation.issued	InvitationToken:38	system
9/15/2026, 7:30:08 PM	invitation.issued	InvitationToken:37	system
9/15/2026, 7:29:09 PM	consent.recorded	ConsentRecord:36	system
9/15/2026, 7:29:09 PM	eligibility.checked	Respondent:47	system
9/15/2026, 7:27:54 PM	consent.recorded	ConsentRecord:35	system
9/15/2026, 7:27:48 PM	eligibility.checked	Respondent:46	system
9/15/2026, 7:27:29 PM	invitation.issued	InvitationToken:36	system
9/15/2026, 7:27:29 PM	invitation.issued	InvitationToken:35	system
9/15/2026, 7:26:29 PM	consent.recorded	ConsentRecord:34	system
9/15/2026, 7:26:25 PM	eligibility.checked	Respondent:45	system

Figure 16. Audit Log, newest first.

2. Page through with **Previous** and **Next**. Actions taken by scheduled jobs or by respondents themselves show **system**.

4.9 Recording a withdrawal

A participant may withdraw at any time, for any reason, without giving one.

1. Stop contacting the person immediately.
2. On the case page, in **Record a withdrawal**, choose **How they told us — By phone or in person**, or **In writing (WhatsApp, email, letter) —** and type the reason or their own words.

Figure 17. Record a withdrawal.

3. Select **Record withdrawal** and confirm.

In one step the portal records the withdrawal, stops the invitation link and all reminders, moves the case to **S12 Refused** where allowed, erases the phone, WhatsApp, email and gatekeeper contact, and flags the case as `consent_withdrawn` in every export. This cannot be undone.

Answers already submitted

PI decision (15 September 2026): a questionnaire submitted before the withdrawal is **kept for the audit trail but never analysed**. It is left out of the de-identified analysis export automatically, flagged `consent_withdrawn` in the operational export, and marked in the PI's KoboToolbox workbook (README count and `portal_consent_withdrawn = TRUE`) and PDF ZIP (file name starts WITHDRAWN-).

4.10 Activating a Reserve case

A Reserve replaces its Main case only after the Main case reaches a drop state (S12 Refused, S13 Nonresponse, S14 Ineligible or S15 Duplicate/inactive) and there is evidence.

1. Select **Reserve Activation**. Every locked Reserve is listed with a search box.

Figure 18. Reserve Activation.

2. Find the Reserve matched to the dropped Main case (the Main case page shows the pairing).
3. Choose the authorised reason: **Ineligible**, **Inactive**, **Duplicate**, **Refusal** or **Nonresponse exhausted**. There is deliberately no "other".
4. Write the **Evidence note (required)**, e.g. "MD declined by phone 12 Sep, logged in contact timeline".
5. Select **Activate this reserve**. The Reserve becomes invitable and is worked like any Main case, starting with verification.

4.11 Reviewing questionnaires in the QA Queue

1. Select **QA Queue**. Each submission shows the Sample ID, when it was submitted, the administration mode, the completion time in minutes and its QA status (PENDING or QUERY).

Figure 19. QUAN QA Queue with the KoboToolbox sync panel.

2. Open the completed form to check the answers: **Form PDFs** → **Download PDF**, or the **Completed questionnaire** panel on the case page.
3. Check it against the QA rules (table below) and any open QA exception for that case.
4. Write a **Note (required)** explaining your decision.
5. Select **Accept** (moves the case to S10 QA passed), **Re-query** (S09 QA query — follow up with the respondent or the RA who administered it) or **Reject** (not usable).

Rule	Setting	Effect
Required answers missing	65 required fields from the live questionnaire	Hard stop: raises an exception; cannot pass without a human decision and note.
Too quick	Completed in under 5 minutes (300 s)	Soft flag for review.
Too slow	Completed in over 90 minutes (5400 s)	Soft flag for review.

Rule	Setting	Effect
Possible duplicate	Another submission for the same organisation within 24 hours	Soft flag for review.

Nothing passes automatically

Even a submission with no flags needs a person to select Accept. Every decision and its note is audited.

Pulling new submissions now

Submissions arrive within seconds (KoboToolbox notifies the portal) and a full check runs every 15 minutes between 06:00 and 22:00 and hourly overnight. To check immediately, select **Sync now** in **KoboToolbox sync**; the panel shows the last run, how many were pulled and how many were new or updated. An edited submission returns to the queue for review.

4.12 Working QA exceptions

1. Select **QA Exceptions**. Each card shows the rule that fired (for example `hard_stop_missing_required_fields` or `min_plausible_duration_seconds`), the Sample ID, when it was raised and its status. Oldest first.

ABF-FST Research Operations Centre
qa.ra · QUAN/Kobo QA RA

QA Dashboard Form PDFs QA Queue QA Exceptions

← Back to QA Queue

QA Exception Queue ☐ Only mine ☐ Show closed
Automated QA flags awaiting someone. Oldest first.

OPEN ON THIS PAGE: 1

IN PROGRESS: 2

OLDEST HERE: today

min_plausible_duration_seconds
QUAN submission SID-2826-000057 - raised 9/15/2026

Unassigned

What was done about it? (required to close)

Resolved Not a real problem

A note is required before closing — a closure nobody explained looks the same as one nobody looked at.

hard_stop_missing_required_fields
QUAN submission SID-2826-000065 - raised 9/15/2026

qa.ra with qa.ra

Figure 20. QA Exception Queue.

2. Tick **Only mine** to see exceptions assigned to you; tick **Show closed** to include resolved ones.
3. Use **Assign to** to take ownership (or give it to a colleague). The status becomes **In progress**.
4. Investigate: open the form PDF, check the case timeline, contact the respondent if needed.
5. Type **What was done about it?** and select **Resolved**, or **Not a real problem** if the flag was a false alarm. A note is always required.

4.13 Downloading or emailing completed forms (Form PDFs)

1. Select **Form PDFs**. You see the completed questionnaire, KII Guide and document forms from KoboToolbox, newest first, 20 per page.

ABF-FST Research Operations Centre
pi.admin · PI / System Admin

Change password · Sign out

Executive · Sampling · Reports · Contact · QA Dashboard · KII/Doc Dashboard · Main-400 Register · Organisations · Appointments · Follow-ups · Form PDFs · QA Queue · QA Exceptions · KII Register

← Back to Dashboard

Completed forms

ABF-FST Main Study Questionnaire

✓ In sync with KoboToolbox
KoboToolbox holds 3 · the portal holds 3 · last synced 9/20/2026, 1:05:17 AM

Sync now · Excel workbook · All as PDFs (ZIP)

SID-2026-000069	✓ saved in portal Submitted 9/14/2026, 6:12:40 AM · web form	Download PDF	Email to me	Email to respondent
SID-2026-000071	✓ saved in portal Submitted 9/13/2026, 12:40:02 PM · web form	Download PDF	Email to me	Email to respondent
SID-2026-000073	✓ saved in portal Submitted 9/12/2026, 8:05:57 AM · web form	Download PDF	Email to me	Email to respondent

Showing 1–3 of 3 submissions

Previous · Page 1 of 1 · Next

Figure 21. Completed form PDFs.

2. At the top, the sync panel shows whether the portal holds the same forms as KoboToolbox: for example “✓ In sync with KoboToolbox — KoboToolbox holds 12 · the portal holds 12”. Each row also says “✓ saved in portal” once the portal has an identical copy. If the panel says “Not in sync”, select **Sync now**; it takes a few seconds.
3. Select **Download PDF** to save a readable copy: sections, questions, the chosen answers as words (not codes) and repeated groups.
4. Select **Email to me** to send the PDF to the email address on your account.
5. For the questionnaire only, select **Email to respondent** to send the respondent a copy of their own answers at the email address recorded on the case (only while their consent stands). You are asked to confirm first. Every email is audited with the address masked.

The same PDF is available from the record itself: the case page (questionnaire), the KII page (KII Guide) or the document page (coding form).

How the sync works

The portal keeps its own copy of the questionnaire, KII Guide and Document Analysis Tool, and refreshes it every 15 minutes and whenever someone selects Sync now. A submission edited in KoboToolbox is updated here; one deleted in KoboToolbox is flagged as removed. You never need to sync before downloading a PDF: the PDF is always read from KoboToolbox at that moment.

4.14 KoboToolbox: rotating credentials and changing forms

1. Change the KoboToolbox password, then create a new API token (**Account settings → Security**).
2. On the server run `sudo bash /srv/agribiz-drp/deploy/configure-kobo.sh` and paste the new token when asked.

3. In **QA Queue**, select **Sync now** and check the run succeeds.
4. When editing a form, keep the identifier fields unchanged (see System Manual 9.2), test with a test invitation, and delete the test submission.

4.15 Before the first live invitation

- Collect respondent phone numbers on the case pages (many Main cases have none yet).
- Rotate the KoboToolbox password and API token.
- Add the Gmail App Password with `configure-email.sh` so **Email** buttons work.
- Complete the one-time Google Drive sign-in for offsite backups and store the encryption key in a password manager.
- Create named accounts for each RA and reassign cases.
- Run one user-acceptance invitation end to end on a real phone.

5. Rules you must follow

- Download raw KoboToolbox data only to encrypted, access-controlled storage; every download is audited.
- Share only the de-identified analysis export beyond the core team.
- Treat everything in the portal as **confidential research data**. Do not screenshot, copy, print or forward names, phone numbers, email addresses or answers except as your role requires.
- Never share your username or password, and never sign in for someone else.
- Use the respondent's contact details **only** to manage their participation in this study (invitations, reminders, appointments).
- Never tell a respondent, lender or anyone else that answers affect financing. The study generates **no score, rating or financing decision**.
- If a respondent asks to withdraw, stop contacting them and tell the Field Coordinator or PI the same day so the withdrawal is recorded.
- Report a lost device, a suspected account compromise, or data sent to the wrong person to the PI immediately.

6. Troubleshooting

Situation	Likely cause	What to do
Email buttons missing or failing	Outgoing email not configured, or the Gmail App Password revoked.	Run <code>configure-email.sh</code> on the server.
Workbook shows NOT_IN_PORTAL in portal_qa_status	A submission that was not matched to a case (e.g. a test or a direct public-link submission).	Check it in KoboToolbox; exclude or delete test submissions.
"This screen isn't part of your role"	The screen belongs to another role (often an old bookmark or shared link).	Select Go to my start screen. If you need that screen, ask the PI about your role.
"Too many sign-in attempts from this network"	Sign-in is rate-limited per network; an office shares one address.	Wait a minute and try again. A wrong password says so explicitly.
A register shows fewer rows than expected	Registers show 20 rows per page; a Contact RA sees only assigned cases.	Use Next, or search. Ask the Field Coordinator to assign the case.
A button is greyed out	A required step is missing (a note, an authenticity decision, a selection).	Read the message beside the button; complete the missing step first.
"KoboToolbox couldn't be reached"	KoboToolbox is slow or the connection token has changed.	Try again in a few minutes. If it persists, tell the PI.
Form PDFs says "Not in sync with KoboToolbox yet"	The counts differ: a form was submitted or changed in KoboToolbox since the last sync (it runs every 15 minutes).	Select Sync now. If it still differs, or says it couldn't reach KoboToolbox, try again in a few minutes and tell the PI if it persists.
A document says "Already submitted" and its answers are locked	Its coding was already sent to KoboToolbox; changing it here would not change that record.	To redo the coding, delete that record in KoboToolbox, then select Sync now on Form PDFs. The document unlocks.
A page keeps loading	A slow or dropped connection.	Refresh the page. Your saved work is not lost; unsaved typing may be.
A file upload seems stuck	A large file on a slow connection takes time; the bar shows how much has been sent.	Wait for Saving... and the file name. If it fails, try again or upload a smaller version.

7. Quick reference

Sign in	https://research.agribizframework.com/admin/login
You start on	Executive Dashboard
Account admin	https://research.agribizframework.com/django-admin/
KoboToolbox	https://kf.kobotoolbox.org
Your exports	Export → KoboToolbox data (Excel workbook, PDF ZIP)
Help	Field Coordinator; PI: Happyson Saina, 0773943709, abffst.research.cut@gmail.com