

Role Guide 6: Documentary Evidence Research Assistant

Step-by-step instructions for the Documentary RA role in the ABF-FST Digital Respondent Portal.

STUDY	Developing and Validating the Agribusiness Bankability Framework for Food Systems Transformation through Novel Financing Models in Zimbabwe (ABF-FST)
PRINCIPAL RESEARCHER	Happyson Saina, Doctor of Strategic Management candidate, Chinhoyi University of Technology
SUPERVISORS	Dr L. Chikazhe and Dr J. Kanyepe
FOR	Research assistants who collect, assess and code documentary evidence
SYSTEM ADDRESS	https://research.agribizframework.com
CONTACT	0773943709 · abffst.research@gmail.com
VERSION	Version 1.12 · 28 September 2026

Screenshots in this document use *fictional demonstration data*. Organisation and person names, phone numbers and figures shown in them are not real study records.

Contents

1. Your role at a glance	3
2. Signing in and your screens	4
Signing in	4
Finding your way around	4
Your screens	5
Changing your password	5
3. Your routine	6
4. Step-by-step tasks	7
4.1 Reading the dashboard	7
4.2 The fastest way: upload the document (Quick add)	7
4.3 Coding another chapter of the same document (Copy for another chapter)	9
4.4 Adding a document by hand	9
4.5 Correcting a record's details	9
4.6 Attaching the source file, and removing a wrong one	10
4.7 Assessing and including a document	10
4.8 Coding a document: two ways	12
4.9 Auto-fill: the AI drafts, you review	12
4.10 Downloading or emailing completed forms (Form PDFs)	17
4.11 Judging authenticity	18
5. Rules you must follow	19
6. Troubleshooting	20
7. Quick reference	21
8. Every screen and button for your role	22
8.1 Sign in	22
8.2 The header and menu bar (every screen)	22
8.3 Change Password	23
8.4 KII / Document Dashboard	23
8.5 Documents (the corpus)	24
8.6 New Documentary Evidence Record	24
8.7 Document record	25
8.8 Auto-fill review screen	26
8.9 Completed forms (Form PDFs)	27

1. Your role at a glance

You build the documentary corpus of 50–75 coded sources: record each document, judge its authenticity before it can be included, explain your reasoning in a memo, and code it with the Document, Digital Platform & Media Analysis Tool in KoboToolbox.

You can

- See the KII/Doc Dashboard, the Documents register and document records.
- Create document records: upload the document and let the AI fill in the details and draft the form (Quick add), or type them in.
- Copy a record for another chapter of the same document, with its own file.
- Correct a record's details, assess authenticity, include or exclude, write memos.
- Attach, replace or remove a document's source file.
- Use Auto-fill (once switched on) to have AI draft the coding form, then review, edit and submit it.
- Download PDFs of completed document coding forms.

You cannot

- See or edit KII records, questionnaire QA, the Main-400 register, costs or exports.
- Include a document before its authenticity has been assessed.
- Send an AI draft to KoboToolbox without reviewing it: nothing is submitted until you select Submit.

Where this fits

The System Manual explains how the whole system works. This guide covers only what you do, and its last section lists every screen and button you can use, with what each does and why. Ask the Field Coordinator or PI when something is outside your role.

2. Signing in and your screens

Signing in

1. Open <https://research.agribizframework.com/admin/login> in any modern browser (Chrome, Edge, Firefox or Safari), on a computer, tablet or phone.
2. Type your **Username** and **Password**, then select **Sign in**.

The image shows a web browser window displaying the internal sign-in page. At the top, a dark blue header bar contains the text 'CHINHOYI UNIVERSITY OF TECHNOLOGY' and 'ABF-FST Research Operations Centre'. Below the header, the main content area is light gray. In the center, there is a white box titled 'Internal sign in'. Inside this box, there are two input fields: 'Username' with the text 'pi.admin' entered, and 'Password' which is empty. Below the password field is a dark blue button labeled 'Sign in'.

Figure 1. The sign-in screen for all internal staff.

3. You arrive on your start screen: **KII/Doc Dashboard**. The bar across the top lists only the screens your role (Documentary RA) can open.

Accounts

There is no self-registration. The PI / System Admin creates every account and sets its role. Ask the PI if you need an account, a different role, or a password reset.

Finding your way around

- The **top bar** shows your username and role, and the screens you can use. It is not a full menu with some items greyed out: anything absent is simply not part of your role.
- Most screens have a **← Back to ...** link at the top that returns you to the screen you came from.
- Registers show **20 rows per page** to begin with. At the foot of the list, **Show** lets you choose 10, 20, 50, 100 or 200 rows per page (the portal remembers your choice), and the page numbers, **Previous**, **Next** and the double arrows take you to any page. The **Search** box above the list narrows it.
- **Change password** (top right) lets you set a new password at any time. Choose a long password you do not use anywhere else.
- **Sign out** (top right) ends your session. Always sign out on a shared or public computer.
- If you are inactive for a while you may be asked to sign in again. This protects research data on unattended devices.



Figure 2. Opening a screen outside your role (for example from an old bookmark) shows this card instead of the screen.

Your screens

Screen	What you use it for
KII/Doc Dashboard	Documents by type and QA status against the 50–75 target.
Form PDFs	Completed document coding forms, and whether the portal matches KoboToolbox (Sync now).
Documents	The corpus; create records by uploading the document, and manage them.

Changing your password

1. Select **Change password** in the top right corner.
2. Enter your **Current password**, then the **New password** twice, and select **Change password**.

The screenshot shows the 'Change Password' screen. The top navigation bar includes 'Change password' and 'Sign out'. Below the navigation bar, there is a 'Back to Dashboard' link. The main form area contains three input fields: 'Current password', 'New password', and 'Confirm new password'. A 'Change password' button is located at the bottom of the form.

Figure 3. Change Password screen.

3. Use the new password next time you sign in. If you have forgotten your password, ask the PI to reset it.

3. Your routine

A suggested rhythm. Adjust it to the Field Coordinator's plan.

When	What to do
When you find a source	Documents → New document → upload the file (Quick add): the AI fills in the record and drafts the form. No file? Type the details, with a precise reference and an evidence extract.
Check the details	Read the Record details on the record page and correct anything the AI got wrong.
Assessment	Verify authenticity against the source; mark Verified or Disputed; write the memo.
Inclusion	Include or Exclude with reasons in the memo.
Source file	Upload the source. Wrong one? Select Remove file and upload the right one.
Coding	Review the AI's draft field by field (Auto-fill), Save, then Submit; or use Code this document to answer the form yourself.
Another chapter	On the record, Copy for another chapter: enter the pages, and a new record with its own file is drafted. Authenticity is assessed separately for each.
Afterwards	Form PDFs shows the completed form; Sync now confirms the portal and KoboToolbox match.

4. Step-by-step tasks

4.1 Reading the dashboard




Figure 4. Documents by type and by QA status.

4.2 The fastest way: upload the document (Quick add)

You do not need to type the details of a document. Upload it and the AI reads it, fills in the record, drafts the whole KoboToolbox coding form, and waits for you to review. (This needs AI drafting to be switched on; otherwise use “Adding a document by hand” below.)

1. Select **Documents** → **New document**. At the top is the box **Fastest: upload the document**.

ABF-FST Research Operations Centre
documents.ra · Documentary RA

Change password Sign out

KII/Doc Dashboard Form PDFs Documents

← Back to Documents

New Documentary Evidence Record

Fastest: upload the document
The AI reads the file, fills in the title, author, date and other details, and drafts the whole coding form. You then review it, edit anything, and submit to KoboToolbox yourself.

Choose File No file chosen

► Optional: title, pages to read

Upload and auto-fill

Or enter the details yourself:

Title

Author / speaker

Source URL / reference

Document type
OFFICIAL

Geographic scope

Evidence extract

Figure 5. New document: upload the file and let the AI do the rest.

2. Choose the file: a PDF, a Word (.docx) or Excel (.xlsx) file, a text or CSV file, or a JPG or PNG scan or photo (up to 20 MB). Nothing else is required.
3. Optional (open **Optional: title, pages to read**): a **Title** if you want your own; **Pages to read** if you are coding one chapter of a long PDF, for example 290–340; or tick **Read the whole document in parts** for a PDF over 100 pages (see “Coding a very long document” below).
4. Select **Upload and auto-fill**. The record is created straight away and the review screen opens, showing “Step 1 of 2: reading the document’s details”, then “Step 2 of 2: drafting the coding form”. You can leave the page; the draft will be there when you return.
5. The AI has filled in the title, author, date, document type, geographic scope, value chain and source it found in the document, and left blank anything the document does not state. Check them on the record page under **Record details** and correct anything wrong; a correction shows in the draft at once and is used when you submit.
6. You still make the human decisions: assess **authenticity** (Verified or Disputed) and **Include** or **Exclude** the document, as described below.
7. Review every section of the draft, **Save changes**, then **Submit to KoboToolbox** (see “Auto-fill: the AI drafts, you review”). The portal keeps its own copy of the completed form; **Sync now** on **Form PDFs** confirms the portal and KoboToolbox match.

4.3 Coding another chapter of the same document (Copy for another chapter)

A long report holds several evidence units. Give each chapter you want coded its own record, so each gets its own ratings, its own DOC ID and its own row in the export. You do not upload the file again or retype the details:

1. Open the record of the document and, under **Copy for another chapter**, enter the chapter's **Pages to read** (for example 290-340) and, if you like, a **Chapter title**. Leave the title empty and the AI names the part from its pages, for example “Title – Chapter 6: Agriculture (pp. 290-340)”.




Figure 6. Copy for another chapter: pages, and an optional title.

2. Select **Copy and auto-fill** (or **Copy record** if AI drafting is not switched on). A new record is created with the same author, date, source, type and scope, and **its own copy of the file**, so removing or replacing one file never affects the other.
3. With AI drafting on, the new record's review screen opens and the AI starts drafting that chapter. Review, save and submit it as usual.
4. Authenticity and Include or Exclude are **not** copied: assess each chapter on its own. Repeat for every chapter you want coded.

Copy needs a file

The **Copy for another chapter** panel appears once a record has its source file. A title or pages is required, and a long PDF needs a page range (or the whole-document option). If the pages are not valid nothing is created.

4.4 Adding a document by hand

1. Select **Documents** → **New document** and, below **Or enter the details yourself**, fill in **Title**, **Author / speaker**, **Source URL / reference**, **Document type** (OFFICIAL, SECONDARY or PLATFORM), **Geographic scope** and an **Evidence extract**, then select **Create document record**. The document ID (e.g. DOC-0025) is generated.
2. Then attach the source file (below). If AI drafting is on, ticking **Start Auto-fill as soon as the file is uploaded** sends you straight to the draft.

4.5 Correcting a record's details

1. Open the record. Under **Record details** you can edit the title, author, publication or event date, source URL or reference, geographic scope, value chain and document type.

Record details

These go into the coding form as they are. If Auto-fill filled them in from the document, check them here.

Title: Example National Rural Finance Strategy 2026

Author / speaker: Ministry of Example (fictional)

Publication or event date: 03/12/2026

Source URL / reference: https://example.org/rural-finance-strategy-2026

Geographic scope: National

Value chain: Cross-cutting

Document type: OFFICIAL

Save details

Figure 7. Record details: the details the AI filled in, ready to check.

2. Select **Save details**. The details appear in the coding form's Section A: on the review screen they show in grey, and the corrected values are the ones submitted to KoboToolbox.

4.6 Attaching the source file, and removing a wrong one

1. On the document's page, under **Source file**, select **Choose File** and pick the source: a PDF, a scan or photo (JPG or PNG), a Word (.docx) or Excel (.xlsx) file, or a text or CSV file. Audio and video can be attached as a reference. The limit is 20 MB. The file is stored privately on the server.

Source file

rural-finance-strategy-2026.pdf · 37 KB · uploaded 9/20/2026 [Remove file](#)

Choose File No file chosen

A scan, photo, screenshot or recording of the source (PDF, image, Office file or audio/video, up to 20 MB). Uploaded the wrong one? Remove it above, or choose another file to replace it.

☒ Start Auto-fill as soon as the file is uploaded

Figure 8. Source file: the file name, size and date, with Remove file beside it.

2. A bar shows how much of the file has been sent. A large file on a slow connection can take a minute or two: wait until it says **Saving...** and the file name appears. If **Start Auto-fill as soon as the file is uploaded** is ticked (it is by default), the review screen then opens and the AI starts reading.
3. Attached the wrong one? Select the red **Remove file** link beside the file name and confirm. The file is deleted from the server and the record says “No file uploaded yet”. Then choose the right file.
4. Choosing another file straight away also replaces the old one.

What goes with a removed file

An AI draft (see below) made from the removed or replaced file is discarded too, so a draft of the wrong document can never be reviewed and submitted for the right one. A draft that has already been submitted to KoboToolbox is kept as the record of what was filed. Removals are recorded in the audit log with the file name.

4.7 Assessing and including a document

1. In **Documents**, select **Manage** on the record.

ABF-FST Research Operations Centre
documents.ra · Documentary RA

Change password Sign out

KII/Doc Dashboard Form PDFs Documents

← Back to KII/Doc Dashboard

Documentary Evidence Corpus

Search title, ID or author [New document](#)

Document ID	Title	Type	Authenticity	QA status	
DOC-0001	Agricultural Finance Strategy 2025–2030 (demo 1)	OFFICIAL	VERIFIED	PENDING	Manage
DOC-0002	Warehouse Receipt System Annual Report (demo 2)	SECONDARY	VERIFIED	INCLUDED	Manage
DOC-0003	Contract Farming Guidelines (demo 3)	PLATFORM	UNVERIFIED	PENDING	Manage
DOC-0004	Agro-dealer Credit Survey (demo 4)	OFFICIAL	DISPUTED	EXCLUDED	Manage
DOC-0005	Value Chain Finance Review: Horticulture (demo 5)	SECONDARY	VERIFIED	INCLUDED	Manage
DOC-0006	Mobile Money Adoption among Smallholders (demo 6)	PLATFORM	VERIFIED	INCLUDED	Manage
DOC-0007	Crop Insurance Market Assessment (demo 7)	OFFICIAL	UNVERIFIED	PENDING	Manage
DOC-0008	Tobacco Contract Finance Statement (demo 8)	SECONDARY	DISPUTED	EXCLUDED	Manage
DOC-0009	Dairy Sector Investment Brief (demo 9)	PLATFORM	VERIFIED	INCLUDED	Manage
DOC-0010	Bank Lending to Agriculture Bulletin (demo 10)	OFFICIAL	VERIFIED	PENDING	Manage
DOC-0011	Cooperative Governance Toolkit (demo 11)	SECONDARY	UNVERIFIED	PENDING	Manage
DOC-0012	Blended Finance Case Study (demo 12)	PLATFORM	DISPUTED	EXCLUDED	Manage
DOC-0013	Agricultural Finance Strategy 2025–2030 (demo 13)	OFFICIAL	VERIFIED	PENDING	Manage
DOC-0014	Warehouse Receipt System Annual Report (demo 14)	SECONDARY	VERIFIED	INCLUDED	Manage

Figure 9. Documentary Evidence Corpus.

2. Assess authenticity: select **Mark verified** or **Mark disputed**.

ABF-FST Research Operations Centre
documents.ra · Documentary RA

Change password Sign out

KII/Doc Dashboard Form PDFs Documents

← Back to Documents

Contract Farming Guidelines (demo 3)
DOC-0003 · PLATFORM

Authenticity: UNVERIFIED

[Mark verified](#) [Mark disputed](#)

QA status: PENDING

[Include](#) [Exclude](#)

Cannot be included until authenticity is assessed.

Source file

No file uploaded yet.

[Choose File](#) No file chosen

A scan, photo, screenshot or recording of the source (PDF, image, Office file or audio/video, up to 20 MB). Uploaded the wrong one? Remove it above, or choose another file to replace it.

Coding

Opens the KoboToolbox Document Analysis Tool with this record's DOC-ID and details already filled in.

[Code this document](#) [Auto-fill](#)

Auto-fill has AI read the uploaded source file and draft the whole form for you to review, edit and submit yourself — nothing reaches KoboToolbox until you do.

Figure 10. Document record: authenticity, QA status, memo and coding form.

- Set the QA status: **Include** or **Exclude**. A document cannot be included until authenticity has been assessed.
- Write the **Interpretive memo** (dispute reasons, interpretation notes) and select **Save memo**.
- Code the document (next two sections). The completed form's PDF then appears on the record, under **Completed coding form (KoboToolbox)**.

4.8 Coding a document: two ways

The **Coding** panel offers two buttons for the Document, Digital Platform & Media Analysis Tool:

Button	What it does	Use it when
Code this document	Opens the KoboToolbox Document Analysis Tool with the DOC ID, title, author, date and source already filled in. You answer every other question yourself.	You code by hand, or the source cannot be read by the AI.
Auto-fill	Has the AI read the uploaded source file and draft answers to the whole form. You review, edit and submit.	A source file is uploaded and you want a fast first draft. The button only appears once the administrator has switched AI drafting on.





Figure 11. The Coding panel: Code this document, and Auto-fill.

4.9 Auto-fill: the AI drafts, you review

1. Attach the source file (above). Select **Auto-fill** in the **Coding** panel; the review screen opens.
2. If the file is a PDF of more than 100 pages, enter the **Pages to read**, for example 10-90. The AI reads up to 100 pages at a time, so either choose the pages that make up this evidence unit, such as one chapter, or tick **Read the whole document in parts** (see “Coding a very long document” below). Its locators use the original page numbers. For shorter files, leave the box empty to read everything.

Figure 12. A 240-page PDF: enter a page range, or read the whole document in parts.

3. Select **Generate AI draft**. The AI reads in the background, usually one to five minutes. You can leave the page and come back; the draft will be there.



ABF-FST Research Operations Centre
documents.ra · Documentary RA

Change password Sign out

KI/Doc Dashboard Form PDFs Documents

← Back to Document


Auto-fill: Example Bank Product Guide 2026
DOC-0027

The AI is reading the document... Read part 3 of 8
A long document is read in parts and takes longer, often ten to thirty minutes. You can leave this page and come back; the draft will be here when it's ready.

Pages to read (optional)
all pages

Figure 13. The AI is reading the document.

4. Read the draft. It has every section of the KoboToolbox form, A to L. The DOC ID, author, title, date and source come from the record and cannot be changed here; everything else you can edit.



ABF-FST Research Operations Centre
documents.ra · Documentary RA

Change password Sign out

KI/Doc Dashboard Form PDFs Documents

← Back to Document

Auto-fill: Example National Rural Finance Strategy 2026
DOC-0025

Pages to read (optional)
all pages

Regenerate draft Save changes Submit to KoboToolbox

Drafted 9/20/2026, 4:52:13 AM by claude-opus-5. Read every field before saving or submitting -- this is a starting point, not a finished coding.

A. Source Identification and Provenance

The grey fields come from the record (the AI read them from the document's first pages when the record was made). To correct one, [edit the record details](#); the change appears here and is used when you submit.

DOC-ID
DOC-0025

Organisation / author
Ministry of Example (fictional)

Title / evidence unit
Example National Rural Finance Strategy 2026

Source class
Financing product/guideline

If Other, please specify
Fictional demonstration text for: If Other, please specify. See page 12, paragraph 4.

Publication/event date
2026-03-12

Access/capture date
2026-09-20

Figure 14. The review screen: the draft, ready to check and edit.

5. Check the judgements, not just the facts: the strength ratings (Sections D and H), the hypothesis codes (Section K) and the locators. Open the source and confirm a few page or paragraph references.

D. Agribusiness Bankability Index — ABI Core Dimensions

D1 Governance & Risk Management — Strength

Moderate

D1 Governance & Risk Management — Evidence summary

Fictional demonstration text for: D1 Governance & Risk Management — Evidence summary. See page 12, paragraph 4.

D1 Governance & Risk Management — Locator

Fictional demonstration text for: D1 Governance & Risk Management — Locator. See page 12, paragraph 4.

D2 Contractual Credibility — Strength

Moderate

D2 Contractual Credibility — Evidence summary

Fictional demonstration text for: D2 Contractual Credibility — Evidence summary. See page 12, paragraph 4.

D2 Contractual Credibility — Locator

Fictional demonstration text for: D2 Contractual Credibility — Locator. See page 12, paragraph 4.

D3 Cash-Flow Predictability — Strength

Weak

D3 Cash-Flow Predictability — Evidence summary

Fictional demonstration text for: D3 Cash-Flow Predictability — Evidence summary. See page 12, paragraph 4.

D3 Cash-Flow Predictability — Locator

Figure 15. Section D: ratings and locators, all editable.

6. Check the numbers in Section J against the source. Add or remove metrics as needed.

J. Quantitative Evidence Extraction Add metric

Metric: Other If Other, please specify

Share of farmers with a bank account

Value: 62% Unit/currency

percent

Period: 2025 Population/geography

National

Target/forecast/actual: Actual Locator

Table 3, page 21

Remove this metric

Metric: Other If Other, please specify

Target for warehouse receipt volume

Value: 150,000 Unit/currency

tonnes

Period: 2030 Population/geography

National

Target/forecast/actual: Target Locator

Paragraph 9.3, page 44

Remove this metric

Figure 16. Section J: quantitative metrics.

7. Select **Save changes** to keep your edits and finish later. When you are satisfied, select **Submit to KoboToolbox** and confirm. Your reviewed answers are sent as a completed record.

8. The record appears at once under **Completed coding form (KoboToolbox)** on the document page and in **Form PDFs**, found by its DOC ID. The portal's copy of the Document Analysis Tool is refreshed the moment you submit. If a coding you submitted is later deleted in KoboToolbox, the next sync (automatic, or **Sync now** on **Form PDFs**) unlocks the document so it can be coded again.

The draft is a starting point, not a finding

Sections D to K are this study's documentary analysis. The AI drafts them; you are responsible for them. Change any rating you disagree with. A draft where everything is rated as strongly supportive deserves a second look.

Nothing reaches KoboToolbox until you select **Submit**. Each draft and submission is recorded in the audit log, so the study can say exactly which records were AI-assisted.

Submit once. A second submission would create a duplicate record for the document, and the screen shows "Already submitted" to stop it.

File type	Can the AI read it?	Locators
PDF	Yes, up to 100 pages at a time; longer files by page range, or read whole in parts (up to 1,500 pages).	Original page and paragraph numbers.
JPG, PNG (scan or photo)	Yes. Very large photos are shrunk automatically.	Whatever the image shows.
Word (.docx), Excel (.xlsx), text, CSV	Yes, as text.	No page numbers: headings, paragraph or section numbers, sheet names.
Audio or video	No. Upload a transcript (PDF, Word or text) and keep the recording as the source reference.	-
Old .doc or .xls	No. Save as a PDF or as .docx / .xlsx and upload that.	-

Coding a very long document

The AI can take in 100 pages at a time. A report of several hundred or a thousand pages therefore needs one of two approaches:

- **One record per chapter (recommended).** Make a record for each part you want coded, for example "NDS2 – Agriculture chapter": upload the PDF once, then use **Copy for another chapter** on that record for every further part, entering each part's page range (see "Coding another chapter of the same document" above). Review and submit each one. Each part gets its own DOC ID, its own coding and its own row in the Excel export.
- **Read the whole document in parts.** Tick **Read the whole document in parts**. Leave **Pages to read** empty for every page, or enter a longer range such as 1-600 (up to 1,500 pages). The AI codes each part of about 80 pages, then combines them into one draft for the record. The screen tells you how many parts it will take and asks you to confirm, then shows progress ("Read part 3 of 8", then "Combining the parts into one draft"). Expect roughly ten to thirty minutes, and you can leave the page.

A combined draft needs extra care

Because the ratings are judged across the parts rather than from every page at once, check the strength ratings (Sections D and H), the hypothesis codes (Section K) and the locators more carefully than for a single chapter. The draft states which pages it covers; confirm that this is the evidence unit you meant.

A whole-document read costs about the number of parts plus one times an ordinary draft. If any part fails, the whole draft fails and nothing is saved, so you never receive a coding that silently skipped pages.

Whether a whole-document coding is appropriate for a given source is a methodology decision for the PI; for a report that covers many topics, one record per chapter usually gives a sharper analysis.

If Auto-fill shows a message

You see	What it means	What to do
"Pages to read (required)", or "This PDF has N pages..."	The PDF is longer than 100 pages.	Enter a page range of up to 100 pages, or tick Read the whole document in parts.
"...over the 1500-page ceiling..."	The PDF is longer than the most that can be read in one draft.	Enter a page range, or make one record per chapter.
"Step 1 of 2..." or "Step 2 of 2..."	A record made by Quick add is being filled in and drafted. Nothing is wrong.	Wait, or leave the page and come back.
A detail in Section A is wrong or blank	The AI reads only what the document states, and can mistake a title or date.	Correct it under Record details on the record page; the draft and the submission use the corrected value.
Quick add says the file can't be used	Unsupported type (for example audio), a damaged file, or a long PDF with no pages chosen.	Read the message: convert the file, enter a page range, or tick Read the whole document in parts. No record is created when this happens.
"Reconcile the pre-interview profile first..." when accepting a questionnaire, or a KII's coding will not complete	The case has a locked pre-interview profile with facts not yet verified with the respondent or not reconciled.	Open the case (or KII record) → Interview sheet; verify every fact, and ask the coordinator to reconcile the corrected ones.
"Read part 4 of 12" or "Combining the parts..."	A long document is being read in parts. Nothing is wrong.	Wait, or leave the page and come back.
"The AI's answer was cut off..."	The range was too big to answer in one go.	Try a narrower range.
"A draft is already being generated"	You or a colleague already started one.	Wait for it to finish (about five minutes; up to half an hour for a document read in parts).
"The last attempt failed: ..."	The AI request did not complete.	Select Generate AI draft again. If it keeps failing, tell the administrator the message.
"The AI account has run out of credit..."	The study's AI account has no funds left.	Tell the administrator to add credit in the Anthropic console; nothing else to do on this screen.
No Auto-fill button	AI drafting has not been switched on, or there is no source file yet.	Attach the file; otherwise ask the administrator.
Submit is refused by KoboToolbox	KoboToolbox did not accept the record.	Tell the administrator; your draft is kept.

Cost

Each draft is a paid request on the study's AI account. A short chapter costs little; a full 100 pages costs several times more; a whole document read in parts costs about the number of parts plus one times an ordinary draft. Choose the pages you need.

4.10 Downloading or emailing completed forms (Form PDFs)

1. Select **Form PDFs**. You see the completed Document Analysis Tool forms from KoboToolbox, newest first.

ABF-FST Research Operations Centre
documents.ra · Documentary RA
Change password Sign out

KII/Doc Dashboard Form PDFs Documents

← Back to KII/Doc Dashboard

Completed forms

✓ In sync with KoboToolbox
KoboToolbox holds 3 · the portal holds 3 · last synced 9/20/2026, 8:03:48 AM Sync now

DOC-0001 ✓ saved in portal Submitted 9/19/2026, 6:45:30 AM · by documents.ra	Download PDF	Email to me
DOC-0002 ✓ saved in portal Submitted 9/18/2026, 10:12:04 AM · by documents.ra	Download PDF	Email to me
DOC-0003 ✓ saved in portal Submitted 9/16/2026, 5:58:52 AM · by documents.ra	Download PDF	Email to me

Showing 1 to 3 of 3 submissions

Show: 20 per page Previous 1 Next

Figure 17. Completed document coding forms, with the sync status.

2. Select **Download PDF** to save a readable copy: sections, questions, the chosen answers as words (not codes) and repeated groups.
3. Select **Email to me** to send the PDF to the email address on your account.

At the top of the page, a sync panel shows whether the portal holds the same forms as KoboToolbox, for example “✓ In sync with KoboToolbox — KoboToolbox holds 12 · the portal holds 12”. Each row also says “✓ saved in portal” once the portal has an identical copy. If the panel says “Not in sync”, select **Sync now** (read-only roles see the panel but not the button); it takes a few seconds.

The same PDF is available from the record itself: the case page (questionnaire), the KII page (KII Guide) or the document page (coding form).

How the sync works

The portal keeps its own copy of the questionnaire, KII Guide and Document Analysis Tool, and refreshes it every 15 minutes and whenever someone selects Sync now. A submission edited in KoboToolbox is updated here; one deleted in KoboToolbox is flagged as removed. You never need to sync before downloading a PDF: the PDF is always read from KoboToolbox at that moment.

4.11 Judging authenticity

- **Official:** from a government body, regulator or the organisation itself — check it on the issuer's own site or registry.
- **Secondary:** reports, studies, articles — check the publisher, author and date.
- **Platform:** websites, social media, digital platforms — capture the URL and date accessed; corroborate claims elsewhere.
- Mark **Disputed** when authorship, date or content cannot be confirmed, and say why in the memo.

5. Rules you must follow

- Record the exact source reference so another researcher can find the same document.
- Do not store copyrighted documents outside the study's approved storage.
- Treat everything in the portal as **confidential research data**. Do not screenshot, copy, print or forward names, phone numbers, email addresses or answers except as your role requires.
- Never share your username or password, and never sign in for someone else.
- Use the respondent's contact details **only** to manage their participation in this study (invitations, reminders, appointments).
- Never tell a respondent, lender or anyone else that answers affect financing. The study generates **no score, rating or financing decision**.
- If a respondent asks to withdraw, stop contacting them and tell the Field Coordinator or PI the same day so the withdrawal is recorded.
- Report a lost device, a suspected account compromise, or data sent to the wrong person to the PI immediately.

6. Troubleshooting

Situation	Likely cause	What to do
Include is greyed out	Authenticity not assessed.	Mark verified or disputed first.
No coding form PDF on the record	The form was not submitted with this DOC ID.	Use Code this document or Auto-fill so the DOC ID is filled in for you.
A record says "Already submitted" and is locked	Its coding was already sent to KoboToolbox.	To redo it, delete that record in KoboToolbox, then select Sync now on Form PDFs.
No Auto-fill button	No source file yet, or AI drafting is not switched on.	Attach the file; otherwise ask the administrator.
Auto-fill asks for Pages to read	The PDF has more than 100 pages.	Enter a range of up to 100 pages, such as one chapter, or tick Read the whole document in parts.
Uploaded the wrong file	It happens.	Select Remove file beside the file name, then upload the right one.
"This screen isn't part of your role"	The screen belongs to another role (often an old bookmark or shared link).	Select Go to my start screen. If you need that screen, ask the PI about your role.
"Too many sign-in attempts from this network"	Sign-in is rate-limited per network; an office shares one address.	Wait a minute and try again. A wrong password says so explicitly.
A register shows fewer rows than expected	Registers show 20 rows per page to begin with; a Contact RA sees only assigned cases.	Choose more rows under Show at the foot of the list, use the page numbers or Next, or search. Ask the Field Coordinator to assign the case.
A button is greyed out	A required step is missing (a note, an authenticity decision, a selection).	Read the message beside the button; complete the missing step first.
"KoboToolbox couldn't be reached"	KoboToolbox is slow or the connection token has changed.	Try again in a few minutes. If it persists, tell the PI.
Form PDFs says "Not in sync with KoboToolbox yet"	The counts differ: a form was submitted or changed in KoboToolbox since the last sync (it runs every 15 minutes).	Select Sync now. If it still differs, or says it couldn't reach KoboToolbox, try again in a few minutes and tell the PI if it persists.
A document says "Already submitted" and its answers are locked	Its coding was already sent to KoboToolbox; changing it here would not change that record.	To redo the coding, delete that record in KoboToolbox, then select Sync now on Form PDFs. The document unlocks.
A page keeps loading	A slow or dropped connection.	Refresh the page. Your saved work is not lost; unsaved typing may be.
A file upload seems stuck	A large file on a slow connection takes time; the bar shows how much has been sent.	Wait for Saving... and the file name. If it fails, try again or upload a smaller version.

7. Quick reference

Sign in	https://research.agribizframework.com/admin/login
You start on	KII/Doc Dashboard
Target	50–75 coded documents
Types	OFFICIAL, SECONDARY, PLATFORM
Fast path	New document → upload file → AI fills the record and drafts the form → check details → assess authenticity → review draft → Submit → Sync now
Long report	One record per chapter: Copy for another chapter, then the chapter's pages
Auto-fill	AI drafts; you review every field; only Submit sends it
Help	Field Coordinator; PI: Happyson Saina, 0773943709, abffst.research@gmail.com

8. Every screen and button for your role

This section lists every screen you can open as Documentary RA, and for each control: what it does and when to use it, why it exists (the rule behind it), and what you will see next. It is the same material as the Screen and Button Reference, cut down to your role.

Reading the tables

Control is the label you see on screen. **Why it exists** explains the rule or risk behind it; if a button is greyed out, this column usually says why. A control that needs a note or a confirmation says so.

8.1 Sign in

Who can open it: every role. **Where:** /admin/login

Where every staff member starts. Staff accounts are created by the PI; there is no self-registration.

Control	What it does and when to use it	Why it exists	What happens next
Username	Type the username the PI gave you.	Every action in the portal is recorded against a named person, so accounts are never shared.	Nothing yet; you also need the password.
Password	Type your password. The characters are hidden.	Passwords are never shown or emailed; the PI can reset yours but cannot read it.	Nothing yet; select Sign in.
Sign in	Checks your username and password and opens your start screen (the first screen your role uses).	Repeated wrong attempts from one network are refused for a minute, to stop password guessing.	Your start screen opens. A wrong password says so. "Too many sign-in attempts" means wait a minute.

8.2 The header and menu bar (every screen)

Who can open it: every role. **Where:** (top of every screen)

Shown at the top of every signed-in screen. The menu bar lists only the screens your role may open.

Control	What it does and when to use it	Why it exists	What happens next
Menu bar (Executive, Sampling, ... Audit)	Opens a screen. The current screen is underlined.	The list is built by the server from your role, so you never see a screen that would refuse you.	The screen opens. A screen not in your list shows "This screen isn't part of your role".
Change password	Opens the Change Password screen.	You should change the first password you were given, and any password you think someone saw.	The Change Password screen opens.
Sign out	Ends your session on this device.	Protects the data if the device is shared or lost. Always sign out on a shared device.	Your session on this device ends and you return to the Sign in screen.

Control	What it does and when to use it	Why it exists	What happens next
← Back to ... (top left)	Returns to the parent screen (for example from a case to the register).	A consistent way back that does not lose your place in the menu.	The parent screen opens.
Go to my start screen	Appears on the “This screen isn't part of your role” page and takes you to your own start screen.	An old bookmark or shared link may point at a screen that belongs to another role; this gets you out safely.	Your start screen opens.

8.3 Change Password

Who can open it: every role. **Where:** /admin/account

Change your own password.

Control	What it does and when to use it	Why it exists	What happens next
Current password	Type the password you use now.	Proves it is really you before a change, in case a signed-in device was left open.	Nothing yet.
New password	Type the new password.	It must be long enough, not a common password, not all digits and not similar to your username or name; the screen says which rule failed.	Nothing yet.
Confirm new password	Type the new password again.	Catches a typing slip that would lock you out.	Nothing yet.
Change password	Saves the new password.	Your old password stops working straight away, and other people (including the PI) never see your new one.	A confirmation appears. Use the new password next time.

8.4 KII / Document Dashboard

Who can open it: PI / System Admin, Field / Digital Coordinator, Data Analyst, Supervisor, KII RA, Documentary RA. **Where:** /admin/dashboard/kii-documents

Progress of the two qualitative strands against their targets (about 60 KIIs, 50–75 documents).

Control	What it does and when to use it	Why it exists	What happens next
KII by status	Counts KII records at each stage (prospect, invited, scheduled, completed, declined, no-show).	Shows how far the interview target has come.	Read only.
Documents by type / by QA status	Counts documents by type (official, secondary, platform) and by decision (pending, included, excluded).	Only included documents count towards the corpus target.	Read only.

8.5 Documents (the corpus)

Who can open it: PI / System Admin, Field / Digital Coordinator, Documentary RA, Supervisor. **Where:** /admin/documents

The register of documentary evidence (target 50–75 coded, included documents).

Control	What it does and when to use it	Why it exists	What happens next
New document	Opens the New Documentary Evidence Record screen.	Every source needs a record with a document ID before it can be coded.	The New document screen opens.
Search title, ID or author	Filters the list as you type.	Finding one document in 100 or more.	Only matching documents are listed.
Manage	Opens the document record.	All work on a document happens on its own record.	The document record opens.
Show / page numbers	Choose rows per page and move between pages.	As on every register.	The list redraws.

8.6 New Documentary Evidence Record

Who can open it: PI / System Admin, Field / Digital Coordinator, Documentary RA. **Where:** /admin/documents/new

Creates a document record. The fastest way is to upload the file and let the AI fill in the record and draft the coding form.

Control	What it does and when to use it	Why it exists	What happens next
Choose file (Fastest: upload the document)	Choose the document: PDF, Word, Excel, text or CSV, or a JPG/PNG scan or photo (up to 20 MB).	The AI can read all of these, so you do not retype details that are already on the first page.	Nothing is sent until you select Upload and auto-fill.
Optional: Title	Type a title of your own.	You may want a specific name, for example for one chapter of a report.	A typed title is kept; the AI does not replace it.
Optional: Pages to read	Enter the pages of a long PDF that make up this evidence unit, for example 290-340.	The AI reads at most 100 pages at a time, and a long report holds several evidence units.	Only those pages are read. With no title, the AI names the part.
Optional: Read the whole document in parts	Ticks the option to read a PDF longer than 100 pages in parts of about 80 pages, then combine them.	For a document you want coded as one unit; slower and dearer, and the ratings need extra checking.	The screen shows how many parts and asks you to confirm before it starts.
Upload and auto-fill	Creates the record, uploads the file, and starts the AI: first it fills in the record's details, then it drafts the whole coding form.	Saves typing every detail and every answer; a person still reviews and submits.	The review screen opens and shows "Step 1 of 2... Step 2 of 2". If the file cannot be used, nothing is created.

Control	What it does and when to use it	Why it exists	What happens next
Title, Author / speaker, Source URL / reference, Document type, Geographic scope, Evidence extract → Create document record	The manual way: type the details yourself and save.	For a source with no file yet, or when AI drafting is switched off.	The record is created with a document ID (for example DOC-0025) and opens.

8.7 Document record

Who can open it: PI / System Admin, Field / Digital Coordinator, Documentary RA, Supervisor. **Where:** /admin/documents/{id}

Everything about one document: authenticity, the decision to include it, its file, its details, its coding and its memo.

Control	What it does and when to use it	Why it exists	What happens next
Mark verified / Mark disputed	Records your judgement of whether the document is what it claims to be: the right author, date and content.	Documents are evidence; a forged or doubtful one must not enter the corpus unnoticed. Disputed documents are kept and explained, not deleted.	The authenticity changes and is audited. Include becomes available once assessed.
Include / Exclude	Decides whether the document counts in the corpus.	A document cannot be Included until authenticity has been assessed, so unassessed evidence never counts.	The QA status changes; Include stays greyed out while authenticity is Unverified.
Source file → Choose File	Uploads or replaces the source (up to 20 MB). Replacing removes the old file and any unsubmitted draft made from it.	The record keeps one current source. A draft of the wrong document must never be submitted for the right one.	A bar shows progress, then the file name appears. With Start Auto-fill ticked, the review screen opens.
Start Auto-fill as soon as the file is uploaded (tick box)	When ticked, uploading immediately starts the AI draft.	Saves a step for the common case.	After the upload, the review screen opens and the AI starts reading.
Remove file	Deletes the source file from the server.	For a wrong upload. It also discards the unsubmitted AI draft made from it; a draft already submitted is kept as the record of what was filed.	A confirmation names what goes. The record says “No file uploaded yet”.
Copy for another chapter (Chapter title, Pages to read, Copy and auto-fill)	Makes another record for a different part of the same source: same author, date, source and type, and its own copy of the file.	A long report holds several evidence units, each of which should be coded, judged and exported on its own.	A new record is created (and, with AI on, drafted) and opens. Authenticity and inclusion are not copied.

Control	What it does and when to use it	Why it exists	What happens next
Record details → Save details	Edits the title, author, date, source, scope, value chain and type.	These feed Section A of the coding form; if the AI filled them in from the document, this is where you check and correct them.	“Details saved.” The draft and the submission use the corrected values.
Code this document	Opens the KoboToolbox Document Analysis Tool with the document ID and details filled in.	For coding by hand, or when the AI cannot read the source.	The KoboToolbox form opens in a new tab.
Auto-fill	Opens the review screen for the AI draft of the whole coding form.	A fast first draft that a person then checks.	The Auto-fill review screen opens.
Interpretive memo → Save memo	Writes down your reasoning: why authenticity was disputed, how you read the document.	The memo is the audit trail of your judgement, needed for the dissertation.	A “saved” message; the memo stays on the record.
Completed coding form → Download PDF	Downloads the completed coding form for this document.	A readable copy of what was submitted.	A PDF downloads (only if a form was submitted with this document ID).

8.8 Auto-fill review screen

Who can open it: PI / System Admin, Field / Digital Coordinator, Documentary RA, Supervisor. **Where:** /admin/documents/{id}/ai-draft

Where you review the AI's draft of the KoboToolbox coding form, edit it and submit it. Nothing reaches KoboToolbox until you select Submit.

Control	What it does and when to use it	Why it exists	What happens next
Pages to read	For a PDF over 100 pages, enter the pages that make up this evidence unit.	The AI reads at most 100 pages at a time.	Only those pages are drafted; locators keep the original page numbers.
Read the whole document in parts	Reads the whole PDF (or a long range) in parts of about 80 pages and combines them.	For one coding of a long document; costs about the number of parts plus one times an ordinary draft.	You are asked to confirm. Progress shows “Read part 3 of 8”, then “Combining the parts”.
Generate AI draft / Regenerate draft	Starts the AI reading the source. Regenerate replaces the current draft and any unsaved edits.	Each draft is a paid request, so it starts only when you ask; regenerating asks first because it discards your edits.	The AI works in the background (usually one to five minutes) and you can leave the page. The draft appears here when ready.
The draft fields (sections A to L)	Every question of the form, with the AI's answer. Edit any grey-free field: text, choices, tick boxes, dates.	The AI drafts; you are responsible for the judgements (strength ratings, hypothesis codes) that are the study's documentary analysis.	Edits are kept in the browser until you select Save changes.

Control	What it does and when to use it	Why it exists	What happens next
Section A grey fields (DOC ID, author, title, date, source)	Come from the record and cannot be edited here; use “edit the record details”.	The draft must agree with the record it is attached to.	Corrections on the record show here at once and are the values submitted.
Add metric / Remove this metric (Section J)	Adds or deletes a row of the quantitative metrics table.	Numbers in the source (percentages, amounts, targets) are recorded one per row with a locator.	The row is added or removed in the draft.
Save changes	Saves your edits to the draft on the server.	Lets you stop and finish later without submitting.	“Changes saved.” The button is unavailable after submission.
Submit to KoboToolbox	Sends the reviewed draft to KoboToolbox as a completed record, after you confirm. It saves your edits first.	The one place the portal writes to KoboToolbox, and only on this deliberate click: a person, not the AI, submits the study's documentary analysis. Once only, so no duplicate.	“Submitted to KoboToolbox, and a copy is now held in the portal.” The answers lock and the screen says “Already submitted”. A second click is refused.

8.9 Completed forms (Form PDFs)

Who can open it: PI / System Admin, Field / Digital Coordinator, QUAN/Kobo QA RA, KII RA, Documentary RA, Supervisor. **Where:** /admin/submissions

The completed KoboToolbox forms for your role (the questionnaire, the KII Guide or the Document Analysis Tool; the PI, coordinator and supervisor can switch between all three).

Control	What it does and when to use it	Why it exists	What happens next
Sync panel: “In sync with KoboToolbox”	Shows how many submissions KoboToolbox holds and how many the portal holds, and when they were last matched.	The portal keeps its own copy of the completed forms. If the two numbers differ, the portal is behind.	Read only. “Not in sync” means press Sync now.
Sync now	Pulls that form from KoboToolbox now and updates the portal's copy.	The automatic sync runs every 15 minutes; this brings it up to date immediately. It also notices edits and deletions made in KoboToolbox.	The counts refresh. A KII record's coding can move to COMPLETE; a document whose submission was deleted in KoboToolbox unlocks.
✓ saved in portal (on each row)	Says the portal holds an identical copy of that submission.	Proof, row by row, that nothing was lost or changed between KoboToolbox and the portal.	Read only. It is missing until the next sync for a new or edited row.
Download PDF	Downloads that completed form as a readable PDF (sections, questions, answers as words).	A readable copy for records, meetings and checking.	A PDF downloads; the download is audited.

Control	What it does and when to use it	Why it exists	What happens next
Email to me	Emails that PDF to the address on your own account.	A PDF is a full research record, so it goes only to you, never to a typed-in address.	“Sent to ...” (address masked). Recorded in the audit log.
Show / page numbers	Choose rows per page and move between pages.	As on every register.	The list redraws.