

Role Guide 1: PI / System Admin

Step-by-step instructions for the PI / System Admin role in the ABF-FST Digital Respondent Portal.

STUDY	Developing and Validating the Agribusiness Bankability Framework for Food Systems Transformation through Novel Financing Models in Zimbabwe (ABF-FST)
PRINCIPAL RESEARCHER	Happyson Saina, Doctor of Strategic Management candidate, Chinhoyi University of Technology
SUPERVISORS	Dr L. Chikazhe and Dr J. Kanyepe
FOR	The Principal Investigator (full access)
SYSTEM ADDRESS	https://research.agribizframework.com
CONTACT	0773943709 · abffst.research.cut@gmail.com
VERSION	Version 1.7 · 21 September 2026

Screenshots in this document use **fictional demonstration data**. Organisation and person names, phone numbers and figures shown in them are not real study records.

Contents

1. Your role at a glance	4
2. Signing in and your screens	5
Signing in	5
Finding your way around	5
Your screens	6
Changing your password	6
3. Your routine	8
4. Step-by-step tasks	9
4.1 Creating staff accounts for the whole team	9
4.2 Reading the dashboards	9
4.3 Using Reports (analytics and charts)	10
4.4 Reassigning cases between Contact RAs	13
4.5 Pairing a Main case with its Reserve, and assigning a Contact RA	14
4.6 Moving cases through verification (bulk)	14
4.7 Downloading data	15
4.8 Checking the audit log	16
4.9 Recording a withdrawal	17
4.10 Activating a Reserve case	17
4.11 Reviewing questionnaires in the QA Queue	18
4.12 Working QA exceptions	19
4.13 Downloading or emailing completed forms (Form PDFs)	20
4.14 KoboToolbox: rotating credentials and changing forms	20
4.15 Before the first live invitation	21
5. Rules you must follow	22
6. Troubleshooting	23
7. Quick reference	24
8. Every screen and button for your role	25
8.1 Sign in	25
8.2 The header and menu bar (every screen)	25
8.3 Change Password	26
8.4 Executive Dashboard	26
8.5 Sampling Dashboard	27
8.6 Contact Dashboard	27
8.7 QA Dashboard	27
8.8 KII / Document Dashboard	28
8.9 Reports	28
8.10 Main-400 Register (and Reserve)	29
8.11 Case page	29

8.12 Pre-Interview Profile (PROIT) and its review screen	31
8.13 Register Organisation	32
8.14 Appointment Queue.....	32
8.15 Follow-ups due	33
8.16 Reserve Activation	33
8.17 QA Queue (with the KoboToolbox sync panel)	34
8.18 QA Exceptions.....	35
8.19 KII Register	35
8.20 New KII Record	36
8.21 KII record	36
8.22 Documents (the corpus)	37
8.23 New Documentary Evidence Record	38
8.24 Document record.....	38
8.25 Auto-fill review screen.....	40
8.26 Completed forms (Form PDFs)	41
8.27 Cost Dashboard	42
8.28 Audit Log.....	42
8.29 Export	42

1. Your role at a glance

As PI you own the study and the system. You see every screen, approve how fieldwork runs, create accounts, decide replacements and withdrawals, review the audit trail, and are the only person who can download the full operational data and the complete KoboToolbox data for cleaning and analysis.

You can

- Open all 19 screens, including the Audit Log and every export.
- Create, change and deactivate staff accounts and roles.
- Do everything the Field Coordinator can: register organisations, assign Contact RAs, verify cases in bulk, invite, activate Reserves, record withdrawals, take QA decisions, manage KII and document records, log costs.
- Download the full operational export, and each KoboToolbox form as an Excel workbook and a PDF ZIP.
- Manage the KoboToolbox forms and the connection to them.

You cannot

- Change a Sample ID or Master ID, or move a case through statuses the rules do not allow — nobody can.
- Pass a questionnaire QA without writing a note.
- Invite a locked Reserve.

Where this fits

The System Manual explains how the whole system works. This guide covers only what you do, and its last section lists every screen and button you can use, with what each does and why. Ask the Field Coordinator or PI when something is outside your role.

2. Signing in and your screens

Signing in

1. Open <https://research.agribizframework.com/admin/login> in any modern browser (Chrome, Edge, Firefox or Safari), on a computer, tablet or phone.
2. Type your **Username** and **Password**, then select **Sign in**.

The screenshot shows a web browser window with a dark blue header bar at the top. The header contains the text 'CHINGHOY UNIVERSITY OF TECHNOLOGY' and 'ABF-FST Research Operations Centre' in white. Below the header is a light gray background. In the center, there is a white rectangular box containing the 'Internal sign in' form. The form has two input fields: 'Username' with the text 'pi.admin' and 'Password'. Below the password field is a dark blue button with the text 'Sign in' in white.

Figure 1. The sign-in screen for all internal staff.

3. You arrive on your start screen: **Executive Dashboard**. The bar across the top lists only the screens your role (PI / System Admin) can open.

Accounts

There is no self-registration. The PI / System Admin creates every account and sets its role. Ask the PI if you need an account, a different role, or a password reset.

Finding your way around

- The **top bar** shows your username and role, and the screens you can use. It is not a full menu with some items greyed out: anything absent is simply not part of your role.
- Most screens have a **← Back to ...** link at the top that returns you to the screen you came from.
- Registers show **20 rows per page** to begin with. At the foot of the list, **Show** lets you choose 10, 20, 50, 100 or 200 rows per page (the portal remembers your choice), and the page numbers, **Previous**, **Next** and the double arrows take you to any page. The **Search** box above the list narrows it.
- **Change password** (top right) lets you set a new password at any time. Choose a long password you do not use anywhere else.
- **Sign out** (top right) ends your session. Always sign out on a shared or public computer.
- If you are inactive for a while you may be asked to sign in again. This protects research data on unattended devices.




Figure 2. Opening a screen outside your role (for example from an old bookmark) shows this card instead of the screen.

Your screens

Screen	What you use it for
Executive, Sampling, Contact, QA, KII/Doc dashboards	Monitor progress against targets.
Reports	Analytics and charts for supervision meetings and progress reports.
Main-400 Register, Organisations	The sample: cases, bulk verification, new organisations.
Appointments, Follow-ups	Oversee contact and reminders.
Form PDFs	Completed forms for all three KoboToolbox forms; sync status and Sync now; the Excel workbook and PDF ZIP for each form.
QA Queue, QA Exceptions	Quality decisions and flags.
KII Register, Documents	Qualitative and documentary strands; upload a document and the AI drafts its coding form.
Reserve Activation	Replace dropped cases.
Cost	Fieldwork spend.
Audit Log	Who did what, when.
Export	All data downloads.

Changing your password

1. Select **Change password** in the top right corner.
2. Enter your **Current password**, then the **New password** twice, and select **Change password**.




Figure 3. Change Password screen.

- 3. Use the new password next time you sign in. If you have forgotten your password, ask the PI to reset it.

3. Your routine

A suggested rhythm. Adjust it to the Field Coordinator's plan.

When	What to do
Daily	Executive Dashboard and Reports (last 7 days); QA Exceptions older than two days; Follow-ups backlog.
Weekly	Coverage and administration-mode balance in Reports; Reserve activations; Audit Log review; cost review; download the questionnaire workbook to monitor data quality.
When staff change	Create or deactivate accounts; reassign cases.
Before data lock (30 Nov 2026)	Close QA decisions and exceptions; final exports; store them securely.

4. Step-by-step tasks

4.1 Creating staff accounts for the whole team

1. Open **docs/templates/ABF-FST_Staff_Accounts_Template.xlsx**. On the **Staff** sheet, type one person per row in the yellow cells: full name, email, role (drop-down), and for Contact RAs the provinces they cover (or All).
2. Send the file to the technical administrator. They check it with a dry run, then run `manage.py create_staff_accounts --file <sheet> --assign-cases`.
3. Every new account gets a random temporary password in a private credentials file. Give each person their own username and password separately (e.g. username by email, password by phone) and ask them to change it at first sign-in. Then delete the file.
4. With `--assign-cases`, Main cases still on the shared `contact_ra` account are shared out evenly among the Contact RAs covering each province. Adjust later with **Reassign cases** on the register.

One account at a time

1. Open <https://research.agribizframework.com/django-admin/> and sign in with your PI account.
2. Select **Users** → **Add user**. Enter a username (e.g. firstname.lastname) and a strong temporary password; save.
3. Fill in the name and **email address**, choose the **Role** under **ABF-FST role**, and save. Leave **Staff status** unticked for everyone except the PI.
4. To remove access, untick **Active** and save. Do not delete users; their audit history must remain.

4.2 Reading the dashboards

Dashboards are for monitoring; nothing on them changes data. Figures refresh whenever the screen is opened.




Figure 4. Executive Dashboard: completions against the 400 / 60 / 50–75 targets, days to data lock, spend, and the lowest-filled strata.

Dashboard	What it tells you	Use it to
Executive	QUAN completed out of 400, KII completed out of 60, documents coded against 50–75, days to the 30 November 2026 data lock, spend to date, lowest-filled strata.	See overall progress and where fieldwork attention is most needed.
Sampling	Main cases by province, verified/total by stratum, Reserve activations by reason.	Check the design stays balanced across strata.
Contact	Organisations verified, eligible respondents identified, invitations sent and opened, upcoming appointments, refusals, unreachable cases.	Track outreach and spot stalled contact.
QA Dashboard	Submissions today and in total, the open QA queue, decisions recorded, completions by administration mode.	Keep the QA backlog under control.
KII/Doc Dashboard	KII completed against 60; KIIs by status; documents by type and QA status.	Track the qualitative and documentary strands.

Targets versus records

The registers hold more records than the targets (for example 90 KII records for 60 completed interviews). The surplus is reserve depth for non-response, not extra work.

4.3 Using Reports (analytics and charts)

- 1. Select **Reports** in the top bar.




Figure 5. Reports: headline figures for the chosen period.

- Choose the period with **Last 7 days**, **Last 30 days**, **Last 90 days** or **All time**. Case progress (the funnel and workflow) is always cumulative; time-based figures such as submissions per day follow the period.
- Read the headline cards: questionnaires submitted, passed QA, response rate (submitted ÷ invited), median completion time, follow-ups sent, withdrawals, Reserves activated, and fieldwork cost per QA-passed case.




Figure 6. Case funnel: each case counted once at every stage it has reached.

- Select **Show table** on any chart to see the exact numbers, for example to copy them into a progress report.




Figure 7. The same chart as a table.

5. Use **Coverage** to see, by province, organisation type and size, what share of cases have been invited and have submitted. Short bars show where contact effort should go next.




Figure 8. Coverage by group.

6. Check **How questionnaires were completed**. If one administration mode dominates (more than 70% once at least 10 questionnaires are in), the chart shows an imbalance alert so the team can review the mix.



Figure 9. Administration modes.

- Review **Time to complete the questionnaire** and **QA outcomes**. Very short or very long completions are what the QA duration rules flag.




Figure 10. Completion-time distribution.

Reports show counts and rates only — never names or answers — so they are safe to discuss with supervisors.

4.4 Reassigning cases between Contact RAs

Use **Reassign cases** on the Main-400 Register to hand many cases to a Contact RA at once — for example when new RAs start, or when an RA leaves. For a single case, use **Assigned Contact RA** on the case page.

- Open **Main-400 Register** and find **Reassign cases** (below the verification tool).
- Choose **From** (Anyone, Unassigned, or a Contact RA), a **Province** or All provinces, and **To** (the Contact RA receiving the cases, or Nobody to unassign).

Reassign cases

From: Province: How many: To:

Cases move in Sample ID order. To split a large province, move part of it with "How many", then the rest to the next RA.

Figure 11. Reassign cases: the button shows how many cases will move.

3. To split a large province, type a number in **How many**. Cases move in Sample ID order, so move part of the province to one RA, then the rest to the next.
4. Select **Move N cases** and confirm. The move is written to the audit log with every Sample ID.

What the RA sees

A Contact RA sees only the cases assigned to them, including on Follow-ups. Reassigning a case moves its reminders with it.

4.5 Pairing a Main case with its Reserve, and assigning a Contact RA

1. Open the Main case (**Main-400 Register → View**).
2. In **Assigned Contact RA**, choose the RA from the list. The change saves straight away and shows **Currently: <name>**. That RA now sees the case; other Contact RAs do not.

Assigned Contact RA

Figure 12. Assigned Contact RA.

3. In **Matched Reserve case**, choose the Reserve. Only locked Reserves not already paired are offered, same-stratum ones first. A cross-stratum choice is allowed but flagged in the audit log.

Matched Reserve case

The Reserve that replaces this case if it drops out. Activating that Reserve later still requires an authorised reason and an evidence note.

Figure 13. Matched Reserve case.

4.6 Moving cases through verification (bulk)

Every Main case must reach **S03 Eligible respondent identified** before it is invited, otherwise its status will not follow the respondent and no reminders are offered. Verification (S00 → S01 → S02 → S03) can be done for all cases at a step at once.

1. Open **Main-400 Register**.
2. In **Move cases through verification**, choose the step, for example **S00 Selected → S01 Verification required**. The button shows how many Main cases are at that step, e.g. **Move all 48**.

Move cases through verification

Figure 14. The bulk verification tool on the register.

3. Select the button and confirm. Each case is moved individually and each move is written to the audit log under your name.
4. Repeat for **S01 → S02** and **S02 → S03**.

Only verification is bulk

Statuses from S04 onwards follow real events (invitation sent, link opened, questionnaire submitted, QA decision) or an individual decision on the case page. They are never changed in bulk.

4.7 Downloading data

ABF-FST Research Operations Centre
pi.admin · PI / System Admin

Change password · Sign out

Executive · Sampling · Reports · Contact · QA Dashboard · KII/Doc Dashboard · Main-400 Register · Organisations · Appointments · Follow-ups · Form PDFs · QA Queue · QA Exceptions · KII Register

← Back to Dashboard

Data Export

De-identified analysis export

CSV with no contact-identifying fields -- safe for analysis and sharing with the wider research team. Available to Analysts, Field Coordinators and the PI/Admin.

[Download analysis export \(CSV\)](#)

Full operational export

Includes contact data (names, phone, email, gatekeeper details). Internal operations use only -- never distributed externally. PI/Admin only.

[Download operational export \(CSV\)](#)

KoboToolbox data — every completed form

Straight from KoboToolbox. The Excel workbook has one row per submission with answers as codes (for SPSS, Stata or R) and as labels, a question dictionary, the choice lists, and a sheet for each repeating group; questionnaire rows also show the matched case, QA state and any withdrawal. The ZIP holds every completed form as a PDF with a manifest. PI only; every download is audited.

Main Study Questionnaire	Excel workbook	All completed forms (PDF ZIP)
Main Study KII Guide	Excel workbook	All completed forms (PDF ZIP)
Document, Digital Platform & Media Analysis Tool	Excel workbook	All completed forms (PDF ZIP)

A large ZIP starts downloading straight away and grows as each form is added.

Research study: This portal supports data collection for a doctoral research study on agribusiness financing readiness. Your participation and responses are used for research purposes only. No score, rating, or

Figure 15. Data Export.

Download	Contains	Who
De-identified analysis export (CSV)	One row per questionnaire: sample_id, master_id, province, actor_family, value_chain, size_class, administration_mode, qa_status, submitted_at, completion_seconds. No names or contact details. Participants who withdrew are left out.	PI, Field Coordinator, Analyst
Full operational export (CSV)	Every questionnaire, including withdrawn ones (consent_withdrawn), plus organisation name, respondent name, phone, email and gatekeeper details. Internal operations only.	PI only
KoboToolbox data: Excel workbook	Every submission's answers for one form: data_codes (codes for SPSS/Stata/R), data_labels, a sheet per repeat group, the questions dictionary, the choices lists, and for the questionnaire the matched case, QA status, withdrawal flag and workflow status.	PI only
KoboToolbox data: All completed forms (PDF ZIP)	Every completed form as a PDF, with manifest.csv listing file, record, KoboToolbox id and submission time.	PI only

Getting all the data for cleaning and analysis


1. Select **Export**.
2. Under **KoboToolbox data — every completed form**, select **Excel workbook** for the **Main Study Questionnaire**. Repeat for the **Main Study KII Guide** and the **Document, Digital Platform & Media Analysis Tool**.
3. Select **All completed forms (PDF ZIP)** for each form you need as PDFs. A large ZIP starts at once and grows while it downloads — let it finish.
4. Open the workbook's **README** sheet first. Use `data_codes` for statistical software and `data_labels` for reading. `meta/rootUuid` identifies a submission across edits; `_parent_id` links repeat rows to their submission.
5. For analysis without identities, share only the **De-identified analysis export** and the workbook columns you have checked contain no names or contact details.

Handle raw data carefully

Workbooks and PDFs contain the answers themselves, and the KII Guide identifies people. Store them only on encrypted, access-controlled storage as the data management plan requires. Every download is recorded in the audit log.

4.8 Checking the audit log

1. Select **Audit Log**. Each row shows when, the action (e.g. `invitation.issued`, `consent.recorded`, `sampling.bulk_workflow_transition`, `kobo.data_exported`), the record, and the user.



When	Action	Object	User
9/15/2026, 7:36:40 PM	invitation.issued	InvitationToken:40	contact.ra
9/15/2026, 7:34:06 PM	invitation.issued	InvitationToken:39	contact.ra
9/15/2026, 7:30:55 PM	consent.recorded	ConsentRecord:38	system
9/15/2026, 7:30:55 PM	eligibility.checked	Respondent:49	system
9/15/2026, 7:30:27 PM	consent.recorded	ConsentRecord:37	system
9/15/2026, 7:30:22 PM	eligibility.checked	Respondent:48	system
9/15/2026, 7:30:08 PM	invitation.issued	InvitationToken:38	system
9/15/2026, 7:30:08 PM	invitation.issued	InvitationToken:37	system
9/15/2026, 7:29:09 PM	consent.recorded	ConsentRecord:36	system
9/15/2026, 7:29:09 PM	eligibility.checked	Respondent:47	system
9/15/2026, 7:27:54 PM	consent.recorded	ConsentRecord:35	system
9/15/2026, 7:27:48 PM	eligibility.checked	Respondent:46	system
9/15/2026, 7:27:29 PM	invitation.issued	InvitationToken:36	system
9/15/2026, 7:27:29 PM	invitation.issued	InvitationToken:35	system
9/15/2026, 7:26:29 PM	consent.recorded	ConsentRecord:34	system
9/15/2026, 7:26:25 PM	eligibility.checked	Respondent:45	system

Figure 16. Audit Log, newest first.

2. Page through with **Previous** and **Next**. Actions taken by scheduled jobs or by respondents themselves show **system**.

4.9 Recording a withdrawal

A participant may withdraw at any time, for any reason, without giving one.

1. Stop contacting the person immediately.
2. On the case page, in **Record a withdrawal**, choose **How they told us — By phone or in person**, or **In writing (WhatsApp, email, letter)** — and type the reason or their own words.

Figure 17. Record a withdrawal.

3. Select **Record withdrawal** and confirm.

In one step the portal records the withdrawal, stops the invitation link and all reminders, moves the case to **S12 Refused** where allowed, erases the phone, WhatsApp, email and gatekeeper contact, and flags the case as `consent_withdrawn` in every export. This cannot be undone.

Answers already submitted

PI decision (15 September 2026): a questionnaire submitted before the withdrawal is **kept for the audit trail but never analysed**. It is left out of the de-identified analysis export automatically, flagged `consent_withdrawn` in the operational export, and marked in the PI's KoboToolbox workbook (README count and `portal_consent_withdrawn = TRUE`) and PDF ZIP (file name starts WITHDRAWN-).

4.10 Activating a Reserve case

A Reserve replaces its Main case only after the Main case reaches a drop state (S12 Refused, S13 Nonresponse, S14 Ineligible or S15 Duplicate/inactive) and there is evidence.

1. Select **Reserve Activation**. Every locked Reserve is listed with a search box.

Figure 18. Reserve Activation.

- Find the Reserve matched to the dropped Main case (the Main case page shows the pairing).
- Choose the authorised reason: **Ineligible**, **Inactive**, **Duplicate**, **Refusal** or **Nonresponse exhausted**. There is deliberately no "other".
- Write the **Evidence note (required)**, e.g. "MD declined by phone 12 Sep, logged in contact timeline".
- Select **Activate this reserve**. The Reserve becomes invitable and is worked like any Main case, starting with verification.

4.11 Reviewing questionnaires in the QA Queue

- Select **QA Queue**. Each submission shows the Sample ID, when it was submitted, the administration mode, the completion time in minutes and its QA status (PENDING or QUERY).

Figure 19. QUAN QA Queue with the KoboToolbox sync panel.

- Open the completed form to check the answers: **Form PDFs** → **Download PDF**, or the **Completed questionnaire** panel on the case page.
- Check it against the QA rules (table below) and any open QA exception for that case.
- Write a **Note (required)** explaining your decision.
- Select **Accept** (moves the case to S10 QA passed), **Re-query** (S09 QA query — follow up with the respondent or the RA who administered it) or **Reject** (not usable).

Rule	Setting	Effect
Required answers missing	65 required fields from the live questionnaire	Hard stop: raises an exception; cannot pass without a human decision and note.
Too quick	Completed in under 5 minutes (300 s)	Soft flag for review.
Too slow	Completed in over 90 minutes (5400 s)	Soft flag for review.

Rule	Setting	Effect
Possible duplicate	Another submission for the same organisation within 24 hours	Soft flag for review.

Nothing passes automatically

Even a submission with no flags needs a person to select Accept. Every decision and its note is audited.

Pulling new submissions now

Submissions arrive within seconds (KoboToolbox notifies the portal) and a full check runs every 15 minutes between 06:00 and 22:00 and hourly overnight. To check immediately, select **Sync now** in **KoboToolbox sync**; the panel shows the last run, how many were pulled and how many were new or updated. An edited submission returns to the queue for review.

4.12 Working QA exceptions

1. Select **QA Exceptions**. Each card shows the rule that fired (for example `hard_stop_missing_required_fields` or `min_plausible_duration_seconds`), the Sample ID, when it was raised and its status. Oldest first.

ABF-FST Research Operations Centre
qa.ra · QUAN/Kobo QA RA

QA Dashboard Form PDFs QA Queue QA Exceptions

← Back to QA Queue

QA Exception Queue ☐ Only mine ☐ Show closed
Automated QA flags awaiting someone. Oldest first.

OPEN ON THIS PAGE: 1

IN PROGRESS: 2

OLDEST HERE: today

min_plausible_duration_seconds
QUAN submission 51D-2826-000057 - raised 9/15/2026

Unassigned

What was done about it? (required to close)

Resolved Not a real problem

A note is required before closing — a closure nobody explained looks the same as one nobody looked at.

hard_stop_missing_required_fields
QUAN submission 51D-2826-000065 - raised 9/15/2026

qa.ra with qa.ra

Figure 20. QA Exception Queue.

2. Tick **Only mine** to see exceptions assigned to you; tick **Show closed** to include resolved ones.
3. Use **Assign to** to take ownership (or give it to a colleague). The status becomes **In progress**.
4. Investigate: open the form PDF, check the case timeline, contact the respondent if needed.
5. Type **What was done about it?** and select **Resolved**, or **Not a real problem** if the flag was a false alarm. A note is always required.

4.13 Downloading or emailing completed forms (Form PDFs)

1. Select **Form PDFs**. You see the completed questionnaire, KII Guide and document forms from KoboToolbox, newest first, 20 per page to begin with (choose more under **Show** at the foot of the list).

ABF-FST Research Operations Centre
pi.admin · PI / System Admin

Change password · Sign out

Executive · Sampling · Reports · Contact · QA Dashboard · KII/Doc Dashboard · Main-400 Register · Organisations · Appointments · Follow-ups · Form PDFs · QA Queue · QA Exceptions · KII Register

← Back to Dashboard

Completed forms

ABF-FST Main Study Questionnaire

✓ In sync with KoboToolbox
KoboToolbox holds 3 · the portal holds 3 · last synced 9/20/2026, 8:03:20 AM

Sync now · Excel workbook · All as PDFs (ZIP)

SID-2026-000069 ✓ saved in portal Submitted 9/14/2026, 6:12:40 AM · web form	Download PDF	Email to me	Email to respondent
SID-2026-000071 ✓ saved in portal Submitted 9/13/2026, 12:40:02 PM · web form	Download PDF	Email to me	Email to respondent
SID-2026-000073 ✓ saved in portal Submitted 9/12/2026, 8:05:57 AM · web form	Download PDF	Email to me	Email to respondent

Showing 1 to 3 of 3 submissions

Show: 20 per page

Previous 1 Next

Figure 21. Completed form PDFs.

2. Select **Download PDF** to save a readable copy: sections, questions, the chosen answers as words (not codes) and repeated groups.
3. Select **Email to me** to send the PDF to the email address on your account.
4. For the questionnaire only, select **Email to respondent** to send the respondent a copy of their own answers at the email address recorded on the case (only while their consent stands). You are asked to confirm first. Every email is audited with the address masked.

At the top of the page, a sync panel shows whether the portal holds the same forms as KoboToolbox, for example “✓ In sync with KoboToolbox — KoboToolbox holds 12 · the portal holds 12”. Each row also says “✓ saved in portal” once the portal has an identical copy. If the panel says “Not in sync”, select **Sync now** (read-only roles see the panel but not the button); it takes a few seconds.

The same PDF is available from the record itself: the case page (questionnaire), the KII page (KII Guide) or the document page (coding form).

How the sync works

The portal keeps its own copy of the questionnaire, KII Guide and Document Analysis Tool, and refreshes it every 15 minutes and whenever someone selects Sync now. A submission edited in KoboToolbox is updated here; one deleted in KoboToolbox is flagged as removed. You never need to sync before downloading a PDF: the PDF is always read from KoboToolbox at that moment.

4.14 KoboToolbox: rotating credentials and changing forms

1. Change the KoboToolbox password, then create a new API token (**Account settings** → **Security**).

2. On the server run `sudo bash /srv/agribiz-drp/deploy/configure-kobo.sh` and paste the new token when asked.
3. In **QA Queue**, select **Sync now** and check the run succeeds.
4. When editing a form, keep the identifier fields unchanged (see System Manual 9.2), test with a test invitation, and delete the test submission.

4.15 Before the first live invitation

- Collect respondent phone numbers on the case pages (many Main cases have none yet).
- Rotate the KoboToolbox password and API token.
- Add the Gmail App Password with `configure-email.sh` so **Email** buttons work.
- Complete the one-time Google Drive sign-in for offsite backups and store the encryption key in a password manager.
- Create named accounts for each RA and reassign cases.
- Run one user-acceptance invitation end to end on a real phone.

5. Rules you must follow

- Download raw KoboToolbox data only to encrypted, access-controlled storage; every download is audited.
- Share only the de-identified analysis export beyond the core team.
- Treat everything in the portal as **confidential research data**. Do not screenshot, copy, print or forward names, phone numbers, email addresses or answers except as your role requires.
- Never share your username or password, and never sign in for someone else.
- Use the respondent's contact details **only** to manage their participation in this study (invitations, reminders, appointments).
- Never tell a respondent, lender or anyone else that answers affect financing. The study generates **no score, rating or financing decision**.
- If a respondent asks to withdraw, stop contacting them and tell the Field Coordinator or PI the same day so the withdrawal is recorded.
- Report a lost device, a suspected account compromise, or data sent to the wrong person to the PI immediately.

6. Troubleshooting

Situation	Likely cause	What to do
Email buttons missing or failing	Outgoing email not configured, or the Gmail App Password revoked.	Run <code>configure-email.sh</code> on the server.
Workbook shows NOT_IN_PORTAL in portal_qa_status	A submission that was not matched to a case (e.g. a test or a direct public-link submission).	Check it in KoboToolbox; exclude or delete test submissions.
"This screen isn't part of your role"	The screen belongs to another role (often an old bookmark or shared link).	Select Go to my start screen. If you need that screen, ask the PI about your role.
"Too many sign-in attempts from this network"	Sign-in is rate-limited per network; an office shares one address.	Wait a minute and try again. A wrong password says so explicitly.
A register shows fewer rows than expected	Registers show 20 rows per page to begin with; a Contact RA sees only assigned cases.	Choose more rows under Show at the foot of the list, use the page numbers or Next, or search. Ask the Field Coordinator to assign the case.
A button is greyed out	A required step is missing (a note, an authenticity decision, a selection).	Read the message beside the button; complete the missing step first.
"KoboToolbox couldn't be reached"	KoboToolbox is slow or the connection token has changed.	Try again in a few minutes. If it persists, tell the PI.
Form PDFs says "Not in sync with KoboToolbox yet"	The counts differ: a form was submitted or changed in KoboToolbox since the last sync (it runs every 15 minutes).	Select Sync now. If it still differs, or says it couldn't reach KoboToolbox, try again in a few minutes and tell the PI if it persists.
A document says "Already submitted" and its answers are locked	Its coding was already sent to KoboToolbox; changing it here would not change that record.	To redo the coding, delete that record in KoboToolbox, then select Sync now on Form PDFs. The document unlocks.
A page keeps loading	A slow or dropped connection.	Refresh the page. Your saved work is not lost; unsaved typing may be.
A file upload seems stuck	A large file on a slow connection takes time; the bar shows how much has been sent.	Wait for Saving... and the file name. If it fails, try again or upload a smaller version.

7. Quick reference

Sign in	https://research.agribizframework.com/admin/login
You start on	Executive Dashboard
Account admin	https://research.agribizframework.com/django-admin/
KoboToolbox	https://kf.kobotoolbox.org
Your exports	Export → KoboToolbox data (Excel workbook, PDF ZIP)
Help	Field Coordinator; PI: Happyson Saina, 0773943709, abffst.research.cut@gmail.com

8. Every screen and button for your role

This section lists every screen you can open as PI / System Admin, and for each control: what it does and when to use it, why it exists (the rule behind it), and what you will see next. It is the same material as the Screen and Button Reference, cut down to your role.

Reading the tables

Control is the label you see on screen. **Why it exists** explains the rule or risk behind it; if a button is greyed out, this column usually says why. A control that needs a note or a confirmation says so.

8.1 Sign in

Who can open it: every role. **Where:** /admin/login

Where every staff member starts. Staff accounts are created by the PI; there is no self-registration.

Control	What it does and when to use it	Why it exists	What happens next
Username	Type the username the PI gave you.	Every action in the portal is recorded against a named person, so accounts are never shared.	Nothing yet; you also need the password.
Password	Type your password. The characters are hidden.	Passwords are never shown or emailed; the PI can reset yours but cannot read it.	Nothing yet; select Sign in.
Sign in	Checks your username and password and opens your start screen (the first screen your role uses).	Repeated wrong attempts from one network are refused for a minute, to stop password guessing.	Your start screen opens. A wrong password says so. "Too many sign-in attempts" means wait a minute.

8.2 The header and menu bar (every screen)

Who can open it: every role. **Where:** (top of every screen)

Shown at the top of every signed-in screen. The menu bar lists only the screens your role may open.

Control	What it does and when to use it	Why it exists	What happens next
Menu bar (Executive, Sampling, ... Audit)	Opens a screen. The current screen is underlined.	The list is built by the server from your role, so you never see a screen that would refuse you.	The screen opens. A screen not in your list shows "This screen isn't part of your role".
Change password	Opens the Change Password screen.	You should change the first password you were given, and any password you think someone saw.	The Change Password screen opens.
Sign out	Ends your session on this device.	Protects the data if the device is shared or lost. Always sign out on a shared device.	Your session on this device ends and you return to the Sign in screen.

Control	What it does and when to use it	Why it exists	What happens next
← Back to ... (top left)	Returns to the parent screen (for example from a case to the register).	A consistent way back that does not lose your place in the menu.	The parent screen opens.
Go to my start screen	Appears on the “This screen isn't part of your role” page and takes you to your own start screen.	An old bookmark or shared link may point at a screen that belongs to another role; this gets you out safely.	Your start screen opens.

8.3 Change Password

Who can open it: every role. **Where:** /admin/account

Change your own password.

Control	What it does and when to use it	Why it exists	What happens next
Current password	Type the password you use now.	Proves it is really you before a change, in case a signed-in device was left open.	Nothing yet.
New password	Type the new password.	It must be long enough, not a common password, not all digits and not similar to your username or name; the screen says which rule failed.	Nothing yet.
Confirm new password	Type the new password again.	Catches a typing slip that would lock you out.	Nothing yet.
Change password	Saves the new password.	Your old password stops working straight away, and other people (including the PI) never see your new one.	A confirmation appears. Use the new password next time.

8.4 Executive Dashboard

Who can open it: PI / System Admin, Field / Digital Coordinator, Data Analyst, Supervisor. **Where:** /admin/dashboard

The one-page picture of the study: how many cases are where in the funnel, response and quality headlines, and the weakest parts of the sample. Counts and rates only; never a name.

Control	What it does and when to use it	Why it exists	What happens next
Tiles: QUAN completed, KII completed, Documents coded, Days to data lock, Fieldwork expenditure to date	Show the headline counts against their targets, the days left to the data lock (30 November 2026) and the spend so far. Read them; there is nothing to press.	Aggregates only, so the dashboards are safe to show to people who must not see respondent identities.	Numbers update whenever the screen is opened or refreshed.

Control	What it does and when to use it	Why it exists	What happens next
Highest-risk coverage gaps	Lists the strata (province × organisation type × size) with the lowest fill so far.	Tells the coordinator where fieldwork effort is most needed to meet the sample design.	Use it to decide where to send Contact RAs next.
Links: Sampling, Contact, QA, KII / Documents, Cost	Open the related dashboards.	Saves hunting through the menu.	The linked screen opens.

8.5 Sampling Dashboard

Who can open it: PI / System Admin, Field / Digital Coordinator, Data Analyst, Supervisor. **Where:** /admin/dashboard/sampling

How the Main-400 and Reserve-400 samples stand.

Control	What it does and when to use it	Why it exists	What happens next
Main-400 by province	Shows how many Main cases each province holds and how many are verified.	The design fixes how many organisations each province must contribute.	Read only.
Verified / total by stratum	Shows verification progress in each stratum.	A stratum that cannot be verified may need a Reserve replacement.	Read only.
Reserve activations by reason	Counts Reserve cases activated, by the authorised reason.	Reserve replacement is controlled and audited; this shows how often and why it happens.	Read only. “No reserve activations yet” until one is made.

8.6 Contact Dashboard

Who can open it: PI / System Admin, Field / Digital Coordinator, Data Analyst, Supervisor. **Where:** /admin/dashboard/contact

Contact activity: how many are invited, reminded, reached, and how appointments stand.

Control	What it does and when to use it	Why it exists	What happens next
Contact figures	Show counts of contacts, reminders and appointments by status.	Lets the coordinator see whether contact is on schedule without opening cases.	Read only.

8.7 QA Dashboard

Who can open it: PI / System Admin, Field / Digital Coordinator, QUAN/Kobo QA RA, Supervisor. **Where:** /admin/dashboard/qa

Quality checking at a glance: how many questionnaires wait for a decision and how the completed ones were done.

Control	What it does and when to use it	Why it exists	What happens next
Refresh	Re-reads the figures now.	The page does not update by itself while you watch it.	The numbers reload; the button says Refreshing... briefly.
Administration mode	Shows how many questionnaires were completed by each mode (web, telephone, WhatsApp-assisted, face to face).	Mode balance is a quality and method question for the study.	Read only.
Open QA queue	Goes to the QA Queue.	Takes you from the overview to the work.	The QA Queue opens.
Try again	Appears if the figures could not load; tries once more.	A dropped connection should not leave a blank page.	The figures load, or the message stays.

8.8 KII / Document Dashboard

Who can open it: PI / System Admin, Field / Digital Coordinator, Data Analyst, Supervisor, KII RA, Documentary RA. **Where:** /admin/dashboard/kii-documents

Progress of the two qualitative strands against their targets (about 60 KIIs, 50–75 documents).

Control	What it does and when to use it	Why it exists	What happens next
KII by status	Counts KII records at each stage (prospect, invited, scheduled, completed, declined, no-show).	Shows how far the interview target has come.	Read only.
Documents by type / by QA status	Counts documents by type (official, secondary, platform) and by decision (pending, included, excluded).	Only included documents count towards the corpus target.	Read only.

8.9 Reports

Who can open it: PI / System Admin, Field / Digital Coordinator, Data Analyst, Supervisor. **Where:** /admin/reports

Charts for supervision meetings and progress reports: funnel, submissions per day, coverage, time to complete, QA outcomes, modes and workflow. Counts and rates only.

Control	What it does and when to use it	Why it exists	What happens next
Last 7 days / Last 30 days / Last 90 days / All time	Sets the period the time-based charts cover.	Meetings usually ask “what happened this week or month”. Case progress is always cumulative.	Every time-based chart redraws for that period.
Province / Organisation type / Size	Changes what the coverage chart is broken down by.	Coverage matters along all three design dimensions.	The coverage chart redraws.

Control	What it does and when to use it	Why it exists	What happens next
Show table / Show chart	Switches one chart between its picture and the numbers behind it.	Every chart is available as a table so numbers can be read out, copied or checked.	The chart is replaced by a table (and back).

8.10 Main-400 Register (and Reserve)

Who can open it: PI / System Admin, Field / Digital Coordinator, Contact RA, Supervisor. **Where:** /admin/sample

The list of sample cases. A Contact RA sees only the cases assigned to them. From here you open a case, and the coordinator moves or reassigns cases in bulk.

Control	What it does and when to use it	Why it exists	What happens next
Main / Reserve (sample type)	Switches the list between the 400 Main cases and the 400 locked Reserve cases.	Reserve cases are locked replacements and are handled differently from Main cases.	The list changes and returns to page 1.
Search ID or organisation	Filters the list as you type.	Finding one case among hundreds should not need paging.	Only matching cases are listed.
Register organisation	Opens Register Organisation to add an organisation that is not yet in the sample.	Late additions must get a proper Master ID and a sample case.	The Register Organisation screen opens.
View	Opens the case page for that row.	All work on a case happens on its own page.	The case page opens.
Move through verification: step, How many, Move all N	Moves every Main case at one verification step (S00→S01, S01→S02, S02→S03) to the next after you confirm.	All 400 cases start at S00; verifying them one by one would take days, and a status should only advance when the checks behind it are done.	A confirmation asks first. Then “Moved N cases”, and the register updates.
Reassign cases: From, Province, How many, To, Move cases	Moves a chosen number of cases (in Sample ID order) from one Contact RA, or from Unassigned, to another RA (or to nobody).	Workload has to be balanced; moving in ID order lets you split a large province between RAs in two steps.	A confirmation asks first, then the cases appear in the new RA's register.
Show / page numbers / Previous / Next	Chooses how many rows to see (10, 20, 50, 100 or 200) and moves between pages.	Different jobs need different views; your choice is remembered.	The list redraws at the chosen size.

8.11 Case page

Who can open it: PI / System Admin, Field / Digital Coordinator, Contact RA, Supervisor. **Where:** /admin/sample/{Sample ID}

Everything about one organisation's place in the sample: who to contact, the invitation, the questionnaire, the timeline and the case's status.

Control	What it does and when to use it	Why it exists	What happens next
Advance workflow status (→ S0x buttons)	Moves the case to the next valid status, for example from Eligible respondent identified to Invitation prepared.	The workflow is a fixed sequence (S00–S16): a case cannot skip steps, and each move is recorded. Only statuses that are allowed next are shown.	The status changes and the change is added to the audit log. “No further transitions” appears at a final status.
Respondents and contact details → Add a person	Records a person at the organisation: name, role, phone, WhatsApp, email, gatekeeper, and whether they are eligible.	Invitations, reminders and phone-assisted interviews all need to know who to contact and whether they are the right (senior, knowledgeable) person.	A form opens. After Save, the person is listed on the case.
Respondents panel → Edit / Save / Cancel	Corrects a person's details. Save keeps the change; Cancel discards it.	Contact details go stale, and a wrong number wastes a whole reminder sequence.	The person's details update; Cancel leaves them unchanged.
Eligibility (Not yet screened / Eligible / Not eligible)	Records the outcome of your eligibility screening of that person.	Someone not eligible must never receive the questionnaire: the system will not hand out the questionnaire link without a passed eligibility check and the person's consent.	Eligible lets the questionnaire link work once consent is given. Not eligible sends the respondent to a referral instead.
Assigned Contact RA	Chooses which Contact RA works this case (or Unassigned).	A Contact RA sees only their assigned cases.	The RA's register now shows (or no longer shows) the case.
Matched Reserve case	Pairs this Main case with a locked Reserve case from the same stratum.	If the Main organisation drops out, its matched Reserve is the replacement, keeping the sample balanced.	The pair is saved. Activating the Reserve later still needs an authorised reason and an evidence note.
Invitations → Issue invitation (Channel, Wave)	Creates a personal invitation link (valid 14 days) and an 8-character manual code, for the chosen channel and wave.	Respondents are invited by a private, expiring link. The link is shown once and only a scrambled form is stored, so a stolen database cannot reveal live links. A new invitation replaces the old one.	The link and code appear once, ready to send. If the case cannot be invited (for example a locked Reserve case) you are told why.
Send via WhatsApp / Send by SMS / Open in email app	Opens WhatsApp, your SMS app or your email program with the invitation message already written.	The portal does not send messages itself: you send from the study's own account so replies come to you.	Your messaging app opens with the text. Send it, then log it on the Contact timeline.
Send email (from the portal) / Copy message	Sends the invitation email from the portal (if email is set up), or copies the text so you can paste it anywhere.	Some respondents prefer email; copying is the fallback for any other channel.	“Sent to ...” or “Copied”.
Revoke	Cancels an invitation so its link stops working.	Use if it went to the wrong person or the wrong address; it is also how a wrong send is undone.	The link stops working at once and the invitation is shown as revoked.

Control	What it does and when to use it	Why it exists	What happens next
Log a contact attempt (Channel, Outcome, Notes, Log contact attempt)	Adds an entry to the Contact timeline: how you tried, what happened (Reached, No answer, Wrong number, Refused, Rescheduled, Completed) and a note.	The timeline is the study's record of effort. It shows why a case is nonresponsive and protects respondents from being contacted twice by mistake.	The entry appears at the top of the timeline with your name and the time.
Record a withdrawal (Reason, How they told us, Record withdrawal)	Records that the participant wants to withdraw. You give the reason and whether they told you by phone or in person, or in writing.	A participant's right to withdraw must take effect at once and completely: their consent is recorded as withdrawn, every open invitation is revoked, reminders stop, and their phone, WhatsApp, email and gatekeeper contact are erased.	A confirmation warns that it cannot be undone. The case moves to Refused (a case already submitted keeps its status). Any answers already submitted are kept but left out of the analysis export and flagged.
Completed questionnaire → Download PDF	Downloads the participant's completed questionnaire as a readable PDF.	A readable copy is needed for QA notes and for the participant if they ask.	A PDF downloads. The download is recorded in the audit log.
Pre-Interview Profile (PROIT) panel	Coordinator's tool for background research on the organisation before an interview. See the PROIT screen entry.	Public facts are found before contact so the respondent is asked to confirm them, not to repeat them.	See the PROIT entry.

8.12 Pre-Interview Profile (PROIT) and its review screen

Who can open it: PI / System Admin, Field / Digital Coordinator, Supervisor. **Where:** (panel on the case page) · `/admin/proit/{id}`

Records what is publicly known about an organisation and its respondent, each fact with a source, so the interview confirms facts instead of asking for them again. Never a private or inferred fact.

Control	What it does and when to use it	Why it exists	What happens next
Start background research	Creates the pre-profile for this case.	Research is recorded only when someone deliberately starts it for a case.	The panel opens with an empty list of background fields.
Add a background field (Select a field, What was found, Add field)	Adds one fact, for example a working capital facility, from a fixed catalogue of allowed fields.	Only listed, documented kinds of fact can be recorded; health, religion, ethnicity, politics and inferred finances are never collected.	The field appears in the list, waiting for a source.
Add source	Attaches the source that shows the fact (for example a registry entry).	Every fact with a documentary value needs at least one source so it can be checked.	The source is listed under the field.
Insert suggestion	Inserts a suggested probe question for the chosen role, using your evidence.	Saves writing role-specific questions from scratch and keeps interviews consistent.	The suggestion is added above for you to keep, edit or delete.

Control	What it does and when to use it	Why it exists	What happens next
Gap-engine notes: Known, Unknown, Contradictions, Priority probe questions, Role-specific module, short form → Save gap-engine notes	Records what is already established, what is missing, where sources disagree, and what to ask first.	Focuses the interview on real gaps and reduces the burden on the respondent.	The notes are saved; the panel shows how many background questions became verifications.
Lock pre-profile	Finalises the profile.	A locked profile is the version the interview is planned from; it cannot be quietly changed afterwards. It cannot be locked while a fact still has no source.	The profile becomes read-only.
Researcher review screen (link)	Opens a one-page summary: case, organisation, evidence, bankability context, gap summary and interview plan.	One readable page for the researcher to read before the interview.	Read only; sensitive items to avoid are listed at the bottom.

8.13 Register Organisation

Who can open it: PI / System Admin, Field / Digital Coordinator, Supervisor. **Where:** /admin/organisations

Adds an organisation that is not already in the sample and gives it a Master ID and, if wanted, a sample case.

Control	What it does and when to use it	Why it exists	What happens next
Name, District, Province, Entity type, Actor family, Value chain, Size class	Describe the organisation. Name is required.	These are the sample's design dimensions (province × organisation type × size) so the new organisation lands in the right stratum.	Nothing is saved until you select Register organisation.
Register organisation	Saves the organisation.	The Master ID is generated automatically from the province, so IDs are never typed or reused.	"{name} registered — {Master ID}" appears with the option to create its case.
Sample type (Main / Reserve) and Create sample case	Creates the organisation's case as a Main or a Reserve case.	Only an organisation with a case can be worked; Reserve cases start locked.	The case is created with a Sample ID; a link to the Main-400 Register appears.
Search name, Master ID or district	Filters the list of registered organisations.	Avoids registering the same organisation twice.	Only matching organisations are listed.
Create sample case (per row)	Creates a case later for an organisation registered without one.	Registering and creating the case are separate steps so neither is forced.	The case is created.

8.14 Appointment Queue

Who can open it: PI / System Admin, Field / Digital Coordinator, Contact RA, Supervisor. **Where:** /admin/appointments

Calls that respondents have asked for, and their progress.

Control	What it does and when to use it	Why it exists	What happens next
Filter by status	Shows all appointments, or only Requested, Confirmed, Completed, Missed or Cancelled.	Coordinators mostly need the ones still to be acted on.	The list changes and returns to page 1.
CONFIRMED / CANCELLED (on a Requested appointment)	Confirm the time with the respondent and select CONFIRMED, or CANCELLED if it will not happen.	A respondent's request is only a request until a person confirms it.	The appointment's status changes.
COMPLETED / MISSED / CANCELLED (on a Confirmed appointment)	Record what happened at the appointment time.	Missed calls need to be rescheduled and counted; completed ones move the case forward.	The status changes; finished appointments show no more buttons.
Show / page numbers	Choose rows per page and move between pages.	As on every register.	The list redraws.

8.15 Follow-ups due

Who can open it: PI / System Admin, Field / Digital Coordinator, Contact RA, Supervisor. **Where:** /admin/follow-ups

Approved reminders (on days 0, 2, 4–5 and 7 after an invitation) for invited cases that have not responded.

Control	What it does and when to use it	Why it exists	What happens next
Case link (Sample ID)	Opens the case the reminder is for.	Lets you check the case before you send.	The case page opens.
Open in WhatsApp	Opens WhatsApp with the reminder text already written for that respondent.	Reminders are sent by a person from the study's WhatsApp account: nothing is sent automatically, so a person always decides.	WhatsApp opens with the message. If the button says "Open WhatsApp (choose contact)", there is no number on file: pick the contact in WhatsApp, and add the number on the case afterwards.
Mark as sent	Tells the portal you sent the reminder.	Otherwise the same reminder stays due and could be sent twice.	It is recorded as sent by you and leaves the list.

8.16 Reserve Activation

Who can open it: PI / System Admin, Field / Digital Coordinator, Supervisor. **Where:** /admin/reserve

Where a locked Reserve case is activated to replace a Main case that has dropped out.

Control	What it does and when to use it	Why it exists	What happens next
Search ID or organisation	Finds a locked Reserve case.	There are 400 locked cases.	Only matching cases are listed.

Control	What it does and when to use it	Why it exists	What happens next
Select authorised reason	Chooses why: Ineligible, Inactive, Duplicate, Refusal or Nonresponse exhausted.	A Reserve case is a scarce, matched replacement. Only these reasons are allowed so replacement cannot be used to swap in a friendlier organisation.	Nothing yet; you also need an evidence note.
Evidence note (required)	Write what shows the reason is true.	Every activation must be defensible later, in the dissertation or an audit.	Nothing yet; select Activate.
Activate	Unlocks the Reserve case so it can be invited.	The one controlled way a Reserve case becomes usable. The reason, note and your name are kept.	The case leaves the locked list and can be invited; the activation is audited.

8.17 QA Queue (with the KoboToolbox sync panel)

Who can open it: PI / System Admin, Field / Digital Coordinator, QUAN/Kobo QA RA, Supervisor. **Where:** /admin/qa

Every completed questionnaire waits here for a human quality decision. Nothing is ever passed automatically.

Control	What it does and when to use it	Why it exists	What happens next
KoboToolbox sync → Sync now	Pulls completed questionnaires from KoboToolbox right now, instead of waiting for the automatic check (every 15 minutes).	KoboToolbox is where the questionnaire is answered; the portal has to fetch what was submitted. A new or edited submission enters the queue when it is fetched.	A summary shows how many were new or changed. “Not connected” or “Last sync failed” explains a problem; the automatic check keeps trying.
Note (required)	Write what you checked and found (for example “duration 28 min plausible, no duplicate”).	A decision nobody explained looks the same as one nobody made; the note is what a later reviewer relies on.	The decision buttons stay off until there is a note.
Accept	Records that the submission passed quality checking.	Only a person can pass a questionnaire; even one that triggered no rule is not passed until someone accepts it.	The submission is marked QA passed, the case moves on, and the decision is audited.
Re-query	Sends the submission back with a question about what needs confirming or fixing.	Some problems (an odd answer, a very short time) need the respondent or interviewer to clarify before a decision.	The submission is marked as queried and the case moves to “QA query”. If the answers are edited in KoboToolbox, the next sync puts it back in the queue.

Control	What it does and when to use it	Why it exists	What happens next
Reject	Records that the submission fails and will not be used.	Fabricated, duplicate or unusable data must be kept out of the analysis, but never silently deleted.	The submission is marked rejected. It is kept and the decision and your note are audited.

8.18 QA Exceptions

Who can open it: PI / System Admin, Field / Digital Coordinator, QUAN/Kobo QA RA, Supervisor. **Where:** /admin/qa/exceptions

Flags the automatic quality rules raised (for example a very short completion time). Each waits for someone to deal with it and explain what was done.

Control	What it does and when to use it	Why it exists	What happens next
Only mine	Shows just the exceptions assigned to you.	Lets each QA person work their own list.	The list narrows and returns to page 1.
Include resolved	Also shows exceptions that were already closed.	Useful for checking what was done before, or how similar flags were handled.	Closed exceptions appear with who closed them, when and why.
Assign to	Chooses who deals with the exception, or Unassigned.	So each flag has an owner and none is left for "someone".	The exception appears in that person's "Only mine" list.
What was done about it? (required to close)	Write what you did (what you checked, who you contacted).	A closure nobody explained looks the same as one nobody looked at.	The two closing buttons stay off until there is a note.
Resolved	Closes the exception because you dealt with a real problem.	Distinguishes "there was a problem and it was fixed" from a false alarm, so rules can be tuned.	The exception is closed with your name, the time and your note.
Not a real problem	Closes the exception because the flag was a false alarm.	False alarms are information too: many of them means a rule threshold may be wrong.	The exception is closed as dismissed, with your note.

8.19 KII Register

Who can open it: PI / System Admin, Field / Digital Coordinator, KII RA, Supervisor. **Where:** /admin/kii

All Key Informant Interview records. Each record identifies a real person, so nothing here leaves the study team.

Control	What it does and when to use it	Why it exists	What happens next
New KII record	Opens the form to create a KII record.	Each interview gets its own record and KII ID from the start of contact.	The New KII Record screen opens.

Control	What it does and when to use it	Why it exists	What happens next
Search KII ID, name or role	Filters the list as you type.	Finding one participant among dozens.	Only matching records are listed.
Manage	Opens the KII record.	All work on an interview happens on its own record.	The KII record opens.
Show / page numbers	Choose rows per page and move between pages.	As on every register.	The list redraws.

8.20 New KII Record

Who can open it: PI / System Admin, Field / Digital Coordinator, KII RA. **Where:** /admin/kii/new

Starts the record for one interview.

Control	What it does and when to use it	Why it exists	What happens next
Stakeholder category, Participant name, Participant role, Preferred mode	Say who the participant is and how they prefer to be interviewed.	The category places the interview in the KII design; the name and role are needed to arrange it. They stay in the portal and are never put into web addresses.	Nothing is saved until you select Create KII record.
Create KII record	Saves the record.	The KII ID (for example KII-0026) is generated by the system so it is never typed or reused.	The record opens at its starting status, with no consent recorded yet.

8.21 KII record

Who can open it: PI / System Admin, Field / Digital Coordinator, KII RA, Supervisor. **Where:** /admin/kii/{id}

The whole life of one interview: status, consent, the interview itself, transcript and coding.

Control	What it does and when to use it	Why it exists	What happens next
Status buttons (INVITED, SCHEDULED, COMPLETED, DECLINED, NO_SHOW)	Move the interview to the next status as things happen. Only valid next statuses are shown: a prospect can be invited or decline; an invited person scheduled or decline; a scheduled interview completed, no-show or decline; a no-show can be rescheduled.	A status should only follow what really happened, and COMPLETED, DECLINED are final.	The status changes and is audited. A final status shows no more buttons.
Recording made (tick box, when marking COMPLETED)	Tick it only if the interview was audio-recorded.	A recorded interview needs the participant's separate recording consent; the portal refuses to complete it as recorded without that.	If recording consent is missing you are told, and the status does not change.

Control	What it does and when to use it	Why it exists	What happens next
Record participation consent	Records that the participant agreed to take part, after you read or summarised the information sheet.	Nobody is interviewed without consent. The interview link stays hidden until this is recorded.	The consent is recorded (with the information sheet version). Continue this interview appears.
Record recording consent	Records that the participant agreed to be audio-recorded.	Recording consent is always a separate decision; it is never assumed from taking part.	Recording consent is recorded and a recorded interview can be completed.
Continue this interview	Opens the KoboToolbox KII Guide in a new tab with this record's KII ID already filled in.	So the completed form always matches this record and the ID can never be mistyped. Only the ID and your username are sent, never the participant's name.	The KoboToolbox form opens. When submitted, the completed form appears under Completed KII form.
Transcript status (NOT_STARTED, IN_PROGRESS, VERIFIED, ANONYMISED)	Record how far the transcript has got.	A transcript must be verified and anonymised before it can be analysed or quoted.	The status changes and cannot go backwards.
Coding status (NOT_STARTED, IN_PROGRESS, COMPLETE)	Record how far the coding has got. It moves to COMPLETE by itself when the completed KII Guide is synced for this KII ID.	Shows what has and has not been analysed.	The status changes and cannot go backwards.
Completed KII form → Download PDF	Downloads the completed KII Guide for this record as a readable PDF.	A readable copy without opening KoboToolbox.	A PDF downloads; the download is audited.

8.22 Documents (the corpus)

Who can open it: PI / System Admin, Field / Digital Coordinator, Documentary RA, Supervisor. **Where:** /admin/documents

The register of documentary evidence (target 50–75 coded, included documents).

Control	What it does and when to use it	Why it exists	What happens next
New document	Opens the New Documentary Evidence Record screen.	Every source needs a record with a document ID before it can be coded.	The New document screen opens.
Search title, ID or author	Filters the list as you type.	Finding one document in 100 or more.	Only matching documents are listed.
Manage	Opens the document record.	All work on a document happens on its own record.	The document record opens.
Show / page numbers	Choose rows per page and move between pages.	As on every register.	The list redraws.

8.23 New Documentary Evidence Record

Who can open it: PI / System Admin, Field / Digital Coordinator, Documentary RA. **Where:** /admin/documents/new

Creates a document record. The fastest way is to upload the file and let the AI fill in the record and draft the coding form.

Control	What it does and when to use it	Why it exists	What happens next
Choose file (Fastest: upload the document)	Choose the document: PDF, Word, Excel, text or CSV, or a JPG/PNG scan or photo (up to 20 MB).	The AI can read all of these, so you do not retype details that are already on the first page.	Nothing is sent until you select Upload and auto-fill.
Optional: Title	Type a title of your own.	You may want a specific name, for example for one chapter of a report.	A typed title is kept; the AI does not replace it.
Optional: Pages to read	Enter the pages of a long PDF that make up this evidence unit, for example 290-340.	The AI reads at most 100 pages at a time, and a long report holds several evidence units.	Only those pages are read. With no title, the AI names the part.
Optional: Read the whole document in parts	Ticks the option to read a PDF longer than 100 pages in parts of about 80 pages, then combine them.	For a document you want coded as one unit; slower and dearer, and the ratings need extra checking.	The screen shows how many parts and asks you to confirm before it starts.
Upload and auto-fill	Creates the record, uploads the file, and starts the AI: first it fills in the record's details, then it drafts the whole coding form.	Saves typing every detail and every answer; a person still reviews and submits.	The review screen opens and shows "Step 1 of 2... Step 2 of 2". If the file cannot be used, nothing is created.
Title, Author / speaker, Source URL / reference, Document type, Geographic scope, Evidence extract → Create document record	The manual way: type the details yourself and save.	For a source with no file yet, or when AI drafting is switched off.	The record is created with a document ID (for example DOC-0025) and opens.

8.24 Document record

Who can open it: PI / System Admin, Field / Digital Coordinator, Documentary RA, Supervisor. **Where:** /admin/documents/{id}

Everything about one document: authenticity, the decision to include it, its file, its details, its coding and its memo.

Control	What it does and when to use it	Why it exists	What happens next
Mark verified / Mark disputed	Records your judgement of whether the document is what it claims to be: the right author, date and content.	Documents are evidence; a forged or doubtful one must not enter the corpus unnoticed. Disputed documents are kept and explained, not deleted.	The authenticity changes and is audited. Include becomes available once assessed.
Include / Exclude	Decides whether the document counts in the corpus.	A document cannot be Included until authenticity has been assessed, so unassessed evidence never counts.	The QA status changes; Include stays greyed out while authenticity is Unverified.
Source file → Choose File	Uploads or replaces the source (up to 20 MB). Replacing removes the old file and any unsubmitted draft made from it.	The record keeps one current source. A draft of the wrong document must never be submitted for the right one.	A bar shows progress, then the file name appears. With Start Auto-fill ticked, the review screen opens.
Start Auto-fill as soon as the file is uploaded (tick box)	When ticked, uploading immediately starts the AI draft.	Saves a step for the common case.	After the upload, the review screen opens and the AI starts reading.
Remove file	Deletes the source file from the server.	For a wrong upload. It also discards the unsubmitted AI draft made from it; a draft already submitted is kept as the record of what was filed.	A confirmation names what goes. The record says “No file uploaded yet”.
Copy for another chapter (Chapter title, Pages to read, Copy and auto-fill)	Makes another record for a different part of the same source: same author, date, source and type, and its own copy of the file.	A long report holds several evidence units, each of which should be coded, judged and exported on its own.	A new record is created (and, with AI on, drafted) and opens. Authenticity and inclusion are not copied.
Record details → Save details	Edits the title, author, date, source, scope, value chain and type.	These feed Section A of the coding form; if the AI filled them in from the document, this is where you check and correct them.	“Details saved.” The draft and the submission use the corrected values.
Code this document	Opens the KoboToolbox Document Analysis Tool with the document ID and details filled in.	For coding by hand, or when the AI cannot read the source.	The KoboToolbox form opens in a new tab.
Auto-fill	Opens the review screen for the AI draft of the whole coding form.	A fast first draft that a person then checks.	The Auto-fill review screen opens.
Interpretive memo → Save memo	Writes down your reasoning: why authenticity was disputed, how you read the document.	The memo is the audit trail of your judgement, needed for the dissertation.	A “saved” message; the memo stays on the record.
Completed coding form → Download PDF	Downloads the completed coding form for this document.	A readable copy of what was submitted.	A PDF downloads (only if a form was submitted with this document ID).

8.25 Auto-fill review screen

Who can open it: PI / System Admin, Field / Digital Coordinator, Documentary RA, Supervisor. **Where:** /admin/documents/{id}/ai-draft

Where you review the AI's draft of the KoboToolbox coding form, edit it and submit it. Nothing reaches KoboToolbox until you select Submit.

Control	What it does and when to use it	Why it exists	What happens next
Pages to read	For a PDF over 100 pages, enter the pages that make up this evidence unit.	The AI reads at most 100 pages at a time.	Only those pages are drafted; locators keep the original page numbers.
Read the whole document in parts	Reads the whole PDF (or a long range) in parts of about 80 pages and combines them.	For one coding of a long document; costs about the number of parts plus one times an ordinary draft.	You are asked to confirm. Progress shows “Read part 3 of 8”, then “Combining the parts”.
Generate AI draft / Regenerate draft	Starts the AI reading the source. Regenerate replaces the current draft and any unsaved edits.	Each draft is a paid request, so it starts only when you ask; regenerating asks first because it discards your edits.	The AI works in the background (usually one to five minutes) and you can leave the page. The draft appears here when ready.
The draft fields (sections A to L)	Every question of the form, with the AI's answer. Edit any grey-free field: text, choices, tick boxes, dates.	The AI drafts; you are responsible for the judgements (strength ratings, hypothesis codes) that are the study's documentary analysis.	Edits are kept in the browser until you select Save changes.
Section A grey fields (DOC ID, author, title, date, source)	Come from the record and cannot be edited here; use “edit the record details”.	The draft must agree with the record it is attached to.	Corrections on the record show here at once and are the values submitted.
Add metric / Remove this metric (Section J)	Adds or deletes a row of the quantitative metrics table.	Numbers in the source (percentages, amounts, targets) are recorded one per row with a locator.	The row is added or removed in the draft.
Save changes	Saves your edits to the draft on the server.	Lets you stop and finish later without submitting.	“Changes saved.” The button is unavailable after submission.
Submit to KoboToolbox	Sends the reviewed draft to KoboToolbox as a completed record, after you confirm. It saves your edits first.	The one place the portal writes to KoboToolbox, and only on this deliberate click: a person, not the AI, submits the study's documentary analysis. Once only, so no duplicate.	“Submitted to KoboToolbox, and a copy is now held in the portal.” The answers lock and the screen says “Already submitted”. A second click is refused.

8.26 Completed forms (Form PDFs)

Who can open it: PI / System Admin, Field / Digital Coordinator, QUAN/Kobo QA RA, KII RA, Documentary RA, Supervisor. **Where:** /admin/submissions

The completed KoboToolbox forms for your role (the questionnaire, the KII Guide or the Document Analysis Tool; the PI, coordinator and supervisor can switch between all three).

Control	What it does and when to use it	Why it exists	What happens next
Form (drop-down)	Chooses which form to list. Shown only to roles that may see more than one.	Each role sees only its own form, because raw answers can identify organisations and people.	The list and the sync panel change to that form.
Sync panel: "In sync with KoboToolbox"	Shows how many submissions KoboToolbox holds and how many the portal holds, and when they were last matched.	The portal keeps its own copy of the completed forms. If the two numbers differ, the portal is behind.	Read only. "Not in sync" means press Sync now.
Sync now	Pulls that form from KoboToolbox now and updates the portal's copy.	The automatic sync runs every 15 minutes; this brings it up to date immediately. It also notices edits and deletions made in KoboToolbox.	The counts refresh. A KII record's coding can move to COMPLETE; a document whose submission was deleted in KoboToolbox unlocks.
✓ saved in portal (on each row)	Says the portal holds an identical copy of that submission.	Proof, row by row, that nothing was lost or changed between KoboToolbox and the portal.	Read only. It is missing until the next sync for a new or edited row.
Download PDF	Downloads that completed form as a readable PDF (sections, questions, answers as words).	A readable copy for records, meetings and checking.	A PDF downloads; the download is audited.
Email to me	Emails that PDF to the address on your own account.	A PDF is a full research record, so it goes only to you, never to a typed-in address.	"Sent to ..." (address masked). Recorded in the audit log.
Email to respondent (questionnaire only)	Emails the respondent a copy of their own answers, at the address on their case, after you confirm.	Respondents may ask for their answers; the copy goes only to the address on file and only while their consent stands.	A confirmation first; then "Sent to ...". Refused if consent was withdrawn or no email is on file.
Excel workbook	Downloads every submission of the form as an analysis-ready workbook: answers as codes and as labels, a question dictionary, choice lists, a sheet for each repeating group.	Analysis in SPSS, Stata or R needs the answers, not just the portal's case data.	An .xlsx file downloads; the download is audited.
All as PDFs (ZIP)	Downloads every completed form as a PDF in one ZIP with a manifest.	An archive of the completed forms for the data lock.	The download starts at once and grows as each form is added.
Show / page numbers	Choose rows per page and move between pages.	As on every register.	The list redraws.

8.27 Cost Dashboard

Who can open it: PI / System Admin, Field / Digital Coordinator, Data Analyst, Supervisor. **Where:** /admin/cost

What the fieldwork has cost, by category, so cost per completed case can be reported.

Control	What it does and when to use it	Why it exists	What happens next
Spend by category	Shows spend for RA allowance, airtime/data, transport, accommodation, hosting, messaging and other.	Funders and the dissertation need the real cost of each completed case.	Read only.
Log a cost event: Date, Category, Amount → Log cost	Records one expense.	Costs are logged as they happen so the total stays true, and each event records who approved it.	The event is added and the total increases by that amount.

8.28 Audit Log

Who can open it: PI / System Admin. **Where:** /admin/audit

The permanent record of who did what and when: QA decisions, downloads, emails of copies, submissions to KoboToolbox, withdrawals, reserve activations, status changes and other changes to records.

Control	What it does and when to use it	Why it exists	What happens next
The list of events	Shows each action with who did it, what it was done to and when, newest first.	Research governance needs to be able to show who handled sensitive data and made key decisions. Entries are added by the system and cannot be edited or deleted.	Read only.
Show / page numbers	Choose rows per page and move between pages.	The log grows quickly; a larger page helps when searching for one event.	The list redraws.

8.29 Export

Who can open it: PI / System Admin, Field / Digital Coordinator, Data Analyst. **Where:** /admin/export

Downloads of data for analysis and for the data lock. Every download is audited, and the disclaimer at the foot applies to everything exported.

Control	What it does and when to use it	Why it exists	What happens next
Download analysis export (CSV)	Downloads case-level data with no contact-identifying fields (no names, phone numbers or emails). Withdrawn participants' answers are left out.	The version that is safe for analysis and for sharing with the wider research team.	A CSV downloads.

Control	What it does and when to use it	Why it exists	What happens next
Download operational export (CSV)	Downloads the full operational data including contact details. PI only.	Needed for fieldwork administration; never to be passed outside the study.	A CSV download; the download is audited.
KoboToolbox data → Excel workbook / All completed forms (PDF ZIP), for each form	Downloads the full answers of the Questionnaire, the KII Guide or the Document Analysis Tool, as a workbook or as PDFs. PI only.	Raw answers can identify organisations and, in the KII Guide, people, so only the PI may take them out.	The file downloads; the download is audited.