CHINHOYI UNIVERSITY OF TECHNOLOGY · ABF-FST RESEARCH STUDY

Role Guide 1: PI / System Admin

Step-by-step instructions for the PI / System Admin role in the ABF-FST Digital Respondent Portal.

STUDY	Developing and Validating the Agribusiness Bankability Framework for Food Systems Transformation through Novel Financing Models in Zimbabwe (ABF-FST)
PRINCIPAL RESEARCHER	Happyson Saina, Doctor of Strategic Management candidate, Chinhoyi University of Technology
SUPERVISORS	Dr L. Chikazhe and Dr J. Kanyepe
FOR	The Principal Investigator (full access)
SYSTEM ADDRESS	https://research.agribizframework.com
CONTACT	0773943709 · abffst.research@gmail.com
VERSION	Version 1.32 · 11 October 2026

*Screenshots in this document use **fictional demonstration data**. Organisation and person names, phone numbers and figures shown in them are not real study records.*

Contents

1. Your role at a glance 5
2. Signing in and your screens 6
Signing in 6
Finding your way around 6
Your screens 7
Changing your password 7
3. Your routine 9
4. Step-by-step tasks 10
4.1 Creating staff accounts for the whole team 10
4.2 Reading the dashboards 10
4.3 Using Reports (analytics and charts) 11
4.4 Reassigning cases between Contact RAs 14
4.5 Pairing a Main case with its Reserve, and assigning a Contact RA 15
4.6 Moving cases through verification (bulk) 15
4.7 Registering a new organisation and its sample case 16
4.8 Correcting an already-registered organisation 16
4.9 Finding contact details with AI 17
4.10 Recording the respondent and their contact details 19
4.11 Sending an invitation 20
4.12 Sending invitations in batches (email, SMS, WhatsApp) 21
4.13 Sending WhatsApp invitations from the queue 22
4.14 Downloading data 23
4.15 Checking the audit log 25
4.16 Publishing a Research Clearance document 26
4.17 Creating a KII record 27
4.18 Correcting a KII record's details 27
4.19 Taking a KII from invitation to coded transcript 28
4.20 Opening the KII Guide with the KII ID filled in 30
4.21 Finding an informant's contact details with AI 30
4.22 Sending the informant their own link (self-service) 31
4.23 The fastest way: upload the document (Quick add) 33
4.24 Coding another chapter of the same document (Copy for another chapter) 34
4.25 Adding a document by hand 34
4.26 Correcting a record's details 34
4.27 Attaching the source file, and removing a wrong one 35
4.28 Assessing and including a document 35
4.29 Coding a document: two ways 37
4.30 Auto-fill: the AI drafts, you review 37

4.31 Logging fieldwork costs 42
4.32 Recording a withdrawal 42
4.33 Activating a Reserve case 43
4.34 Building a pre-interview profile (PROIT), with AI research 44
4.35 Verifying a profile with the respondent, and reconciling it afterwards 46
4.36 Reviewing questionnaires in the QA Queue 48
4.37 Working QA exceptions 49
4.38 Downloading or emailing completed forms (Form PDFs) 50
4.39 KoboToolbox: rotating credentials and changing forms 51
4.40 Before the first live invitation 52
5. Rules you must follow 53
6. Troubleshooting 54
7. Quick reference 56
8. Every screen and button for your role 57
8.1 Sign in 57
8.2 The header and menu bar (every screen) 57
8.3 Change Password 58
8.4 Executive Dashboard 58
8.5 Sampling Dashboard 59
8.6 Contact Dashboard 59
8.7 QA Dashboard 59
8.8 KII / Document Dashboard 60
8.9 Reports 60
8.10 Main-400 Register (and Reserve) 61
8.11 Case page 63
8.12 Pre-Interview Profile (PROIT) and its review screen 65
8.13 Interview sheet (verifying a locked profile) 67
8.14 Register Organisation 68
8.15 Appointment Queue 68
8.16 Follow-ups due 69
8.17 Conversations 70
8.18 Reserve Activation 70
8.19 QA Queue (with the KoboToolbox sync panel) 71
8.20 QA Exceptions 72
8.21 KII Register 72
8.22 New KII Record 73
8.23 KII record 73
8.24 Documents (the corpus) 75
8.25 New Documentary Evidence Record 75
8.26 Document record 76

8.27 Auto-fill review screen 77
8.28 Completed forms (Form PDFs) 78
8.29 Cost Dashboard 79
8.30 Audit Log 80
8.31 Research Clearance 80
8.32 Export 81

1. Your role at a glance

As PI you own the study and the system. You see every screen, approve how fieldwork runs, create accounts, decide replacements and withdrawals, review the audit trail, and are the only person who can download the full operational data and the complete KoboToolbox data for cleaning and analysis.

You can

- Open all 20 screens, including the Audit Log, Research Clearance and every export.
- Create, change and deactivate staff accounts and roles.
- Do everything the Field Coordinator can: register organisations, assign Contact RAs, verify cases in bulk, invite, activate Reserves, record withdrawals, take QA decisions, manage KII and document records, log costs.
- Download the full operational export, each KoboToolbox form as an Excel workbook and a PDF ZIP, and the SmartPLS 4 and ATLAS.ti analysis packs.
- Manage the KoboToolbox forms and the connection to them.

You cannot

- Change a Sample ID or Master ID, or move a case through statuses the rules do not allow — nobody can.
- Pass a questionnaire QA without writing a note.
- Invite a locked Reserve.

> **Where this fits**
> The System Manual explains how the whole system works. This guide covers only what you do, and its last section lists every screen and button you can use, with what each does and why. Ask the Field Coordinator or PI when something is outside your role.

2. Signing in and your screens

Signing in

1. Open **https://research.agribizframework.com/admin/login** in any modern browser (Chrome, Edge, Firefox or Safari), on a computer, tablet or phone.
2. Type your **Username** and **Password**, then select **Sign in**.




Figure 1. *The sign-in screen for all internal staff.*

3. You arrive on your start screen: **Executive Dashboard**. The bar across the top lists only the screens your role (PI / System Admin) can open.

> **Accounts**
> There is no self-registration. The PI / System Admin creates every account and sets its role. Ask the PI if you need an account, a different role, or a password reset.

Finding your way around

- The **top bar** shows your username and role, and the screens you can use. It is not a full menu with some items greyed out: anything absent is simply not part of your role.
- Most screens have a **← Back to …** link at the top that returns you to the screen you came from.
- Registers show **20 rows per page** to begin with. At the foot of the list, **Show** lets you choose 10, 20, 50, 100 or 200 rows per page (the portal remembers your choice), and the page numbers, **Previous**, **Next** and the double arrows take you to any page. The **Search** box above the list narrows it.
- **Change password** (top right) lets you set a new password at any time. Choose a long password you do not use anywhere else.
- **Sign out** (top right) ends your session. Always sign out on a shared or public computer.
- If you are inactive for a while you may be asked to sign in again. This protects research data on unattended devices.




Figure 2. *Opening a screen outside your role (for example from an old bookmark) shows this card instead of the screen.*

Your screens

Screen	What you use it for
Executive, Sampling, Contact, QA, KII/Doc dashboards	Monitor progress against targets.
Reports	Analytics and charts for supervision meetings and progress reports.
Main-400 Register, Organisations	The sample: cases, bulk verification, new organisations.
Appointments, Follow-ups, Conversations	Oversee contact, reminders and WhatsApp replies.
Form PDFs	Completed forms for all three KoboToolbox forms; sync status and Sync now; the Excel workbook and PDF ZIP for each form.
QA Queue, QA Exceptions	Quality decisions and flags.
KII Register, Documents	Qualitative and documentary strands; upload a document and the AI drafts its coding form.
Reserve Activation	Replace dropped cases.
Cost	Fieldwork spend.
Audit Log	Who did what, when.
Export	All data downloads.
Research Clearance	Publish the study's official approval letters for respondents to check.

Changing your password

1. Select **Change password** in the top right corner.
2. Enter your **Current password**, then the **New password** twice, and select **Change password**.




Figure 3. *Change Password screen.*

3. Use the new password next time you sign in. If you have forgotten your password, ask the PI to reset it.

3. Your routine

A suggested rhythm. Adjust it to the Field Coordinator's plan.

When	What to do
Daily	Executive Dashboard and Reports (last 7 days); QA Exceptions older than two days; Follow-ups backlog.
Weekly	Coverage and administration-mode balance in Reports; Reserve activations; Audit Log review; cost review; download the questionnaire workbook to monitor data quality.
When staff change	Create or deactivate accounts; reassign cases.
Before data lock (30 Nov 2026)	Close QA decisions and exceptions; final exports; store them securely.

4. Step-by-step tasks

4.1 Creating staff accounts for the whole team

1. Open **docs/templates/ABF-FST_Staff_Accounts_Template.xlsx**. On the **Staff** sheet, type one person per row in the yellow cells: full name, email, role (drop-down), and for Contact RAs the provinces they cover (or All).
2. Send the file to the technical administrator. They check it with a dry run, then run `manage.py create_staff_accounts --file <sheet> --assign-cases`.
3. Every new account gets a random temporary password in a private credentials file. Give each person their own username and password separately (e.g. username by email, password by phone) and ask them to change it at first sign-in. Then delete the file.
4. With --assign-cases, Main cases still on the shared `contact_ra` account are shared out evenly among the Contact RAs covering each province. Adjust later with **Reassign cases** on the register.

One account at a time

1. Open **https://research.agribizframework.com/django-admin/** and sign in with your PI account.
2. Select **Users → Add user**. Enter a username (e.g. firstname.lastname) and a strong temporary password; save.
3. Fill in the name and **email address**, choose the **Role** under **ABF-FST role**, and save. Leave **Staff status** unticked for everyone except the PI.
4. To remove access, untick **Active** and save. Do not delete users; their audit history must remain.

4.2 Reading the dashboards

Dashboards are for monitoring; nothing on them changes data. Figures refresh whenever the screen is opened.




Figure 4. *Executive Dashboard: completions against the 400 / 60 / 50–75 targets, days to data lock, spend, and the lowest-filled strata.*

Dashboard	What it tells you	Use it to
Executive	QUAN completed out of 400, KII completed out of 60, documents coded against 50–75, days to the 30 November 2026 data lock, spend to date, lowest-filled strata.	See overall progress and where fieldwork attention is most needed.
Sampling	Main cases by province, verified/total by stratum, Reserve activations by reason.	Check the design stays balanced across strata.
Contact	Organisations verified, eligible respondents identified, invitations sent and opened, upcoming appointments, refusals, unreachable cases.	Track outreach and spot stalled contact.
QA Dashboard	Submissions today and in total, the open QA queue, decisions recorded, completions by administration mode.	Keep the QA backlog under control.
KII/Doc Dashboard	KII completed against 60; KIIs by status; documents by type and QA status.	Track the qualitative and documentary strands.

> **Targets versus records**
> The registers hold more records than the targets (for example 90 KII records for 60 completed interviews). The surplus is reserve depth for non-response, not extra work.

4.3 Using Reports (analytics and charts)

1. Select **Reports** in the top bar.




Figure 5. *Reports: headline figures for the chosen period.*

2. Choose the period with **Last 7 days**, **Last 30 days**, **Last 90 days** or **All time**. Case progress (the funnel and workflow) is always cumulative; time-based figures such as submissions per day follow the period.
3. Read the headline cards: questionnaires submitted, passed QA, response rate (submitted ÷ invited), median completion time, follow-ups sent, withdrawals, Reserves activated, and fieldwork cost per QA-passed case.




Figure 6. *Case funnel: each case counted once at every stage it has reached.*

4. Select **Show table** on any chart to see the exact numbers, for example to copy them into a progress report.



Case funnel

Each case counted once, at every stage it has reached

Show chart

Stage	Cases
In the sample	49
Invited	33
Opened the link	23
Eligible respondent	44
Consented	19
Started questionnaire	18
Submitted	14
Passed QA	7

Figure 7. *The same chart as a table.*

5. Use **Coverage** to see, by province, organisation type and size, what share of cases have been invited and have submitted. Short bars show where contact effort should go next.




Figure 8. *Coverage by group.*

6. Check **How questionnaires were completed**. If one administration mode dominates (more than 70% once at least 10 questionnaires are in), the chart shows an imbalance alert so the team can review the mix.




Figure 9. *Administration modes.*

7. Review **Time to complete the questionnaire** and **QA outcomes**. Very short or very long completions are what the QA duration rules flag.




Figure 10. *Completion-time distribution.*

Reports show counts and rates only — never names or answers — so they are safe to discuss with supervisors.

4.4 Reassigning cases between Contact RAs

Use **Reassign cases** on the Main-400 Register to hand many cases to a Contact RA at once — for example when new RAs start, or when an RA leaves. For a single case, use **Assigned Contact RA** on the case page.

1. Open **Main-400 Register** and find **Reassign cases** (below the verification tool).
2. Choose **From** (Anyone, Unassigned, or a Contact RA), a **Province** or All provinces, and **To** (the Contact RA receiving the cases, or Nobody to unassign).




Figure 11. *Reassign cases: the button shows how many cases will move.*

3. To split a large province, type a number in **How many**. Cases move in Sample ID order, so move part of the province to one RA, then the rest to the next.
4. Select **Move N cases** and confirm. The move is written to the audit log with every Sample ID.

> **What the RA sees**
> A Contact RA sees only the cases assigned to them, including on Follow-ups. Reassigning a case moves its reminders with it.

4.5 Pairing a Main case with its Reserve, and assigning a Contact RA

1. Open the Main case (**Main-400 Register → View**).
2. In **Assigned Contact RA**, choose the RA from the list. The change saves straight away and shows **Currently: <name>**. That RA now sees the case; other Contact RAs do not.




Figure 12. *Assigned Contact RA.*

3. In **Matched Reserve case**, choose the Reserve. Only locked Reserves not already paired are offered, same-stratum ones first. A cross-stratum choice is allowed but flagged in the audit log.




Figure 13. *Matched Reserve case.*

4.6 Moving cases through verification (bulk)

Every Main case must reach **S03 Eligible respondent identified** before it is invited, otherwise its status will not follow the respondent and no reminders are offered. Verification (S00 → S01 → S02 → S03) can be done for all cases at a step at once.

1. Open **Main-400 Register**.
2. In **Move cases through verification**, choose the step, for example **S00 Selected → S01 Verification required**. The button shows how many Main cases are at that step, e.g. **Move all 48**.




Figure 14. *The bulk verification tool on the register.*

3. Select the button and confirm. Each case is moved individually and each move is written to the audit log under your name.
4. Repeat for **S01 → S02** and **S02 → S03**.

> **Only verification is bulk**
> Statuses from S04 onwards follow real events (invitation sent, link opened, questionnaire submitted, QA decision) or an individual decision on the case page. They are never changed in bulk.

4.7 Registering a new organisation and its sample case

The approved registers are already loaded. Use this only for a late addition or replacement.

1. Select **Organisations** in the top bar.




Figure 15. *Register Organisation: the form (top) and the list of registered organisations (below).*

2. Complete **Name**, **District**, **Province**, **Entity type**, **Actor family**, **Value chain** and **Size class**. Province, actor family and size class decide the stratum, so check them carefully.
3. Select **Register organisation**. The Master ID (e.g. MID-HA-000012) is generated automatically.
4. When offered, choose **Main** or **Reserve** and select **Create sample case**. The Sample ID is generated and the new case page opens. You can also create the case later from the organisation's row in the list.
5. For a Main case, register its Reserve counterpart in the **same province, actor family and size class**, then pair them (see “Pairing a Main case with its Reserve”).

4.8 Correcting an already-registered organisation

For a mistyped name or a wrong district, entity type or value chain found after registration.

1. In **Organisations**, find the row and select **Edit**.




Figure 16. *Edit opens the row's own Name, District, Entity type and Value chain fields.*

2. Correct **Name**, **District**, **Entity type** and/or **Value chain**, then select **Save**.
3. Select **Cancel** to close the row without saving.

> **Province, actor family and size class can't be corrected here**
> These three decide which stratum the organisation's case is paired and Reserve-matched against, set once at registration — changing them later here would silently detach the organisation from that pairing. If one was genuinely entered wrong, ask the technical administrator rather than registering a replacement.

4.9 Finding contact details with AI

Many cases have no phone, WhatsApp or email on file, so they cannot be invited. The contact finder searches public sources for an organisation's **published** phone number and email address, and for senior staff the organisation itself names (for example on its own website or annual report), but only with their published phone or email. It no longer looks for websites or office addresses, and a name found without a phone or email is not kept. Like PROIT research, it only proposes: nothing is saved until you accept it.

For one case

1. Open the case (**Main-400 Register → View**) and find **Find contact details with AI**.
2. Select **Find contact details**. Searches run one at a time, about a minute each. If others are ahead, the button reads **Waiting in line…** and says how many; it starts by itself. You can leave the page and come back.
3. Under **To review**, each finding shows what was found, a confidence level, and the page it came from with the passage that shows it. Select the page title to open it and check it is the right organisation.
4. Decide on each one:
   - An organisation **phone** or **email**: **Accept** records it on a respondent called “Organisation contact (to be identified)”, ready for you to phone the organisation and find the right person. It never

overwrites a different number or address already there; edit that under **Respondents and contact details** instead.
  - A **named person**: choose their **Role** if the page shows it, then **Accept**. They become a new respondent, marked not yet screened. Screen them for eligibility before inviting.
  - A **website** or **office location** found by an earlier search (before 6 October 2026) can still be accepted; it is kept with the organisation and shown at the top of the panel. New searches no longer propose them.
  - **Reject** anything that belongs to a different organisation with a similar name, or that you cannot confirm on the page.
5. When the case has a confirmed eligible respondent and a number, verify it to **S03** and invite it as usual.

For many cases at once (coordinator and PI)

1. Open **Main-400 Register**. The **Find contact details with AI** panel says how many cases not yet invited have no phone, WhatsApp or email, and the rough cost per case.
2. Type a number in **How many cases** (up to 25 at a time) and select **Find contacts**. Cases are searched in Sample ID order; a case searched in the last 30 days is skipped.
3. The searches run one at a time, about a minute each, so a batch of 25 takes around half an hour. The panel shows the progress, for example “Batch in progress: 6 done, 1 searching now, 18 waiting (of 25)”. Only one batch runs at a time: start the next when this one has finished.
4. Under **Findings to review**, the panel lists every case whose findings are waiting for a decision. Select **Review N findings** to open the case and accept or reject them: a batch never saves anything by itself.

Reviewing many findings at once (coordinator and PI)

1. On the register, under **Findings to review**, select **Review them all on one page**. Every waiting finding is listed, grouped by case, with its confidence, the site it came from and the passage quoted from that page.
2. Use the filters to work in the most useful order. **Phones** and **Emails** are chosen to begin with, because they are what an invitation needs; add **Named people**, **Websites** or **Office locations** later. Choose **High** confidence to start with the strongest, or pick a **Source site** to judge one site's findings together.
3. For each finding, read the quote (select the title to open the page if in doubt), then **Accept** or **Reject**. For a named person, choose their **Role** first.
4. When everything shown for a case is right, **Accept all N shown** accepts them in one go. It is not offered when a case shows more than one phone or more than one email (choose the right one) or a named person (accept with a role). **Reject all shown** asks you to confirm first.
5. Decided findings disappear from the list. Each decision is recorded in the audit log under your name, exactly as on the case page.

> **Cost**
> Each search is a paid request on the study's AI account, about USD 0.05–0.15 per organisation. The batch panel shows the estimate before you start.

Importing background research done in ChatGPT

If you researched businesses in ChatGPT with the Main-400 research pack (its Fill A Contacts and Fill B PROIT facts sheets), the PI or Field Coordinator can load the returned Excel file in one go, on the **Main-400 Register**

under **Import background research (ChatGPT workbook)**: choose the file, **Check file** (nothing is saved), then **Import N records**. Contacts become suggestions under **Find contact details with AI → To review** on each case, and facts become PROIT findings under **Pre-Interview Profile (PROIT) → AI research → To review**. Nothing reaches a case until you accept it; a locked Reserve and a locked profile are never touched, and importing the same file again adds nothing. Accepting the owner or manager adds them as a respondent; verify the case (S03) as usual before inviting it.

> **Only what an organisation publishes about itself**
> Only the organisation's name, province, district and value chain are sent to the AI provider. Never a respondent's name or any contact detail already on file.
> Every finding must appear in the passage quoted from its page; anything that does not is removed automatically. Personal social-media profiles are never used. An organisation's own business page may be, for the organisation's own contact details only, and a finding seen only there is never rated higher than MODERATE.
> An email on a personal-style service (for example Gmail) is flagged: check the page presents it as the organisation's own address.

4.10 Recording the respondent and their contact details

Invitations and reminders need a phone or WhatsApp number. Record the eligible person as soon as they are identified.

1. Open the case (**Main-400 Register → View**) and find **Respondents and contact details**.
2. Select **Add a person**. Enter **Full name**, **Phone**, **WhatsApp number**, **Email**, and a **Gatekeeper name** and **Gatekeeper contact** if you reach the person through a PA or receptionist.




Figure 17. *Adding a person to a case.*

3. Choose their **role** and the eligibility decision: **Eligible (I screened them)**, **Not eligible**, or **Not yet screened**.
4. Select **Save person**. To correct details later, select **Edit** beside the person, change the fields, then **Save changes**.
5. Write WhatsApp numbers in international form, e.g. **+263 77 123 4567**, so the WhatsApp buttons open the right chat.

> **Who is eligible?**
> Owner or founder, CEO or managing director, finance/credit/risk, operations, strategy/business development, supply chain/commercial, or another senior manager who can answer for the organisation. Anyone else should nominate the right person.

4.11 Sending an invitation

1. Open the case. Check the status is **S03** and a respondent with a number is recorded.
2. In **Invitations**, leave **Channel** as **WHATSAPP** (or choose EMAIL, SMS, PRINTED_CODE or QR to record how it was delivered) and **Wave** as **1**. Select **Send invitation**.




Figure 18. *Invitations panel before sending, with the history of earlier invitations.*

3. The personal link and 8-character manual code appear **once**, with the invitation already written for each channel. Choose **WhatsApp message**, **SMS message** or **Email message** to see exactly what will be sent: the personal link, its expiry date, the manual code and the study contact line. Every message names the organisation (WhatsApp opens “Hello, Sable Chickens.”, the email subject starts with the organisation's name), so you can always tell which organisation a sent link belongs to.




Figure 19. *The link, manual code and ready-written messages are shown once, with a send button for each channel.*

4. Send it on **every channel the organisation has**, before you leave the page. It is one invitation with one link, so the WhatsApp message and the email carry the same link and both keep working. All the send buttons are on screen together (the message tabs only change the preview):
   - **Send via WhatsApp** opens that respondent's chat (their WhatsApp number, or phone number if none) with the message ready. Check you are on the study WhatsApp number, then press Send.
   - **Send by SMS** opens the phone's messages app addressed to the respondent, with the shorter SMS message. Use it on a phone.
   - **Email from study address** sends the email from abffst.research@gmail.com to the respondent's email on file; replies go to the study inbox. The email is recorded in the audit log.
   - **Open in email app** opens the same email in your own mail program, if you need to add something first.
   - **Copy message** copies the message shown, for any other channel.
   - Once SMS or WhatsApp is set up, **Send SMS from the portal** and **Send WhatsApp from the portal** send the same invitation through Twilio, to the mobile on file; the invitation history then shows whether each was delivered.
5. If a button says no mobile number or email is on file, add it under **Respondents and contact details**. Only then send a new invitation, and send that one on every channel.

6. The case moves to **S05 Invitation sent** automatically. Log the attempt in **Contact timeline** (see Logging a contact attempt).

> **The link is shown only once**
> The portal stores only a scrambled fingerprint of the link, so nobody can display it again. If you close the page before sending, select **Send new invitation (replaces current)**: this issues a fresh link and the old one stops working immediately.
> **Never issue a new invitation just to send by another channel.** The organisation's earlier message would then say the invitation has expired. While the link still works the portal asks before replacing it (**Replace it** / **Keep the current one**): replace it only if the link was lost, went to the wrong person or never arrived.
> Links are valid for **14 days**. Each link belongs to one organisation; never forward one respondent's link to another organisation.

Revoking an invitation

In the invitation history, select **Revoke** on an open invitation (for example, if it was sent to the wrong number). The link stops working at once. Issue a new one if the case should still be invited.

4.12 Sending invitations in batches (email, SMS, WhatsApp)

Instead of sending invitations one case at a time, the coordinator or PI can have the portal send them: by email from abffst.research@gmail.com, and by SMS and WhatsApp through Twilio once those are set up. Each case gets **one** invitation with its own link (valid 14 days) and manual code, sent on every way you choose that it has a contact for, so the email and the text carry the same working link. Only **verified** cases are included: status **S03** or **S04**, a contact on file, and no open invitation. SMS and WhatsApp go to mobile numbers only.

1. Open **Main-400 Register** and find **Send invitations**.
2. Under **Send by**, tick **Email**, **SMS** and/or **WhatsApp**. Each shows how many cases it can reach and what is left of today's limit, or “not set up yet”.
3. Open **Next in line** to see the first cases, the ways each can be reached and the (partly hidden) addresses and numbers. With SMS ticked, the panel shows the cost per invitation (about US$0.65 to 0.95).
4. Type a number in **How many** (up to 100 in one batch) and select **Review and send**.
5. Read the confirmation, which includes the SMS cost, then select **Send N invitations**, or **Cancel**.
6. The panel shows progress while it sends, then the result: sent, failed and skipped. Open **Case by case** to see each Sample ID, how it was sent and the reason for any failure. Each case that was sent moves to **S05 Invitation sent**.

> **Before the first batch**
> Each way must be set up on the server first: email with `configure-email.sh`, SMS and WhatsApp with `configure-twilio.sh` (see the System Manual). Until then the panel says so and the button stays disabled.
> Daily limits: 300 emails, 150 SMS and 250 WhatsApp messages (invitations and automatic reminders together). The panel shows what is left.
> If nothing gets through for a case, nothing is kept for it: no link is issued, it stays at S03 or S04, and the next batch tries it again. If one way works and another fails, the case is sent and **Case by case** says what failed.

Ask first: introduce the study, then invite automatically

Instead of sending the link straight away, **Send invitations** can **Ask first (introduction)**. Each verified case with a mobile and no invitation yet gets a short WhatsApp message about the study asking whether it will take

part, with **Yes** and **No** buttons. Where WhatsApp isn't set up or the message can't be delivered, it goes by SMS with a link that opens the study's WhatsApp chat with “YES” typed in: SMS replies can't be received in Zimbabwe, so every answer arrives on WhatsApp.

1. On **Send invitations**, choose **Ask first (introduction)**, type **How many**, select **Review and send**, then **Send N introductions**. For one case, use **Send introduction** under **Ask first** on the case page.
2. **They reply YES** (or Hongu, Yebo, OK): the portal issues their invitation and sends the personal link and code back in the same WhatsApp chat straight away. The case moves to **S05 Invitation sent** and the usual Day 2 and Day 7 reminders follow.
3. **They reply NO** (or STOP, Hapana, Aihwa, Cha): the refusal is recorded, the case moves to **S12 Refused**, and they get one message saying they won't be contacted again. Activating its Reserve is still a separate, recorded decision on **Reserve Activation**.
4. **They write anything else** (a question, “who is this?”, “no problem”): they get one automatic answer with the study contact, and the message appears on **Conversations** for you to answer.
5. **No reply**: one reminder after 3 days; after 4 more days with no answer, the case is listed on **Follow-ups** under **Asked, no reply yet: phone them**.

> **Answering on Conversations**
> The study's Twilio WhatsApp number isn't on any phone, so answer people on **Conversations**: write the reply and select **Send reply**. WhatsApp only accepts a reply within 24 hours of their last message; after that, phone them. **Mark handled** when it's dealt with. A Contact RA sees only their own cases' messages; messages from numbers the study has no record of go to the PI and Field Coordinator.

Reminders sent automatically

Once SMS or WhatsApp is set up, the portal sends the Day 2 and Day 7 reminders itself every morning at 08:00: by WhatsApp when its approved template is set up, otherwise by SMS, to the respondent's mobile. **Follow-ups** says “The portal sends this one automatically” for those. Reminders for anyone without a mobile, and any automatic message that did not get through, stay on Follow-ups to send by hand, marked “The automatic message did not get through”. A failed reminder is never re-sent automatically, and it does not count toward Nonresponse until a person sends it.

4.13 Sending WhatsApp invitations from the queue

The study has no WhatsApp Business account, so the portal cannot send WhatsApp messages itself. The queue does the next best thing: it lists every verified case (**S03** or **S04**) with a WhatsApp or phone number and no open invitation, and prepares each invitation so you send it with one tap from the study phone. A Contact RA sees only their own cases.

1. Open **Main-400 Register** and find **WhatsApp invitations**. Each row shows the Sample ID, the organisation, the person and a partly hidden number.
2. Select **Prepare** on a row. The portal creates the case's personal link and code, writes the approved WhatsApp message, and moves the case to **S05 Invitation sent**.
3. Select **Open WhatsApp**. WhatsApp opens at that person's chat with the message ready. Check you are on the study number, then press Send. (**Copy message** copies the text if WhatsApp will not open.)
4. If the case also has an email address, select **Email the same link** straight away. The same invitation goes by email from the study address, so the organisation can use whichever message it sees first. The button then reads **Emailed to …**.

5. Log the attempt on the case's **Contact timeline**, as for any invitation.

> **Prepare only what you are about to send**
> Preparing an invitation counts it as sent: the case moves to S05 and the Day 2 and Day 7 reminders start counting. If you prepare one and cannot send it, open the case and **Revoke** that invitation so the link stops working. The case stays at S05 and does not come back to the queue: when you can reach the person, send a new invitation from the case's **Invitations** panel.

4.14 Downloading data




Figure 20. *Data Export.*

Download	Contains	Who
De-identified analysis export (CSV)	One row per questionnaire: sample_id, master_id, province, actor_family, value_chain, size_class, administration_mode, qa_status, submitted_at, completion_seconds. No names or contact details. Participants who withdrew are left out.	PI, Field Coordinator, Analyst
Full operational export (CSV)	Every questionnaire, including withdrawn ones (consent_withdrawn), plus organisation name, respondent name, phone, email and gatekeeper details. Internal operations only.	PI only

Download	Contains	Who
Respondents and outreach (Excel)	Everyone the study can contact or has contacted, not only those who submitted. Sheet 1: every Main-400 respondent (one row per person, and a row for a case with nobody recorded yet) with phone, WhatsApp, email, gatekeeper, the latest invitation (channel, date, who sent it, status, whether the portal emailed it), reminders marked as sent and the last contact attempt. Sheet 2: every KII informant with contact details and latest invitation. Sheet 3: a log of every invitation ever sent. A WhatsApp invitation is recorded when it is created; WhatsApp does not tell the portal whether it was delivered or read.	PI only
KoboToolbox data: Excel workbook	Every submission's answers for one form: data_codes (codes for SPSS/Stata/R), data_labels, a sheet per repeat group, the questions dictionary, the choices lists, and for the questionnaire the matched case, QA status, withdrawal flag and workflow status.	PI only
KoboToolbox data: All completed forms (PDF ZIP)	Every completed form as a PDF, with manifest.csv listing file, record, KoboToolbox id and submission time.	PI only
Analysis packs: SmartPLS 4 and ATLAS.ti	Three ZIP downloads that open directly in your analysis software. SmartPLS pack: the questionnaire as one numeric row per respondent who passed QA, with a data dictionary and a missing-value code of -99. ATLAS.ti interviews pack: one Word document per key informant interview plus an attribute sheet. ATLAS.ti documents pack: the uploaded source files named by document ID plus an attribute sheet. Each has a README that says how to import it. No names, organisation, job title or contact details; anyone who withdrew consent is left out.	PI only

Getting the data into SmartPLS 4 and ATLAS.ti

1. Select **Export**. Under **Analysis packs: ready for SmartPLS 4 and ATLAS.ti**, select **Download SmartPLS pack**. Only respondents who passed QA are included; **Include those not yet through QA** adds the rest.
2. Unzip it. In SmartPLS 4 create a project, choose **Import data file**, select `data.csv`, and enter `-99` as the missing-value marker. Every variable is numeric; `data_dictionary.csv` says what each one is and how it is coded. `respondent_no` is only a row number.
3. Keep the `PRIVATE_do_not_share` folder out of anything you send on: its key links respondent numbers back to Sample IDs.
4. Select **Download interviews pack**. In ATLAS.ti add every file in `interviews/` as documents, then import `kii_attributes.xlsx` as document groups (its first column matches the document name). Add your own interview transcripts under the same interview ID.
5. Select **Download documents pack**. Add the files in `documents/` to ATLAS.ti, then import `documents_attributes.xlsx` the same way.

How answers are coded for SmartPLS
Questions stored as numbers in the form (the 1-5 scales) keep those numbers. Yes/no become 1/0. Other single-choice questions are numbered in the order the form lists them, with the numbering written in the dictionary. Not applicable, not sure and prefer not to say are missing. Multiple-choice questions become one 0/1 column per choice. Free text, dates and ids are not in the SmartPLS file.

Keep the AI features of ATLAS.ti off
ATLAS.ti can send text to an outside AI service. Interview text must not be sent unless your ethics position has been updated to allow it. The interviews pack leaves out organisation, job title and contact details, but check the answers for any name before sharing them outside the research team.

Getting all the data for cleaning and analysis

1. Select **Export**.
2. Under **KoboToolbox data — every completed form**, select **Excel workbook** for the **Main Study Questionnaire**. Repeat for the **Main Study KII Guide** and the **Document, Digital Platform & Media Analysis Tool**.
3. Select **All completed forms (PDF ZIP)** for each form you need as PDFs. A large ZIP starts at once and grows while it downloads — let it finish.
4. Open the workbook's **README** sheet first. Use `data_codes` for statistical software and `data_labels` for reading. `meta/rootUuid` identifies a submission across edits; `_parent_id` links repeat rows to their submission.
5. For analysis without identities, share only the **De-identified analysis export** and the workbook columns you have checked contain no names or contact details.

Handle raw data carefully
Workbooks and PDFs contain the answers themselves, and the KII Guide identifies people. Store them only on encrypted, access-controlled storage as the data management plan requires. Every download is recorded in the audit log.

4.15 Checking the audit log

1. Select **Audit Log**. Each row shows when, the action (e.g. `invitation.issued`, `consent.recorded`, `sampling.bulk_workflow_transition`, `kobo.data_exported`), the record, and the user.




Figure 21. *Audit Log, newest first.*

2. Page through with **Previous** and **Next**. Actions taken by scheduled jobs or by respondents themselves show **system**.

4.16 Publishing a Research Clearance document

The official letters that show this study is real and approved — ethics clearance, institutional or government approval, confirmation of supervision, an introduction letter — so a respondent can check for themselves before answering anything. A document is private until you publish it: nothing appears to a respondent until it has a file attached **and** Shown to respondents is switched on.

1. Select **Research Clearance**.
2. Under **Add a document**, enter the **Title**, **Issuing body**, **Type**, the **Reference number** as printed on the letter (if any), the **Date on the letter**, and an optional plain-language **Description**, then select **Add document**.
3. Select **Upload file** on the new row and choose the letter (PDF, JPG or PNG, up to 20MB).
4. Tick **Shown to respondents** when you are ready for respondents to see it. It appears immediately on the Participant Information step of every invitation link, for Main-400 respondents and KII informants alike.
5. **Active** can be switched off to retire a document without deleting it — for example a superseded letter you still want on record.

> **Nothing is shown by accident**
> A document needs a file and Shown to respondents **both** before any respondent sees it. Adding a document or uploading a file does not publish it on its own.

A published document cannot be deleted
Once a document has been shown to a respondent — even briefly — Delete is refused, by the server as well as the screen, so there is always a record of what respondents were shown. Switch Shown to respondents and Active off instead.

4.17 Creating a KII record

1. Select **KII Register → New KII record**.




Figure 22. *New KII Record.*

2. Enter **Stakeholder category**, **Participant name**, **Participant role** and **Preferred mode**, then select **Create KII record**. The KII ID (e.g. KII-0026) is generated.

4.18 Correcting a KII record's details

For a mistyped name, role or category, a contact detail, or anything else under **Record details** -- found after the record was created.

1. On the KII record, under **Record details**, correct **Participant name**, **Participant role**, **Stakeholder category**, **Phone**, **WhatsApp number**, **Email**, **Preferred mode**, **Interview date**, **Duration** or **Field notes**.




Figure 23. *Record details: everything except status, transcript and coding progress.*

2. Select **Save details**.

> **Status, transcript and coding have their own controls**
> This form never changes Status, Transcript or Coding progress, even though they're part of the same record -- those only move through their own validated buttons below (status transitions, consent, transcript/coding progress), each of which is audited.

4.19 Taking a KII from invitation to coded transcript

1. In **KII Register**, select **Manage** on the record.




Figure 24. *KII Register.*

2. Move the **Status** as things happen: PROSPECT → INVITED → SCHEDULED → COMPLETED, or DECLINED / NO_SHOW. Only valid next statuses are shown; NO_SHOW can be rescheduled.




Figure 25. *KII record: status, consent, transcript and coding.*

3. Before the interview starts, select **Record participation consent**. If the interview will be recorded, also select **Record recording consent** — the two are always separate.
4. When marking **COMPLETED**, tick **Recording made** only if a recording exists. The portal refuses a recorded completion without recording consent.

5. Advance **Transcript** (NOT_STARTED → IN_PROGRESS → VERIFIED → ANONYMISED) and **Coding** (NOT_STARTED → IN_PROGRESS → COMPLETE) as the work progresses.
6. Complete the **KII Guide** form in KoboToolbox using the KII ID (see the next section). The **Completed KII form (KoboToolbox)** panel then links to its PDF, and at the next sync (within 15 minutes, or at once with **Sync now** on **Form PDFs**) the portal sets **Coding** to COMPLETE for you.

4.20 Opening the KII Guide with the KII ID filled in

1. Record **participation consent** first. Until you do, the **Coding** panel says “Record participation consent first” and the interview link is withheld.




Figure 26. *Before consent: no interview link.*

2. Once consent is recorded, the panel offers **Continue this interview**. Select it: the KoboToolbox KII Guide opens in a new tab with the KII ID already entered, so it can never be mistyped and the completed form always matches this record.




Figure 27. *After consent: Continue this interview.*

3. Complete the interview in the form as usual.

> **What the link carries**
> Only the KII ID and your own username. It never carries the participant's name, role or organisation, so nothing identifying is left in a web address or your browser history.

4.21 Finding an informant's contact details with AI

Most KII records have no phone or email yet. The contact finder searches public sources for the informant's organisation's published phone number and email, and for the informant's own **work** email or phone where their organisation (or an official register) publishes it. For a record still called “… (contact not yet identified)”, it looks for whoever currently holds the role, with their phone or email. A name found without a phone or email is not kept. It only proposes: nothing reaches the record until you accept it.

1. Open the record (**KII Register → Manage**) and find **Find contact details with AI**, above **Invite (self-service link)**.
2. Select **Find contact details**. Searches run one at a time, about a minute each; if others are ahead the button reads **Waiting in line…**. You can leave the page and come back.
3. Under **To review**, check each finding against the page and passage shown, then **Accept** or **Reject**. An organisation phone or email, or the informant's work contact, fills the record's **Phone** or **Email**, but never over a different one already there (correct that under **Record details**). A person found for an unidentified record becomes its informant: the name and role on the record change to theirs.

4. For many records at once, use **Find contact details with AI** on the **KII Register**: choose **How many records** (up to 25) and **Find contacts**. It shows the batch's progress and lists every record with **Findings to review**, each with a link to its page. One KII batch runs at a time.
5. When a record has a phone, WhatsApp number or email, send the informant their link (next section).

Importing background research done in ChatGPT

If you researched organisations in ChatGPT with the KII research pack (its Fill A Contacts, Fill B PROIT facts and Fill C Interview prep sheets), the PI or Field Coordinator can load the returned Excel file in one go. Nothing goes onto a record directly: it lands in the same review lists as the portal's own AI.

1. On the **KII Register**, find **Import background research (ChatGPT workbook)**, choose the Excel file and select **Check file**. The portal lists, per KII ID, how many contact suggestions, PROIT findings and interview notes the file would add, with any warnings (an unknown KII ID, a field the portal doesn't pre-fill, a fact without a source link). Nothing is saved yet.
2. Select **Import N records**.
3. Open each record: contacts are under **Find contact details with AI → To review**, facts under **Pre-Interview Profile (PROIT) → AI research → To review**. Open each source, then **Accept**, edit and accept, or **Reject**. The interview notes are in the KII adaptive gap engine, marked “Imported … check”.
4. When the profile is right, lock it and send the invitation.

Safe to repeat
Importing the same file again adds nothing new, example rows are ignored, and a locked PROIT profile is never changed.

Work contacts only
Only the organisation's name and type and the informant's name and role are sent to the AI provider, never a contact detail already on file.

A personal mobile, a personal email or a personal social-media profile is never proposed, and anything that does not appear in the passage quoted from its page is removed automatically. For a named informant, findings about anyone else are removed too.

Searching, accepting and rejecting are open to the PI, Field Coordinator and KII RA; the Supervisor can see the findings. Every decision is recorded in the audit log, without the contact values.

4.22 Sending the informant their own link (self-service)

Some informants would rather complete the interview alone, in their own time, than do a live call. The **Invite** panel on the record sends them a personal link they can open unsupervised -- the same idea as a Main-400 invitation, but for a KII.

1. Under **Record details**, enter the informant's **Phone**, **WhatsApp number** or **Email** and select **Save details**. At least one is needed to send a link.




Figure 28. *Record details: phone, WhatsApp number and email.*

2. Under **Invite (self-service link)**, choose a **Channel** and select **Send link**. The personal link, its manual code and ready-made WhatsApp/SMS/email messages appear -- the same panel used for Main-400 invitations. Each names the informant's organisation (“Hello Tendai Moyo (CBZ Bank).”); a record still marked “contact not yet identified” is greeted by the organisation's name and says which role you would like to interview.
3. Send it on every channel the informant has, before you leave the page: **Send via WhatsApp**, **Email from study address** (if email is set up), **Send by SMS** or **Open in email app**, or **Copy message** for anything else. It is the same link on each, and all of them keep working.

The informant opens the link, reads a short Key Informant Interview information sheet, agrees to take part, and is taken straight to the KII Guide with the KII ID already filled in -- no account, no app, nothing identifying in the link. Once they consent, **Record participation consent** on this page updates to **GIVEN** on its own, and **Continue this interview** above becomes available too, exactly as if an RA had recorded it.

Sending a new link replaces the old one
Issuing another link for the same informant (for example after 14 days, or if they ask for a resend) immediately retires the previous one -- only one link is ever live per KII record, the same rule as Main-400 invitations.

Still a self-administered interview, not a recorded one
Nobody is present on a self-service session, so there is nothing to record and no recording consent is asked for on this path. If the informant would rather be interviewed live and recorded, arrange that by phone, WhatsApp or video call instead, and record both consents the usual way (above).

4.23 The fastest way: upload the document (Quick add)

You do not need to type the details of a document. Upload it and the AI reads it, fills in the record, drafts the whole KoboToolbox coding form, and waits for you to review. (This needs AI drafting to be switched on; otherwise use “Adding a document by hand” below.)

1. Select **Documents → New document**. At the top is the box **Fastest: upload the document**.




Figure 29. *New document: upload the file and let the AI do the rest.*

2. Choose the file: a PDF, a Word (.docx) or Excel (.xlsx) file, a text or CSV file, or a JPG or PNG scan or photo (up to 20 MB). Nothing else is required.
3. Optional (open **Optional: title, pages to read**): a **Title** if you want your own; **Pages to read** if you are coding one chapter of a long PDF, for example `290-340`; or tick **Read the whole document in parts** for a PDF over 100 pages (see “Coding a very long document” below).
4. Select **Upload and auto-fill**. The record is created straight away and the review screen opens, showing “Step 1 of 2: reading the document’s details”, then “Step 2 of 2: drafting the coding form”. You can leave the page; the draft will be there when you return.
5. The AI has filled in the title, author, date, document type, geographic scope, value chain and source it found in the document, and left blank anything the document does not state. Check them on the record page under **Record details** and correct anything wrong; a correction shows in the draft at once and is used when you submit.
6. You still make the human decisions: assess **authenticity** (Verified or Disputed) and **Include** or **Exclude** the document, as described below.

7. Review every section of the draft, **Save changes**, then **Submit to KoboToolbox** (see “Auto-fill: the AI drafts, you review”). The portal keeps its own copy of the completed form; **Sync now** on **Form PDFs** confirms the portal and KoboToolbox match.

4.24 Coding another chapter of the same document (Copy for another chapter)

A long report holds several evidence units. Give each chapter you want coded its own record, so each gets its own ratings, its own DOC ID and its own row in the export. You do not upload the file again or retype the details:

1. Open the record of the document and, under **Copy for another chapter**, enter the chapter's **Pages to read** (for example `290-340`) and, if you like, a **Chapter title**. Leave the title empty and the AI names the part from its pages, for example “Title – Chapter 6: Agriculture (pp. 290-340)”.




Figure 30. *Copy for another chapter: pages, and an optional title.*

2. Select **Copy and auto-fill** (or **Copy record** if AI drafting is not switched on). A new record is created with the same author, date, source, type and scope, and **its own copy of the file**, so removing or replacing one file never affects the other.
3. With AI drafting on, the new record's review screen opens and the AI starts drafting that chapter. Review, save and submit it as usual.
4. Authenticity and Include or Exclude are **not** copied: assess each chapter on its own. Repeat for every chapter you want coded.

> **Copy needs a file**
> The **Copy for another chapter** panel appears once a record has its source file. A title or pages is required, and a long PDF needs a page range (or the whole-document option). If the pages are not valid nothing is created.

4.25 Adding a document by hand

1. Select **Documents → New document** and, below **Or enter the details yourself**, fill in **Title**, **Author / speaker**, **Source URL / reference**, **Document type** (OFFICIAL, SECONDARY or PLATFORM), **Geographic scope** and an **Evidence extract**, then select **Create document record**. The document ID (e.g. DOC-0025) is generated.
2. Then attach the source file (below). If AI drafting is on, ticking **Start Auto-fill as soon as the file is uploaded** sends you straight to the draft.

4.26 Correcting a record's details

1. Open the record. Under **Record details** you can edit the title, author, publication or event date, source URL or reference, geographic scope, value chain and document type.




Figure 31. *Record details: the details the AI filled in, ready to check.*

2. Select **Save details**. The details appear in the coding form's Section A: on the review screen they show in grey, and the corrected values are the ones submitted to KoboToolbox.

4.27 Attaching the source file, and removing a wrong one

1. On the document's page, under **Source file**, select **Choose File** and pick the source: a PDF, a scan or photo (JPG or PNG), a Word (.docx) or Excel (.xlsx) file, or a text or CSV file. Audio and video can be attached as a reference. The limit is 20 MB. The file is stored privately on the server.



Figure 32. *Source file: the file name, size and date, with Remove file beside it.*

2. A bar shows how much of the file has been sent. A large file on a slow connection can take a minute or two: wait until it says **Saving…** and the file name appears. If **Start Auto-fill as soon as the file is uploaded** is ticked (it is by default), the review screen then opens and the AI starts reading.
3. Attached the wrong one? Select the red **Remove file** link beside the file name and confirm. The file is deleted from the server and the record says “No file uploaded yet”. Then choose the right file.
4. Choosing another file straight away also replaces the old one.

> **What goes with a removed file**
> An AI draft (see below) made from the removed or replaced file is discarded too, so a draft of the wrong document can never be reviewed and submitted for the right one. A draft that has already been submitted to KoboToolbox is kept as the record of what was filed. Removals are recorded in the audit log with the file name.

4.28 Assessing and including a document

1. In **Documents**, select **Manage** on the record.




Figure 33. *Documentary Evidence Corpus.*

2. Assess authenticity: select **Mark verified** or **Mark disputed**.




Figure 34. *Document record: authenticity, QA status, memo and coding form.*

3. Set the QA status: **Include** or **Exclude**. A document cannot be included until authenticity has been assessed.
4. Write the **Interpretive memo** (dispute reasons, interpretation notes) and select **Save memo**.
5. Code the document (next two sections). The completed form's PDF then appears on the record, under **Completed coding form (KoboToolbox)**.

4.29 Coding a document: two ways

The **Coding** panel offers two buttons for the Document, Digital Platform & Media Analysis Tool:

Button	What it does	Use it when
Code this document	Opens the KoboToolbox Document Analysis Tool with the DOC ID, title, author, date and source already filled in. You answer every other question yourself.	You code by hand, or the source cannot be read by the AI.
Auto-fill	Has the AI read the uploaded source file and draft answers to the whole form. You review, edit and submit.	A source file is uploaded and you want a fast first draft. The button only appears once the administrator has switched AI drafting on.




Figure 35. *The Coding panel: Code this document, and Auto-fill.*

4.30 Auto-fill: the AI drafts, you review

1. Attach the source file (above). Select **Auto-fill** in the **Coding** panel; the review screen opens.
2. If the file is a PDF of more than 100 pages, enter the **Pages to read**, for example `10-90`. The AI reads up to 100 pages at a time, so either choose the pages that make up this evidence unit, such as one chapter, or tick **Read the whole document in parts** (see "Coding a very long document" below). Its locators use the original page numbers. For shorter files, leave the box empty to read everything.




Figure 36. *A 240-page PDF: enter a page range, or read the whole document in parts.*

3. Select **Generate AI draft**. The AI reads in the background, usually one to five minutes. You can leave the page and come back; the draft will be there.




Figure 37. *The AI is reading the document.*

4. Read the draft. It has every section of the KoboToolbox form, A to L. The DOC ID, author, title, date and source come from the record and cannot be changed here; everything else you can edit.




Figure 38. *The review screen: the draft, ready to check and edit.*

5. Check the judgements, not just the facts: the strength ratings (Sections D and H), the hypothesis codes (Section K) and the locators. Open the source and confirm a few page or paragraph references.




Figure 39. *Section D: ratings and locators, all editable.*

6. Check the numbers in Section J against the source. Add or remove metrics as needed.




Figure 40. *Section J: quantitative metrics.*

7. Select **Save changes** to keep your edits and finish later. When you are satisfied, select **Submit to KoboToolbox** and confirm. Your reviewed answers are sent as a completed record.

8. The record appears at once under **Completed coding form (KoboToolbox)** on the document page and in **Form PDFs**, found by its DOC ID. The portal's copy of the Document Analysis Tool is refreshed the moment you submit. If a coding you submitted is later deleted in KoboToolbox, the next sync (automatic, or **Sync now** on **Form PDFs**) unlocks the document so it can be coded again.

The draft is a starting point, not a finding

Sections D to K are this study's documentary analysis. The AI drafts them; you are responsible for them. Change any rating you disagree with. A draft where everything is rated as strongly supportive deserves a second look.

Nothing reaches KoboToolbox until you select **Submit**. Each draft and submission is recorded in the audit log, so the study can say exactly which records were AI-assisted.

Submit once. A second submission would create a duplicate record for the document, and the screen shows “Already submitted” to stop it.

File type	Can the AI read it?	Locators
PDF	Yes, up to 100 pages at a time; longer files by page range, or read whole in parts (up to 1,500 pages).	Original page and paragraph numbers.
JPG, PNG (scan or photo)	Yes. Very large photos are shrunk automatically.	Whatever the image shows.
Word (.docx), Excel (.xlsx), text, CSV	Yes, as text.	No page numbers: headings, paragraph or section numbers, sheet names.
Audio or video	No. Upload a transcript (PDF, Word or text) and keep the recording as the source reference.	-
Old .doc or .xls	No. Save as a PDF or as .docx / .xlsx and upload that.	-

Coding a very long document

The AI can take in 100 pages at a time. A report of several hundred or a thousand pages therefore needs one of two approaches:

- **One record per chapter (recommended).** Make a record for each part you want coded, for example “NDS2 – Agriculture chapter”: upload the PDF once, then use **Copy for another chapter** on that record for every further part, entering each part's page range (see “Coding another chapter of the same document” above). Review and submit each one. Each part gets its own DOC ID, its own coding and its own row in the Excel export.
- **Read the whole document in parts.** Tick **Read the whole document in parts**. Leave **Pages to read** empty for every page, or enter a longer range such as `1-600` (up to 1,500 pages). The AI codes each part of about 80 pages, then combines them into one draft for the record. The screen tells you how many parts it will take and asks you to confirm, then shows progress (“Read part 3 of 8”, then “Combining the parts into one draft”). Expect roughly ten to thirty minutes, and you can leave the page.

A combined draft needs extra care

Because the ratings are judged across the parts rather than from every page at once, check the strength ratings (Sections D and H), the hypothesis codes (Section K) and the locators more carefully than for a single chapter. The draft states which pages it covers; confirm that this is the evidence unit you meant.

A whole-document read costs about the number of parts plus one times an ordinary draft. If any part fails, the whole draft fails and nothing is saved, so you never receive a coding that silently skipped pages.

Whether a whole-document coding is appropriate for a given source is a methodology decision for the PI; for a report that covers many topics, one record per chapter usually gives a sharper analysis.

If Auto-fill shows a message

You see	What it means	What to do
“Pages to read (required)”, or “This PDF has N pages…”	The PDF is longer than 100 pages.	Enter a page range of up to 100 pages, or tick Read the whole document in parts.
“…over the 1500-page ceiling…”	The PDF is longer than the most that can be read in one draft.	Enter a page range, or make one record per chapter.
“Step 1 of 2…” or “Step 2 of 2…”	A record made by Quick add is being filled in and drafted. Nothing is wrong.	Wait, or leave the page and come back.
A detail in Section A is wrong or blank	The AI reads only what the document states, and can mistake a title or date.	Correct it under Record details on the record page; the draft and the submission use the corrected value.
Quick add says the file can't be used	Unsupported type (for example audio), a damaged file, or a long PDF with no pages chosen.	Read the message: convert the file, enter a page range, or tick Read the whole document in parts. No record is created when this happens.
“Reconcile the pre-interview profile first…” when accepting a questionnaire, or a KII's coding will not complete	The case has a locked pre-interview profile with facts not yet verified with the respondent or not reconciled.	Open the case (or KII record) → Interview sheet; verify every fact, and ask the coordinator to reconcile the corrected ones.
“Read part 4 of 12” or “Combining the parts…”	A long document is being read in parts. Nothing is wrong.	Wait, or leave the page and come back.
“The AI's answer was cut off…”	The range was too big to answer in one go.	Try a narrower range.
“A draft is already being generated”	You or a colleague already started one.	Wait for it to finish (about five minutes; up to half an hour for a document read in parts).
“The last attempt failed: …”	The AI request did not complete.	Select Generate AI draft again. If it keeps failing, tell the administrator the message.
“The AI account has run out of credit…”	The study's AI account has no funds left.	Tell the administrator, who adds credit on the AI provider's billing page (Meta, for the Muse model); nothing else to do on this screen.
No Auto-fill button	AI drafting has not been switched on, or there is no source file yet.	Attach the file; otherwise ask the administrator.
Submit is refused by KoboToolbox	KoboToolbox did not accept the record.	Tell the administrator; your draft is kept.

> **Cost**
> Each draft is a paid request on the study's AI account. A short chapter costs little; a full 100 pages costs several times more; a whole document read in parts costs about the number of parts plus one times an ordinary draft. Choose the pages you need.

4.31 Logging fieldwork costs

1. Select **Cost**. The top shows total spend, cost per QA-passed questionnaire and cost per completed KII, with spend by category.




Figure 41. *Cost Dashboard and the Log a cost event form.*

2. In **Log a cost event**, enter the date, choose the category (RA_ALLOWANCE, AIRTIME_DATA, TRANSPORT, ACCOMMODATION, HOSTING, MESSAGING, OTHER) and the amount in USD.
3. Select **Log cost**. Keep the receipt as the study's finance rules require.

4.32 Recording a withdrawal

A participant may withdraw at any time, for any reason, without giving one.

1. Stop contacting the person immediately.
2. On the case page, in **Record a withdrawal**, choose **How they told us** — **By phone or in person**, or **In writing (WhatsApp, email, letter)** — and type the reason or their own words.




Figure 42. *Record a withdrawal.*

3. Select **Record withdrawal** and confirm.

In one step the portal records the withdrawal, stops the invitation link and all reminders, moves the case to **S12 Refused** where allowed, erases the phone, WhatsApp, email and gatekeeper contact, and flags the case as `consent_withdrawn` in every export. This cannot be undone.

> **Answers already submitted**
> PI decision (15 September 2026): a questionnaire submitted before the withdrawal is **kept for the audit trail but never analysed**. It is left out of the de-identified analysis export automatically, flagged `consent_withdrawn` in the operational export, and marked in the PI's KoboToolbox workbook (README count and `portal_consent_withdrawn` = TRUE) and PDF ZIP (file name starts `WITHDRAWN-`).

4.33 Activating a Reserve case

A Reserve replaces its Main case only after the Main case reaches a drop state (S12 Refused, S13 Nonresponse, S14 Ineligible or S15 Duplicate/inactive) and there is evidence.

1. Select **Reserve Activation**. Every locked Reserve is listed with a search box.




Figure 43. *Reserve Activation.*

2. Find the Reserve matched to the dropped Main case (the Main case page shows the pairing).
3. Choose the authorised reason: **Ineligible**, **Inactive**, **Duplicate**, **Refusal** or **Nonresponse exhausted**. There is deliberately no "other".
4. Write the **Evidence note (required)**, e.g. "MD declined by phone 12 Sep, logged in contact timeline".
5. Select **Activate this reserve**. The Reserve becomes invitable and is worked like any Main case, starting with verification.

4.34 Building a pre-interview profile (PROIT), with AI research

PROIT lets the respondent confirm facts already on public record instead of answering them from scratch, and lets the interviewer ask only what is **not** public. It never pre-fills, skips or infers any scale item (ABI, NFM, Digital Readiness, FST): only descriptive background. This applies to the questionnaire and to the KIIs alike.

Step 1: let the AI search public sources

1. On the case page (or KII page), in **Pre-Interview Profile (PROIT)**, select **Start background research**.
2. In the **AI research from public sources** box, select **Research with AI**. The AI searches the public web for the organisation, and for the respondent's published professional role, and works in the background for a few minutes. You can leave the page and come back.




Figure 44. *AI research: proposals to review, each with its sources.*

3. Under **To review**, read each proposal. It gives the fact, a confidence level, and every source it used with the publisher, the date, the authority tier and a short quote copied from the page. Select the source title to open the page and check it yourself.
4. Decide on each one. **Accept** puts it into the profile with its sources. Edit the wording first if it needs correcting, then **Accept**. **Reject** discards it. Nothing enters the profile until you accept it. Take special care where the note says the organisation may be a different one with a similar name.

5. Read **Not found publicly: ask the respondent**. These are the facts the AI could not find in any public source. They become the questions the interviewer asks in full.

Cost

PROIT research is a paid request on the study's AI account (Meta's Muse model). Measured on real organisations it cost about USD 0.20–0.95 each, around USD 0.50 on average, so researching every Main case is roughly USD 200. Research the organisations that need it rather than re-running it on the same one.

The AI proposes, you decide

The AI only suggests. Every fact still needs a source, a person to accept it and a second person to lock the profile, exactly as if you had typed it in.

Only sources the search actually returned can be cited. A fact with no verifiable source is turned into “not found publicly”, and anything that looks private is removed automatically. The AI never records health, religion, ethnicity, politics, family, home addresses, personal phone numbers or emails, private finances, or anything from a person's own social-media profile.

An organisation's **own** business page (for example its Facebook, LinkedIn company or X page) may be cited, but only when the quoted passage names the organisation, never for the respondent's role, and always as Tier 4, the weakest tier. Personal profiles are removed automatically, as are messaging apps and forums.

What is sent to the AI provider's search: the organisation's name, province, district and type, and the respondent's name and role. Never a phone number, email, gatekeeper or any other contact detail.

Step 2: add or correct facts by hand

1. Under **Add a background field**, choose a field in **Select a field…**, type **What was found (documentary value)**, and select **Add field**.




Figure 45. *A draft profile: each fact needs at least one source.*

2. For each field, type the **Source title** (e.g. companies registry entry), choose the confidence (HIGH, MODERATE, LOW) and the authority tier — Tier 1 statutory register or audited report, Tier 2 official website or association record, Tier 3 reputable media or professional profile, Tier 4 corroborated public platform content — then select **Add source**.
3. Use **Researcher review screen** to check the whole profile, including gaps and contradictions.
4. A second researcher reviews it and selects **Lock pre-profile**. Only a locked profile is used with the respondent, who confirms, corrects, or says they don't know, prefer not to say, or it is not applicable. The public value, the respondent's answer and the reconciled value are kept separately.

After the research: from profile to KoboToolbox

Accepting the AI's proposals is the first of five steps. A profile only does its job once it has been through all of them:

Step	Who	Where	What it produces
1. Accept or reject each proposal, add any facts found by hand	Coordinator or PI	PROIT panel on the case (or KII) page	A draft profile: every fact with a source and a named person who accepted it.
2. Lock the profile	A second researcher	Lock pre-profile	A fixed version the interview is planned from. It cannot be locked while a fact has no source.
3. Verify with the respondent	Whoever runs the interview	Interview sheet (see “Verifying a profile with the respondent”)	The respondent's own answer to each fact, kept apart from the public value.
4. Reconcile the facts that differ	Coordinator or PI	Reconciled value (required) on the interview sheet	The value coded for analysis, wherever the respondent corrected or qualified a fact.
5. Saved to KoboToolbox	Automatic	ABF-FST PROIT Interview Profile form	Sent by the portal the moment the last fact is settled; the sheet then shows Saved to KoboToolbox.

Until step 4 is finished, QA cannot accept that case's questionnaire and a KII's coding cannot become COMPLETE (see the warning under “Verifying a profile with the respondent”).

4.35 Verifying a profile with the respondent, and reconciling it afterwards

Once a profile is locked, the interview has two duties: confirm what is public, and ask what is not. The **Interview sheet** is where you do both, and where the results are reconciled afterwards. It appears on the locked profile on the case page (coordinator and PI), on the case page of an assisted interview (Contact RA) and on the KII record (KII RA). Nothing here changes the public value.

1. Open the case (or the KII record) and find **Interview sheet: confirm what is public, ask what is not**. Each row is one fact and is marked **Confirm**, **Confirm, then probe** or **Ask**.




Figure 46. *The interview sheet: confirm what is public, ask what is not.*

2. For a **Confirm** row, read the public fact to the respondent, with its source shown under it, and ask whether it is right. Never state a fact on an **Ask** row: it is a question, not something established. A weak source's value is deliberately hidden.
3. In **What the respondent said**, choose the answer: confirmed, corrected, partly correct or out of date, does not know, prefers not to say, or does not apply. For a correction, type **Their answer**. Add a comment if useful, then select **Save answer**.
4. For an **Ask** row, choose **They told us** and type what they said, or record that they do not know or would rather not say.
5. When the interview is over, select **Interview finished**.

After the interview: reconcile (coordinator and PI)

1. Rows where the respondent corrected or qualified a fact show **Differs from the public source**. Under **Reconciled value (required)**, type the value you code for analysis, then select **Save reconciled value**. A plain confirmation or “does not apply” needs no reconciled value.




Figure 47. *Reconciling a corrected fact: the three values stay separate.*

2. The status at the top of the sheet counts up: "Verified 6 of 8 · settled 5 of 8", then **Reconciled** when every fact is settled. At that moment the portal also sends the whole profile (what was known, what the respondent said, the reconciled value, and the sources) to KoboToolbox, in the **ABF-FST PROIT Interview Profile** form, and the status shows **Saved to KoboToolbox**.
3. If reconciliation truly cannot be finished (for example the respondent cannot be reached again), select **Record a protocol deviation** and give the reason. The case is released but stays flagged.

> **A case is not complete until its profile is reconciled**
> QA cannot **Accept** a questionnaire, and a KII's coding cannot become COMPLETE, while a locked profile still has facts not verified with the respondent or not reconciled. The message says how many are outstanding. Re-query and Reject are never blocked.
> This applies only to a case that has a locked profile with facts on it. A case with no profile is not held up.

4.36 Reviewing questionnaires in the QA Queue

1. Select **QA Queue**. Each submission shows the Sample ID, when it was submitted, the administration mode, the completion time in minutes and its QA status (PENDING or QUERY).




Figure 48. *QUAN QA Queue with the KoboToolbox sync panel.*

2. Open the completed form to check the answers: **Form PDFs → Download PDF**, or the **Completed questionnaire** panel on the case page.
3. Check it against the QA rules (table below) and any open QA exception for that case.

4. Write a **Note (required)** explaining your decision.
5. Select **Accept** (moves the case to S10 QA passed), **Re-query** (S09 QA query — follow up with the respondent or the RA who administered it) or **Reject** (not usable).

Rule	Setting	Effect
Required answers missing	65 required fields from the live questionnaire	Hard stop: raises an exception; cannot pass without a human decision and note.
Too quick	Completed in under 5 minutes (300 s)	Soft flag for review.
Too slow	Completed in over 90 minutes (5400 s)	Soft flag for review.
Possible duplicate	Another submission for the same organisation within 24 hours	Soft flag for review.

> **Nothing passes automatically**
> Even a submission with no flags needs a person to select Accept. Every decision and its note is audited.

Pulling new submissions now

Submissions arrive within seconds (KoboToolbox notifies the portal) and a full check runs every 15 minutes between 06:00 and 22:00 and hourly overnight. To check immediately, select **Sync now** in **KoboToolbox sync**; the panel shows the last run, how many were pulled and how many were new or updated. An edited submission returns to the queue for review.

4.37 Working QA exceptions

1. Select **QA Exceptions**. Each card shows the rule that fired (for example `hard_stop_missing_required_fields` or `min_plausible_duration_seconds`), the Sample ID, when it was raised and its status. Oldest first.




Figure 49. *QA Exception Queue.*

2. Tick **Only mine** to see exceptions assigned to you; tick **Show closed** to include resolved ones.
3. Use **Assign to** to take ownership (or give it to a colleague). The status becomes **In progress**.
4. Investigate: open the form PDF, check the case timeline, contact the respondent if needed.
5. Type **What was done about it?** and select **Resolved**, or **Not a real problem** if the flag was a false alarm. A note is always required.

4.38 Downloading or emailing completed forms (Form PDFs)

1. Select **Form PDFs**. You see the completed questionnaire, KII Guide and document forms from KoboToolbox, newest first, 20 per page to begin with (choose more under **Show** at the foot of the list).




Figure 50. *Completed form PDFs.*

2. Select **Download PDF** to save a readable copy: sections, questions, the chosen answers as words (not codes) and repeated groups.
3. Select **Email to me** to send the PDF to the email address on your account.
4. For the questionnaire only, select **Email to respondent** to send the respondent a copy of their own answers at the email address recorded on the case (only while their consent stands). You are asked to confirm first. Every email is audited with the address masked.

At the top of the page, a sync panel shows whether the portal holds the same forms as KoboToolbox, for example "✓ In sync with KoboToolbox — KoboToolbox holds 12 · the portal holds 12". Each row also says "✓ saved in portal" once the portal has an identical copy. If the panel says "Not in sync", select **Sync now** (read-only roles see the panel but not the button); it takes a few seconds.

The same PDF is available from the record itself: the case page (questionnaire), the KII page (KII Guide) or the document page (coding form).

> **How the sync works**
> The portal keeps its own copy of the questionnaire, KII Guide and Document Analysis Tool, and refreshes it every 15 minutes and whenever someone selects Sync now. A submission edited in KoboToolbox is updated here; one deleted in KoboToolbox is flagged as removed. You never need to sync before downloading a PDF: the PDF is always read from KoboToolbox at that moment.

4.39 KoboToolbox: rotating credentials and changing forms

1. Change the KoboToolbox password, then create a new API token (**Account settings → Security**).
2. On the server run `sudo bash /srv/agribiz-drp/deploy/configure-kobo.sh` and paste the new token when asked.
3. In **QA Queue**, select **Sync now** and check the run succeeds.

4. When editing a form, keep the identifier fields unchanged (see System Manual 9.2), test with a test invitation, and delete the test submission.

4.40 Before the first live invitation

- Collect respondent phone numbers on the case pages (many Main cases have none yet).
- Rotate the KoboToolbox password and API token.
- Add the Gmail App Password with `configure-email.sh` so **Email** buttons work.
- Complete the one-time Google Drive sign-in for offsite backups and store the encryption key in a password manager.
- Create named accounts for each RA and reassign cases.
- Run one user-acceptance invitation end to end on a real phone.

5. Rules you must follow

- Download raw KoboToolbox data only to encrypted, access-controlled storage; every download is audited.
- Share only the de-identified analysis export beyond the core team.
- Treat everything in the portal as **confidential research data**. Do not screenshot, copy, print or forward names, phone numbers, email addresses or answers except as your role requires.
- Never share your username or password, and never sign in for someone else.
- Use the respondent's contact details **only** to manage their participation in this study (invitations, reminders, appointments).
- Never tell a respondent, lender or anyone else that answers affect financing. The study generates **no score, rating or financing decision**.
- If a respondent asks to withdraw, stop contacting them and tell the Field Coordinator or PI the same day so the withdrawal is recorded.
- Report a lost device, a suspected account compromise, or data sent to the wrong person to the PI immediately.

6. Troubleshooting

Situation	Likely cause	What to do
Email buttons missing or failing	Outgoing email not configured, or the Gmail App Password revoked.	Run `configure-email.sh` on the server.
Workbook shows NOT_IN_PORTAL in portal_qa_status	A submission that was not matched to a case (e.g. a test or a direct public-link submission).	Check it in KoboToolbox; exclude or delete test submissions.
"This screen isn't part of your role"	The screen belongs to another role (often an old bookmark or shared link).	Select Go to my start screen. If you need that screen, ask the PI about your role.
"Too many sign-in attempts from this network"	Sign-in is rate-limited per network; an office shares one address.	Wait a minute and try again. A wrong password says so explicitly.
A register shows fewer rows than expected	Registers show 20 rows per page to begin with; a Contact RA sees only assigned cases.	Choose more rows under Show at the foot of the list, use the page numbers or Next, or search. Ask the Field Coordinator to assign the case.
A button is greyed out	A required step is missing (a note, an authenticity decision, a selection).	Read the message beside the button; complete the missing step first.
"KoboToolbox couldn't be reached"	KoboToolbox is slow or the connection token has changed.	Try again in a few minutes. If it persists, tell the PI.
Form PDFs says "Not in sync with KoboToolbox yet"	The counts differ: a form was submitted or changed in KoboToolbox since the last sync (it runs every 15 minutes).	Select Sync now. If it still differs, or says it couldn't reach KoboToolbox, try again in a few minutes and tell the PI if it persists.
A document says "Already submitted" and its answers are locked	Its coding was already sent to KoboToolbox; changing it here would not change that record.	To redo the coding, delete that record in KoboToolbox, then select Sync now on Form PDFs. The document unlocks.
A page keeps loading	A slow or dropped connection.	Refresh the page. Your saved work is not lost; unsaved typing may be.
Send invitations says email isn't set up	Outgoing email has not been configured on the server.	Ask the administrator to run `configure-email.sh`. Until then, send invitations by WhatsApp.
Send invitations says SMS or WhatsApp isn't set up	Twilio has not been configured on the server, or (WhatsApp) Meta has not approved the sender and templates yet.	Ask the administrator to run `configure-twilio.sh`. Until then, send by email, or by hand from the study WhatsApp number.
A WhatsApp invitation was prepared but never sent	Prepare counts it as sent and moves the case to S05.	Open the case and Revoke that invitation; send a new one from the case's Invitations panel when you can reach the person.
A case is missing from the WhatsApp or email queue	It is not verified (S03 or S04), has no number or email on file, already has an open invitation, or is assigned to another Contact RA.	Verify the case, add the contact detail, or check its invitation history.
The contact finder says it would overwrite a detail	The organisation contact already has a different phone or email.	Check which is right and correct it under Respondents and contact details.

Situation	Likely cause	What to do
A file upload seems stuck	A large file on a slow connection takes time; the bar shows how much has been sent.	Wait for Saving… and the file name. If it fails, try again or upload a smaller version.

7. Quick reference

Sign in	https://research.agribizframework.com/admin/login
You start on	Executive Dashboard
Account admin	https://research.agribizframework.com/django-admin/
KoboToolbox	https://kf.kobotoolbox.org
Your exports	Export → Analysis packs (SmartPLS 4, ATLAS.ti) and KoboToolbox data (Excel workbook, PDF ZIP)
Research Clearance	Research Clearance → Add a document, upload its file, then Shown to respondents
Help	Field Coordinator; PI: Happyson Saina, 0773943709, abffst.research@gmail.com

8. Every screen and button for your role

This section lists every screen you can open as PI / System Admin, and for each control: what it does and when to use it, why it exists (the rule behind it), and what you will see next. It is the same material as the Screen and Button Reference, cut down to your role.

> **Reading the tables**
> **Control** is the label you see on screen. **Why it exists** explains the rule or risk behind it; if a button is greyed out, this column usually says why. A control that needs a note or a confirmation says so.

8.1 Sign in

Who can open it: every role. **Where:** `/admin/login`

Where every staff member starts. Staff accounts are created by the PI; there is no self-registration.

Control	What it does and when to use it	Why it exists	What happens next
Username	Type the username the PI gave you.	Every action in the portal is recorded against a named person, so accounts are never shared.	Nothing yet; you also need the password.
Password	Type your password. The characters are hidden.	Passwords are never shown or emailed; the PI can reset yours but cannot read it.	Nothing yet; select Sign in.
Sign in	Checks your username and password and opens your start screen (the first screen your role uses).	Repeated wrong attempts from one network are refused for a minute, to stop password guessing.	Your start screen opens. A wrong password says so. “Too many sign-in attempts” means wait a minute.

8.2 The header and menu bar (every screen)

Who can open it: every role. **Where:** `(top of every screen)`

Shown at the top of every signed-in screen. The menu bar lists only the screens your role may open.

Control	What it does and when to use it	Why it exists	What happens next
Menu bar (Executive, Sampling, … Audit)	Opens a screen. The current screen is underlined.	The list is built by the server from your role, so you never see a screen that would refuse you.	The screen opens. A screen not in your list shows “This screen isn't part of your role”.
Change password	Opens the Change Password screen.	You should change the first password you were given, and any password you think someone saw.	The Change Password screen opens.
Sign out	Ends your session on this device.	Protects the data if the device is shared or lost. Always sign out on a shared device.	Your session on this device ends and you return to the Sign in screen.

Control	What it does and when to use it	Why it exists	What happens next
← Back to … (top left)	Returns to the parent screen (for example from a case to the register).	A consistent way back that does not lose your place in the menu.	The parent screen opens.
Go to my start screen	Appears on the “This screen isn't part of your role” page and takes you to your own start screen.	An old bookmark or shared link may point at a screen that belongs to another role; this gets you out safely.	Your start screen opens.

8.3 Change Password

Who can open it: every role. **Where:** `/admin/account`

Change your own password.

Control	What it does and when to use it	Why it exists	What happens next
Current password	Type the password you use now.	Proves it is really you before a change, in case a signed-in device was left open.	Nothing yet.
New password	Type the new password.	It must be long enough, not a common password, not all digits and not similar to your username or name; the screen says which rule failed.	Nothing yet.
Confirm new password	Type the new password again.	Catches a typing slip that would lock you out.	Nothing yet.
Change password	Saves the new password.	Your old password stops working straight away, and other people (including the PI) never see your new one.	A confirmation appears. Use the new password next time.

8.4 Executive Dashboard

Who can open it: PI / System Admin, Field / Digital Coordinator, Data Analyst, Supervisor. **Where:** `/admin/dashboard`

The one-page picture of the study: how many cases are where in the funnel, response and quality headlines, and the weakest parts of the sample. Counts and rates only; never a name.

Control	What it does and when to use it	Why it exists	What happens next
Tiles: QUAN completed, KII completed, Documents coded, Days to data lock, Fieldwork expenditure to date	Show the headline counts against their targets, the days left to the data lock (30 November 2026) and the spend so far. Read them; there is nothing to press.	Aggregates only, so the dashboards are safe to show to people who must not see respondent identities.	Numbers update whenever the screen is opened or refreshed.

Control	What it does and when to use it	Why it exists	What happens next
Highest-risk coverage gaps	Lists the strata (province × organisation type × size) with the lowest fill so far.	Tells the coordinator where fieldwork effort is most needed to meet the sample design.	Use it to decide where to send Contact RAs next.
Links: Sampling, Contact, QA, KII / Documents, Cost	Open the related dashboards.	Saves hunting through the menu.	The linked screen opens.

8.5 Sampling Dashboard

Who can open it: PI / System Admin, Field / Digital Coordinator, Data Analyst, Supervisor. **Where:** `/admin/dashboard/sampling`

How the Main-400 and Reserve-400 samples stand.

Control	What it does and when to use it	Why it exists	What happens next
Main-400 by province	Shows how many Main cases each province holds and how many are verified.	The design fixes how many organisations each province must contribute.	Read only.
Verified / total by stratum	Shows verification progress in each stratum.	A stratum that cannot be verified may need a Reserve replacement.	Read only.
Reserve activations by reason	Counts Reserve cases activated, by the authorised reason.	Reserve replacement is controlled and audited; this shows how often and why it happens.	Read only. “No reserve activations yet” until one is made.

8.6 Contact Dashboard

Who can open it: PI / System Admin, Field / Digital Coordinator, Data Analyst, Supervisor. **Where:** `/admin/dashboard/contact`

Contact activity: how many are invited, reminded, reached, and how appointments stand.

Control	What it does and when to use it	Why it exists	What happens next
Contact figures	Show counts of contacts, reminders and appointments by status.	Lets the coordinator see whether contact is on schedule without opening cases.	Read only.

8.7 QA Dashboard

Who can open it: PI / System Admin, Field / Digital Coordinator, QUAN/Kobo QA RA, Supervisor. **Where:** `/admin/dashboard/qa`

Quality checking at a glance: how many questionnaires wait for a decision and how the completed ones were done.

Control	What it does and when to use it	Why it exists	What happens next
Refresh	Re-reads the figures now.	The page does not update by itself while you watch it.	The numbers reload; the button says Refreshing… briefly.
Administration mode	Shows how many questionnaires were completed by each mode (web, telephone, WhatsApp-assisted, face to face).	Mode balance is a quality and method question for the study.	Read only.
Open QA queue	Goes to the QA Queue.	Takes you from the overview to the work.	The QA Queue opens.
Try again	Appears if the figures could not load; tries once more.	A dropped connection should not leave a blank page.	The figures load, or the message stays.

8.8 KII / Document Dashboard

Who can open it: PI / System Admin, Field / Digital Coordinator, Data Analyst, Supervisor, KII RA, Documentary RA. **Where:** `/admin/dashboard/kii-documents`

Progress of the two qualitative strands against their targets (about 60 KIIs, 50–75 documents).

Control	What it does and when to use it	Why it exists	What happens next
KII by status	Counts KII records at each stage (prospect, invited, scheduled, completed, declined, no-show).	Shows how far the interview target has come.	Read only.
Documents by type / by QA status	Counts documents by type (official, secondary, platform) and by decision (pending, included, excluded).	Only included documents count towards the corpus target.	Read only.

8.9 Reports

Who can open it: PI / System Admin, Field / Digital Coordinator, Data Analyst, Supervisor. **Where:** `/admin/reports`

Charts for supervision meetings and progress reports: funnel, submissions per day, coverage, time to complete, QA outcomes, modes and workflow. Counts and rates only.

Control	What it does and when to use it	Why it exists	What happens next
Last 7 days / Last 30 days / Last 90 days / All time	Sets the period the time-based charts cover.	Meetings usually ask “what happened this week or month”. Case progress is always cumulative.	Every time-based chart redraws for that period.
Province / Organisation type / Size	Changes what the coverage chart is broken down by.	Coverage matters along all three design dimensions.	The coverage chart redraws.

Control	What it does and when to use it	Why it exists	What happens next
Show table / Show chart	Switches one chart between its picture and the numbers behind it.	Every chart is available as a table so numbers can be read out, copied or checked.	The chart is replaced by a table (and back).

8.10 Main-400 Register (and Reserve)

Who can open it: PI / System Admin, Field / Digital Coordinator, Contact RA, Supervisor. **Where:** `/admin/sample`

The list of sample cases. A Contact RA sees only the cases assigned to them. From here you open a case, and the coordinator moves or reassigns cases in bulk.

Control	What it does and when to use it	Why it exists	What happens next
Main / Reserve (sample type)	Switches the list between the 400 Main cases and the 400 locked Reserve cases.	Reserve cases are locked replacements and are handled differently from Main cases.	The list changes and returns to page 1.
Search ID or organisation	Filters the list as you type.	Finding one case among hundreds should not need paging.	Only matching cases are listed.
Register organisation	Opens Register Organisation to add an organisation that is not yet in the sample.	Late additions must get a proper Master ID and a sample case.	The Register Organisation screen opens.
View	Opens the case page for that row.	All work on a case happens on its own page.	The case page opens.
Move through verification: step, How many, Move all N	Moves every Main case at one verification step (S00→S01, S01→S02, S02→S03) to the next after you confirm.	All 400 cases start at S00; verifying them one by one would take days, and a status should only advance when the checks behind it are done.	A confirmation asks first. Then “Moved N cases”, and the register updates.
Reassign cases: From, Province, How many, To, Move cases	Moves a chosen number of cases (in Sample ID order) from one Contact RA, or from Unassigned, to another RA (or to nobody).	Workload has to be balanced; moving in ID order lets you split a large province between RAs in two steps.	A confirmation asks first, then the cases appear in the new RA's register.
Import background research (ChatGPT workbook): Check file, Import N records	Reads the Excel file ChatGPT returned from the Main-400 research pack and adds its contacts and PROIT facts as suggestions for review on each case. Check file shows what would be added and keeps nothing.	Researching hundreds of small businesses and typing the results in by hand is slow; review stays one click per item.	A table per Sample ID with links to each case. Nothing reaches a case until someone accepts it; locked Reserves and locked profiles are never touched.

Control	What it does and when to use it	Why it exists	What happens next
Find contact details with AI: How many cases, Find contacts	Starts an AI contact search for that many cases (up to 25, in Sample ID order) that are not yet invited and have no phone, WhatsApp or email. A case searched in the last 30 days is skipped.	A case with no contact details cannot be invited, and searching hundreds of organisations by hand would take weeks.	“Queued N searches” with the estimated cost, then a progress line (done, searching now, waiting) while the searches run one at a time. The button stays locked until the batch has finished. Nothing is saved by the batch.
Findings to review → Review them all on one page	Opens the review page: every waiting finding, grouped by case, with filters for kind (Phones and Emails chosen at first), confidence and source site, and Accept / Reject beside each. Accept all N shown and Reject all shown act on what is on screen for one case.	Hundreds of findings are quicker to judge side by side, with the quote in view, than one case page at a time.	Each decision is saved and audited as on the case page, and the finding leaves the list. Accept all is withheld when a case shows two phones, two emails or a named person.
Find contact details with AI → Findings to review → Review N findings	Lists every case whose findings are waiting for a decision, and opens the chosen case.	A batch finishes a case at a time over half an hour; this is where to pick up what has come in.	The case page opens at its findings, to accept or reject.
Send invitations: Send by (Email, SMS, WhatsApp), Next in line, How many, Review and send, Send N invitations	Sends one invitation, with its own link and code, to that many verified cases (S03 or S04) with no open invitation, on every chosen way each case has a contact for. SMS and WhatsApp go through Twilio, to mobiles only. Up to 100 a batch; daily limits of 300 emails, 150 SMS and 250 WhatsApp.	Inviting cases one at a time is slow; only verified cases are included so no one is invited before the right person is confirmed. One invitation on every channel means every message carries the same working link.	A confirmation step appears in the panel first, with the SMS cost. Then progress, and the result: sent, failed and skipped, case by case. Each sent case moves to S05. A case where nothing got through is left as it was.
WhatsApp invitations (the queue)	Lists the verified cases (S03 or S04) with a WhatsApp or phone number and no open invitation. A Contact RA sees only their own cases.	Without a WhatsApp Business account the portal cannot send WhatsApp messages; the queue makes each one a single tap.	Read only. The list shows masked numbers.
WhatsApp invitations → Prepare, Open WhatsApp, Copy message, Email the same link	Prepare creates the case's personal link and code and the approved message. Open WhatsApp opens that person's chat with the message ready; Copy message copies it. Email the same link (shown when the case has an email address) emails the same invitation from the study address.	The RA sends from the study phone so replies come back to the team.	Prepare moves the case to S05 at once, so send straight away. If you cannot, revoke the invitation on the case page.
Show / page numbers / Previous / Next	Chooses how many rows to see (10, 20, 50, 100 or 200) and moves between pages.	Different jobs need different views; your choice is remembered.	The list redraws at the chosen size.

8.11 Case page

Who can open it: PI / System Admin, Field / Digital Coordinator, Contact RA, Supervisor. **Where:** `/admin/sample/{Sample ID}`

Everything about one organisation's place in the sample: who to contact, the invitation, the questionnaire, the timeline and the case's status.

Control	What it does and when to use it	Why it exists	What happens next
Advance workflow status (→ S0x buttons)	Moves the case to the next valid status, for example from Eligible respondent identified to Invitation prepared.	The workflow is a fixed sequence (S00–S16): a case cannot skip steps, and each move is recorded. Only statuses that are allowed next are shown.	The status changes and the change is added to the audit log. “No further transitions” appears at a final status.
Respondents and contact details → Add a person	Records a person at the organisation: name, role, phone, WhatsApp, email, gatekeeper, and whether they are eligible.	Invitations, reminders and phone-assisted interviews all need to know who to contact and whether they are the right (senior, knowledgeable) person.	A form opens. After Save, the person is listed on the case.
Respondents panel → Edit / Save / Cancel	Corrects a person's details. Save keeps the change; Cancel discards it.	Contact details go stale, and a wrong number wastes a whole reminder sequence.	The person's details update; Cancel leaves them unchanged.
Eligibility (Not yet screened / Eligible / Not eligible)	Records the outcome of your eligibility screening of that person.	Someone not eligible must never receive the questionnaire: the system will not hand out the questionnaire link without a passed eligibility check and the person's consent.	Eligible lets the questionnaire link work once consent is given. Not eligible sends the respondent to a referral instead.
Assigned Contact RA	Chooses which Contact RA works this case (or Unassigned).	A Contact RA sees only their assigned cases.	The RA's register now shows (or no longer shows) the case.
Matched Reserve case	Pairs this Main case with a locked Reserve case from the same stratum.	If the Main organisation drops out, its matched Reserve is the replacement, keeping the sample balanced.	The pair is saved. Activating the Reserve later still needs an authorised reason and an evidence note.
Ask first → Send introduction	Sends the study introduction (WhatsApp, or SMS with a WhatsApp reply link) asking whether the organisation will take part. Shown once Twilio's WhatsApp number is set up.	A gentler first contact: the link only goes to those who agree, which is also what WhatsApp's rules expect.	The status and any replies show under Ask first. YES sends the invitation link automatically; NO moves the case to S12 Refused.

Control	What it does and when to use it	Why it exists	What happens next
Invitations → Issue invitation (Channel, Wave)	Creates a personal invitation link (valid 14 days) and an 8-character manual code, for the chosen channel and wave.	Respondents are invited by a private, expiring link. The link is shown once and only a scrambled form is stored, so a stolen database cannot reveal live links. A new invitation replaces the old one, so while the current link still works the portal asks first (Replace it / Keep the current one).	The link and code appear once, with a send button for every channel: send it on all the channels the organisation has. If the case cannot be invited (for example a locked Reserve case) you are told why.
Send via WhatsApp / Send by SMS / Open in email app	Opens WhatsApp, your SMS app or your email program with the invitation message already written.	The portal does not send messages itself: you send from the study's own account so replies come to you.	Your messaging app opens with the text. Send it, then log it on the Contact timeline.
Send email (from the portal) / Copy message	Sends the invitation email from the portal (if email is set up), or copies the text so you can paste it anywhere.	Some respondents prefer email; copying is the fallback for any other channel.	“Sent to …” or “Copied”.
Revoke	Cancels an invitation so its link stops working.	Use if it went to the wrong person or the wrong address; it is also how a wrong send is undone.	The link stops working at once and the invitation is shown as revoked.
Log a contact attempt (Channel, Outcome, Notes, Log contact attempt)	Adds an entry to the Contact timeline: how you tried, what happened (Reached, No answer, Wrong number, Refused, Rescheduled, Completed) and a note.	The timeline is the study's record of effort. It shows why a case is nonresponsive and protects respondents from being contacted twice by mistake.	The entry appears at the top of the timeline with your name and the time.
Record a withdrawal (Reason, How they told us, Record withdrawal)	Records that the participant wants to withdraw. You give the reason and whether they told you by phone or in person, or in writing.	A participant's right to withdraw must take effect at once and completely: their consent is recorded as withdrawn, every open invitation is revoked, reminders stop, and their phone, WhatsApp, email and gatekeeper contact are erased.	A confirmation warns that it cannot be undone. The case moves to Refused (a case already submitted keeps its status). Any answers already submitted are kept but left out of the analysis export and flagged.
Completed questionnaire → Download PDF	Downloads the participant's completed questionnaire as a readable PDF.	A readable copy is needed for QA notes and for the participant if they ask.	A PDF downloads. The download is recorded in the audit log.
Find contact details with AI → Find contact details / Search again	Searches public sources for this organisation's published phone, email, website and office location, and senior staff it names. Runs in the background for a minute or two.	A case cannot be invited without a way to reach it; the organisation's own published details are the proper starting point.	Findings appear under “To review”, each with the page it came from and the passage that shows it. Only the organisation's name, province, district and value chain are sent to the AI provider.

Control	What it does and when to use it	Why it exists	What happens next
Find contact details with AI → To review / Already decided	Lists each finding with its confidence, the page it came from and the quoted passage, and the findings already accepted or rejected.	Anyone overseeing the case can see where every contact detail came from.	Read only. Select a page title to open it.
Find contact details with AI → Accept / Reject (Role for a named person)	Accept saves a finding: an organisation phone or email goes on “Organisation contact (to be identified)”, a named person becomes a new respondent (not yet screened), a website or office location is kept with the organisation. Reject discards it.	The AI only proposes; a person checks the page and decides, so a similar-named organisation's details never slip in.	The finding moves to “Already decided”. An accept never overwrites a different phone or email already recorded.
Pre-Interview Profile (PROIT) panel	Coordinator's tool for background research on the organisation before an interview. See the PROIT screen entry.	Public facts are found before contact so the respondent is asked to confirm them, not to repeat them.	See the PROIT entry.

8.12 Pre-Interview Profile (PROIT) and its review screen

Who can open it: PI / System Admin, Field / Digital Coordinator, Supervisor. **Where:** `(panel on the case page) · /admin/proit/{id}`

Records what is publicly known about an organisation and its respondent, each fact with a source, so the interview confirms facts instead of asking for them again. Never a private or inferred fact.

Control	What it does and when to use it	Why it exists	What happens next
Start background research	Creates the pre-profile for this case.	Research is recorded only when someone deliberately starts it for a case.	The panel opens with an empty list of background fields.
Research with AI / Research again	The AI searches public sources for the organisation and the respondent's published professional role, and proposes background facts. It works in the background for a few minutes; you can leave the page.	Finding what is already public is slow desk work; the AI does the searching so the interview can confirm facts instead of asking for them. It only proposes, never records.	A list of proposals appears under “To review”, and a list of what was not found publicly. The organisation name, and the respondent's name and role, are sent to the AI provider's search; never contact details.
Proposed value (editable)	The fact the AI found, in plain words. Edit it if the wording needs correcting.	The researcher is responsible for what enters the profile, so the wording is theirs to fix.	Nothing changes until you select Accept.

Control	What it does and when to use it	Why it exists	What happens next
Proposal sources (title, publisher, date, tier, quote)	Every source the AI used, each with a short exact quote. Select the title to open the page and check it.	Only pages the search actually returned can be cited, so there are no invented references. Checking the page is how you confirm it is the right organisation. An organisation's own social-media page may appear, always as Tier 4; personal profiles never do.	The page opens in a new tab.
Accept (a proposal)	Puts the fact into the profile as a background field, with all its sources and your name as the person who accepted it.	Every fact needs a source and a person's decision before it can reach a respondent. If you edited the wording it is recorded as “accepted with edits”.	The field appears in the profile with its sources; the proposal moves to “Already decided”. It still needs the lock.
Reject (a proposal)	Discards the proposal, for example when it is a different organisation with a similar name.	A wrong fact put to a respondent damages trust and the data.	The proposal is marked rejected; nothing enters the profile.
Not found publicly: ask the respondent	Lists the fields the AI could not find in any public source.	These are the questions to ask in full at the interview, so the respondent is not asked what is already public.	Read only. Add any you find yourself with “Add a background field”.
Add a background field (Select a field, What was found, Add field)	Adds one fact, for example a working capital facility, from a fixed catalogue of allowed fields.	Only listed, documented kinds of fact can be recorded; health, religion, ethnicity, politics and inferred finances are never collected.	The field appears in the list, waiting for a source.
Add source	Attaches the source that shows the fact (for example a registry entry).	Every fact with a documentary value needs at least one source so it can be checked.	The source is listed under the field.
Insert suggestion	Inserts a suggested probe question for the chosen role, using your evidence.	Saves writing role-specific questions from scratch and keeps interviews consistent.	The suggestion is added above for you to keep, edit or delete.
Gap-engine notes: Known, Unknown, Contradictions, Priority probe questions, Role-specific module, short form → Save gap-engine notes	Records what is already established, what is missing, where sources disagree, and what to ask first.	Focuses the interview on real gaps and reduces the burden on the respondent.	The notes are saved; the panel shows how many background questions became verifications.
Lock pre-profile	Finalises the profile.	A locked profile is the version the interview is planned from; it cannot be quietly changed afterwards. It cannot be locked while a fact still has no source.	The profile becomes read-only.

Control	What it does and when to use it	Why it exists	What happens next
Researcher review screen (link)	Opens a one-page summary: case, organisation, evidence, bankability context, gap summary and interview plan.	One readable page for the researcher to read before the interview.	Read only; sensitive items to avoid are listed at the bottom.

8.13 Interview sheet (verifying a locked profile)

Who can open it: PI / System Admin, Field / Digital Coordinator, Contact RA, KII RA, Supervisor. **Where:** (on the case page, and on the KII record)

The locked pre-interview profile as the interviewer uses it: confirm what is public, ask what is not, record what the respondent says, and after the interview reconcile it. The coordinator and PI see it inside the PROIT panel; a Contact RA sees it on a case assigned to them; a KII RA on a KII record.

Control	What it does and when to use it	Why it exists	What happens next
Status (Verified x of y · settled x of y / Reconciled)	Counts how many facts have been verified with the respondent and how many are settled. It reads Reconciled when all are.	A case is not complete until every fact is verified and, where corrected, reconciled.	Read only. It updates as answers are saved.
Confirm / Confirm, then probe / Ask (label on each row)	Tells you what to do with that row: confirm a public fact, confirm it and probe (sources disagree), or ask the question in full because nothing reliable is public.	Asking only what is not public reduces the burden on the respondent.	Read only.
Public source says (with source links)	Shows the public fact and where it came from. A weak source's value is hidden and the row says to ask in full.	A weak or uncorroborated fact must never be put to a respondent as if it were established.	Read only. Select a source to open it.
What the respondent said	Record the answer: confirmed, corrected, partly correct or out of date, does not know, prefers not to say, or does not apply. For a gap, “They told us”.	The respondent's answer is kept separately from the public value and never replaces it; that separation is what lets the analysis compare the two.	Nothing is saved until Save answer.
Their answer / Comment	Type what the respondent said when they corrected or supplied a value, and any comment.	The exact answer is the research data; the comment explains it.	Kept with the row.
Save answer	Saves the answer for that fact.	Each answer is recorded as it is given, so nothing depends on memory after the interview.	The status updates; “Recorded: …” appears under the row. A correction shows “Differs from the public source”.
Differs from the public source (label)	Marks a fact the respondent corrected or qualified.	Contradictions between public sources and respondents are findings, not errors to hide.	Read only. The coordinator reconciles it.

Control	What it does and when to use it	Why it exists	What happens next
Interview finished	Records that the interview and its verification are over, so reconciliation can begin.	Separates what was said in the interview from the researcher's later coding.	It shows the time it was recorded.
Reconciled value (required) → Save reconciled value	The coordinator or PI types the value that is coded for analysis, where the respondent corrected, qualified, did not know or declined. Not needed for a plain confirmation.	The reconciled value is the researcher's coded position; it never overwrites the public value or the respondent's answer.	The fact becomes settled. When all are, the status reads Reconciled.
Record a protocol deviation	Releases the case when reconciliation truly cannot be finished, after you give the reason.	A lost respondent must not block a completed interview forever, but the exception has to be visible and explained.	The case is released and stays flagged, with the reason kept.

8.14 Register Organisation

Who can open it: PI / System Admin, Field / Digital Coordinator, Supervisor. **Where:** `/admin/organisations`

Adds an organisation that is not already in the sample and gives it a Master ID and, if wanted, a sample case.

Control	What it does and when to use it	Why it exists	What happens next
Name, District, Province, Entity type, Actor family, Value chain, Size class	Describe the organisation. Name is required.	These are the sample's design dimensions (province × organisation type × size) so the new organisation lands in the right stratum.	Nothing is saved until you select Register organisation.
Register organisation	Saves the organisation.	The Master ID is generated automatically from the province, so IDs are never typed or reused.	“{name} registered — {Master ID}” appears with the option to create its case.
Sample type (Main / Reserve) and Create sample case	Creates the organisation's case as a Main or a Reserve case.	Only an organisation with a case can be worked; Reserve cases start locked.	The case is created with a Sample ID; a link to the Main-400 Register appears.
Search name, Master ID or district	Filters the list of registered organisations.	Avoids registering the same organisation twice.	Only matching organisations are listed.
Create sample case (per row)	Creates a case later for an organisation registered without one.	Registering and creating the case are separate steps so neither is forced.	The case is created.

8.15 Appointment Queue

Who can open it: PI / System Admin, Field / Digital Coordinator, Contact RA, Supervisor. **Where:** `/admin/appointments`

Calls that respondents have asked for, and their progress.

Control	What it does and when to use it	Why it exists	What happens next
Filter by status	Shows all appointments, or only Requested, Confirmed, Completed, Missed or Cancelled.	Coordinators mostly need the ones still to be acted on.	The list changes and returns to page 1.
CONFIRMED / CANCELLED (on a Requested appointment)	Confirm the time with the respondent and select CONFIRMED, or CANCELLED if it will not happen.	A respondent's request is only a request until a person confirms it.	The appointment's status changes.
COMPLETED / MISSED / CANCELLED (on a Confirmed appointment)	Record what happened at the appointment time.	Missed calls need to be rescheduled and counted; completed ones move the case forward.	The status changes; finished appointments show no more buttons.
Show / page numbers	Choose rows per page and move between pages.	As on every register.	The list redraws.

8.16 Follow-ups due

Who can open it: PI / System Admin, Field / Digital Coordinator, Contact RA, Supervisor. **Where:** `/admin/follow-ups`

Approved reminders (on day 2 and day 7 after an invitation) for invited cases that have not responded, and below them the invitations that have run out and need a new one.

Control	What it does and when to use it	Why it exists	What happens next
Case link (Sample ID)	Opens the case the reminder is for.	Lets you check the case before you send.	The case page opens.
Open in WhatsApp	Opens WhatsApp with the reminder text already written for that respondent.	Reminders are sent by a person from the study's WhatsApp account: nothing is sent automatically, so a person always decides.	WhatsApp opens with the message. If the button says “Open WhatsApp (choose contact)”, there is no mobile number on file (WhatsApp can't reach a landline): phone them, or pick the contact in WhatsApp and add the mobile on the case afterwards.
Invitations that have run out	Cases still waiting whose link has expired, or whose last invitation was revoked or replaced.	A reminder would point at a link that no longer works.	Select the Sample ID and send a new invitation from the case page; the case leaves the list and the reminders start again.
Mark as sent	Tells the portal you sent the reminder.	Otherwise the same reminder stays due and could be sent twice.	It is recorded as sent by you and leaves the list.

Control	What it does and when to use it	Why it exists	What happens next
Asked, no reply yet: phone them	Organisations sent the introduction and its reminder with no answer, or whose introduction could not be delivered.	Automatic messages have done all they can; a call is next.	Select the Sample ID; if they agree on the phone, send the invitation from the case page.

8.17 Conversations

Who can open it: PI / System Admin, Field / Digital Coordinator, Contact RA, Supervisor. **Where:** `/admin/conversations`

WhatsApp messages people sent to the study's Twilio number that need a person: questions, other words, and messages from numbers the study has no record of. YES and NO replies to an introduction are handled automatically and don't wait here.

Control	What it does and when to use it	Why it exists	What happens next
Waiting for a person / All messages	Switches between messages still to deal with and every message received.	So nothing waiting gets lost among the ones already handled.	The list changes.
Send reply	Sends your reply in the WhatsApp chat, from the study's number.	The study's Twilio number is on no phone, so this is the only way to answer in the chat.	The reply is sent and recorded under your name. Only within 24 hours of their last message; after that the box says to phone them.
Mark handled	Records that the message has been dealt with.	So colleagues don't answer it twice.	It leaves the waiting list, with your name and the time.

8.18 Reserve Activation

Who can open it: PI / System Admin, Field / Digital Coordinator, Supervisor. **Where:** `/admin/reserve`

Where a locked Reserve case is activated to replace a Main case that has dropped out.

Control	What it does and when to use it	Why it exists	What happens next
Search ID or organisation	Finds a locked Reserve case.	There are 400 locked cases.	Only matching cases are listed.
Select authorised reason	Chooses why: Ineligible, Inactive, Duplicate, Refusal or Nonresponse exhausted.	A Reserve case is a scarce, matched replacement. Only these reasons are allowed so replacement cannot be used to swap in a friendlier organisation.	Nothing yet; you also need an evidence note.
Evidence note (required)	Write what shows the reason is true.	Every activation must be defensible later, in the dissertation or an audit.	Nothing yet; select Activate.

Control	What it does and when to use it	Why it exists	What happens next
Activate	Unlocks the Reserve case so it can be invited.	The one controlled way a Reserve case becomes usable. The reason, note and your name are kept.	The case leaves the locked list and can be invited; the activation is audited.

8.19 QA Queue (with the KoboToolbox sync panel)

Who can open it: PI / System Admin, Field / Digital Coordinator, QUAN/Kobo QA RA, Supervisor. **Where:** `/admin/qa`

Every completed questionnaire waits here for a human quality decision. Nothing is ever passed automatically.

Control	What it does and when to use it	Why it exists	What happens next
KoboToolbox sync → Sync now	Pulls completed questionnaires from KoboToolbox right now, instead of waiting for the automatic check (every 15 minutes).	KoboToolbox is where the questionnaire is answered; the portal has to fetch what was submitted. A new or edited submission enters the queue when it is fetched.	A summary shows how many were new or changed. “Not connected” or “Last sync failed” explains a problem; the automatic check keeps trying.
Note (required)	Write what you checked and found (for example “duration 28 min plausible, no duplicate”).	A decision nobody explained looks the same as one nobody made; the note is what a later reviewer relies on.	The decision buttons stay off until there is a note.
Accept	Records that the submission passed quality checking.	Only a person can pass a questionnaire; even one that triggered no rule is not passed until someone accepts it. If the case has a locked pre-interview profile, every fact on it must first be verified with the respondent and reconciled (or a deviation recorded).	The submission is marked QA passed, the case moves on, and the decision is audited. If the profile is not reconciled you are told how many facts are outstanding, and nothing changes.
Re-query	Sends the submission back with a question about what needs confirming or fixing.	Some problems (an odd answer, a very short time) need the respondent or interviewer to clarify before a decision.	The submission is marked as queried and the case moves to “QA query”. If the answers are edited in KoboToolbox, the next sync puts it back in the queue.
Reject	Records that the submission fails and will not be used.	Fabricated, duplicate or unusable data must be kept out of the analysis, but never silently deleted.	The submission is marked rejected. It is kept and the decision and your note are audited.

8.20 QA Exceptions

Who can open it: PI / System Admin, Field / Digital Coordinator, QUAN/Kobo QA RA, Supervisor. **Where:** `/admin/qa/exceptions`

Flags the automatic quality rules raised (for example a very short completion time). Each waits for someone to deal with it and explain what was done.

Control	What it does and when to use it	Why it exists	What happens next
Only mine	Shows just the exceptions assigned to you.	Lets each QA person work their own list.	The list narrows and returns to page 1.
Include resolved	Also shows exceptions that were already closed.	Useful for checking what was done before, or how similar flags were handled.	Closed exceptions appear with who closed them, when and why.
Assign to	Chooses who deals with the exception, or Unassigned.	So each flag has an owner and none is left for “someone”.	The exception appears in that person's “Only mine” list.
What was done about it? (required to close)	Write what you did (what you checked, who you contacted).	A closure nobody explained looks the same as one nobody looked at.	The two closing buttons stay off until there is a note.
Resolved	Closes the exception because you dealt with a real problem.	Distinguishes “there was a problem and it was fixed” from a false alarm, so rules can be tuned.	The exception is closed with your name, the time and your note.
Not a real problem	Closes the exception because the flag was a false alarm.	False alarms are information too: many of them means a rule threshold may be wrong.	The exception is closed as dismissed, with your note.

8.21 KII Register

Who can open it: PI / System Admin, Field / Digital Coordinator, KII RA, Supervisor. **Where:** `/admin/kii`

All Key Informant Interview records. Each record identifies a real person, so nothing here leaves the study team.

Control	What it does and when to use it	Why it exists	What happens next
New KII record	Opens the form to create a KII record.	Each interview gets its own record and KII ID from the start of contact.	The New KII Record screen opens.
Search KII ID, name or role	Filters the list as you type.	Finding one participant among dozens.	Only matching records are listed.
Find contact details with AI: How many records, Find contacts	Starts an AI contact search for that many KII records (up to 25, in KII ID order) that are not yet interviewed or declined and have no phone, WhatsApp or email. A record searched in the last 30 days is skipped.	Most KII records start with no contact details; searching each organisation by hand is slow.	“Queued N searches”, then a progress line while they run one at a time. The button stays locked until the batch has finished. Nothing is saved by the batch.

Control	What it does and when to use it	Why it exists	What happens next
Find contact details with AI → Findings to review → Review N findings	Lists every KII record whose findings are waiting for a decision, and opens the chosen record.	A batch finishes one record at a time; this is where to pick up what has come in.	The KII record opens at its findings.
Import background research (ChatGPT workbook): Check file, Import N records	Reads the Excel file ChatGPT returned from the KII research pack and adds its contacts and PROIT facts as suggestions for review on each record, and its interview notes to the PROIT gap engine. Check file shows what would be added and keeps nothing.	Typing about 30 researched facts per organisation for 90 organisations by hand is slow and error-prone; review stays one click per fact.	A table per KII ID with links to each record. Nothing reaches a record until someone accepts it; locked profiles are never changed.
Manage	Opens the KII record.	All work on an interview happens on its own record.	The KII record opens.
Show / page numbers	Choose rows per page and move between pages.	As on every register.	The list redraws.

8.22 New KII Record

Who can open it: PI / System Admin, Field / Digital Coordinator, KII RA. **Where:** `/admin/kii/new`

Starts the record for one interview.

Control	What it does and when to use it	Why it exists	What happens next
Stakeholder category, Participant name, Participant role, Preferred mode	Say who the participant is and how they prefer to be interviewed.	The category places the interview in the KII design; the name and role are needed to arrange it. They stay in the portal and are never put into web addresses.	Nothing is saved until you select Create KII record.
Create KII record	Saves the record.	The KII ID (for example KII-0026) is generated by the system so it is never typed or reused.	The record opens at its starting status, with no consent recorded yet.

8.23 KII record

Who can open it: PI / System Admin, Field / Digital Coordinator, KII RA, Supervisor. **Where:** `/admin/kii/{id}`

The whole life of one interview: status, consent, the interview itself, transcript and coding.

Control	What it does and when to use it	Why it exists	What happens next
Find contact details with AI → Find contact details / Search again	Searches public sources for the organisation's published phone, email and website and the informant's work contact where their organisation publishes it; for an unidentified record, who holds the role.	The record needs a phone or email before the informant can be sent a link.	Findings appear under “To review”, each with its page and quoted passage. Only the organisation's name and type and the informant's name and role are sent to the AI provider.
Find contact details with AI → Accept / Reject	Accept puts the finding on the record: a phone or email fills Phone or Email (never over a different one); a person found for an unidentified record replaces its name and role; a website is kept with the record. Reject discards it.	The AI only proposes; a person checks the page and decides.	The finding moves to “Already decided”, and Record details shows the new values.
Status buttons (INVITED, SCHEDULED, COMPLETED, DECLINED, NO_SHOW)	Move the interview to the next status as things happen. Only valid next statuses are shown: a prospect can be invited or decline; an invited person scheduled or decline; a scheduled interview completed, no-show or decline; a no-show can be rescheduled.	A status should only follow what really happened, and COMPLETED, DECLINED are final.	The status changes and is audited. A final status shows no more buttons.
Recording made (tick box, when marking COMPLETED)	Tick it only if the interview was audio-recorded.	A recorded interview needs the participant's separate recording consent; the portal refuses to complete it as recorded without that.	If recording consent is missing you are told, and the status does not change.
Record participation consent	Records that the participant agreed to take part, after you read or summarised the information sheet.	Nobody is interviewed without consent. The interview link stays hidden until this is recorded.	The consent is recorded (with the information sheet version). Continue this interview appears.
Record recording consent	Records that the participant agreed to be audio-recorded.	Recording consent is always a separate decision; it is never assumed from taking part.	Recording consent is recorded and a recorded interview can be completed.
Continue this interview	Opens the KoboToolbox KII Guide in a new tab with this record's KII ID already filled in.	So the completed form always matches this record and the ID can never be mistyped. Only the ID and your username are sent, never the participant's name.	The KoboToolbox form opens. When submitted, the completed form appears under Completed KII form.
Transcript status (NOT_STARTED, IN_PROGRESS, VERIFIED, ANONYMISED)	Record how far the transcript has got.	A transcript must be verified and anonymised before it can be analysed or quoted.	The status changes and cannot go backwards.

Control	What it does and when to use it	Why it exists	What happens next
Coding status (NOT_STARTED, IN_PROGRESS, COMPLETE)	Record how far the coding has got. It moves to COMPLETE by itself when the completed KII Guide is synced for this KII ID.	Shows what has and has not been analysed. If the interview had a locked pre-interview profile, COMPLETE is refused until it is reconciled; a synced KII Guide then completes it at the next sync.	The status changes and cannot go backwards. If the profile is not reconciled you are told what is outstanding.
Completed KII form → Download PDF	Downloads the completed KII Guide for this record as a readable PDF.	A readable copy without opening KoboToolbox.	A PDF downloads; the download is audited.

8.24 Documents (the corpus)

Who can open it: PI / System Admin, Field / Digital Coordinator, Documentary RA, Supervisor. **Where:** `/admin/documents`

The register of documentary evidence (target 50–75 coded, included documents).

Control	What it does and when to use it	Why it exists	What happens next
New document	Opens the New Documentary Evidence Record screen.	Every source needs a record with a document ID before it can be coded.	The New document screen opens.
Search title, ID or author	Filters the list as you type.	Finding one document in 100 or more.	Only matching documents are listed.
Manage	Opens the document record.	All work on a document happens on its own record.	The document record opens.
Show / page numbers	Choose rows per page and move between pages.	As on every register.	The list redraws.

8.25 New Documentary Evidence Record

Who can open it: PI / System Admin, Field / Digital Coordinator, Documentary RA. **Where:** `/admin/documents/new`

Creates a document record. The fastest way is to upload the file and let the AI fill in the record and draft the coding form.

Control	What it does and when to use it	Why it exists	What happens next
Choose file (Fastest: upload the document)	Choose the document: PDF, Word, Excel, text or CSV, or a JPG/PNG scan or photo (up to 20 MB).	The AI can read all of these, so you do not retype details that are already on the first page.	Nothing is sent until you select Upload and auto-fill.
Optional: Title	Type a title of your own.	You may want a specific name, for example for one chapter of a report.	A typed title is kept; the AI does not replace it.

Control	What it does and when to use it	Why it exists	What happens next
Optional: Pages to read	Enter the pages of a long PDF that make up this evidence unit, for example 290-340.	The AI reads at most 100 pages at a time, and a long report holds several evidence units.	Only those pages are read. With no title, the AI names the part.
Optional: Read the whole document in parts	Ticks the option to read a PDF longer than 100 pages in parts of about 80 pages, then combine them.	For a document you want coded as one unit; slower and dearer, and the ratings need extra checking.	The screen shows how many parts and asks you to confirm before it starts.
Upload and auto-fill	Creates the record, uploads the file, and starts the AI: first it fills in the record's details, then it drafts the whole coding form.	Saves typing every detail and every answer; a person still reviews and submits.	The review screen opens and shows “Step 1 of 2… Step 2 of 2”. If the file cannot be used, nothing is created.
Title, Author / speaker, Source URL / reference, Document type, Geographic scope, Evidence extract → Create document record	The manual way: type the details yourself and save.	For a source with no file yet, or when AI drafting is switched off.	The record is created with a document ID (for example DOC-0025) and opens.

8.26 Document record

Who can open it: PI / System Admin, Field / Digital Coordinator, Documentary RA, Supervisor. **Where:** `/admin/documents/{id}`

Everything about one document: authenticity, the decision to include it, its file, its details, its coding and its memo.

Control	What it does and when to use it	Why it exists	What happens next
Mark verified / Mark disputed	Records your judgement of whether the document is what it claims to be: the right author, date and content.	Documents are evidence; a forged or doubtful one must not enter the corpus unnoticed. Disputed documents are kept and explained, not deleted.	The authenticity changes and is audited. Include becomes available once assessed.
Include / Exclude	Decides whether the document counts in the corpus.	A document cannot be Included until authenticity has been assessed, so unassessed evidence never counts.	The QA status changes; Include stays greyed out while authenticity is Unverified.
Source file → Choose File	Uploads or replaces the source (up to 20 MB). Replacing removes the old file and any unsubmitted draft made from it.	The record keeps one current source. A draft of the wrong document must never be submitted for the right one.	A bar shows progress, then the file name appears. With Start Auto-fill ticked, the review screen opens.

Control	What it does and when to use it	Why it exists	What happens next
Start Auto-fill as soon as the file is uploaded (tick box)	When ticked, uploading immediately starts the AI draft.	Saves a step for the common case.	After the upload, the review screen opens and the AI starts reading.
Remove file	Deletes the source file from the server.	For a wrong upload. It also discards the unsubmitted AI draft made from it; a draft already submitted is kept as the record of what was filed.	A confirmation names what goes. The record says “No file uploaded yet”.
Copy for another chapter (Chapter title, Pages to read, Copy and auto-fill)	Makes another record for a different part of the same source: same author, date, source and type, and its own copy of the file.	A long report holds several evidence units, each of which should be coded, judged and exported on its own.	A new record is created (and, with AI on, drafted) and opens. Authenticity and inclusion are not copied.
Record details → Save details	Edits the title, author, date, source, scope, value chain and type.	These feed Section A of the coding form; if the AI filled them in from the document, this is where you check and correct them.	“Details saved.” The draft and the submission use the corrected values.
Code this document	Opens the KoboToolbox Document Analysis Tool with the document ID and details filled in.	For coding by hand, or when the AI cannot read the source.	The KoboToolbox form opens in a new tab.
Auto-fill	Opens the review screen for the AI draft of the whole coding form.	A fast first draft that a person then checks.	The Auto-fill review screen opens.
Interpretive memo → Save memo	Writes down your reasoning: why authenticity was disputed, how you read the document.	The memo is the audit trail of your judgement, needed for the dissertation.	A “saved” message; the memo stays on the record.
Completed coding form → Download PDF	Downloads the completed coding form for this document.	A readable copy of what was submitted.	A PDF downloads (only if a form was submitted with this document ID).

8.27 Auto-fill review screen

Who can open it: PI / System Admin, Field / Digital Coordinator, Documentary RA, Supervisor. **Where:** `/admin/documents/{id}/ai-draft`

Where you review the AI's draft of the KoboToolbox coding form, edit it and submit it. Nothing reaches KoboToolbox until you select Submit.

Control	What it does and when to use it	Why it exists	What happens next
Pages to read	For a PDF over 100 pages, enter the pages that make up this evidence unit.	The AI reads at most 100 pages at a time.	Only those pages are drafted; locators keep the original page numbers.

Control	What it does and when to use it	Why it exists	What happens next
Read the whole document in parts	Reads the whole PDF (or a long range) in parts of about 80 pages and combines them.	For one coding of a long document; costs about the number of parts plus one times an ordinary draft.	You are asked to confirm. Progress shows “Read part 3 of 8”, then “Combining the parts”.
Generate AI draft / Regenerate draft	Starts the AI reading the source. Regenerate replaces the current draft and any unsaved edits.	Each draft is a paid request, so it starts only when you ask; regenerating asks first because it discards your edits.	The AI works in the background (usually one to five minutes) and you can leave the page. The draft appears here when ready.
The draft fields (sections A to L)	Every question of the form, with the AI's answer. Edit any grey-free field: text, choices, tick boxes, dates.	The AI drafts; you are responsible for the judgements (strength ratings, hypothesis codes) that are the study's documentary analysis.	Edits are kept in the browser until you select Save changes.
Section A grey fields (DOC ID, author, title, date, source)	Come from the record and cannot be edited here; use “edit the record details”.	The draft must agree with the record it is attached to.	Corrections on the record show here at once and are the values submitted.
Add metric / Remove this metric (Section J)	Adds or deletes a row of the quantitative metrics table.	Numbers in the source (percentages, amounts, targets) are recorded one per row with a locator.	The row is added or removed in the draft.
Save changes	Saves your edits to the draft on the server.	Lets you stop and finish later without submitting.	“Changes saved.” The button is unavailable after submission.
Submit to KoboToolbox	Sends the reviewed draft to KoboToolbox as a completed record, after you confirm. It saves your edits first.	The one place the portal writes to KoboToolbox, and only on this deliberate click: a person, not the AI, submits the study's documentary analysis. Once only, so no duplicate.	“Submitted to KoboToolbox, and a copy is now held in the portal.” The answers lock and the screen says “Already submitted”. A second click is refused.

8.28 Completed forms (Form PDFs)

Who can open it: PI / System Admin, Field / Digital Coordinator, QUAN/Kobo QA RA, KII RA, Documentary RA, Supervisor. **Where:** `/admin/submissions`

The completed KoboToolbox forms for your role (the questionnaire, the KII Guide or the Document Analysis Tool; the PI, coordinator and supervisor can switch between all three).

Control	What it does and when to use it	Why it exists	What happens next
Form (drop-down)	Chooses which form to list. Shown only to roles that may see more than one.	Each role sees only its own form, because raw answers can identify organisations and people.	The list and the sync panel change to that form.

Control	What it does and when to use it	Why it exists	What happens next
Sync panel: “In sync with KoboToolbox”	Shows how many submissions KoboToolbox holds and how many the portal holds, and when they were last matched.	The portal keeps its own copy of the completed forms. If the two numbers differ, the portal is behind.	Read only. “Not in sync” means press Sync now.
Sync now	Pulls that form from KoboToolbox now and updates the portal's copy.	The automatic sync runs every 15 minutes; this brings it up to date immediately. It also notices edits and deletions made in KoboToolbox.	The counts refresh. A KII record's coding can move to COMPLETE; a document whose submission was deleted in KoboToolbox unlocks.
✓ saved in portal (on each row)	Says the portal holds an identical copy of that submission.	Proof, row by row, that nothing was lost or changed between KoboToolbox and the portal.	Read only. It is missing until the next sync for a new or edited row.
Download PDF	Downloads that completed form as a readable PDF (sections, questions, answers as words).	A readable copy for records, meetings and checking.	A PDF downloads; the download is audited.
Email to me	Emails that PDF to the address on your own account.	A PDF is a full research record, so it goes only to you, never to a typed-in address.	“Sent to …” (address masked). Recorded in the audit log.
Email to respondent (questionnaire only)	Emails the respondent a copy of their own answers, at the address on their case, after you confirm.	Respondents may ask for their answers; the copy goes only to the address on file and only while their consent stands.	A confirmation first; then “Sent to …”. Refused if consent was withdrawn or no email is on file.
Excel workbook	Downloads every submission of the form as an analysis-ready workbook: answers as codes and as labels, a question dictionary, choice lists, a sheet for each repeating group.	Analysis in SPSS, Stata or R needs the answers, not just the portal's case data.	An .xlsx file downloads; the download is audited.
All as PDFs (ZIP)	Downloads every completed form as a PDF in one ZIP with a manifest.	An archive of the completed forms for the data lock.	The download starts at once and grows as each form is added.
Show / page numbers	Choose rows per page and move between pages.	As on every register.	The list redraws.

8.29 Cost Dashboard

Who can open it: PI / System Admin, Field / Digital Coordinator, Data Analyst, Supervisor. **Where:** `/admin/cost`

What the fieldwork has cost, by category, so cost per completed case can be reported.

Control	What it does and when to use it	Why it exists	What happens next
Spend by category	Shows spend for RA allowance, airtime/data, transport, accommodation, hosting, messaging and other.	Funders and the dissertation need the real cost of each completed case.	Read only.
Log a cost event: Date, Category, Amount → Log cost	Records one expense.	Costs are logged as they happen so the total stays true, and each event records who approved it.	The event is added and the total increases by that amount.

8.30 Audit Log

Who can open it: PI / System Admin. **Where:** `/admin/audit`

The permanent record of who did what and when: QA decisions, downloads, emails of copies, submissions to KoboToolbox, withdrawals, reserve activations, status changes and other changes to records.

Control	What it does and when to use it	Why it exists	What happens next
The list of events	Shows each action with who did it, what it was done to and when, newest first.	Research governance needs to be able to show who handled sensitive data and made key decisions. Entries are added by the system and cannot be edited or deleted.	Read only.
Show / page numbers	Choose rows per page and move between pages.	The log grows quickly; a larger page helps when searching for one event.	The list redraws.

8.31 Research Clearance

Who can open it: PI / System Admin. **Where:** `/admin/clearance`

The study's official approval letters (ethics clearance, institutional approval, supervision confirmation), published for a respondent to check the study is genuine before taking part.

Control	What it does and when to use it	Why it exists	What happens next
Add a document: Title, Issuing body, Type, Reference number, Date, Description → Add document	Creates a document record. It has no file yet and is not shown to anyone.	The record (who issued it, when, what kind) is entered before the file, so the title is right before anything is uploaded.	The document appears in the list with “No file uploaded yet”.
Upload file / Replace file	Attaches or replaces the letter itself (PDF, JPG or PNG, up to 20MB).	A respondent needs the actual letter to open, not just its description.	The file name appears; an already-public document's new file is live immediately.

Control	What it does and when to use it	Why it exists	What happens next
Shown to respondents	Switches whether this document appears on the Participant Information step of every invitation link.	A document is private by default; nothing reaches a respondent until this is explicitly turned on, and it needs a file first.	On: the document appears to every respondent from then on. Off: it stops appearing immediately.
Active	Switches whether the document is current, independently of whether it is shown.	Lets a superseded letter stay on record without being deleted.	No visible change to respondents beyond Shown to respondents.
View	Opens the uploaded file.	Checking what was actually uploaded.	The file opens in a new tab.
Delete	Removes a document that has never been shown to a respondent.	Once a document could have been seen by a respondent, there must always be a record of what was shown; disabled, and refused by the server, once it has been public even briefly.	The record is removed. If it was ever public, the server refuses with a message instead.

8.32 Export

Who can open it: PI / System Admin, Field / Digital Coordinator, Data Analyst. **Where:** `/admin/export`

Downloads of data for analysis and for the data lock. Every download is audited, and the disclaimer at the foot applies to everything exported.

Control	What it does and when to use it	Why it exists	What happens next
Download analysis export (CSV)	Downloads case-level data with no contact-identifying fields (no names, phone numbers or emails). Withdrawn participants' answers are left out.	The version that is safe for analysis and for sharing with the wider research team.	A CSV downloads.
Download operational export (CSV)	Downloads the full operational data including contact details. PI only.	Needed for fieldwork administration; never to be passed outside the study.	A CSV downloads; the download is audited.
Download respondents and outreach (Excel)	Downloads a workbook of every Main-400 respondent and KII informant with their contact details, and a log of every invitation sent (channel, date, who sent it, status). PI only.	The one record of who has been invited, how, and what happened next; the operational export covers only those who have submitted.	An Excel file downloads; the download is audited.
Analysis packs → Download SmartPLS pack / interviews pack / documents pack	Downloads a ZIP that opens directly in SmartPLS 4 (questionnaire, numeric, -99 for missing) or ATLAS.ti (interviews as Word documents, documents named by ID), each with a README and an attribute or dictionary file. PI only.	Removes the copying and recoding between the portal and the analysis software. No names, organisation, job title or contact details; withdrawn participants left out.	A ZIP downloads; the download is audited.

Control	What it does and when to use it	Why it exists	What happens next
KoboToolbox data → Excel workbook / All completed forms (PDF ZIP), for each form	Downloads the full answers of the Questionnaire, the KII Guide or the Document Analysis Tool, as a workbook or as PDFs. PI only.	Raw answers can identify organisations and, in the KII Guide, people, so only the PI may take them out.	The file downloads; the download is audited.