




Zebra Audit Report

Target `D:\WORK\SkillRev\timbersite\timbersite-frontend` · Generated 2026-06-13 04:43 · 664 findings

Summary



Scanner coverage

SCANNER	STATUS	FINDINGS
bandit	skipped — bandit not installed — `pip install bandit` (Python security linter).	0
dependencies	skipped — No dependency-audit tool installed (pip-audit / npm / trivy / osv-scanner). Manifests present: package-lock.json, package.json. Install one to get CVE matches — e.g. `pip install pip-audit` or `brew install trivy`.	0
gitleaks	skipped — gitleaks not installed — `brew install gitleaks` (git-history secret scan).	0
quality	ran	662
ruff	skipped — ruff not installed — `pip install ruff` (fast Python linter, incl. perf rules).	0
secrets	ran	2
semgrep	skipped — semgrep not installed — `pip install semgrep` (deep multi-language SAST).	0

Security vulnerabilities 19

CRITICAL**Private key block**

1 occurrence

What it is. A PEM private-key block (RSA/EC/OpenSSH/PGP) is committed in source.

Why it matters. Anyone with repo access — including its full git history — can impersonate the key's owner, decrypt traffic, or sign artefacts.

How to fix. Rotate the key immediately. Remove it from the working tree and purge it from history with ``git filter-repo`` or BFG, then force-push. Store secrets in a vault (AWS Secrets Manager, HashiCorp Vault) and inject at runtime via env vars.

Further reading: <https://docs.github.com/code-security/secret-scanning>

LOCATION	SOURCE	DETAIL
tests\hooks\api\functions\storage.test.js:26	secrets	Potential private key block committed in source.

HIGH Possible SQL injection

16 occurrences

What it is. A SQL string is built by concatenating or interpolating variables.

Why it matters. If a value is attacker-controlled they can rewrite the query — data exfiltration, auth bypass, or destruction.

How to fix. Use parameterised queries / prepared statements (bound parameters), or an ORM that parameterises for you. Never build SQL with string concatenation of input. NOTE: matches inside generated GraphQL/ORM type files are usually false positives — exclude `**/generated/**`.

Further reading: https://owasp.org/www-community/attacks/SQL_Injection

LOCATION	SOURCE	DETAIL
src\apollo\generated\graphql.ts:3983	quality	String-built SQL; use parameterised queries instead.
src\apollo\generated\graphql.ts:3991	quality	String-built SQL; use parameterised queries instead.
src\apollo\generated\graphql.ts:4031	quality	String-built SQL; use parameterised queries instead.
src\apollo\generated\graphql.ts:4038	quality	String-built SQL; use parameterised queries instead.
src\apollo\generated\graphql.ts:4515	quality	String-built SQL; use parameterised queries instead.
src\apollo\generated\graphql.ts:5113	quality	String-built SQL; use parameterised queries instead.
src\apollo\generated\graphql.ts:5129	quality	String-built SQL; use parameterised queries instead.
src\apollo\generated\graphql.ts:5136	quality	String-built SQL; use parameterised queries instead.
src\apollo\generated\graphql.ts:5230	quality	String-built SQL; use parameterised queries instead.
src\apollo\generated\graphql.ts:5232	quality	String-built SQL; use parameterised queries instead.
src\apollo\generated\graphql.ts:5233	quality	String-built SQL; use parameterised queries instead.
src\apollo\generated\graphql.ts:5279	quality	String-built SQL; use parameterised queries instead.
src\apollo\generated\graphql.ts:5342	quality	String-built SQL; use parameterised queries instead.

LOCATION	SOURCE	DETAIL
src\apollo\generated\graphql.ts:5343	quality	String-built SQL; use parameterised queries instead.
src\apollo\generated\graphql.ts:5345	quality	String-built SQL; use parameterised queries instead.
src\apollo\generated\graphql.ts:5346	quality	String-built SQL; use parameterised queries instead.

MEDIUM

Possible DOM XSS

1 occurrence

What it is. Untrusted data is assigned to ``innerHTML``.

Why it matters. Injected markup executes as script in the victim's browser — session theft, defacement, keylogging.

How to fix. Use ``textContent`` for text, or sanitise HTML with DOMPurify before insertion. In frameworks, rely on safe binding and avoid ``dangerouslySetInnerHTML``.

Further reading: <https://owasp.org/www-community/attacks/xss/>

LOCATION	SOURCE	DETAIL
src\components\logs\Editor.jsx:78	quality	Assigning to innerHTML with untrusted data can inject scripts.

MEDIUM

Hard-coded credential

1 occurrence

What it is. A high-entropy value assigned to an api-key/secret/password/token variable is committed.

Why it matters. Likely a live credential granting access to some system.

How to fix. Confirm whether it is real; if so rotate and purge from history. Move to environment variables or a secrets manager. If it is a test placeholder, replace with an obvious dummy (e.g. `'changeme'`).

LOCATION	SOURCE	DETAIL
tests\components\users\UserUpsert.validation.test.js:71	secrets	Potential hard-coded credential committed in source.

LOW Debug statement

14 occurrences

What it is. A leftover ``console.log` / debug `print` / `debugger`` statement.

Why it matters. Noisy logs, potential leakage of sensitive values, and a ``debugger`` can pause execution in production.

How to fix. Remove it or route through a proper logger with levels. Enforce with an ESLint ``no-console`/`no-debugger`` rule or a pre-commit hook.

LOCATION	SOURCE	DETAIL
src\components\ChangeOrder\ChangeOrderUpsertV2\LineItem.jsx:113	quality	Leftover debug output; remove before release.
src\components\common\navigation\NextBreadcrumbs.js:74	quality	Leftover debug output; remove before release.
src\components\common\navigation\NextBreadcrumbs.js:89	quality	Leftover debug output; remove before release.
src\components\common\navigation\NextBreadcrumbs.js:105	quality	Leftover debug output; remove before release.
src\components\common\navigation\NextBreadcrumbs.js:159	quality	Leftover debug output; remove before release.
src\components\common\navigation\NextBreadcrumbs.js:164	quality	Leftover debug output; remove before release.
src\components\common\selects\StdDynamicSelect.js:36	quality	Leftover debug output; remove before release.
src\components\estimate\EstimateUpsert\LineItem.tsx:145	quality	Leftover debug output; remove before release.
src\components\users\UserUpsert.jsx:236	quality	Leftover debug output; remove before release.
src\components\users\UserUpsert.jsx:237	quality	Leftover debug output; remove before release.
src\components\users\UserUpsert.jsx:239	quality	Leftover debug output; remove

LOCATION	SOURCE	DETAIL
		before release.
src\components\users\UserUpsert.jsx:242	quality	Leftover debug output; remove before release.
src\components\users\UserUpsert.jsx:272	quality	Leftover debug output; remove before release.
src\components\users\UserUpsert.jsx:932	quality	Leftover debug output; remove before release.

INFO

Very long line

445 occurrences

What it is. A source line exceeds 200 characters.**Why it matters.** Readability and review friction.**How to fix.** [Run a formatter](#); [exclude generated files](#).

LOCATION	SOURCE	DETAIL
src\apollo\generated\fragment-masking.ts:60	quality	Line is 207 chars; consider wrapping.
src\apollo\generated\gql.ts:17	quality	Line is 3205 chars; consider wrapping.
src\apollo\generated\gql.ts:18	quality	Line is 5045 chars; consider wrapping.
src\apollo\generated\gql.ts:19	quality	Line is 1744 chars; consider wrapping.
src\apollo\generated\gql.ts:20	quality	Line is 1025 chars; consider wrapping.
src\apollo\generated\gql.ts:21	quality	Line is 1880 chars; consider wrapping.
src\apollo\generated\gql.ts:22	quality	Line is 897 chars; consider wrapping.
src\apollo\generated\gql.ts:23	quality	Line is 735 chars; consider wrapping.
src\apollo\generated\gql.ts:24	quality	Line is 1423 chars; consider wrapping.
src\apollo\generated\gql.ts:25	quality	Line is 1064 chars; consider wrapping.
src\apollo\generated\gql.ts:26	quality	Line is 1214 chars; consider wrapping.
src\apollo\generated\gql.ts:27	quality	Line is 1094 chars; consider wrapping.
src\apollo\generated\gql.ts:28	quality	Line is 1747 chars; consider wrapping.
src\apollo\generated\gql.ts:29	quality	Line is 1790 chars; consider wrapping.
src\apollo\generated\gql.ts:30	quality	Line is 2184 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\gql.ts:31	quality	Line is 566 chars; consider wrapping.
src\apollo\generated\gql.ts:32	quality	Line is 299 chars; consider wrapping.
src\apollo\generated\gql.ts:33	quality	Line is 5594 chars; consider wrapping.
src\apollo\generated\gql.ts:34	quality	Line is 8272 chars; consider wrapping.
src\apollo\generated\gql.ts:35	quality	Line is 1052 chars; consider wrapping.
src\apollo\generated\gql.ts:36	quality	Line is 1286 chars; consider wrapping.
src\apollo\generated\gql.ts:37	quality	Line is 1400 chars; consider wrapping.
src\apollo\generated\gql.ts:38	quality	Line is 2304 chars; consider wrapping.
src\apollo\generated\gql.ts:39	quality	Line is 985 chars; consider wrapping.
src\apollo\generated\gql.ts:40	quality	Line is 1729 chars; consider wrapping.
src\apollo\generated\gql.ts:41	quality	Line is 982 chars; consider wrapping.
src\apollo\generated\gql.ts:42	quality	Line is 1257 chars; consider wrapping.
src\apollo\generated\gql.ts:43	quality	Line is 836 chars; consider wrapping.
src\apollo\generated\gql.ts:44	quality	Line is 1387 chars; consider wrapping.
src\apollo\generated\gql.ts:45	quality	Line is 337 chars; consider wrapping.
src\apollo\generated\gql.ts:46	quality	Line is 528 chars; consider wrapping.
src\apollo\generated\gql.ts:47	quality	Line is 1159 chars; consider wrapping.
src\apollo\generated\gql.ts:48	quality	Line is 1609 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\gql.ts:49	quality	Line is 3227 chars; consider wrapping.
src\apollo\generated\gql.ts:50	quality	Line is 307 chars; consider wrapping.
src\apollo\generated\gql.ts:51	quality	Line is 288 chars; consider wrapping.
src\apollo\generated\gql.ts:52	quality	Line is 3605 chars; consider wrapping.
src\apollo\generated\gql.ts:53	quality	Line is 740 chars; consider wrapping.
src\apollo\generated\gql.ts:54	quality	Line is 3277 chars; consider wrapping.
src\apollo\generated\gql.ts:55	quality	Line is 1551 chars; consider wrapping.
src\apollo\generated\gql.ts:56	quality	Line is 1781 chars; consider wrapping.
src\apollo\generated\gql.ts:57	quality	Line is 2337 chars; consider wrapping.
src\apollo\generated\gql.ts:58	quality	Line is 3898 chars; consider wrapping.
src\apollo\generated\gql.ts:59	quality	Line is 594 chars; consider wrapping.
src\apollo\generated\gql.ts:60	quality	Line is 850 chars; consider wrapping.
src\apollo\generated\gql.ts:61	quality	Line is 548 chars; consider wrapping.
src\apollo\generated\gql.ts:62	quality	Line is 1871 chars; consider wrapping.
src\apollo\generated\gql.ts:63	quality	Line is 2603 chars; consider wrapping.
src\apollo\generated\gql.ts:64	quality	Line is 889 chars; consider wrapping.
src\apollo\generated\gql.ts:65	quality	Line is 1372 chars; consider wrapping.
src\apollo\generated\gql.ts:68	quality	Line is 3198 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\gql.ts:69	quality	Line is 5038 chars; consider wrapping.
src\apollo\generated\gql.ts:70	quality	Line is 1737 chars; consider wrapping.
src\apollo\generated\gql.ts:71	quality	Line is 1018 chars; consider wrapping.
src\apollo\generated\gql.ts:72	quality	Line is 1873 chars; consider wrapping.
src\apollo\generated\gql.ts:73	quality	Line is 890 chars; consider wrapping.
src\apollo\generated\gql.ts:74	quality	Line is 728 chars; consider wrapping.
src\apollo\generated\gql.ts:75	quality	Line is 1416 chars; consider wrapping.
src\apollo\generated\gql.ts:76	quality	Line is 1057 chars; consider wrapping.
src\apollo\generated\gql.ts:77	quality	Line is 1207 chars; consider wrapping.
src\apollo\generated\gql.ts:78	quality	Line is 1087 chars; consider wrapping.
src\apollo\generated\gql.ts:79	quality	Line is 1740 chars; consider wrapping.
src\apollo\generated\gql.ts:80	quality	Line is 1783 chars; consider wrapping.
src\apollo\generated\gql.ts:81	quality	Line is 2177 chars; consider wrapping.
src\apollo\generated\gql.ts:82	quality	Line is 559 chars; consider wrapping.
src\apollo\generated\gql.ts:83	quality	Line is 292 chars; consider wrapping.
src\apollo\generated\gql.ts:84	quality	Line is 5587 chars; consider wrapping.
src\apollo\generated\gql.ts:85	quality	Line is 8265 chars; consider wrapping.
src\apollo\generated\gql.ts:86	quality	Line is 1045 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\gql.ts:87	quality	Line is 1279 chars; consider wrapping.
src\apollo\generated\gql.ts:88	quality	Line is 1393 chars; consider wrapping.
src\apollo\generated\gql.ts:89	quality	Line is 2297 chars; consider wrapping.
src\apollo\generated\gql.ts:90	quality	Line is 978 chars; consider wrapping.
src\apollo\generated\gql.ts:91	quality	Line is 1722 chars; consider wrapping.
src\apollo\generated\gql.ts:92	quality	Line is 975 chars; consider wrapping.
src\apollo\generated\gql.ts:93	quality	Line is 1250 chars; consider wrapping.
src\apollo\generated\gql.ts:94	quality	Line is 829 chars; consider wrapping.
src\apollo\generated\gql.ts:95	quality	Line is 1380 chars; consider wrapping.
src\apollo\generated\gql.ts:96	quality	Line is 330 chars; consider wrapping.
src\apollo\generated\gql.ts:97	quality	Line is 521 chars; consider wrapping.
src\apollo\generated\gql.ts:98	quality	Line is 1152 chars; consider wrapping.
src\apollo\generated\gql.ts:99	quality	Line is 1602 chars; consider wrapping.
src\apollo\generated\gql.ts:100	quality	Line is 3220 chars; consider wrapping.
src\apollo\generated\gql.ts:101	quality	Line is 300 chars; consider wrapping.
src\apollo\generated\gql.ts:102	quality	Line is 281 chars; consider wrapping.
src\apollo\generated\gql.ts:103	quality	Line is 3598 chars; consider wrapping.
src\apollo\generated\gql.ts:104	quality	Line is 733 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\gql.ts:105	quality	Line is 3270 chars; consider wrapping.
src\apollo\generated\gql.ts:106	quality	Line is 1544 chars; consider wrapping.
src\apollo\generated\gql.ts:107	quality	Line is 1774 chars; consider wrapping.
src\apollo\generated\gql.ts:108	quality	Line is 2330 chars; consider wrapping.
src\apollo\generated\gql.ts:109	quality	Line is 3891 chars; consider wrapping.
src\apollo\generated\gql.ts:110	quality	Line is 587 chars; consider wrapping.
src\apollo\generated\gql.ts:111	quality	Line is 843 chars; consider wrapping.
src\apollo\generated\gql.ts:112	quality	Line is 541 chars; consider wrapping.
src\apollo\generated\gql.ts:113	quality	Line is 1864 chars; consider wrapping.
src\apollo\generated\gql.ts:114	quality	Line is 2596 chars; consider wrapping.
src\apollo\generated\gql.ts:115	quality	Line is 882 chars; consider wrapping.
src\apollo\generated\gql.ts:116	quality	Line is 1365 chars; consider wrapping.
src\apollo\generated\gql.ts:136	quality	Line is 6376 chars; consider wrapping.
src\apollo\generated\gql.ts:140	quality	Line is 10060 chars; consider wrapping.
src\apollo\generated\gql.ts:144	quality	Line is 3464 chars; consider wrapping.
src\apollo\generated\gql.ts:148	quality	Line is 2030 chars; consider wrapping.
src\apollo\generated\gql.ts:152	quality	Line is 3720 chars; consider wrapping.
src\apollo\generated\gql.ts:156	quality	Line is 1760 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\gql.ts:160	quality	Line is 1442 chars; consider wrapping.
src\apollo\generated\gql.ts:164	quality	Line is 2822 chars; consider wrapping.
src\apollo\generated\gql.ts:168	quality	Line is 2092 chars; consider wrapping.
src\apollo\generated\gql.ts:172	quality	Line is 2396 chars; consider wrapping.
src\apollo\generated\gql.ts:176	quality	Line is 2160 chars; consider wrapping.
src\apollo\generated\gql.ts:180	quality	Line is 3470 chars; consider wrapping.
src\apollo\generated\gql.ts:184	quality	Line is 3552 chars; consider wrapping.
src\apollo\generated\gql.ts:188	quality	Line is 4344 chars; consider wrapping.
src\apollo\generated\gql.ts:192	quality	Line is 1090 chars; consider wrapping.
src\apollo\generated\gql.ts:196	quality	Line is 562 chars; consider wrapping.
src\apollo\generated\gql.ts:200	quality	Line is 11160 chars; consider wrapping.
src\apollo\generated\gql.ts:204	quality	Line is 16520 chars; consider wrapping.
src\apollo\generated\gql.ts:208	quality	Line is 2060 chars; consider wrapping.
src\apollo\generated\gql.ts:212	quality	Line is 2532 chars; consider wrapping.
src\apollo\generated\gql.ts:216	quality	Line is 2774 chars; consider wrapping.
src\apollo\generated\gql.ts:220	quality	Line is 4586 chars; consider wrapping.
src\apollo\generated\gql.ts:224	quality	Line is 1950 chars; consider wrapping.
src\apollo\generated\gql.ts:228	quality	Line is 3442 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\gql.ts:232	quality	Line is 1938 chars; consider wrapping.
src\apollo\generated\gql.ts:236	quality	Line is 2492 chars; consider wrapping.
src\apollo\generated\gql.ts:240	quality	Line is 1644 chars; consider wrapping.
src\apollo\generated\gql.ts:244	quality	Line is 2750 chars; consider wrapping.
src\apollo\generated\gql.ts:248	quality	Line is 648 chars; consider wrapping.
src\apollo\generated\gql.ts:252	quality	Line is 1026 chars; consider wrapping.
src\apollo\generated\gql.ts:256	quality	Line is 2292 chars; consider wrapping.
src\apollo\generated\gql.ts:260	quality	Line is 3192 chars; consider wrapping.
src\apollo\generated\gql.ts:264	quality	Line is 6432 chars; consider wrapping.
src\apollo\generated\gql.ts:268	quality	Line is 586 chars; consider wrapping.
src\apollo\generated\gql.ts:272	quality	Line is 554 chars; consider wrapping.
src\apollo\generated\gql.ts:276	quality	Line is 7162 chars; consider wrapping.
src\apollo\generated\gql.ts:280	quality	Line is 1444 chars; consider wrapping.
src\apollo\generated\gql.ts:284	quality	Line is 6522 chars; consider wrapping.
src\apollo\generated\gql.ts:288	quality	Line is 3072 chars; consider wrapping.
src\apollo\generated\gql.ts:292	quality	Line is 3536 chars; consider wrapping.
src\apollo\generated\gql.ts:296	quality	Line is 4644 chars; consider wrapping.
src\apollo\generated\gql.ts:300	quality	Line is 7768 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\gql.ts:304	quality	Line is 1168 chars; consider wrapping.
src\apollo\generated\gql.ts:308	quality	Line is 1684 chars; consider wrapping.
src\apollo\generated\gql.ts:312	quality	Line is 1080 chars; consider wrapping.
src\apollo\generated\gql.ts:316	quality	Line is 3722 chars; consider wrapping.
src\apollo\generated\gql.ts:320	quality	Line is 5190 chars; consider wrapping.
src\apollo\generated\gql.ts:324	quality	Line is 1754 chars; consider wrapping.
src\apollo\generated\gql.ts:328	quality	Line is 2724 chars; consider wrapping.
src\apollo\generated\graphql.ts:19	quality	Line is 244 chars; consider wrapping.
src\apollo\generated\graphql.ts:3983	quality	Line is 1722 chars; consider wrapping.
src\apollo\generated\graphql.ts:3991	quality	Line is 1955 chars; consider wrapping.
src\apollo\generated\graphql.ts:4006	quality	Line is 303 chars; consider wrapping.
src\apollo\generated\graphql.ts:4022	quality	Line is 438 chars; consider wrapping.
src\apollo\generated\graphql.ts:4031	quality	Line is 2842 chars; consider wrapping.
src\apollo\generated\graphql.ts:4038	quality	Line is 2639 chars; consider wrapping.
src\apollo\generated\graphql.ts:4047	quality	Line is 264 chars; consider wrapping.
src\apollo\generated\graphql.ts:4061	quality	Line is 1697 chars; consider wrapping.
src\apollo\generated\graphql.ts:4069	quality	Line is 827 chars; consider wrapping.
src\apollo\generated\graphql.ts:4078	quality	Line is 830 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\graphql.ts:4086	quality	Line is 809 chars; consider wrapping.
src\apollo\generated\graphql.ts:4093	quality	Line is 742 chars; consider wrapping.
src\apollo\generated\graphql.ts:4101	quality	Line is 741 chars; consider wrapping.
src\apollo\generated\graphql.ts:4115	quality	Line is 1541 chars; consider wrapping.
src\apollo\generated\graphql.ts:4122	quality	Line is 1541 chars; consider wrapping.
src\apollo\generated\graphql.ts:4127	quality	Line is 1526 chars; consider wrapping.
src\apollo\generated\graphql.ts:4134	quality	Line is 235 chars; consider wrapping.
src\apollo\generated\graphql.ts:4142	quality	Line is 693 chars; consider wrapping.
src\apollo\generated\graphql.ts:4158	quality	Line is 793 chars; consider wrapping.
src\apollo\generated\graphql.ts:4165	quality	Line is 690 chars; consider wrapping.
src\apollo\generated\graphql.ts:4174	quality	Line is 255 chars; consider wrapping.
src\apollo\generated\graphql.ts:4188	quality	Line is 766 chars; consider wrapping.
src\apollo\generated\graphql.ts:4196	quality	Line is 774 chars; consider wrapping.
src\apollo\generated\graphql.ts:4212	quality	Line is 866 chars; consider wrapping.
src\apollo\generated\graphql.ts:4219	quality	Line is 759 chars; consider wrapping.
src\apollo\generated\graphql.ts:4233	quality	Line is 718 chars; consider wrapping.
src\apollo\generated\graphql.ts:4241	quality	Line is 939 chars; consider wrapping.
src\apollo\generated\graphql.ts:4257	quality	Line is 1107 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\graphql.ts:4264	quality	Line is 1004 chars; consider wrapping.
src\apollo\generated\graphql.ts:4273	quality	Line is 243 chars; consider wrapping.
src\apollo\generated\graphql.ts:4287	quality	Line is 1290 chars; consider wrapping.
src\apollo\generated\graphql.ts:4295	quality	Line is 1286 chars; consider wrapping.
src\apollo\generated\graphql.ts:4311	quality	Line is 1534 chars; consider wrapping.
src\apollo\generated\graphql.ts:4318	quality	Line is 1431 chars; consider wrapping.
src\apollo\generated\graphql.ts:4332	quality	Line is 364 chars; consider wrapping.
src\apollo\generated\graphql.ts:4340	quality	Line is 372 chars; consider wrapping.
src\apollo\generated\graphql.ts:4347	quality	Line is 417 chars; consider wrapping.
src\apollo\generated\graphql.ts:4354	quality	Line is 3290 chars; consider wrapping.
src\apollo\generated\graphql.ts:4362	quality	Line is 2895 chars; consider wrapping.
src\apollo\generated\graphql.ts:4376	quality	Line is 1443 chars; consider wrapping.
src\apollo\generated\graphql.ts:4384	quality	Line is 270 chars; consider wrapping.
src\apollo\generated\graphql.ts:4400	quality	Line is 418 chars; consider wrapping.
src\apollo\generated\graphql.ts:4409	quality	Line is 4078 chars; consider wrapping.
src\apollo\generated\graphql.ts:4416	quality	Line is 4658 chars; consider wrapping.
src\apollo\generated\graphql.ts:4425	quality	Line is 251 chars; consider wrapping.
src\apollo\generated\graphql.ts:4439	quality	Line is 3377 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\graphql.ts:4446	quality	Line is 710 chars; consider wrapping.
src\apollo\generated\graphql.ts:4454	quality	Line is 718 chars; consider wrapping.
src\apollo\generated\graphql.ts:4470	quality	Line is 874 chars; consider wrapping.
src\apollo\generated\graphql.ts:4477	quality	Line is 763 chars; consider wrapping.
src\apollo\generated\graphql.ts:4491	quality	Line is 817 chars; consider wrapping.
src\apollo\generated\graphql.ts:4499	quality	Line is 1245 chars; consider wrapping.
src\apollo\generated\graphql.ts:4515	quality	Line is 1854 chars; consider wrapping.
src\apollo\generated\graphql.ts:4522	quality	Line is 1381 chars; consider wrapping.
src\apollo\generated\graphql.ts:4536	quality	Line is 462 chars; consider wrapping.
src\apollo\generated\graphql.ts:4544	quality	Line is 470 chars; consider wrapping.
src\apollo\generated\graphql.ts:4558	quality	Line is 533 chars; consider wrapping.
src\apollo\generated\graphql.ts:4567	quality	Line is 681 chars; consider wrapping.
src\apollo\generated\graphql.ts:4574	quality	Line is 582 chars; consider wrapping.
src\apollo\generated\graphql.ts:4581	quality	Line is 592 chars; consider wrapping.
src\apollo\generated\graphql.ts:4595	quality	Line is 706 chars; consider wrapping.
src\apollo\generated\graphql.ts:4602	quality	Line is 616 chars; consider wrapping.
src\apollo\generated\graphql.ts:4610	quality	Line is 651 chars; consider wrapping.
src\apollo\generated\graphql.ts:4626	quality	Line is 825 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\graphql.ts:4633	quality	Line is 723 chars; consider wrapping.
src\apollo\generated\graphql.ts:4647	quality	Line is 554 chars; consider wrapping.
src\apollo\generated\graphql.ts:4655	quality	Line is 562 chars; consider wrapping.
src\apollo\generated\graphql.ts:4671	quality	Line is 734 chars; consider wrapping.
src\apollo\generated\graphql.ts:4678	quality	Line is 631 chars; consider wrapping.
src\apollo\generated\graphql.ts:4687	quality	Line is 337 chars; consider wrapping.
src\apollo\generated\graphql.ts:4720	quality	Line is 340 chars; consider wrapping.
src\apollo\generated\graphql.ts:4728	quality	Line is 321 chars; consider wrapping.
src\apollo\generated\graphql.ts:4744	quality	Line is 650 chars; consider wrapping.
src\apollo\generated\graphql.ts:4751	quality	Line is 546 chars; consider wrapping.
src\apollo\generated\graphql.ts:4760	quality	Line is 263 chars; consider wrapping.
src\apollo\generated\graphql.ts:4774	quality	Line is 1064 chars; consider wrapping.
src\apollo\generated\graphql.ts:4782	quality	Line is 1297 chars; consider wrapping.
src\apollo\generated\graphql.ts:4798	quality	Line is 1661 chars; consider wrapping.
src\apollo\generated\graphql.ts:4805	quality	Line is 1559 chars; consider wrapping.
src\apollo\generated\graphql.ts:4814	quality	Line is 507 chars; consider wrapping.
src\apollo\generated\graphql.ts:4828	quality	Line is 837 chars; consider wrapping.
src\apollo\generated\graphql.ts:4836	quality	Line is 371 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\graphql.ts:4841	quality	Line is 470 chars; consider wrapping.
src\apollo\generated\graphql.ts:4850	quality	Line is 623 chars; consider wrapping.
src\apollo\generated\graphql.ts:4859	quality	Line is 1211 chars; consider wrapping.
src\apollo\generated\graphql.ts:4866	quality	Line is 1461 chars; consider wrapping.
src\apollo\generated\graphql.ts:4873	quality	Line is 879 chars; consider wrapping.
src\apollo\generated\graphql.ts:4880	quality	Line is 1069 chars; consider wrapping.
src\apollo\generated\graphql.ts:4887	quality	Line is 465 chars; consider wrapping.
src\apollo\generated\graphql.ts:4895	quality	Line is 473 chars; consider wrapping.
src\apollo\generated\graphql.ts:4911	quality	Line is 2277 chars; consider wrapping.
src\apollo\generated\graphql.ts:4918	quality	Line is 2170 chars; consider wrapping.
src\apollo\generated\graphql.ts:4933	quality	Line is 392 chars; consider wrapping.
src\apollo\generated\graphql.ts:4940	quality	Line is 1209 chars; consider wrapping.
src\apollo\generated\graphql.ts:4948	quality	Line is 1217 chars; consider wrapping.
src\apollo\generated\graphql.ts:4964	quality	Line is 1339 chars; consider wrapping.
src\apollo\generated\graphql.ts:4971	quality	Line is 1235 chars; consider wrapping.
src\apollo\generated\graphql.ts:4985	quality	Line is 1546 chars; consider wrapping.
src\apollo\generated\graphql.ts:4993	quality	Line is 2248 chars; consider wrapping.
src\apollo\generated\graphql.ts:5009	quality	Line is 2895 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\graphql.ts:5016	quality	Line is 2725 chars; consider wrapping.
src\apollo\generated\graphql.ts:5037	quality	Line is 394 chars; consider wrapping.
src\apollo\generated\graphql.ts:5045	quality	Line is 348 chars; consider wrapping.
src\apollo\generated\graphql.ts:5061	quality	Line is 561 chars; consider wrapping.
src\apollo\generated\graphql.ts:5068	quality	Line is 462 chars; consider wrapping.
src\apollo\generated\graphql.ts:5084	quality	Line is 350 chars; consider wrapping.
src\apollo\generated\graphql.ts:5091	quality	Line is 251 chars; consider wrapping.
src\apollo\generated\graphql.ts:5105	quality	Line is 1326 chars; consider wrapping.
src\apollo\generated\graphql.ts:5113	quality	Line is 1732 chars; consider wrapping.
src\apollo\generated\graphql.ts:5129	quality	Line is 1796 chars; consider wrapping.
src\apollo\generated\graphql.ts:5136	quality	Line is 1697 chars; consider wrapping.
src\apollo\generated\graphql.ts:5145	quality	Line is 315 chars; consider wrapping.
src\apollo\generated\graphql.ts:5159	quality	Line is 395 chars; consider wrapping.
src\apollo\generated\graphql.ts:5167	quality	Line is 823 chars; consider wrapping.
src\apollo\generated\graphql.ts:5183	quality	Line is 861 chars; consider wrapping.
src\apollo\generated\graphql.ts:5190	quality	Line is 565 chars; consider wrapping.
src\apollo\generated\graphql.ts:5199	quality	Line is 243 chars; consider wrapping.
src\apollo\generated\graphql.ts:5209	quality	Line is 4426 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\graphql.ts:5210	quality	Line is 5256 chars; consider wrapping.
src\apollo\generated\graphql.ts:5211	quality	Line is 743 chars; consider wrapping.
src\apollo\generated\graphql.ts:5212	quality	Line is 1548 chars; consider wrapping.
src\apollo\generated\graphql.ts:5213	quality	Line is 826 chars; consider wrapping.
src\apollo\generated\graphql.ts:5214	quality	Line is 2240 chars; consider wrapping.
src\apollo\generated\graphql.ts:5215	quality	Line is 7590 chars; consider wrapping.
src\apollo\generated\graphql.ts:5216	quality	Line is 6518 chars; consider wrapping.
src\apollo\generated\graphql.ts:5217	quality	Line is 1766 chars; consider wrapping.
src\apollo\generated\graphql.ts:5218	quality	Line is 853 chars; consider wrapping.
src\apollo\generated\graphql.ts:5219	quality	Line is 4410 chars; consider wrapping.
src\apollo\generated\graphql.ts:5220	quality	Line is 2722 chars; consider wrapping.
src\apollo\generated\graphql.ts:5221	quality	Line is 3054 chars; consider wrapping.
src\apollo\generated\graphql.ts:5222	quality	Line is 2671 chars; consider wrapping.
src\apollo\generated\graphql.ts:5223	quality	Line is 2208 chars; consider wrapping.
src\apollo\generated\graphql.ts:5224	quality	Line is 2532 chars; consider wrapping.
src\apollo\generated\graphql.ts:5225	quality	Line is 748 chars; consider wrapping.
src\apollo\generated\graphql.ts:5226	quality	Line is 3744 chars; consider wrapping.
src\apollo\generated\graphql.ts:5227	quality	Line is 3744 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\graphql.ts:5228	quality	Line is 3336 chars; consider wrapping.
src\apollo\generated\graphql.ts:5229	quality	Line is 1104 chars; consider wrapping.
src\apollo\generated\graphql.ts:5230	quality	Line is 2399 chars; consider wrapping.
src\apollo\generated\graphql.ts:5231	quality	Line is 728 chars; consider wrapping.
src\apollo\generated\graphql.ts:5232	quality	Line is 2928 chars; consider wrapping.
src\apollo\generated\graphql.ts:5233	quality	Line is 2088 chars; consider wrapping.
src\apollo\generated\graphql.ts:5234	quality	Line is 1751 chars; consider wrapping.
src\apollo\generated\graphql.ts:5235	quality	Line is 835 chars; consider wrapping.
src\apollo\generated\graphql.ts:5236	quality	Line is 2177 chars; consider wrapping.
src\apollo\generated\graphql.ts:5237	quality	Line is 2488 chars; consider wrapping.
src\apollo\generated\graphql.ts:5238	quality	Line is 748 chars; consider wrapping.
src\apollo\generated\graphql.ts:5239	quality	Line is 2964 chars; consider wrapping.
src\apollo\generated\graphql.ts:5240	quality	Line is 2120 chars; consider wrapping.
src\apollo\generated\graphql.ts:5241	quality	Line is 859 chars; consider wrapping.
src\apollo\generated\graphql.ts:5242	quality	Line is 2181 chars; consider wrapping.
src\apollo\generated\graphql.ts:5243	quality	Line is 2958 chars; consider wrapping.
src\apollo\generated\graphql.ts:5244	quality	Line is 728 chars; consider wrapping.
src\apollo\generated\graphql.ts:5245	quality	Line is 3660 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\graphql.ts:5246	quality	Line is 2820 chars; consider wrapping.
src\apollo\generated\graphql.ts:5247	quality	Line is 1747 chars; consider wrapping.
src\apollo\generated\graphql.ts:5248	quality	Line is 835 chars; consider wrapping.
src\apollo\generated\graphql.ts:5249	quality	Line is 3445 chars; consider wrapping.
src\apollo\generated\graphql.ts:5250	quality	Line is 3703 chars; consider wrapping.
src\apollo\generated\graphql.ts:5251	quality	Line is 728 chars; consider wrapping.
src\apollo\generated\graphql.ts:5252	quality	Line is 4629 chars; consider wrapping.
src\apollo\generated\graphql.ts:5253	quality	Line is 3789 chars; consider wrapping.
src\apollo\generated\graphql.ts:5254	quality	Line is 835 chars; consider wrapping.
src\apollo\generated\graphql.ts:5255	quality	Line is 1366 chars; consider wrapping.
src\apollo\generated\graphql.ts:5256	quality	Line is 1677 chars; consider wrapping.
src\apollo\generated\graphql.ts:5257	quality	Line is 1491 chars; consider wrapping.
src\apollo\generated\graphql.ts:5258	quality	Line is 7935 chars; consider wrapping.
src\apollo\generated\graphql.ts:5259	quality	Line is 7359 chars; consider wrapping.
src\apollo\generated\graphql.ts:5260	quality	Line is 728 chars; consider wrapping.
src\apollo\generated\graphql.ts:5261	quality	Line is 3751 chars; consider wrapping.
src\apollo\generated\graphql.ts:5262	quality	Line is 1484 chars; consider wrapping.
src\apollo\generated\graphql.ts:5263	quality	Line is 762 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\graphql.ts:5264	quality	Line is 2214 chars; consider wrapping.
src\apollo\generated\graphql.ts:5265	quality	Line is 10346 chars; consider wrapping.
src\apollo\generated\graphql.ts:5266	quality	Line is 11079 chars; consider wrapping.
src\apollo\generated\graphql.ts:5267	quality	Line is 1747 chars; consider wrapping.
src\apollo\generated\graphql.ts:5268	quality	Line is 835 chars; consider wrapping.
src\apollo\generated\graphql.ts:5269	quality	Line is 8076 chars; consider wrapping.
src\apollo\generated\graphql.ts:5270	quality	Line is 2230 chars; consider wrapping.
src\apollo\generated\graphql.ts:5271	quality	Line is 2541 chars; consider wrapping.
src\apollo\generated\graphql.ts:5272	quality	Line is 768 chars; consider wrapping.
src\apollo\generated\graphql.ts:5273	quality	Line is 3190 chars; consider wrapping.
src\apollo\generated\graphql.ts:5274	quality	Line is 2342 chars; consider wrapping.
src\apollo\generated\graphql.ts:5275	quality	Line is 883 chars; consider wrapping.
src\apollo\generated\graphql.ts:5276	quality	Line is 2711 chars; consider wrapping.
src\apollo\generated\graphql.ts:5277	quality	Line is 3996 chars; consider wrapping.
src\apollo\generated\graphql.ts:5278	quality	Line is 723 chars; consider wrapping.
src\apollo\generated\graphql.ts:5279	quality	Line is 5709 chars; consider wrapping.
src\apollo\generated\graphql.ts:5280	quality	Line is 4022 chars; consider wrapping.
src\apollo\generated\graphql.ts:5281	quality	Line is 829 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\graphql.ts:5282	quality	Line is 1530 chars; consider wrapping.
src\apollo\generated\graphql.ts:5283	quality	Line is 1841 chars; consider wrapping.
src\apollo\generated\graphql.ts:5284	quality	Line is 708 chars; consider wrapping.
src\apollo\generated\graphql.ts:5285	quality	Line is 1698 chars; consider wrapping.
src\apollo\generated\graphql.ts:5286	quality	Line is 2622 chars; consider wrapping.
src\apollo\generated\graphql.ts:5287	quality	Line is 1786 chars; consider wrapping.
src\apollo\generated\graphql.ts:5288	quality	Line is 1818 chars; consider wrapping.
src\apollo\generated\graphql.ts:5289	quality	Line is 811 chars; consider wrapping.
src\apollo\generated\graphql.ts:5290	quality	Line is 2055 chars; consider wrapping.
src\apollo\generated\graphql.ts:5291	quality	Line is 1942 chars; consider wrapping.
src\apollo\generated\graphql.ts:5292	quality	Line is 2313 chars; consider wrapping.
src\apollo\generated\graphql.ts:5293	quality	Line is 723 chars; consider wrapping.
src\apollo\generated\graphql.ts:5294	quality	Line is 3022 chars; consider wrapping.
src\apollo\generated\graphql.ts:5295	quality	Line is 2183 chars; consider wrapping.
src\apollo\generated\graphql.ts:5296	quality	Line is 829 chars; consider wrapping.
src\apollo\generated\graphql.ts:5297	quality	Line is 1868 chars; consider wrapping.
src\apollo\generated\graphql.ts:5298	quality	Line is 2179 chars; consider wrapping.
src\apollo\generated\graphql.ts:5299	quality	Line is 728 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\graphql.ts:5300	quality	Line is 2833 chars; consider wrapping.
src\apollo\generated\graphql.ts:5301	quality	Line is 1993 chars; consider wrapping.
src\apollo\generated\graphql.ts:5302	quality	Line is 1973 chars; consider wrapping.
src\apollo\generated\graphql.ts:5303	quality	Line is 835 chars; consider wrapping.
src\apollo\generated\graphql.ts:5304	quality	Line is 644 chars; consider wrapping.
src\apollo\generated\graphql.ts:5305	quality	Line is 1019 chars; consider wrapping.
src\apollo\generated\graphql.ts:5306	quality	Line is 733 chars; consider wrapping.
src\apollo\generated\graphql.ts:5307	quality	Line is 1316 chars; consider wrapping.
src\apollo\generated\graphql.ts:5308	quality	Line is 1567 chars; consider wrapping.
src\apollo\generated\graphql.ts:5309	quality	Line is 733 chars; consider wrapping.
src\apollo\generated\graphql.ts:5310	quality	Line is 2608 chars; consider wrapping.
src\apollo\generated\graphql.ts:5311	quality	Line is 1767 chars; consider wrapping.
src\apollo\generated\graphql.ts:5312	quality	Line is 1753 chars; consider wrapping.
src\apollo\generated\graphql.ts:5313	quality	Line is 841 chars; consider wrapping.
src\apollo\generated\graphql.ts:5314	quality	Line is 3022 chars; consider wrapping.
src\apollo\generated\graphql.ts:5315	quality	Line is 3852 chars; consider wrapping.
src\apollo\generated\graphql.ts:5316	quality	Line is 723 chars; consider wrapping.
src\apollo\generated\graphql.ts:5317	quality	Line is 4906 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\graphql.ts:5318	quality	Line is 4067 chars; consider wrapping.
src\apollo\generated\graphql.ts:5319	quality	Line is 2240 chars; consider wrapping.
src\apollo\generated\graphql.ts:5320	quality	Line is 829 chars; consider wrapping.
src\apollo\generated\graphql.ts:5321	quality	Line is 2398 chars; consider wrapping.
src\apollo\generated\graphql.ts:5322	quality	Line is 1662 chars; consider wrapping.
src\apollo\generated\graphql.ts:5323	quality	Line is 1234 chars; consider wrapping.
src\apollo\generated\graphql.ts:5324	quality	Line is 2604 chars; consider wrapping.
src\apollo\generated\graphql.ts:5325	quality	Line is 3802 chars; consider wrapping.
src\apollo\generated\graphql.ts:5326	quality	Line is 3633 chars; consider wrapping.
src\apollo\generated\graphql.ts:5327	quality	Line is 2410 chars; consider wrapping.
src\apollo\generated\graphql.ts:5328	quality	Line is 2837 chars; consider wrapping.
src\apollo\generated\graphql.ts:5329	quality	Line is 1646 chars; consider wrapping.
src\apollo\generated\graphql.ts:5330	quality	Line is 1957 chars; consider wrapping.
src\apollo\generated\graphql.ts:5331	quality	Line is 748 chars; consider wrapping.
src\apollo\generated\graphql.ts:5332	quality	Line is 6290 chars; consider wrapping.
src\apollo\generated\graphql.ts:5333	quality	Line is 5446 chars; consider wrapping.
src\apollo\generated\graphql.ts:5334	quality	Line is 859 chars; consider wrapping.
src\apollo\generated\graphql.ts:5335	quality	Line is 1799 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\graphql.ts:5336	quality	Line is 3215 chars; consider wrapping.
src\apollo\generated\graphql.ts:5337	quality	Line is 3526 chars; consider wrapping.
src\apollo\generated\graphql.ts:5338	quality	Line is 733 chars; consider wrapping.
src\apollo\generated\graphql.ts:5339	quality	Line is 4109 chars; consider wrapping.
src\apollo\generated\graphql.ts:5340	quality	Line is 3268 chars; consider wrapping.
src\apollo\generated\graphql.ts:5341	quality	Line is 841 chars; consider wrapping.
src\apollo\generated\graphql.ts:5342	quality	Line is 4198 chars; consider wrapping.
src\apollo\generated\graphql.ts:5343	quality	Line is 6129 chars; consider wrapping.
src\apollo\generated\graphql.ts:5344	quality	Line is 733 chars; consider wrapping.
src\apollo\generated\graphql.ts:5345	quality	Line is 8052 chars; consider wrapping.
src\apollo\generated\graphql.ts:5346	quality	Line is 7039 chars; consider wrapping.
src\apollo\generated\graphql.ts:5347	quality	Line is 909 chars; consider wrapping.
src\apollo\generated\graphql.ts:5348	quality	Line is 846 chars; consider wrapping.
src\apollo\generated\graphql.ts:5349	quality	Line is 1529 chars; consider wrapping.
src\apollo\generated\graphql.ts:5350	quality	Line is 1720 chars; consider wrapping.
src\apollo\generated\graphql.ts:5351	quality	Line is 708 chars; consider wrapping.
src\apollo\generated\graphql.ts:5352	quality	Line is 2496 chars; consider wrapping.
src\apollo\generated\graphql.ts:5353	quality	Line is 1660 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\apollo\generated\graphql.ts:5354	quality	Line is 811 chars; consider wrapping.
src\apollo\generated\graphql.ts:5355	quality	Line is 1907 chars; consider wrapping.
src\apollo\generated\graphql.ts:5356	quality	Line is 1071 chars; consider wrapping.
src\apollo\generated\graphql.ts:5357	quality	Line is 811 chars; consider wrapping.
src\apollo\generated\graphql.ts:5358	quality	Line is 3479 chars; consider wrapping.
src\apollo\generated\graphql.ts:5359	quality	Line is 4709 chars; consider wrapping.
src\apollo\generated\graphql.ts:5360	quality	Line is 708 chars; consider wrapping.
src\apollo\generated\graphql.ts:5361	quality	Line is 5126 chars; consider wrapping.
src\apollo\generated\graphql.ts:5362	quality	Line is 4290 chars; consider wrapping.
src\apollo\generated\graphql.ts:5363	quality	Line is 1900 chars; consider wrapping.
src\apollo\generated\graphql.ts:5364	quality	Line is 811 chars; consider wrapping.
src\apollo\generated\graphql.ts:5365	quality	Line is 1531 chars; consider wrapping.
src\apollo\generated\graphql.ts:5366	quality	Line is 2816 chars; consider wrapping.
src\apollo\generated\graphql.ts:5367	quality	Line is 718 chars; consider wrapping.
src\apollo\generated\graphql.ts:5368	quality	Line is 3172 chars; consider wrapping.
src\apollo\generated\graphql.ts:5369	quality	Line is 1879 chars; consider wrapping.
src\apollo\generated\graphql.ts:5370	quality	Line is 1735 chars; consider wrapping.
src\apollo\generated\graphql.ts:5371	quality	Line is 823 chars; consider wrapping.

LOCATION	SOURCE	DETAIL
src\components\Files\FilesTreeView.helpers.js:265	quality	Line is 300 chars; consider wrapping.
src\components\Files\NoImage.js:17	quality	Line is 251 chars; consider wrapping.
src\components\StdErrorFallback.js:12	quality	Line is 247 chars; consider wrapping.
src\hooks\api\changeorders.js:2	quality	Line is 204 chars; consider wrapping.
src\hooks\api\customFilters.js:1	quality	Line is 210 chars; consider wrapping.
src\hooks\api\estimateTemplates.js:1	quality	Line is 234 chars; consider wrapping.
src\hooks\api\helpers.js:123	quality	Line is 246 chars; consider wrapping.
src\hooks\api\scheduleItems.js:1	quality	Line is 210 chars; consider wrapping.
src\hooks\api\thirdparty\quickbooks\createQbSyncAdapter.js:258	quality	Line is 221 chars; consider wrapping.
src\pages_error.js:91	quality	Line is 233 chars; consider wrapping.
src\pages_error.js:109	quality	Line is 223 chars; consider wrapping.
src\pages_error.js:113	quality	Line is 205 chars; consider wrapping.
src\pages_error.js:130	quality	Line is 201 chars; consider wrapping.
stories\components\common\StdSnackbar.stories.js:37	quality	Line is 307 chars; consider wrapping.
stories\components\estimate\EstimateSummary.stories.js:141	quality	Line is 922 chars; consider wrapping.
tests\hooks\api\functions\storage.test.js:59	quality	Line is 847 chars; consider wrapping.

What it is. A TODO/FIXME/HACK/XXX marker is left in the code.

Why it matters. Tracks unfinished or fragile work that is invisible outside the source; easy to ship and forget.

How to fix. Convert each marker into a tracked issue with an owner, or resolve and delete it. Add a lint/CI check to keep the count bounded.

LOCATION	SOURCE	DETAIL
.github\workflows\push-on-merge-dev.yml:73	quality	Unfinished work marker left in the code.
.github\workflows\push-on-merge.yml:73	quality	Unfinished work marker left in the code.
src\apollo\generated\gql.ts:60	quality	Unfinished work marker left in the code.
src\apollo\generated\gql.ts:111	quality	Unfinished work marker left in the code.
src\apollo\generated\gql.ts:308	quality	Unfinished work marker left in the code.
src\apollo\generated\graphql.ts:641	quality	Unfinished work marker left in the code.
src\apollo\generated\graphql.ts:1609	quality	Unfinished work marker left in the code.
src\apollo\generated\graphql.ts:1610	quality	Unfinished work marker left in the code.
src\apollo\generated\graphql.ts:1651	quality	Unfinished work marker left in the code.
src\apollo\generated\graphql.ts:1715	quality	Unfinished work marker left in the code.
src\apollo\generated\graphql.ts:1716	quality	Unfinished work marker left in the

LOCATION	SOURCE	DETAIL
		code.
src\apollo\generated\graphql.ts:2160	quality	Unfinished work marker left in the code.
src\apollo\generated\graphql.ts:2484	quality	Unfinished work marker left in the code.
src\apollo\generated\graphql.ts:2485	quality	Unfinished work marker left in the code.
src\apollo\generated\graphql.ts:2957	quality	Unfinished work marker left in the code.
src\apollo\generated\graphql.ts:3483	quality	Unfinished work marker left in the code.
src\apollo\generated\graphql.ts:3484	quality	Unfinished work marker left in the code.
src\apollo\generated\graphql.ts:3504	quality	Unfinished work marker left in the code.
src\apollo\generated\graphql.ts:3826	quality	Unfinished work marker left in the code.
src\apollo\generated\graphql.ts:5037	quality	Unfinished work marker left in the code.
src\apollo\generated\graphql.ts:5045	quality	Unfinished work marker left in the code.
src\apollo\generated\graphql.ts:5061	quality	Unfinished work marker left in the code.
src\apollo\generated\graphql.ts:5068	quality	Unfinished work marker left in the code.
src\apollo\generated\graphql.ts:5353	quality	Unfinished work marker left in the code.

LOCATION	SOURCE	DETAIL
src\components\Files\ResponsiveImage.js:49	quality	Unfinished work marker left in the code.
src\components\Files\ResponsiveStorageImage.jsx:120	quality	Unfinished work marker left in the code.
src\components\StdErrorFallback.js:13	quality	Unfinished work marker left in the code.
src\components\common\UseDnD.js:62	quality	Unfinished work marker left in the code.
src\components\common\selects\ScheduleColors.js:12	quality	Unfinished work marker left in the code.
src\components\common\selects\StdDynamicSelect.js:14	quality	Unfinished work marker left in the code.
src\components\common\selects\StdDynamicSelect.js:45	quality	Unfinished work marker left in the code.
src\components\estimate\EstimateEditActions.js:7	quality	Unfinished work marker left in the code.
src\components\global-drawer\GlobalDrawer.jsx:14	quality	Unfinished work marker left in the code.
src\components\global-drawer\todos\AssignedTodos.jsx:26	quality	Unfinished work marker left in the code.
src\components\global-drawer\todos\AssignedTodos.jsx:33	quality	Unfinished work marker left in the code.
src\components\project\ProjectDetails\BasicTabs.js:9	quality	Unfinished work marker left in the code.
src\components\project\ProjectDetails\BasicTabs.js:143	quality	Unfinished work marker left in the code.

LOCATION	SOURCE	DETAIL
src\components\project\ProjectDetails\Manage\Files.jsx:130	quality	Unfinished work marker left in the code.
src\components\project\ProjectDetails\Manage\ToDo.jsx:23	quality	Unfinished work marker left in the code.
src\components\project\ProjectDetails\Manage\ToDo.jsx:30	quality	Unfinished work marker left in the code.
src\components\project\ProjectDetails\Manage\ToDo.jsx:115	quality	Unfinished work marker left in the code.
src\components\project\ProjectDetails\Manage\ToDo.jsx:168	quality	Unfinished work marker left in the code.
src\components\project\ProjectDetails\Manage\ToDo.jsx:170	quality	Unfinished work marker left in the code.
src\components\project\ProjectDetails\Manage\ToDo.jsx:173	quality	Unfinished work marker left in the code.
src\components\project\ProjectDetails\Manage\ToDo.jsx:174	quality	Unfinished work marker left in the code.
src\components\project\ProjectDetails\Manage\ToDo.jsx:176	quality	Unfinished work marker left in the code.
src\components\project\ProjectDetails\Manage\ToDo.jsx:234	quality	Unfinished work marker left in the code.
src\components\project\ProjectDetails\Manage\ToDo.jsx:255	quality	Unfinished work marker left in the code.
src\components\project\ProjectDetails\ProjectOverview.tsx:27	quality	Unfinished work marker left in the code.
src\components\timetracking\reports\TimeTrackingReports.jsx:151	quality	Unfinished work marker left in the code.

LOCATION	SOURCE	DETAIL
src\components\todos\AddSubTodo.jsx:9	quality	Unfinished work marker left in the code.
src\components\todos\AddSubTodo.jsx:10	quality	Unfinished work marker left in the code.
src\components\todos\AddSubTodo.jsx:13	quality	Unfinished work marker left in the code.
src\components\todos\AddSubTodo.jsx:18	quality	Unfinished work marker left in the code.
src\components\todos\AddSubTodo.jsx:20	quality	Unfinished work marker left in the code.
src\components\todos\AddSubTodo.jsx:23	quality	Unfinished work marker left in the code.
src\components\todos\AddSubTodo.jsx:39	quality	Unfinished work marker left in the code.
src\components\todos\AddSubTodo.jsx:97	quality	Unfinished work marker left in the code.
src\components\todos\NewTodoForm.jsx:9	quality	Unfinished work marker left in the code.
src\components\todos\NewTodoForm.jsx:10	quality	Unfinished work marker left in the code.
src\components\todos\NewTodoForm.jsx:13	quality	Unfinished work marker left in the code.
src\components\todos\NewTodoForm.jsx:14	quality	Unfinished work marker left in the code.
src\components\todos\NewTodoForm.jsx:17	quality	Unfinished work marker left in the code.

LOCATION	SOURCE	DETAIL
src\components\todos\NewTodoForm.jsx:117	quality	Unfinished work marker left in the code.
src\components\todos\SubTodoTable.jsx:5	quality	Unfinished work marker left in the code.
src\components\todos\TodoBreadcrumbs.jsx:5	quality	Unfinished work marker left in the code.
src\components\todos\TodoBreadcrumbs.jsx:10	quality	Unfinished work marker left in the code.
src\components\todos\TodoBreadcrumbs.jsx:24	quality	Unfinished work marker left in the code.
src\components\todos\TodoBreadcrumbs.jsx:25	quality	Unfinished work marker left in the code.
src\components\todos\TodoCellComponents.jsx:28	quality	Unfinished work marker left in the code.
src\components\todos\TodoCellComponents.jsx:54	quality	Unfinished work marker left in the code.
src\components\todos\TodoCellComponents.jsx:68	quality	Unfinished work marker left in the code.
src\components\todos\TodoCellComponents.jsx:81	quality	Unfinished work marker left in the code.
src\components\todos\TodoCellComponents.jsx:119	quality	Unfinished work marker left in the code.
src\components\todos\TodoCellComponents.jsx:148	quality	Unfinished work marker left in the code.
src\components\todos\TodoCellComponents.jsx:150	quality	Unfinished work marker left in the code.

LOCATION	SOURCE	DETAIL
src\components\todos\TodoCellComponents.jsx:154	quality	Unfinished work marker left in the code.
src\components\todos\TodoCellComponents.jsx:186	quality	Unfinished work marker left in the code.
src\components\todos\TodoDrawer.jsx:48	quality	Unfinished work marker left in the code.
src\components\todos\TodoDrawer.jsx:53	quality	Unfinished work marker left in the code.
src\components\todos\TodoDrawer.jsx:55	quality	Unfinished work marker left in the code.
src\components\todos\TodoDrawer.jsx:60	quality	Unfinished work marker left in the code.
src\components\todos\TodoDrawer.jsx:90	quality	Unfinished work marker left in the code.
src\components\todos\TodoDrawer.jsx:92	quality	Unfinished work marker left in the code.
src\components\todos\TodoDrawer.jsx:142	quality	Unfinished work marker left in the code.
src\components\todos\TodoDrawer.jsx:160	quality	Unfinished work marker left in the code.
src\components\todos\TodoDrawer.jsx:206	quality	Unfinished work marker left in the code.
src\components\todos\TodoDrawer.jsx:221	quality	Unfinished work marker left in the code.
src\components\todos\TodoDrawer.jsx:246	quality	Unfinished work marker left in the code.

LOCATION	SOURCE	DETAIL
src\components\todos\TodoDrawer.jsx:312	quality	Unfinished work marker left in the code.
src\components\todos\TodoDrawer.jsx:315	quality	Unfinished work marker left in the code.
src\components\todos\TodoDrawer.jsx:351	quality	Unfinished work marker left in the code.
src\components\todos\TodoRow.jsx:14	quality	Unfinished work marker left in the code.
src\components\todos\TodoRow.jsx:20	quality	Unfinished work marker left in the code.
src\components\todos\TodoRowGroup.jsx:31	quality	Unfinished work marker left in the code.
src\components\todos\TodoRowGroup.jsx:34	quality	Unfinished work marker left in the code.
src\components\todos\TodoRowGroup.jsx:35	quality	Unfinished work marker left in the code.
src\components\todos\TodoRowGroup.jsx:37	quality	Unfinished work marker left in the code.
src\components\todos\TodoRowGroup.jsx:41	quality	Unfinished work marker left in the code.
src\components\todos\TodoRowGroup.jsx:42	quality	Unfinished work marker left in the code.
src\components\todos\TodoTable.helpers.js:263	quality	Unfinished work marker left in the code.
src\components\todos\TodoTable.helpers.js:265	quality	Unfinished work marker left in the code.

LOCATION	SOURCE	DETAIL
src\components\todos\TodoTable.helpers.js:309	quality	Unfinished work marker left in the code.
src\components\todos\TodoTable.helpers.js:323	quality	Unfinished work marker left in the code.
src\components\todos\TodoTable.helpers.js:335	quality	Unfinished work marker left in the code.
src\components\todos\TodoTable.helpers.js:347	quality	Unfinished work marker left in the code.
src\components\todos\TodoTable.helpers.js:359	quality	Unfinished work marker left in the code.
src\components\todos\TodoTable.helpers.js:392	quality	Unfinished work marker left in the code.
src\components\todos\TodoTable.helpers.js:406	quality	Unfinished work marker left in the code.
src\components\todos\TodoTable.jsx:7	quality	Unfinished work marker left in the code.
src\components\todos\TodoTable.jsx:11	quality	Unfinished work marker left in the code.
src\components\todos\TodoTable.jsx:15	quality	Unfinished work marker left in the code.
src\components\todos\TodoUpsert.jsx:23	quality	Unfinished work marker left in the code.
src\components\todos\TodoUpsert.jsx:78	quality	Unfinished work marker left in the code.
src\components\todos\TodoUpsert.jsx:81	quality	Unfinished work marker left in the code.

LOCATION	SOURCE	DETAIL
src\components\todos\TodoUpsert.jsx:90	quality	Unfinished work marker left in the code.
src\components\todos\TodoUpsert.jsx:98	quality	Unfinished work marker left in the code.
src\components\todos\TodoUpsert.jsx:193	quality	Unfinished work marker left in the code.
src\components\todos\todoValidationSchema.js:4	quality	Unfinished work marker left in the code.
src\components\users\tabs\UsersTab.jsx:71	quality	Unfinished work marker left in the code.
src\components\widgets\AssignedTodos.jsx:46	quality	Unfinished work marker left in the code.
src\components\widgets\AssignedTodos.jsx:53	quality	Unfinished work marker left in the code.
src\components\widgets\AssignedTodos.jsx:121	quality	Unfinished work marker left in the code.
src\components\widgets\AssignedTodos.jsx:164	quality	Unfinished work marker left in the code.
src\components\widgets\AssignedTodos.jsx:166	quality	Unfinished work marker left in the code.
src\components\widgets\AssignedTodos.jsx:169	quality	Unfinished work marker left in the code.
src\components\widgets\AssignedTodos.jsx:170	quality	Unfinished work marker left in the code.
src\components\widgets\AssignedTodos.jsx:172	quality	Unfinished work marker left in the code.

LOCATION	SOURCE	DETAIL
src\components\widgets\CreatedTodos.jsx:114	quality	Unfinished work marker left in the code.
src\components\widgets\CreatedTodos.jsx:157	quality	Unfinished work marker left in the code.
src\components\widgets\CreatedTodos.jsx:159	quality	Unfinished work marker left in the code.
src\components\widgets\CreatedTodos.jsx:162	quality	Unfinished work marker left in the code.
src\components\widgets\CreatedTodos.jsx:163	quality	Unfinished work marker left in the code.
src\components\widgets\CreatedTodos.jsx:165	quality	Unfinished work marker left in the code.
src\hooks\Selections\index.js:3	quality	Unfinished work marker left in the code.
src\hooks\api\functions\storage.js:26	quality	Unfinished work marker left in the code.
src\hooks\api\thirdparty\quickbooks\quickbooksApi.js:9	quality	Unfinished work marker left in the code.
src\hooks\api\thirdparty\quickbooks\useSyncQbEstimate.js:112	quality	Unfinished work marker left in the code.
src\hooks\firebaseApi.js:150	quality	Unfinished work marker left in the code.
src\hooks\thirdparty\OneDrive\useOdClient.js:18	quality	Unfinished work marker left in the code.
src\layout\Header\AnnouncementsMenu.js:22	quality	Unfinished work marker left in the code.

LOCATION	SOURCE	DETAIL
src\layout\Navigator\Navigator.js:70	quality	Unfinished work marker left in the code.
src\layout\theme.js:61	quality	Unfinished work marker left in the code.
src\layout\theme.ts:104	quality	Unfinished work marker left in the code.
src\store\common\snackbarSlice.ts:57	quality	Unfinished work marker left in the code.
src\store\common\snackbarSlice.ts:69	quality	Unfinished work marker left in the code.
src\stories\decorators\ThemeProvider.jsx:5	quality	Unfinished work marker left in the code.
src\util\client.js:97	quality	Unfinished work marker left in the code.
src\util\client.js:102	quality	Unfinished work marker left in the code.
src\util\helpers.js:206	quality	Unfinished work marker left in the code.
src\util\helpers.js:399	quality	Unfinished work marker left in the code.
tests\hooks\hooks-util.test.js:136	quality	Unfinished work marker left in the code.
tests\util\helpers.test.js:84	quality	Unfinished work marker left in the code.

LOW **SELECT * query**

33 occurrences

What it is. A query fetches all columns with `SELECT \*`.

Why it matters. Wastes I/O and memory, breaks on schema changes, and can pull sensitive columns you did not intend to expose.

How to fix. Select only the columns you actually use. For GraphQL/ORM calls, request a specific field set.

LOCATION	SOURCE	DETAIL
src\components\organization-settings\tabs\SalesTax.jsx:67	quality	Fetching all columns wastes I/O; select only what you need.
src\components\organization-settings\tabs\SalesTax.jsx:72	quality	Fetching all columns wastes I/O; select only what you need.
src\components\thirdparty\quickbooks\QbConfigSettings.jsx:7	quality	Fetching all columns wastes I/O; select only what you need.
src\components\thirdparty\quickbooks\QbCostCodes.jsx:78	quality	Fetching all columns wastes I/O; select only what you need.
src\components\thirdparty\quickbooks\QbCostCodes.jsx:83	quality	Fetching all columns wastes I/O; select only what you need.
src\components\thirdparty\quickbooks\QbCostCodes.jsx:95	quality	Fetching all columns wastes I/O; select only what you need.
src\components\thirdparty\quickbooks\QbCostCodes.jsx:96	quality	Fetching all columns wastes I/O; select only what you need.
src\components\thirdparty\quickbooks\QbCostCodes.jsx:137	quality	Fetching all columns wastes I/O; select only what you need.

LOCATION	SOURCE	DETAIL
src\components\thirdparty\quickbooks\QbCostCodes.jsx:138	quality	Fetching all columns wastes I/O; select only what you need.
src\components\thirdparty\quickbooks\QbCostCodes.jsx:431	quality	Fetching all columns wastes I/O; select only what you need.
src\components\thirdparty\quickbooks\QbEmployees.jsx:57	quality	Fetching all columns wastes I/O; select only what you need.
src\components\thirdparty\quickbooks\QbEmployees.jsx:70	quality	Fetching all columns wastes I/O; select only what you need.
src\components\thirdparty\quickbooks\QbExpenses.jsx:33	quality	Fetching all columns wastes I/O; select only what you need.
src\components\thirdparty\quickbooks\QbExpenses.jsx:39	quality	Fetching all columns wastes I/O; select only what you need.
src\components\thirdparty\quickbooks\QbExpenses.jsx:97	quality	Fetching all columns wastes I/O; select only what you need.
src\components\thirdparty\quickbooks\QbVendors.jsx:26	quality	Fetching all columns wastes I/O; select only what you need.
src\components\thirdparty\quickbooks\QbVendors.jsx:124	quality	Fetching all columns wastes I/O; select only what you need.
src\components\thirdparty\quickbooks\QbVendors.jsx:154	quality	Fetching all columns wastes I/O; select only what you need.
src\components\thirdparty\quickbooks\QbVendors.jsx:411	quality	Fetching all columns wastes

LOCATION	SOURCE	DETAIL
		I/O; select only what you need.
src\components\thirdparty\quickbooks\QuickbooksUpsert.js:603	quality	Fetching all columns wastes I/O; select only what you need.
src\components\thirdparty\quickbooks\QuickbooksUpsert.js:608	quality	Fetching all columns wastes I/O; select only what you need.
src\components\thirdparty\quickbooks\QuickbooksUpsert.js:620	quality	Fetching all columns wastes I/O; select only what you need.
src\hooks\api\thirdparty\quickbooks\useSyncQbChangeOrder.js:148	quality	Fetching all columns wastes I/O; select only what you need.
src\hooks\api\thirdparty\quickbooks\useSyncQbCustomer.js:32	quality	Fetching all columns wastes I/O; select only what you need.
src\hooks\api\thirdparty\quickbooks\useSyncQbCustomer.js:73	quality	Fetching all columns wastes I/O; select only what you need.
src\hooks\api\thirdparty\quickbooks\useSyncQbEmployee.js:31	quality	Fetching all columns wastes I/O; select only what you need.
src\hooks\api\thirdparty\quickbooks\useSyncQbEmployee.js:41	quality	Fetching all columns wastes I/O; select only what you need.
src\hooks\api\thirdparty\quickbooks\useSyncQbEstimate.js:97	quality	Fetching all columns wastes I/O; select only what you need.
src\hooks\api\thirdparty\quickbooks\useSyncQbEstimate.js:201	quality	Fetching all columns wastes I/O; select only what you need.

LOCATION	SOURCE	DETAIL
src\hooks\api\thirdparty\quickbooks\useSyncQbEstimate.js:246	quality	Fetching all columns wastes I/O; select only what you need.
src\hooks\api\thirdparty\quickbooks\useSyncQbProject.js:35	quality	Fetching all columns wastes I/O; select only what you need.
src\hooks\api\thirdparty\quickbooks\useSyncQbProject.js:81	quality	Fetching all columns wastes I/O; select only what you need.
src\hooks\api\thirdparty\quickbooks\useSyncQbTimeActivity.js:33	quality	Fetching all columns wastes I/O; select only what you need.

Generated by  Zebra · remediation guidance is advisory — review each finding in context. Auto-generated files (e.g. `**/generated/**`) may produce pattern false positives.