Package 'spatPomp'

August 18, 2022

R topics documented:

spatPomp-package												 						2
abf												 						3
abfir												 						5
as.data.frame												 						7
as_spatPomp												 						8
bm												 						8
bpfilter												 						9
city_data_UK												 						11
dunit_measure												 						12
enkf												 						13
eunit_measure												 						14
girf												 						15
he10												 						17
ibpf												 						20
ienkf												 						22
igirf												 						24
iubf												 						27
logLik												 						29
lorenz												 						30
measles												 						31
measlesUK												 						33
munit_measure												 						34
plot												 						35
print												 						36
pStop												 						36
reexports												 						37
runit_measure												 						37
simulate												 						38
spatPomp												 						39
spatPomp-class												 						44
spatPomp_Csnippet												 						45
undefined												 						47
unit_names												 						48

2 spatPomp-package

	vec_dmeasure vec_rmeasure vunit_measure		 						. 49
Index									51
spatP	Pomp-package	Inference j Processes	ıtPO	MPs (Spatio	tempoi	al Partially (Observed Mark	ov

Description

The **spatPomp** package provides facilities for inference on panel data using spatiotemporal partially-observed Markov process (SPATPOMP) models. To do so, it relies on and extends a number of facilities that the **pomp** package provides for inference on time series data using partially-observed Markov process (POMP) models.

The **spatPomp** package concerns models consisting of a collection of interacting units. The methods in **spatPomp** may be applicable whether or not these units correspond to spatial locations.

Data analysis using spatPomp

The first step in using **spatPomp** is to encode one's model(s) and data in objects of class spatPomp. This can be done via a call to the **spatPomp** constructor function.

Extending the pomp platform for developing inference tools

spatPomp extends to panel data the general interface to the components of POMP models provided by **pomp**. In doing so, it contributes to the goal of the **pomp** project of facilitating the development of new algorithms in an environment where they can be tested and compared on a growing body of models and datasets.

Documentation

spatPomp is described by Asfaw et al. (2020)

License

spatPomp is provided under the MIT License.

Author(s)

Kidus Asfaw, Joonha Park, Allister Ho, Edward Ionides, Aaron King

References

Asfaw, K., Park, J., Ho, A., King, A. A., and Ionides, E. L. (2020) Partially observed Markov processes with spatial structure via the R package spatPomp. *ArXiv*: 2101.01157. doi:10.48550/arXiv.2101.01157

abf 3

See Also

pomp package

abf

Adapted Bagged Filter (ABF)

Description

An algorithm for estimating the likelihood of a spatiotemporal partially-observed Markov process model. Running abf causes the algorithm to run bootstrap replicate jobs which each yield an imperfect adapted simulation. Simulating from the "adapted filter" distribution runs into a curse of dimensionality (COD) problem, which is mitigated by keeping particles in each replicate close to each other through resampling down to one particle per replicate at each observation time point. The adapted simulations are then weighted in a way that mitigates COD by making a weak coupling assumption to get an approximate filter distribution. As a by-product, we also get an estimate of the likelihood of the data.

Usage

```
## S4 method for signature 'spatPomp'
abf(
  object,
 Nrep,
 Np,
 nbhd,
  tol = 1e-300,
  verbose = getOption("verbose", FALSE)
)
## S4 method for signature 'abfd_spatPomp'
abf(
  object,
 Nrep,
 Nρ,
  nbhd,
  tol = 1e-300,
  verbose = getOption("verbose", FALSE)
)
```

Arguments

object A spatPomp object.

Nrep The number of bootstrap replicates for the adapted simulations.

Np The number of particles used within each replicate for the adapted simulations.

4 abf

nbhd	A neighborhood function with three arguments: object, time and unit. The function should return a list of two-element vectors that represent space-time neighbors of (u,n) , which is represented by $c(unit,time)$. See example below for more details.
tol	If the resampling weight for a particle is zero due to floating-point precision issues, it is set to the value of tol since resampling has to be done.
•••	If a params argument is specified, abf will estimate the likelihood at that parameter set instead of at coef(object).
verbose	logical; if TRUE, messages updating the user on progress will be printed to the console.

Value

Upon successful completion, abf() returns an object of class 'abfd_spatPomp' containing the algorithmic parameters used to run abf() and the estimated likelihood.

Methods

The following methods are available for such an object:

logLik yields an estimate of the log-likelihood of the data under the model.

Author(s)

Kidus Asfaw

References

Ionides, E. L., Asfaw, K., Park, J., and King, A. A. (2021). Bagged filters for partially observed interacting systems. *Journal of the American Statistical Association*, doi:10.1080/01621459.2021.1974867

See Also

```
Other particle filter methods: abfir(), bpfilter(), enkf(), girf(), ibpf(), ienkf(), igirf(), iubf()
```

Examples

```
# Complete examples are provided in the package tests
## Not run:
# Create a simulation of a Brownian motion
b <- bm(U=2, N=5)

# Create a neighborhood function mapping a point in space-time
# to a list of neighboring points in space-time
bm_nbhd <- function(object, time, unit) {
  nbhd_list = list()
  if(time > 1 && unit > 1){
    nbhd_list = c(nbhd_list, list(c(unit-1, time-1)))
  }
```

abfir 5

```
return(nbhd_list)
}
# Run ABF specified number of Monte Carlo replicates and particles per replicate
abfd_bm <- abf(b, Nrep=2, Np=10, nbhd=bm_nbhd)
# Get the likelihood estimate from ABF
logLik(abfd_bm)
## End(Not run)</pre>
```

abfir

Adapted Bagged Filter with Intermediate Resampling (ABF-IR)

Description

An algorithm for estimating the filter distribution and likelihood of a spatiotemporal partially-observed Markov process model. Running abfir causes the algorithm to run Monte Carlo replicated jobs which each carry out an adapted simulation using intermediate resampling. Adapted simulation is an easier task than filtering, since particles in each replicate remain close to each other. Intermediate resampling further assists against the curse of dimensionality (COD) problem for importance sampling. The adapted simulations are then weighted in a way that mitigates COD by making a weak coupling assumption to get an approximate filter distribution. As a by-product, we also get an approximation to the likelihood of the data.

Usage

```
## S4 method for signature 'spatPomp'
abfir(
   object,
   Np,
   Nrep,
   nbhd,
   Ninter,
   tol = (1e-300),
   ...,
   verbose = getOption("verbose", FALSE)
)

## S4 method for signature 'abfird_spatPomp'
abfir(object, Np, Nrep, nbhd, Ninter, tol, ...)
```

Arguments

object A spatPomp object.

Np The number of particles used within each replicate for the adapted simulations.

Nrep The number of bootstrap replicates for the adapted simulations.

6 abfir

nbhd	A neighborhood function with three arguments: object, time and unit. The function should return a list of two-element vectors that represent space-time neighbors of (u,n) , which is represented by c(unit, time). See example below for more details.
Ninter	the number of intermediate resampling time points. By default, this is set equal to the number of units.
tol	If the resampling weight for a particle is zero due to floating-point precision issues, it is set to the value of tol since resampling has to be done.
• • •	If a params argument is specified, abf will estimate the likelihood at that parameter set instead of at coef(object).
verbose	logical; if TRUE, messages updating the user on progress will be printed to the console.

Value

Upon successful completion, abfir() returns an object of class 'abfird_spatPomp' containing the algorithmic parameters used to run abfir() and the estimated likelihood.

Methods

The following methods are available for such an object:

logLik yields a biased estimate of the log-likelihood of the data under the model.

Author(s)

Kidus Asfaw

References

Ionides, E. L., Asfaw, K., Park, J., and King, A. A. (2021). Bagged filters for partially observed interacting systems. *Journal of the American Statistical Association*, doi:10.1080/01621459.2021.1974867

See Also

```
Other particle filter methods: abf(), bpfilter(), enkf(), girf(), ibpf(), ienkf(), igirf(), iubf()
```

Examples

```
# Complete examples are provided in the package tests
## Not run:
# Create a simulation of a Brownian motion
b <- bm(U=2, N=5)

# Create a neighborhood function mapping a point in space-time
# to a list of ``neighboring points" in space-time
bm_nbhd <- function(object, time, unit) {
  nbhd_list = list()
  if(time > 1 && unit > 1){
```

as.data.frame 7

as.data.frame

Coerce to data frame

Description

spatPomp objects can be recast as data frames.

Usage

```
## S3 method for class 'spatPomp'
as.data.frame(x, ...)
```

Arguments

x a spatPomp object.

additional arguments to be passed to or from methods.

Details

When object is a simple 'spatPomp' object, as (object, "data.frame") or as.data.frame(object) results in a data frame with the times, units, observables, states (if known), and interpolated covariates (if any).

Value

A 'data.frame' with columns for time, spatial unit and observations.

8 bm

as_spatPomp	Coerce to spatPomp
-------------	--------------------

Description

Convert to class spatPomp object

Details

When object is a simple 'pomp' object, construct and return a one-dimensional 'spatPomp' object.

Value

a class 'spatPomp' representation of the object.

bm

Brownian motion spatPomp simulator

Description

Generate a class 'spatPomp' object representing a U-dimensional Brownian motion with spatial correlation decaying geometrically with distance around a circle. The model is defined in continuous time though in this case an Euler approximation is exact at the evaluation times.

Usage

```
bm(U = 5, N = 100, delta_t = 0.1)
```

Arguments

U A length-one numeric signifying dimension of the process.

N A length-one numeric signifying the number of observation time steps to evolve

the process.

delta_t Process simulations are performed every delta_t time units whereas observa-

tions occur every one time unit

Value

An object of class 'spatPomp' representing a simulation from a U-dimensional Brownian motion

Author(s)

Edward L. Ionides

bpfilter 9

See Also

Other spatPomp examples: he10(), lorenz(), measles()

Examples

```
# Complete examples are provided in the package tests
## Not run:
b <- bm(U=4, N=20)
# See all the model specifications of the object
spy(b)
# Examples of methodologies applied to this model
# are provided in the tests directory
## End(Not run)</pre>
```

bpfilter

Block particle filter (BPF)

Description

An implementation of the block particle filter algorithm of Rebeschini and van Handel (2015), which is used to estimate the filter distribution of a spatiotemporal partially-observed Markov process. bpfilter requires a partition of the spatial units which can be provided by either the block_size or the block_list argument. The elements of the partition are called blocks. We perform resampling for each block independently based on sample weights within the block. Each resampled block only contains latent states for the spatial components within the block which allows for a "cross-pollination" of particles where the highest weighted segments of each particle are more likely to be resampled and get combined with resampled components of other particles. The method mitigates the curse of dimensionality by resampling locally.

Usage

```
## S4 method for signature 'spatPomp'
bpfilter(
  object,
  Np,
  block_size,
  block_list,
  save_states,
    ...,
  verbose = getOption("verbose", FALSE)
)
```

Arguments

object A spatPomp object.

Np The number of particles used within each replicate for the adapted simulations.

10 bpfilter

block_size	The number of spatial units per block. If this is provided, the method subdivides units approximately evenly into blocks with size block_size.
block_list	List that specifies an exact partition of the spatial units. Each partition element, or block, is an integer vector of neighboring units.
save_states	logical. If True, the state-vector for each particle and block is saved.
	If a params argument is specified, bpfilter will estimate the likelihood at that parameter set instead of at coef(object).
verbose	logical; if TRUE, messages updating the user on progress will be printed to the console

Value

Upon successful completion, bpfilter() returns an object of class 'bpfilterd_spatPomp' containing the algorithmic parameters used to run bpfilter() and the estimated likelihood.

Details

Only one of block_size or block_list should be specified. If both or neither is provided, an error is triggered.

Methods

The following methods are available for such an object:

logLik yields an estimate of the log-likelihood of the data under the model.

Author(s)

Kidus Asfaw

References

Rebeschini, P., & Van Handel, R. (2015). Can local particle filters beat the curse of dimensionality?. *The Annals of Applied Probability*, **25(5)**, 2809-2866.

Asfaw, K., Park, J., Ho, A., King, A. A., and Ionides, E. L. (2020) Partially observed Markov processes with spatial structure via the R package spatPomp. *ArXiv*: 2101.01157. doi:10.48550/arXiv.2101.01157

See Also

```
Other particle filter methods: abfir(), abf(), enkf(), girf(), ibpf(), ienkf(), igirf(), iubf()
```

Examples

```
# Complete examples are provided in the package tests
## Not run:
# Create a simulation of a Brownian motion
b <- bm(U=4, N=2)</pre>
```

city_data_UK

city_data_UK

City data in the United Kingdom

Description

Population and birth information about cities in England and Wales during the measles pre-vaccine era.

Details

Data includes births and population at bi-weekly observations from 40 cities and towns.

Value

a 'data.frame' of the 40 largest cities and towns in the UK and Wales, their latitude, longitude and mean population during the measles pre-vaccine period.

References

Dalziel, Benjamin D. et al. (2016) Persistent chaos of measles epidemics in the prevaccination United States caused by a small change in seasonal transmission patterns. *PLoS computational biology*, **12(2)**, e1004655. doi:10.5061/dryad.r4q34

See Also

Other datasets: he10(), measlesUK

dunit_measure

dunit_measure	dunit_measure dunit_measure evaluates the unit measurement den-
	sity of a unit's observation given the entire state

Description

dunit_measure dunit_measure evaluates the unit measurement density of a unit's observation given the entire state

Usage

```
## S4 method for signature 'spatPomp'
dunit_measure(object, y, x, unit, time, params, log = TRUE, ...)
```

Arguments

object	An object of class spatPomp
у	A U by 1 matrix of observations for all units
X	A state vector for all units
unit	The unit for which to evaluate the unit measurement density
time	The time for which to evaluate the unit measurement density
params	parameters at which to evaluate the unit measurement density
log	logical; should the density be returned on log scale?
	additional arguments will be ignored

Value

A class 'matrix' with the unit measurement density for spatial unit unit corresponding to the corresponding measurement in y and states in x.

Examples

```
# Complete examples are provided in the package tests
## Not run:
b <- bm(U=3)
s <- states(b)[,1,drop=FALSE]
rownames(s) -> rn
dim(s) <- c(3,1,1)
dimnames(s) <- list(variable=rn, rep=NULL)
p <- coef(b); names(p) -> rnp
dim(p) <- c(length(p),1); dimnames(p) <- list(param=rnp)
o <- obs(b)[,1,drop=FALSE]
dunit_measure(b, y=o, x=s, unit=1, time=1, params=p)
## End(Not run)</pre>
```

enkf 13

enkf	Generalized Ensemble Kalman filter (EnKF)
CHIC	Generalized Ensemble Raman futer (Entity)

Description

A function to perform filtering using the ensemble Kalman filter of Evensen, G. (1994). This function is generalized to allow for an measurement covariance matrix that varies over time. This is useful if the measurement model varies with the state.

Usage

```
## S4 method for signature 'spatPomp'
enkf(data, Np, ..., verbose = getOption("verbose", FALSE))
```

Arguments

data	A spatPomp object.
Np	The number of Monte Carlo particles used to approximate the filter distribution.
• • •	If a params argument is specified, abf will estimate the likelihood at that parameter set instead of at coef(object).
verbose	logical; if TRUE, messages updating the user on progress will be printed to the console.

Value

An object of class 'enkfd_spatPomp' that contains the estimate of the log likelihood (via the loglik attribute), algorithmic parameters used to run enkf(). Also included are estimated filter means, prediction means and forecasts that are generated during an enkf() run.

References

- G. Evensen. Sequential data assimilation with a nonlinear quasi-geostrophic model using Monte Carlo methods to forecast error statistics. *Journal of Geophysical Research: Oceans* **99**, 10143–10162, 1994.
- G. Evensen. Data assimilation: the ensemble Kalman filter. Springer-Verlag, 2009.
- J.L. Anderson. An Ensemble Adjustment Kalman Filter for Data Assimilation. *Monthly Weather Review* **129**, 2884–2903, 2001.

See Also

```
Other particle filter methods: abfir(), abf(), bpfilter(), girf(), ibpf(), ienkf(), igirf(), iubf()
```

14 eunit_measure

Examples

```
# Complete examples are provided in the package tests
## Not run:
# Create a simulation of a Brownian motion
b <- bm(U=2, N=5)

# Run EnKF
enkfd_bm <- enkf(b, Np = 20)

# Get a likelihood estimate
logLik(enkfd_bm)

## End(Not run)</pre>
```

eunit_measure

eunit_measure

Description

eunit_measure evaluates the expectation of a unit's observation given the entire state

Usage

```
## S4 method for signature 'spatPomp'
eunit_measure(object, x, unit, time, params, Np = 1, log = FALSE)
```

Arguments

object	An object of class spatPomp
x	A state vector for all units
unit	The unit for which to evaluate the expectation
time	The time for which to evaluate the expectation
params	parameters at which to evaluate the unit expectation
Np	numeric; defaults to 1 and the user need not change this
log	logical; should the density be returned on log scale?

Value

A class 'matrix' with the unit expected observation for spatial unit unit corresponding to the corresponding states in x.

girf 15

Examples

```
# Complete examples are provided in the package tests
## Not run:
b <- bm(U=3)
s <- states(b)[,1,drop=FALSE]
rownames(s) -> rn
dim(s) <- c(3,1,1)
dimnames(s) <- list(variable=rn, rep=NULL)
p <- coef(b); names(p) -> rnp
dim(p) <- c(length(p),1); dimnames(p) <- list(param=rnp)
o <- obs(b)[,1,drop=FALSE]
eunit_measure(b, x=s, unit=2, time=1, params=p)
## End(Not run)</pre>
```

girf

Guided intermediate resampling filter (GIRF)

Description

An implementation of the algorithm of Park and Ionides (2020), following the pseudocode in Asfaw et al. (2020).

Usage

```
## S4 method for signature 'missing'
girf(object, ...)
## S4 method for signature 'ANY'
girf(object, ...)
## S4 method for signature 'spatPomp'
girf(
  object,
 Nρ,
 Ninter,
  lookahead = 1,
 Nguide,
  kind = c("bootstrap", "moment"),
  tol,
  verbose = getOption("verbose", FALSE)
)
## S4 method for signature 'girfd_spatPomp'
girf(
 object,
```

16 girf

```
Np,
 Ninter,
  lookahead,
 Nguide,
 kind = c("bootstrap", "moment"),
  tol,
)
```

Arguments

object

If a params argument is specified, abf will estimate the likelihood at that pa-. . . rameter set instead of at coef(object). The number of particles used within each replicate for the adapted simulations. Np Ninter the number of intermediate resampling time points. By default, this is set equal to the number of units. lookahead The number of future observations included in the guide function. Nguide The number of simulations used to estimate state process uncertainty for each particle.

A spatPomp object.

kind One of two types of guide function construction. Defaults to 'bootstrap'. See

Park and Ionides (2020) for more details.

tol If all of the guide function evaluations become too small (beyond floating-point

precision limits), we set them to this value.

verbose logical; if TRUE, messages updating the user on progress will be printed to the

console.

Value

Upon successful completion, girf() returns an object of class 'girfd_spatPomp' which contains the algorithmic parameters that were used to run girf() and the resulting log likelihood estimate.

Methods

The following methods are available for such an object:

logLik yields an unbiased estimate of the log-likelihood of the data under the model.

Author(s)

Kidus Asfaw

References

Park, J. and Ionides, E. L. (2020) Inference on high-dimensional implicit dynamic models using a guided intermediate resampling filter. Statistics and Computing, doi:10.1007/s11222020099573

Asfaw, K., Park, J., Ho, A., King, A. A., and Ionides, E. L. (2020) Partially observed Markov processes with spatial structure via the R package spatPomp. ArXiv: 2101.01157. doi:10.48550/ arXiv.2101.01157

he10 17

See Also

```
Other particle filter methods: abfir(), abf(), bpfilter(), enkf(), ibpf(), ienkf(), igirf(), iubf()
```

Examples

```
# Complete examples are provided in the package tests
## Not run:
# Create a simulation of a Brownian motion
b <- bm(U=2, N=5)
# Run GIRF
girfd_bm <- girf(b,
                 Np = 10,
                 Ninter = length(unit_names(b)),
                 lookahead = 1,
                 Nguide = 10
# Get the likelihood estimate from GIRF
logLik(girfd_bm)
# Compare with the likelihood estimate from particle filter
pfd_bm <- pfilter(b, Np = 10)</pre>
logLik(pfd_bm)
## End(Not run)
```

he10

Measles in UK: spatPomp generator with shared or unit-specific parameters

Description

Generate a spatPomp object for measles adding spatial coupling to The model and data from He et al. (2010) with gravity transport as in Park and Ionides (2020). Other transport models may be added in future. The data in the object matches He et al. (2010). The model matches that analysis in the specific case where there is no coupling and all parameters are unit-specific.

Longitude and lattitude for the 20 towns in England and Wales studied by He et al (2010).

Population and birth information for some towns in England and Wales during the measles prevaccine era.

Measles case data from various cities and towns in England and Wales during the pre-vaccine era.

Maximum likelihood estimate for fitting a susceptible-exposed-infected- recovered model to the measles case report data analyzed by He et al (2010). The values are similar, but not identical, to those reported by He et al.

18 he10

Usage

```
he10(
	U = 6,
	dt = 2/365,
	Tmax = 1964,
	expandedParNames,
	basic_params = c(alpha = 1, iota = 0, R0 = 30, cohort = 0, amplitude = 0.5, gamma = 52,
	sigma = 52, mu = 0.02, sigmaSE = 0.15, rho = 0.5, psi = 0.15, g = 400, S_0 = 0.032,
	E_0 = 5e-05, I_0 = 4e-05)
```

Arguments

U A length-one numeric signifying the number of cities to be represented in the

spatPomp object. Default U=20 gives all the towns studied by He et al., the 10

largest and 10 selected smaller towns.

dt a numeric (in unit of years) that is used as the Euler time-increment for simulat-

ing measles data.

Tmax Upper time for the window used to construct the object. The lower time is fixed

at 1950.0. The default value matches He et al (2010).

expandedParNames

specifies the names of parameters which take unit-specific values. Remaining

parameters take a single, shared value for all units.

basic_params A candidate parameter vector in the basic format, i.e., no unit-specific parame-

ters or unit-related name extensions.

Details

The code for this spatPomp has duplication with measles(), but in future the two models may diverge. The measles() spatPomp is a simplified situation useful for testing some methods. However, measles() does not permit unit-specific parameters, which he10() allows. Also, the structure of this spatPomp is compatible with the spatiotemporal iterated filtering algorithm ibpf(). This requires shared parameters to be represented with a value for each unit, which should be the same for each unit in a valid model instance but may vary between units while optimizing.

Data are annual statistics for the 20 towns analyzed by He et al (2010).

Data are weekly case counts for the 20 towns analyzed by He et al (2010).

Value

An object of class 'spatPomp' representing a U-dimensional spatially coupled measles POMP model.

- a 'data.frame' of longitude and lattitude for each town.
- a 'data.frame' of with variables town, year, pop and births.
- a 'data.frame' of reported measles cases for 20 towns, analyzed by He et al (2010).
- a 'data.frame' containing the estimated parameters.

he10 19

Note

This function goes through a typical workflow of constructing a typical spatPomp object (1-4 below). This allows the user to have a file that replicates the exercise of model building as well as function that creates a typical nonlinear model in epidemiology in case they want to test a new inference methodology. We purposely do not modularize this function because it is not an operational piece of the package and is instead useful as an example.

- 1. Getting a measurements data.frame with columns for times, spatial units and measurements.
- 2. Getting a covariates data frame with columns for times, spatial units and covariate data.
- 3. Constructing model components (latent state initializer, latent state transition simulator and measurement model). Depending on the methods used, the user may have to supply a vectorfield to be integrated that represents the deterministic skeleton of the latent process.
- 4. Bringing all the data and model components together to form a spatPomp object via a call to spatPomp().

Author(s)

Edward L. Ionides

References

He, D., Ionides, E. L., and King, A. A. (2010). Plug-and-play inference for disease dynamics: measles in large and small populations as a case study. *Journal of the Royal Society Interface*, 7(43), 271-283. doi:10.1098/rsif.2009.0151

Ionides, E. L., Ning, N., and Wheeler, J. (2022). An iterated block particle filter for inference on coupled dynamic systems with shared and unit-specific parameters. *arXiv*:2206.03837, doi:10.48550/arXiv.2206.03837

Robert J. Hijmans (2019). The **geosphere** spherical trigonometry package. https://CRAN.R-project.org/package=geosphere.

He, D., Ionides, E. L., and King, A. A. (2010). Plug-and-play inference for disease dynamics: measles in large and small populations as a case study. *Journal of the Royal Society Interface*, 7(43), 271-283. doi:10.1098/rsif.2009.0151

He, D., Ionides, E. L., and King, A. A. (2010). Plug-and-play inference for disease dynamics: measles in large and small populations as a case study. *Journal of the Royal Society Interface*, 7(43), 271-283. doi:10.1098/rsif.2009.0151

He, D., Ionides, E. L., and King, A. A. (2010). Plug-and-play inference for disease dynamics: measles in large and small populations as a case study. *Journal of the Royal Society Interface*, 7(43), 271-283. doi:10.1098/rsif.2009.0151

He, D., Ionides, E. L., and King, A. A. (2010). Plug-and-play inference for disease dynamics: measles in large and small populations as a case study. *Journal of the Royal Society Interface*, 7(43), 271-283. doi:10.1098/rsif.2009.0151

See Also

Other spatPomp examples: bm(), lorenz(), measles()

Other datasets: city_data_UK, measlesUK
Other datasets: city_data_UK, measlesUK

20 ibpf

```
Other datasets: city_data_UK, measlesUK Other datasets: city_data_UK, measlesUK
```

Examples

```
# Complete examples are provided in the package tests
## Not run:
m <- he10(U = 5)
# See all the model specifications of the object
spy(m)
## End(Not run)</pre>
```

ibpf

Iterated block particle filter (IBPF)

Description

An iterated block particle filter, for both shared and unit-specific parameters. We require that the spatPomp has been constructed to have a unit-specific parameter "thetau" for unit u corresponding to an estimated parameter "theta", whether theta is shared or unit-specific. This permits IBPF to implement a spatiotemporal random walk to estimate theta. We require that rw.sd is positive for, and only for, all parameters of the form "thetau" if "theta" is listed in sharedParNames or unitParNames.

Usage

```
## S4 method for signature 'missing'
ibpf(data, ...)
## S4 method for signature 'ANY'
ibpf(data, ...)
## S4 method for signature 'spatPomp'
ibpf(
  data,
 Nbpf,
 Np,
  rw.sd,
  sharedParNames,
  unitParNames,
  cooling.type = "geometric",
  cooling.fraction.50,
  block_size,
 block_list,
  spat_regression,
  verbose = getOption("verbose", FALSE)
)
```

ibpf 21

Arguments

data either a data frame holding the time series data, or an object of class 'pomp',

i.e., the output of another ${\bf pomp}$ calculation. Internally, data will be internally

coerced to an array with storage-mode double.

.. If a params argument is specified, bpfilter will estimate the likelihood at that

parameter set instead of at coef(object).

Nbpf the number of iterations of perturbed BPF.

Np The number of particles used within each replicate for the adapted simulations.

rw.sd specification of the magnitude of the random-walk perturbations that will be applied to some or all model parameters. Parameters that are to be estimated

should have positive perturbations specified here. The specification is given using the rw. sd function, which creates a list of unevaluated expressions. The latter are evaluated in a context where the model time variable is defined (as time). The expression ivp(s) can be used in this context as shorthand for

ifelse(time==time[1],s,0).

Likewise, ivp(s,lag) is equivalent to

ifelse(time==time[lag],s,0).

See below for some examples.

The perturbations that are applied are normally distributed with the specified s.d. If parameter transformations have been supplied, then the perturbations are applied on the transformed (estimation) scale.

sharedParNames estimated parameters that are equal for each unit.

unitParNames estimated parameters that are different for each unit.

cooling.type, cooling.fraction.50

specifications for the cooling schedule, i.e., the manner and rate with which the intensity of the parameter perturbations is reduced with successive filtering iterations. cooling.type specifies the nature of the cooling schedule. See below

(under "Specifying the perturbations") for more detail.

block_size The number of spatial units per block. If this is provided, the method subdivides

units approximately evenly into blocks with size block_size.

block_list List that specifies an exact partition of the spatial units. Each partition element,

or block, is an integer vector of neighboring units.

spat_regression

Fraction of each extended parameter regressed toward the unit mean.

verbose logical; if TRUE, messages updating the user on progress will be printed to the

console.

Value

Upon successful completion, ibpf returns an object of class 'ibpfd_spatPomp'.

22 ienkf

Methods

The following methods are available for such an object:

coef gives the Monte Carlo estimate of the maximum likelihood.

Author(s)

Edward L. Ionides

References

Ionides, E. L., Ning, N., and Wheeler, J. (2022). An iterated block particle filter for inference on coupled dynamic systems with shared and unit-specific parameters. *arXiv*:2206.03837, doi:10.48550/arXiv.2206.03837

See Also

```
Other particle filter methods: abfir(), abf(), bpfilter(), enkf(), girf(), ienkf(), igirf(), iubf()
```

ienkf

Iterated ensemble Kalman filter (IEnKF)

Description

An implementation of a parameter estimation algorithm that uses the ensemble Kalman filter (Evensen, G. (1994)) to perform the filtering step in the parameter-perturbed iterated filtering scheme of Ionides et al. (2015) following the pseudocode in Asfaw, et al. (2020).

Usage

```
## S4 method for signature 'spatPomp'
ienkf(
  data,
  Nenkf = 1,
  rw.sd,
  cooling.type = c("geometric", "hyperbolic"),
  cooling.fraction.50,
  Np,
  ...,
  verbose = getOption("verbose", FALSE)
)
```

ienkf 23

Arguments

data an object of class spatPomp

Nenkf number of iterations of perturbed EnKF.

rw.sd specification of the magnitude of the random-walk perturbations that will be

applied to some or all model parameters. Parameters that are to be estimated should have positive perturbations specified here. The specification is given using the rw.sd function, which creates a list of unevaluated expressions. The latter are evaluated in a context where the model time variable is defined (as time). The expression ivp(s) can be used in this context as shorthand for

ifelse(time==time[1],s,0).

Likewise, ivp(s,lag) is equivalent to

ifelse(time==time[lag],s,0).

See below for some examples.

The perturbations that are applied are normally distributed with the specified s.d. If parameter transformations have been supplied, then the perturbations are applied on the transformed (estimation) scale.

cooling.type, cooling.fraction.50

specifications for the cooling schedule, i.e., the manner and rate with which the intensity of the parameter perturbations is reduced with successive filtering iterations. cooling.type specifies the nature of the cooling schedule. See below

(under "Specifying the perturbations") for more detail.

Np The number of particles used within each replicate for the adapted simulations.

... If a params argument is specified, abf will estimate the likelihood at that pa-

rameter set instead of at coef(object).

verbose logical; if TRUE, messages updating the user on progress will be printed to the

console.

Value

Upon successful completion, ienkf returns an object of class 'ienkfd_spatPomp'. This object contains the convergence record of the iterative algorithm with respect to the likelihood and the parameters of the model (which can be accessed using the traces attribute) as well as a final parameter estimate, which can be accessed using the coef().

Methods

The following methods are available for such an object:

coef gives the Monte Carlo estimate of the maximum likelihood.

Author(s)

Kidus Asfaw

24 igirf

References

Asfaw, K., Park, J., Ho, A., King, A. A., and Ionides, E. L. (2020) Partially observed Markov processes with spatial structure via the R package spatPomp. *ArXiv*: 2101.01157. doi:10.48550/arXiv.2101.01157

Evensen, G. (1994) Sequential data assimilation with a nonlinear quasi-geostrophic model using Monte Carlo methods to forecast error statistics Journal of Geophysical Research: Oceans 99:10143–10162

Evensen, G. (2009) Data assimilation: the ensemble Kalman filter Springer-Verlag.

Anderson, J. L. (2001) An Ensemble Adjustment Kalman Filter for Data Assimilation Monthly Weather Review 129:2884–2903

See Also

```
Other particle filter methods: abfir(), abf(), bpfilter(), enkf(), girf(), ibpf(), igirf(), iubf()
```

Other spatPomp parameter estimation methods: igirf(), iubf()

igirf

Iterated guided intermediate resampling filter (IGIRF)

Description

An implementation of a parameter estimation algorithm combining the intermediate resampling scheme of the guided intermediate resampling filter of Park and Ionides (2020) and the parameter perturbation scheme of Ionides et al. (2015) following the pseudocode in Asfaw, et al. (2020).

Usage

```
## S4 method for signature 'missing'
igirf(data, ...)

## S4 method for signature 'ANY'
igirf(data, ...)

## S4 method for signature 'spatPomp'
igirf(
   data,
   Ngirf,
   Np,
   rw.sd,
   cooling.type,
   cooling.fraction.50,
   Ninter,
   lookahead = 1,
   Nguide,
```

igirf 25

```
kind = c("bootstrap", "moment"),
  tol = 1e-300,
  verbose = getOption("verbose", FALSE)
)
## S4 method for signature 'igirfd_spatPomp'
igirf(
  data.
  Ngirf,
 Nρ,
  rw.sd,
  cooling.type,
  cooling.fraction.50,
  Ninter,
  lookahead,
  Nguide,
  kind = c("bootstrap", "moment"),
  tol,
  verbose = getOption("verbose", FALSE)
)
```

Arguments

data an object of class spatPomp or igirfd_spatPomp

If a params argument is specified, abf will estimate the likelihood at that pa-

rameter set instead of at coef(object).

the number of iterations of parameter-perturbed GIRF. Ngirf

The number of particles used within each replicate for the adapted simulations. Np

rw.sd

specification of the magnitude of the random-walk perturbations that will be applied to some or all model parameters. Parameters that are to be estimated should have positive perturbations specified here. The specification is given using the rw. sd function, which creates a list of unevaluated expressions. The latter are evaluated in a context where the model time variable is defined (as time). The expression ivp(s) can be used in this context as shorthand for

```
ifelse(time==time[1],s,0).
```

Likewise, ivp(s, lag) is equivalent to

```
ifelse(time==time[lag],s,0).
```

See below for some examples.

The perturbations that are applied are normally distributed with the specified s.d. If parameter transformations have been supplied, then the perturbations are applied on the transformed (estimation) scale.

26 igirf

cooling.type, cooling.fraction.50

specifications for the cooling schedule, i.e., the manner and rate with which the intensity of the parameter perturbations is reduced with successive filtering iterations. cooling.type specifies the nature of the cooling schedule. See below

(under "Specifying the perturbations") for more detail.

Ninter the number of intermediate resampling time points. By default, this is set equal

to the number of units.

lookahead The number of future observations included in the guide function.

Nguide The number of simulations used to estimate state process uncertainty for each

particle.

kind One of two types of guide function construction. Defaults to 'bootstrap'. See

Park and Ionides (2020) for more details.

tol If all of the guide function evaluations become too small (beyond floating-point

precision limits), we set them to this value.

verbose logical; if TRUE, messages updating the user on progress will be printed to the

console.

Value

Upon successful completion, igirf() returns an object of class 'igirfd_spatPomp'. This object contains the convergence record of the iterative algorithm with respect to the likelihood and the parameters of the model (which can be accessed using the traces attribute) as well as a final parameter estimate, which can be accessed using the coef(). The algorithmic parameters used to run igirf() are also included.

Methods

The following methods are available for such an object:

coef gives the Monte Carlo maximum likelihood parameter estimate.

Author(s)

Kidus Asfaw

References

Park, J. and Ionides, E. L. (2020) Inference on high-dimensional implicit dynamic models using a guided intermediate resampling filter. *Statistics and Computing*, doi:10.1007/s11222020099573

Asfaw, K., Park, J., Ho, A., King, A. A., and Ionides, E. L. (2020) Partially observed Markov processes with spatial structure via the R package spatPomp. *ArXiv*: 2101.01157. doi:10.48550/arXiv.2101.01157

See Also

```
Other particle filter methods: abfir(), abf(), bpfilter(), enkf(), girf(), ibpf(), ienkf(), iubf()
```

Other spatPomp parameter estimation methods: ienkf(), iubf()

iubf 27

Examples

```
# Complete examples are provided in the package tests
## Not run:
igirf(bm(U=2,N=4),Ngirf=2,
   rw.sd = rw.sd(rho=0.02,X1_0=ivp(0.02)),
   cooling.type="geometric",cooling.fraction.50=0.5,
   Np=10,Ninter=2,lookahead=1,Nguide=5)
## End(Not run)
```

iubf

Iterated Unadapted Bagged Filter (IUBF)

Description

An algorithm for estimating the parameters of a spatiotemporal partially-observed Markov process. Running iubf causes the algorithm to perform a specified number of iterations of unadapted simulations with parameter perturbation and parameter resamplings. At each iteration, unadapted simulations are performed on a perturbed version of the model, in which the parameters to be estimated are subjected to random perturbations at each observation. After cycling through the data, each replicate's weight is calculated and is used to rank the bootstrap replicates. The highest ranking replicates are recycled into the next iteration. This extra variability introduced through parameter perturbation effectively smooths the likelihood surface and combats particle depletion by introducing diversity into particle population. As the iterations progress, the magnitude of the perturbations is diminished according to a user-specified cooling schedule.

Usage

```
## S4 method for signature 'spatPomp'
iubf(
  object,
  Nubf = 1,
  Nrep_per_param,
  Nparam,
  nbhd,
  prop,
  rw.sd,
  cooling.type = c("geometric", "hyperbolic"),
  cooling.fraction.50,
  tol = (1e-18)^17,
  verbose = getOption("verbose"),
  ...
)
```

Arguments

object

A spatPomp object.

28 iubf

Nubf The number of iterations to perform

Nrep_per_param The number of replicates used to estimate the likelihood at a parameter

Nparam The number of parameters that will undergo the iterated perturbation

nbhd A neighborhood function with three arguments: object, time and unit. The

function should return a list of two-element vectors that represent space-time neighbors of (u,n), which is represented by c(unit, time). See example below

for more details.

prop A numeric between 0 and 1. The top prop*100% of the parameters are resam-

pled at each observation

rw.sd specification of the magnitude of the random-walk perturbations that will be applied to some or all model parameters. Parameters that are to be estimated

should have positive perturbations specified here. The specification is given using the rw. sd function, which creates a list of unevaluated expressions. The latter are evaluated in a context where the model time variable is defined (as

time). The expression ivp(s) can be used in this context as shorthand for

ifelse(time==time[1],s,0).

Likewise, ivp(s,lag) is equivalent to

ifelse(time==time[lag],s,0).

See below for some examples.

The perturbations that are applied are normally distributed with the specified s.d. If parameter transformations have been supplied, then the perturbations are applied on the transformed (estimation) scale.

cooling.type, cooling.fraction.50

specifications for the cooling schedule, i.e., the manner and rate with which the intensity of the parameter perturbations is reduced with successive filtering iterations. cooling.type specifies the nature of the cooling schedule. See below

(under "Specifying the perturbations") for more detail.

tol If the resampling weight for a particle is zero due to floating-point precision

issues, it is set to the value of tol since resampling has to be done.

verbose logical; if TRUE, diagnostic messages will be printed to the console.

additional arguments supply new or modify existing model characteristics or

components. See pomp for a full list of recognized arguments.

When named arguments not recognized by pomp are provided, these are made available to all basic components via the so-called *userdata* facility. This allows the user to pass information to the basic components outside of the usual routes of covariates (covar) and model parameters (params). See userdata for

information on how to use this facility.

Value

Upon successful completion, iubf() returns an object of class 'iubfd_spatPomp'. This object contains the convergence record of the iterative algorithm with respect to the likelihood and the parameters of the model (which can be accessed using the traces attribute) as well as a final parameter estimate, which can be accessed using the coef(). The algorithmic parameters used to run iubf() are also included.

4.1

. . .

logLik 29

Methods

The following methods are available for such an object:

coef extracts the point estimate

Author(s)

Kidus Asfaw

References

Asfaw, K., Park, J., Ho, A., King, A. A., and Ionides, E. L. (2020) Partially observed Markov processes with spatial structure via the R package spatPomp. *ArXiv*: 2101.01157. doi:10.48550/arXiv.2101.01157

Ionides, E. L., Asfaw, K., Park, J., and King, A. A. (2021). Bagged filters for partially observed interacting systems. *Journal of the American Statistical Association*, doi:10.1080/01621459.2021.1974867

See Also

```
Other particle filter methods: abfir(), abf(), bpfilter(), enkf(), girf(), ibpf(), ienkf(), igirf()
```

Other spatPomp parameter estimation methods: ienkf(), igirf()

logLik

Log likelihood

Description

Extract the estimated log likelihood.

Usage

```
## S4 method for signature 'girfd_spatPomp'
logLik(object)

## S4 method for signature 'bpfilterd_spatPomp'
logLik(object)

## S4 method for signature 'abfd_spatPomp'
logLik(object)

## S4 method for signature 'iubfd_spatPomp'
logLik(object)

## S4 method for signature 'abfird_spatPomp'
logLik(object)

## S4 method for signature 'igirfd_spatPomp'
logLik(object)
```

30 lorenz

Arguments

object fitted model object

Value

a numeric which is the estimated log likelihood

lorenz

Geometric Brownian motion spatPomp simulator

Description

Generate a spatPomp object representing a U-dimensional geometric Brownian motion with spatial correlation decaying geometrically with distance around a circle. The model is defined in continuous time, but an Euler approximation is used for this numerical implementation.

Generate a spatPomp object representing a U-dimensional stochastic Lorenz '96 process with N measurements made at times $t_n = n*delta_obs$, simulated using an Euler method with time increment delta_t.

Usage

```
gbm(U = 5, N = 100, delta_t = 0.1, IVP_values = 1, delta_obs = 1)
lorenz(
    U = 5,
    N = 100,
    delta_t = 0.01,
    delta_obs = 0.5,
    regular_params = c(F = 8, sigma = 1, tau = 1)
)
```

Arguments

U A length-one numeric signifying the number of spatial units for the process.

N A length-one numeric signifying the number of observations.

delta_t A length-one numeric giving the Euler time step for the numerical solution.

IVP_values initial value parameters for the latent states

delta_obs A length-one numeric giving the time between observations.

regular_params A named numeric vector containing the values of the F, sigma and tau parame-

ters. F=8 is a common value that causes chaotic behavior.

Value

An object of class 'spatPomp' representing a simulation from a U-dimensional geometric Brownian motion

An object of class 'spatPomp' representing a simulation from a U-dimensional Lorenz 96 model

measles 31

Author(s)

Kidus Asfaw

Edward L. Ionides

References

Asfaw, K. T. (2021). Simulation-based Inference for Partially Observed Markov Process Models with Spatial Coupling. University of Michigan Doctoral dissertation. doi:10.7302/2751

Lorenz, E. N. (1996) Predictability: A problem partly solved. *Proceedings of the seminar on predictability*

Ionides, E. L., Asfaw, K., Park, J., and King, A. A. (2021). Bagged filters for partially observed interacting systems. *Journal of the American Statistical Association*, doi:10.1080/01621459.2021.1974867

See Also

```
Other spatPomp examples: bm(), he10(), measles()
Other spatPomp examples: bm(), he10(), measles()
```

Examples

```
# Complete examples are provided in the package tests
## Not run:
g <- gbm(U=4, N=20)
# See all the model specifications of the object
spy(g)

## End(Not run)

# Complete examples are provided in the package tests
## Not run:
1 <- lorenz(U=5, N=100, delta_t=0.01, delta_obs=1)
# See all the model specifications of the object
spy(1)

## End(Not run)</pre>
```

measles

Measles in UK spatPomp generator

Description

Generate a spatPomp object for measles in the top-U most populous cities in England and Wales. The model is adapted from He et al. (2010) with gravity transport following Park and Ionides (2019). The data in the object is simulated using the process and measurement models of He et al. (2010).

32 measles

Usage

```
measles(

U = 6,

dt = 2/365,

fixed_ivps = TRUE,

S_0 = 0.032,

E_0 = 5e-05,

I_0 = 4e-05
```

Arguments

U	A length-one numeric signifying the number of cities to be represented in the spatPomp object.
dt	a numeric (in unit of years) that is used as the Euler time-increment for simulating measles data.
fixed_ivps	a logical. If TRUE initial value parameters will be declared in the globals slot, shared for each unit, and will not be part of the parameter vector.
S_0	a numeric. If fixed_ivps=TRUE this is the initial proportion of all of the spatial units that are susceptible.
E_0	a numeric. If fixed_ivps=TRUE this is the initial proportion of all of the spatial units that are exposed.
I_0	a numeric. If fixed_ivps=TRUE this is the initial proportion of all of the spatial units that are infected.

Value

An object of class 'spatPomp' representing a U-dimensional spatially coupled measles POMP model.

Note

This function goes through a typical workflow of constructing a typical spatPomp object (1-4 below). This allows the user to have a file that replicates the exercise of model building as well as function that creates a typical nonlinear model in epidemiology in case they want to test a new inference methodology. We purposely do not modularize this function because it is not an operational piece of the package and is instead useful as an example.

- 1. Getting a measurements data.frame with columns for times, spatial units and measurements.
- 2. Getting a covariates data.frame with columns for times, spatial units and covariate data.
- 3. Constructing model components (latent state initializer, latent state transition simulator and measurement model). Depending on the methods used, the user may have to supply a vectorfield to be integrated that represents the deterministic skeleton of the latent process.
- 4. Bringing all the data and model components together to form a spatPomp object via a call to spatPomp().

Author(s)

Edward L. Ionides

measlesUK 33

References

Robert J. Hijmans (2019). The **geosphere** spherical trigonometry package. https://CRAN.R-project.org/package=geosphere.

See Also

```
Other spatPomp examples: bm(), he10(), lorenz()
```

Examples

```
# Complete examples are provided in the package tests
## Not run:
m <- measles(U = 5)
# See all the model specifications of the object
spy(m)
## End(Not run)</pre>
```

measlesUK

Measles in the United Kingdom

Description

Measles case data from various cities and towns in England and Wales during the pre-vaccine era.

Details

Data includes bi-weekly case counts as well as births and population from 40 cities and towns.

Value

a 'data.frame' of the 40 largest cities and towns in the UK and Wales, their latitude, longitude and bi-weekly measles case counts, population and birthrates.

References

Dalziel, Benjamin D. et al. (2016) Persistent chaos of measles epidemics in the prevaccination United States caused by a small change in seasonal transmission patterns. *PLoS computational biology*, **12(2)**, e1004655. doi:10.5061/dryad.r4q34

See Also

```
Other datasets: city_data_UK, he10()
```

34 munit_measure

measure

Description

munit_measure returns a moment-matched parameter set given an empirically calculated measurement variance and latent states. This is used in girf() and igirf() when they are run with kind='moment'.

Usage

```
## S4 method for signature 'spatPomp'
munit_measure(object, x, vc, unit, time, params, Np = 1)
```

Arguments

object	An object of class spatPomp
X	A state vector for all units
vc	The empirically calculated variance used to perform moment-matching
unit	The unit for which to obtain a moment-matched parameter set
time	The time for which to obtain a moment-matched parameter set
params	parameters to use to obtain a moment-matched parameter set
Np	Number of particle replicates for which to get parameter sets

Value

An array with dimensions $\dim(\operatorname{array.params})[1]$ by $\dim(x)[2]$ by $\operatorname{length}(\operatorname{unit})$ by $\operatorname{length}(\operatorname{time})$ representing the moment-matched parameter $\operatorname{set}(s)$ corresponding to the variance of the measurements, vc, and the states, x.

Author(s)

Kidus Asfaw

Examples

```
# Complete examples are provided in the package tests
## Not run:
b <- bm(U=3)
s <- states(b)[,1,drop=FALSE]
rownames(s) -> rn
dim(s) <- c(3,1,1)
dimnames(s) <- list(variable=rn, rep=NULL)
p <- coef(b); names(p) -> rnp
dim(p) <- c(length(p),1); dimnames(p) <- list(param=rnp)
o <- obs(b)[,1,drop=FALSE]
array.params <- array(p,</pre>
```

plot 35

plot

Plotting spatPomp data

Description

Visualize spatPomp data
Diagnostic plot for igirf()
Visualize spatPomp data

Usage

```
## S4 method for signature 'igirfd_spatPomp'
plot(x, params = names(coef(x)), ncol = 3)
## S4 method for signature 'spatPomp'
plot(x, type = c("1", "h"), log = F, ...)
```

Arguments

X	a spatPomp object
params	the names of the parameters for which the user would like to see a trace plot
ncol	the number of columns in the grid plot
type	for visualizing an object of class spatPomp, the user can obtain a grid of line plots by default ('1') or a heat map by supplying argument 'h'.
log	should the data be log-transformed before plotting? This helps in contexts where there are spikes that could take away attention from the dynamics illustrated by the rest of the data.
	for visualizing an object of class spatPomp, the user can add arguments like nrow to specify the number of rows in the grid.

Value

a ggplot facet plot of class 'gg' and 'ggplot' visualizing the convergence record of running <code>igirf()</code> with respect to the likelihood and the parameters of the model.

a ggplot plot of class 'gg' and 'ggplot' visualizing the time series data over multiple spatial units via a tile-plot.

36 pStop

print

Print methods

Description

Prints its argument.

Usage

```
## S4 method for signature 'spatPomp'
print(x)
```

Arguments

Х

a spatPomp object

Value

An object of class 'spatPomp' is returned *invisibly*. The user is notified on the console only the class of the object.

Note

Use spy() to see model components of x instead.

pStop

pStop

Description

Custom error function

Usage

```
pStop(fn, ...)
pStop_(...)
pWarn(fn, ...)
pWarn_(...)
```

Arguments

fn name of function (will be enclosed in single quotes)

... message

reexports 37

Value

No return value as this is simply a custom error function.

reexports	Objects exported from other packages
	e sjeens engeleen je een promisjee

Description

These objects are imported from other packages. Follow the links below to see their documentation.

```
magrittr %>%
```

t_measure runit_measure

Description

runit_measure simulates a unit's observation given the entire state

Usage

```
## S4 method for signature 'spatPomp'
runit_measure(object, x, unit, time, params, log = FALSE)
```

Arguments

object	An object of class spatPomp
X	A state vector for all units
unit	The unit for which to simulate an observation
time	The time for which to simulate an observation
params	parameters to use to simulate an observation
log	logical; should the density be returned on log scale?

Value

A matrix with the simulated observation corresponding to state x and unit unit with parameter set params.

Author(s)

Kidus Asfaw

38 simulate

Examples

```
b <- bm(U=3)
s <- states(b)[,1,drop=FALSE]
rownames(s) -> rn
dim(s) <- c(3,1,1)
dimnames(s) <- list(variable=rn, rep=NULL)
p <- coef(b); names(p) -> rnp
dim(p) <- c(length(p),1); dimnames(p) <- list(param=rnp)
o <- obs(b)[,1,drop=FALSE]
runit_measure(b, x=s, unit=2, time=1, params=p)</pre>
```

simulate

Simulation of a spatiotemporal partially-observed Markov process

Description

simulate generates simulations of the latent and measurement processes.

Usage

```
## S4 method for signature 'spatPomp'
simulate(
  object,
  nsim = 1,
  seed = NULL,
  format = c("spatPomps", "data.frame"),
  include.data = FALSE,
  ...
)
```

Arguments

object	optional; if present, it should be a data frame or a 'pomp' object.
nsim	number of simulations.
seed	optional; if set, the pseudorandom number generator (RNG) will be initialized with seed. the random seed to use. The RNG will be restored to its original state afterward.
format	the format of the simulated results. If the argument is set to 'spatPomps', the default behavior, then the output is a list of spatPomp objects. Options are 'spatPomps' and 'data.frame'.
include.data	if TRUE, the original data and covariates (if any) are included (with .id = "data"). This option is ignored unless format = "data.frame".
	additional arguments supply new or modify existing model characteristics or

components. See pomp for a full list of recognized arguments.

When named arguments not recognized by pomp are provided, these are made available to all basic components via the so-called *userdata* facility. This allows the user to pass information to the basic components outside of the usual routes of covariates (covar) and model parameters (params). See userdata for information on how to use this facility.

Value

if format='spatPomps' and nsim=1 an object of class 'spatPomp' representing a simulation from the model in object is returned. If format='spatPomps' and nsim>1 a list of class 'spatPomp' objects is returned. If format='data.frame' then a class 'data.frame' object is returned.

Author(s)

Kidus Asfaw

References

Asfaw, K., Park, J., Ho, A., King, A. A., and Ionides, E. L. (2020) Partially observed Markov processes with spatial structure via the R package spatPomp. *ArXiv*: 2101.01157. doi:10.48550/arXiv.2101.01157

Examples

```
# Complete examples are provided in the package tests
## Not run:
# Get a spatPomp object
b <- bm(U=2, N=5)
# Get 2 simulations from same model as data.frame
sims <- simulate(b, nsim=2, format='data.frame')
## End(Not run)</pre>
```

spatPomp

Constructor of the spatPomp object

Description

This function constructs a class 'spatPomp' object, encoding a spatiotemporal partially observed Markov process (SPATPOMP) model together with a uni- or multi-variate time series on a collection of units. Users will typically develop a POMP model for a single unit before embarking on a coupled SpatPOMP analysis. Consequently, we assume some familiarity with **pomp** and its description by King, Nguyen and Ionides (2016). The spatPomp class inherits from pomp with the additional unit structure being a defining feature of the resulting models and inference algorithms.

Usage

```
spatPomp(
  data,
  units,
  times,
  covar,
  t0,
  eunit_measure,
 munit_measure,
  vunit_measure,
  dunit_measure,
  runit_measure,
  rprocess,
  rmeasure,
  dprocess,
  dmeasure,
  skeleton,
  rinit,
  rprior,
  dprior,
  unit_statenames,
  unit_accumvars,
  shared_covarnames,
  globals,
 paramnames,
 params,
  cdir,
  cfile,
  shlib.args,
 PACKAGE,
  partrans,
  compile = TRUE,
  verbose = getOption("verbose", FALSE)
)
```

Arguments

data

either a dataframe holding the spatiotemporal data, or an object of class 'spat-Pomp', i.e., the output of another **spatPomp** calculation. If dataframe, the user must provide the name of the times column using the times argument and the spatial unit column name using the units argument. The dataframe provided should be sorted in increasing order of time and unit name respectively, i.e. observation 1 in unit A should come before observation 1 in unit B, which should come before observation 2 in unit A.

units

when data is a data. frame this is the name of the column containing the spatial units.

times the sequence of observation times. times must indicate the column of obser-

vation times by name or index. The time vector must be numeric and non-

decreasing.

t0

covar An optional dataframe for supplying covariate information. If provided, there

must be two columns that provide the observation time and the observation spa-

tial unit with the same names and arrangement as the data.

The zero-time, i.e., the time of the initial state. This must be no later than the

time of the first observation, i.e., $t0 \le times[1]$.

If there are arguments that the user would like to pass to **pomp**'s basic constructor function's . . . argument, this argument passes them along. Not recommended

for this version of **spatPomp**.

eunit_measure Evaluator of the expected measurement given the latent states and model pa-

rameters. The unit variable is pre-defined, which allows the user to specify differing specifications for each unit using if conditions. Only C snippets are accepted. The C snippet should assign the scalar approximation to the expected measurement to the pre-defined variable ey given the latent state and the param-

eters. For more information, see the examples section below.

munit_measure Evaluator of a moment-matched parameter set (like the standard deviation pa-

rameter of a normal distribution or the size parameter of a negative binomial distribution) given an empirical variance estimate, the latent states and all model parameters. Only Csnippets are accepted. The Csnippet should assign the scalar approximation to the measurement variance parameter to the pre-defined variable corresponding to that parameter, which has been predefined with a M_ pre-fix. For instance, if the moment-matched parameter is psi, then the user should assign M_psi to the moment-matched value. For more information, see the ex-

amples section below.

model parameters. The unit variable is pre-defined, which allows the user to specify differing specifications for each unit using if conditions. Only C snippets are accepted. The C snippet should assign the scalar approximation to the measurement variance to the pre-defined variable vc given the latent state and

the parameters. For more information, see the examples section below.

dunit_measure Evaluator of the unit measurement model density given the measurement, the latent states and model parameters. The unit variable is pre-defined, which

allows the user to specify differing specifications for each unit using if conditions. Only Csnippets are accepted. The Csnippet should assign the scalar measurement density to the pre-defined variable lik. The user is encouraged to provide a logged density in an if condition that checks whether the prede-

fined give_log variable is true. For more information, see the examples section

Simulator of the unit measurement model given the latent states and the model

below.

parameters. The unit variable is pre-defined, which allows the user to specify differing specifications for each unit using if conditions. Only Csnippets are accepted. The Csnippet should assign the scalar measurement density to

are accepted. The Csnippet should assign the scalar measurement density to the pre-defined which corresponds to the name of the observation for each unit (e.g. cases for the measles spatPomp example). For more information, see the

examples section below.

runit_measure

rprocess simulator of the latent state process, specified using one of the rprocess plugins.

Setting rprocess=NULL removes the latent-state simulator. For more informa-

tion, see rprocess specification for the documentation on these plugins.

rmeasure simulator of the measurement model, specified either as a C snippet, an R func-

tion, or the name of a pre-compiled native routine available in a dynamically loaded library. Setting rmeasure=NULL removes the measurement model simu-

lator. For more information, see rmeasure specification.

dprocess optional; specification of the probability density evaluation function of the un-

observed state process. Setting dprocess=NULL removes the latent-state density

evaluator. For more information, see dprocess specification.

dmeasure evaluator of the measurement model density, specified either as a C snippet, an

R function, or the name of a pre-compiled native routine available in a dynamically loaded library. Setting dmeasure=NULL removes the measurement density

evaluator. For more information, see dmeasure specification.

skeleton optional; the deterministic skeleton of the unobserved state process. Depend-

ing on whether the model operates in continuous or discrete time, this is either a vectorfield or a map. Accordingly, this is supplied using either the vectorfield or map fnctions. For more information, see skeleton specification. Setting

skeleton=NULL removes the deterministic skeleton.

rinit simulator of the initial-state distribution. This can be furnished either as a C

snippet, an R function, or the name of a pre-compiled native routine available in a dynamically loaded library. Setting rinit=NULL sets the initial-state simulator

to its default. For more information, see rinit specification.

rprior optional; prior distribution sampler, specified either as a C snippet, an R func-

tion, or the name of a pre-compiled native routine available in a dynamically loaded library. For more information, see prior specification. Setting rprior=NULL

removes the prior distribution sampler.

dprior optional; prior distribution density evaluator, specified either as a C snippet,

an R function, or the name of a pre-compiled native routine available in a dynamically loaded library. For more information, see prior specification. Setting dprior=NULL resets the prior distribution to its default, which is a flat improper

prior.

unit_statenames

The names of the components of the latent state. E.g. if the user is constructing an joint SIR model over many spatial units, c('S', 'I', 'R') would be passed.

unit_accumvars a subset of the unit_statenames argument that are accumulator variables. See accumulator variables for more on the concept of **pomp** accumulator variables.

shared_covarnames

If covar is supplied, covariates that are shared must still be specified for each unit, i.e., rows with equal values for the same time over all units must be supplied. However, if such covariates exists, supply the names using this argument.

globals optional character; arbitrary C code that will be hard-coded into the shared-

object library created when C snippets are provided. If no C snippets are used,

globals has no effect.

paramnames optional character vector; names of model parameters. It is typically only nec-

essary to supply paramnames when C snippets are in use.

params optional; named numeric vector of parameters. This will be coerced internally to storage mode double. cdir optional character variable. cdir specifies the name of the directory within which C snippet code will be compiled. By default, this is in a temporary directory specific to the R session. One can also set this directory using the pomp_cdir global option. cfile optional character variable. cfile gives the name of the file (in directory cdir) into which C snippet codes will be written. By default, a random filename is used. If the chosen filename would result in over-writing an existing file, an error is generated. shlib.args optional character variables. Command-line arguments to the R CMD SHLIB call that compiles the C snippets. **PACKAGE** optional character; the name (without extension) of the external, dynamically loaded library in which any native routines are to be found. This is only useful if one or more of the model components has been specified using a precompiled dynamically loaded library; it is not used for any component specified using C snippets. PACKAGE can name at most one library. partrans optional parameter transformations, constructed using parameter_trans. Many algorithms for parameter estimation search an unconstrained space of parameters. When working with such an algorithm and a model for which the parameters are constrained, it can be useful to transform parameters. One should supply the partrans argument via a call to parameter_trans. For more information, see parameter_trans. Setting partrans=NULL removes the parameter transformations, i.e., sets them to the identity transformation. compile logical; if FALSE, compilation of the C snippets will be postponed until they are needed. verbose logical; if TRUE, diagnostic messages will be printed to the console.

Details

One implements a SPATPOMP model by specifying some or all of its basic components, including:

rinit, the simulator from the distribution of the latent state process at the zero-time;

rprocess, the transition simulator of the latent state process;

dunit_measure, the evaluator of the conditional density at a unit's measurement given the unit's latent state;

eunit_measure, the evaluator of the expectation of a unit's measurement given the unit's latent state;

munit_measure, the evaluator of the moment-matched parameter set given a unit's latent state and some empirical measurement variance;

vunit_measure, the evaluator of the variance of a unit's measurement given the unit's latent state;

runit_measure, the simulator of a unit's measurement conditional on the unit's latent state;

dprocess, the evaluator of the density for transitions of the latent state process;

rmeasure, the simulator of the measurements conditional on the latent state;

44 spatPomp-class

dmeasure, the evaluator of the conditional density of the measurements given the latent state; **rprior,** the simulator from a prior distribution on the parameters;

dprior, the evaluator of the prior density;

skeleton, which computes the deterministic skeleton of the unobserved state process; **partrans,** which performs parameter transformations.

The basic structure and its rationale are described in Asfaw et al. (2020).

Each basic component is supplied via an argument of the same name to spatPomp(). The five unit-level model components must be provided via C snippets. The remaining components, whose behaviors are inherited from **pomp** may be furnished using C snippets, R functions, or pre-compiled native routine available in user-provided dynamically loaded libraries.

Value

An object of class 'spatPomp' representing observations and model components from the spatiotemporal POMP model.

Author(s)

Kidus Asfaw, Edward L. Ionides, Aaron A. King

References

Asfaw, K., Park, J., Ho, A., King, A. A., and Ionides, E. L. (2020) Partially observed Markov processes with spatial structure via the R package spatPomp. *ArXiv*: 2101.01157. doi:10.48550/arXiv.2101.01157

King, A. A., Nguyen, D. and Ionides, E. L. (2016) Statistical Inference for Partially Observed Markov Processes via the R Package pomp. *Journal of Statistical Software*, **69**(12), 1–43. doi:10.18637/jss.v069.i12

spatPomp-class

An S4 class to represent a spatiotemporal POMP model and data.

Description

An S4 class to represent a spatiotemporal POMP model and data.

Slots

unit_names A vector containing the spatial units of a spatiotemporal POMP.

unit_statenames A vector containing the state names such that appending the unit indices to the unit statenames will result in the each unit's corresponding states.

unit_obsnames A vector of observation types for a spatial unit.

eunit_measure A pomp_fun representing the expected measurement for each spatial unit given its states.

dunit_measure A pomp_fun representing the unit measurement density for each spatial unit.

runit_measure A pomp_fun representing the unit observation simulator.

spatPomp_Csnippet 45

 $spatPomp_Csnippet$ C

C snippets

Description

spatPomp_Csnippet() is used to provide snippets of C code that specify model components. It functions similarly to Csnippet() from the **pomp** package; in fact, the output of spatPomp_Csnippet is an object of class Csnippet. It additionally provides some arguments that allow the user to stay focused on model development in the spatiotemporal context where model size grows.

Usage

```
## $4 method for signature 'character'
spatPomp_Csnippet(
  code,
  unit_statenames,
  unit_obsnames,
  unit_covarnames,
  unit_ivpnames,
  unit_jaramnames,
  unit_paramnames,
  unit_vfnames
)
```

Arguments

code

encodes a component of a spatiotemporal POMP model using C code

unit_statenames

a subset of the unit_statenames slot of the spatPomp object for which we are writing a model. This argument allows the user to get variables that can be indexed conveniently to update states and measurements in a loop. See examples for more details.

unit_obsnames

a subset of the unit_obsnames slot of the spatPomp object for which we are writing a model. This argument allows the user to get variables that can be indexed conveniently to update states and measurements in a loop. See examples for more details.

unit_covarnames

if the model has covariate information for each unit, the names of the covariates for each unit can be supplied to this argument. This allows the user to get variables that can be indexed conveniently to use incorporate the covariate information in a loop. See examples for more details.

unit_ivpnames

This argument is particularly useful when specifying the rinit model component. The paramnames argument to the spatPomp() constructor often has names for initial value parameters for the latent states (e.g. S1_0, S2_0 for the the quantity of susceptibles at unit 1 and unit 2 at the initial time in an SIR model). By supplying unit_ivpnames, we can get variables that can be easily indexed to reference the initial value parameters (in the previous example,

46 spatPomp_Csnippet

unit_ivpnames=c('S') we can get a variable named S_0 that we can index as S_0[0] and S_0[1] to refer to S1_0 and S2_0). See examples for more details.

unit_paramnames

This argument is particularly useful when there are non-initial value parameters that are unit-specific.

unit_vfnames

This argument is particularly useful when specifying the skeleton model component. For all components of the latent state, the user can assume a variable defining the time-derivative is pre-defined (e.g. DS1 and DS2 for the time-derivative of the quantity of the susceptibles at unit 1 and unit 2 in an SIR model). By supplying unit_vfnames, we can get variables that can be easily indexed to reference these variables (in the previous example, setting unit_vfnames=c('S') gets us a variable named DS that we can index as DS[0] and DS[1] to refer to DS1 and DS2). See examples for more details.

Value

An object of class 'Csnippet' which represents a model specification in C code.

Author(s)

Kidus Asfaw

Examples

```
# Set initial states for Brownian motion
bm_rinit <- spatPomp_Csnippet(
    unit_statenames = c("X"),
    unit_ivpnames = c("X"),
    code = "
        for (int u = 0; u < U; u++) {
            X[u]=X_0[u];
        }
        "
)
# Skeleton for Brownian motion
bm_skel <- spatPomp_Csnippet(
        unit_statenames = c("X"),
        unit_vfnames = c("X"),
        code = "
            for (int u = 0; u < U; u++) {
                DX[u] = 0;
            }
        "
)</pre>
```

undefined 47

undefined

Undefined

Description

Check for undefined methods.

Usage

```
undefined(object, ...)
## S4 method for signature '`NULL`'
undefined(object, ...)
## S4 method for signature 'ANY'
undefined(object, ...)
## S4 method for signature 'missing'
undefined(object, ...)
## S4 method for signature 'pomp_fun'
undefined(object, ...)
## S4 method for signature 'partransPlugin'
undefined(object, ...)
## S4 method for signature 'rprocPlugin'
undefined(object, ...)
## S4 method for signature 'covartable'
undefined(object)
## S4 method for signature 'skelPlugin'
undefined(object, ...)
```

Arguments

```
object object to test.
... currently ignored.
```

Value

Returns TRUE if the **pomp** workhorse method is undefined, FALSE if it is defined, and NA if the question is inapplicable.

48 vec_dmeasure

unit_names

Unit names of a spatiotemporal model

Description

unit_names outputs the contents of the unit_names slot of a spatPomp object. The order in which the units appear in the output vector determines the order in which latent states and observations for the spatial units are stored.

Usage

```
## S4 method for signature 'spatPomp'
unit_names(x)
```

Arguments

Χ

a spatPomp object

Value

A character vector with the unit names used to create the 'spatPomp' object.

vec_dmeasure

Vector of measurement densities

Description

Evaluate the unit measurement model density function for each unit. This method is used primarily as part of likelihood evaluation and parameter inference algorithms.

Usage

```
## S4 method for signature 'spatPomp'
vec_dmeasure(object, y, x, units, times, params, log = FALSE, ...)
```

Arguments

object	a spatPomp object
У	numeric; measurements whose densities given the latent states are evaluated
X	numeric; state at which conditional measurement densities are evaluated
units	numeric; units at which measurement densities are evaluated
times	numeric; time at which measurement densities are evaluated
params	numeric; parameter set at which measurement densities is evaluated
log	logical; should the outputted measurement densities be on log scale?
	additional parameters will be ignored

vec_rmeasure 49

Value

An array of dimension length(unit_names(object)) by dim(x)[2] by dim(x)[3] representing each unit's measurement density assessed for each replicate in x for each observation time.

Author(s)

Kidus Asfaw

vec_rmeasure

Vector of simulated measurements

Description

Simulate from the unit measurement model density function for each unit

Usage

```
## S4 method for signature 'spatPomp'
vec_rmeasure(object, x, times, params, ...)
```

Arguments

object a spatPomp object

x numeric; state at which measurements are simulated

times numeric; time at which measurements are simulated

params numeric; parameter set at which measurements are simulated

additional parameters will be ignored

Value

An array of dimension length(unit_names(object)) by dim(x)[2] by dim(x)[3] representing each unit's simulated measurement assessed for each replicate in x for each observation time.

Author(s)

Kidus Asfaw

50 vunit_measure

vunit_measure	vunit_measure
---------------	---------------

Description

vunit_measure evaluates the variance of a unit's observation given the entire state

Usage

```
## S4 method for signature 'spatPomp'
vunit_measure(object, x, unit, time, params, Np = 1)
```

Arguments

object	An object of class spatPomp
X	A state vector for all units
unit	The unit for which to evaluate the variance
time	The time for which to evaluate the variance
params	parameters at which to evaluate the unit variance
Np	numeric; defaults to 1 and the user need not change this

Value

A matrix with the unit measurement variance implied by the state, x, and the parameter set params for unit unit.

Author(s)

Kidus Asfaw

Examples

```
# Complete examples are provided in the package tests
## Not run:
b <- bm(U=3)
s <- states(b)[,1,drop=FALSE]
rownames(s) -> rn
dim(s) <- c(3,1,1)
dimnames(s) <- list(variable=rn, rep=NULL)
p <- coef(b); names(p) -> rnp
dim(p) <- c(length(p),1); dimnames(p) <- list(param=rnp)
o <- obs(b)[,1,drop=FALSE]
vunit_measure(b, x=s, unit=2, time=1, params=p)
## End(Not run)</pre>
```

Index

* datasets city_data_UK, 11 he10, 17 measlesUK, 33 spatPomp-package, 2 * internal pStop, 36 reexports, 37 undefined, 47 * models spatPomp-package, 2	abf-abfd_spatPomp (abf), 3 abf-spatPomp (abf), 3 abfir, 4, 5, 10, 13, 17, 22, 24, 26, 29 abfir, abfird_spatPomp-method (abfir), 5 abfir-abfird_spatPomp (abfir), 5 abfir-spatPomp (abfir), 5 accumulator variables, 42 as.data.frame, 7 as_spatPomp, 8
* particle filter methods	bm, 8, 19, 31, 33
abf, 3	bpfilter, 4, 6, 9, 13, 17, 22, 24, 26, 29
abfir, 5	<pre>bpfilter,spatPomp-method(bpfilter),9</pre>
bpfilter,9	<pre>bpfilter-spatPomp (bpfilter), 9</pre>
enkf, 13	
girf, 15	city_data_UK, 11, <i>19</i> , <i>20</i> , <i>33</i>
ibpf, 20	coef, 22, 23, 26, 29
ienkf, 22	<pre>coerce,pomp,spatPomp-method</pre>
igirf, 24	$(as_spatPomp), 8$
iubf, 27	$\verb coerce , spatPomp , data.frame-method $
* spatPomp examples	(as.data.frame), 7
bm, 8	<pre>coerce-pomp-spatPomp(as_spatPomp), 8</pre>
he10, 17	
lorenz, 30	dmeasure specification, 42
measles, 31	dprocess specification, 42
* spatPomp filtering methods	dunit_measure, 12
ibpf, 20	dunit_measure, spatPomp-method
* spatPomp parameter estimation methods	(dunit_measure), 12
ienkf, 22	<pre>dunit_measure-spatPomp(dunit_measure),</pre>
igirf, 24	12
iubf, 27	enkf, 4, 6, 10, 13, 17, 22, 24, 26, 29
* ts	enkf, ANY-method (enkf), 13
spatPomp-package, 2	enkf, missing-method (enkf), 13
%>% (reexports), 37	enkf, spatPomp-method (enkf), 13
%>%, <i>37</i>	enkf-spatPomp (enkf), 13
abf, 3, 6, 10, 13, 17, 22, 24, 26, 29	eunit_measure, 14
abf, abfd_spatPomp-method (abf), 3	eunit_measure,spatPomp-method
abf, spatPomp-method (abf), 3	(eunit_measure), 14
asi, spaci siip ilictitod (dbi), s	(curre_measure), 11

52 INDEX

<pre>eunit_measure-spatPomp (eunit_measure),</pre>	<pre>logLik,girfd_spatPomp-method(logLik), 29</pre>
14	<pre>logLik,igirfd_spatPomp-method(logLik),</pre>
gbm (lorenz), 30	29
girf, 4, 6, 10, 13, 15, 22, 24, 26, 29	<pre>logLik,iubfd_spatPomp-method(logLik),</pre>
girf, ANY-method (girf), 15	29
girf,girfd_spatPomp-method(girf), 15	logLik-abfd_spatPomp(logLik), 29
girf, missing-method (girf), 15	logLik-abfird_spatPomp (logLik), 29
girf, spatPomp-method (girf), 15	logLik-bpfilterd_spatPomp(logLik), 29
girf-ANY (girf), 15	logLik-girfd_spatPomp (logLik), 29
girf-girfd_spatPomp(girf), 15	logLik-igirfd_spatPomp (logLik), 29
girf-missing (girf), 15	logLik-iubfd_spatPomp (logLik), 29
girf-spatPomp(girf), 15	lorenz, 9, 19, 30, 33
he10, 9, 11, 17, 31, 33	map, 42
he10coordinates (he10), 17	measles, 9, 19, 31, 31
he10demography (he10), 17	measlesUK, 11, 19, 20, 33
he10measles (he10), 17	munit_measure, 34
he10mle (he10), 17	munit_measure,spatPomp-method
	(munit_measure), 34
ibpf, 4, 6, 10, 13, 17, 20, 24, 26, 29	<pre>munit_measure-spatPomp (munit_measure),</pre>
ibpf, ANY-method (ibpf), 20	34
ibpf, missing-method (ibpf), 20	
<pre>ibpf, spatPomp-method (ibpf), 20</pre>	parameter_trans, 43
ibpf-ANY (ibpf), 20	plot, 35
ibpf-missing (ibpf), 20	plot,igirfd_spatPomp-method(plot), 35
ibpf-spatPomp(ibpf), 20	plot, spatPomp-method (plot), 35
ienkf, 4, 6, 10, 13, 17, 22, 22, 26, 29	plot-igirfd_spatPomp (plot), 35
ienkf, spatPomp-method (ienkf), 22	plot-spatPomp (plot), 35
ienkf-spatPomp (ienkf), 22	pomp, 28, 38, 39
igirf, 4, 6, 10, 13, 17, 22, 24, 24, 29	pomp package, 3
igirf, ANY-method (igirf), 24	print, 36
igirf, igirfd_spatPomp-method (igirf), 24	<pre>print, spatPomp-method (print), 36</pre>
<pre>igirf,missing-method(igirf), 24 igirf,spatPomp-method(igirf), 24</pre>	print-spatPomp (print), 36
igirf-ANY (igirf), 24	prior specification, 42
igirf-igirfd_spatPomp(igirf), 24	pStop, 36
igirf-missing (igirf), 24	pStop_(pStop), 36
igirf-spatPomp(igirf), 24	pWarn (pStop), 36
iubf, 4, 6, 10, 13, 17, 22, 24, 26, 27	pWarn_(pStop), 36
<pre>iubf, spatPomp-method (iubf), 27</pre>	
<pre>iubf-spatPomp (iubf), 27</pre>	reexports, 37
Tubi Spaci onp (Tubi), 27	rinit specification, 42
logLik, 4, 6, 10, 16, 29	rmeasure specification, 42
<pre>logLik,abfd_spatPomp-method(logLik), 29</pre>	rprocess plugins, 42
<pre>logLik,abfird_spatPomp-method(logLik),</pre>	rprocess specification for the
29	documentation on these
<pre>logLik,bpfilterd_spatPomp-method</pre>	plugins, 42
(logLik), 29	runit_measure, 37

INDEX 53

```
runit_measure,spatPomp-method
                                                vunit_measure,spatPomp-method
                                                        (vunit_measure), 50
        (runit_measure), 37
runit_measure-spatPomp (runit_measure),
                                                vunit_measure-spatPomp (vunit_measure),
rw.sd, 21, 23, 25, 28
simulate, 38
simulate, spatPomp-method (simulate), 38
simulate-spatPomp (simulate), 38
skeleton specification, 42
spatPomp, 2, 39
spatPomp-class, 44
spatPomp-package, 2
spatPomp_Csnippet, 45
spatPomp_Csnippet,character-method
        (spatPomp_Csnippet), 45
spatPomp_Csnippet-character
        (spatPomp_Csnippet), 45
undefined, 47
undefined, ANY-method (undefined), 47
undefined, covartable-method
        (undefined), 47
undefined, missing-method (undefined), 47
undefined, NULL-method (undefined), 47
undefined,partransPlugin-method
        (undefined), 47
undefined, pomp_fun-method (undefined),
undefined, rprocPlugin-method
        (undefined), 47
undefined, skelPlugin-method
        (undefined), 47
unit_names, 48
unit_names,spatPomp-method
        (unit_names), 48
unit_names-spatPomp (unit_names), 48
userdata, 28, 39
vec_dmeasure, 48
vec_dmeasure,spatPomp-method
        (vec_dmeasure), 48
vec_dmeasure-spatPomp (vec_dmeasure), 48
vec_rmeasure, 49
vec_rmeasure,spatPomp-method
        (vec_rmeasure), 49
vec_rmeasure-spatPomp (vec_rmeasure), 49
vectorfield, 42
vunit_measure, 50
```