

Package ‘circumstance’

May 18, 2022

R topics documented:

circumstance-package	1
pfilter	1

Index	3
--------------	----------

circumstance-package	<i>circumstance package</i>
----------------------	-----------------------------

Description

circumstance provides tools for parallelizing certain **pomp** calculations.

pfilter	<i>Parallel particle filter computations</i>
---------	--

Description

Runs multiple instances of pfilter using foreach.

Usage

```
## S4 method for signature 'ANY,numeric'
pfilter(data, Nrep, ...)

## S4 method for signature 'ANY,missing'
pfilter(data, Nrep, ...)

## S4 method for signature 'pomplList,numeric'
pfilter(data, Nrep, ...)

## S4 method for signature 'pomplList,missing'
pfilter(data, Nrep, ...)
```

Arguments

<code>data</code>	passed to <code>pomp::pfilter</code>
<code>Nrep</code>	number of replicate particle filter computations to run. By default, <code>Nrep = 1</code> .
<code>...</code>	all additional arguments are passed to <code>pomp::pfilter</code>

See Also

`pomp::pfilter`.

Examples

```
library(circumstance)

ou2() -> ou2
ou2 %>% pfilter(Np=1000,Nrep=6) -> pfs
```

Index

circumstance-package, [1](#)

pfilter, [1](#), [2](#)

pfilter, ANY, missing-method (pfilter), [1](#)

pfilter, ANY, numeric-method (pfilter), [1](#)

pfilter, pomplList, missing-method
(pfilter), [1](#)

pfilter, pomplList, numeric-method
(pfilter), [1](#)

pfilter-ANY, missing (pfilter), [1](#)

pfilter-ANY, numeric (pfilter), [1](#)

pfilter-pomplList, missing (pfilter), [1](#)

pfilter-pomplList, numeric (pfilter), [1](#)