

Experiment No.1

Problem Statement: Implement a Java application

- a) that will make connection with any database.
- b) create table into that database
- c) insert values into table.
- d) retrieve all the values from table

Answer / Code:

Start.java

```
import java.io.BufferedReader;
import java.io.IOException;
import java.io.InputStreamReader;
import com.student.manage.Student;
import com.student.manage.StudentDOW;

public class Start {
    public static void main(String[] args) throws IOException
    {
        System.out.println("Welcome to Student Management App");
        BufferedReader br = new BufferedReader(new
InputStreamReader(System.in));
        while(true)
        {
            System.out.println("Press 1 to ADD Student:\n");
            System.out.println("Press 2 to Display Student:\n");
            System.out.println("Press 3 to Delete Student:\n");
            System.out.println("Press 4 to Exit:\n");
            int c=Integer.parseInt(br.readLine());
            if(c==1)
            {
                //Add Student
                System.out.println("Enter User Name: ");
                String name = br.readLine();
                System.out.println("Enter User Phone: ");
                String phone = br.readLine();
                System.out.println("Enter User City: ");
                String city= br.readLine();

                //Create Student Object to Store Student
                Student st=new Student(name,phone,city);
                boolean Ans = StudentDOW.insertStudentToDB(st);
                if(Ans)
                {
                    System.out.println("The Student is Added in DB
Successfully.");
                }else{
                    System.out.println("Something Went Wrong...Try
Again...");}
            }
        }
    }
}
```

```

        System.out.println(st);
    }
    else if(c==2)
    {
        //Display Student
        boolean f = StudentDOW.ShowAllDatabase();
    }
    else if(c==3)
    {
        //delete Student from DB
        System.out.println("Enter The Student ID to Delete: ");
        int userId=Integer.parseInt(br.readLine());
        boolean f = StudentDOW.deleteStudent(userId);
        if (f)
        {
            System.out.println("Data Deleted....");
        }
        else {
            System.out.println("Error While Delete....");
        }
    }
    else if(c==4)
    {
        break;
    }
    else
    {

    }
}
System.out.println("Thank You");
}
}

```

Student.java

```

package com.student.manage;
public class Student{
    private int sid;
    private String sname;
    private String sphone;
    private String scity;

    public int getsid()
    {
        return sid;
    }
    public void setsid(int sid)
    {
        this.sid=sid;
    }

    public String getsname()
    {
        return sname;
    }
    public void setsname(String sname)
    {
        this.sname=sname;
    }
}

```

```

    }

    public String getsphone()
    {
        return sphone;
    }
    public void setsphone(String sphone)
    {
        this.sphone=sphone;
    }

    public String getscity()
    {
        return scity;
    }
    public void setscity(String scity)
    {
        this.scity=scity;
    }

    public Student(int sid, String sname, String sphone, String scity)
    {
        super();
        this.sid=sid;
        this.sname=sname;
        this.sphone=sphone;
        this.scity=scity;
    }

    public Student(String sname, String sphone, String scity)
    {
        super();
        this.sname=sname;
        this.sphone=sphone;
        this.scity=scity;
    }

    public Student()
    {
        super();
    }

    @Override
    public String toString()
    {
        return "Student [Student ID = " +sid+ ", Student Name = " + sname +
", Student Phone = " + sphone + ", Student City = " + scity + "]";
    }
}

```

ConP.java

```

package com.student.manage;

import java.sql.Connection;
import java.sql.DriverManager;

public class ConP {
    static Connection conn;
    public static Connection CreateConnection()

```

```

    {
        try{
            //Load The Driver
            Class.forName("com.mysql.cj.jdbc.Driver");
            //Create The Connection
            String user="root";
            String password="admin";
            String url="jdbc:mysql://localhost:3406/std";

            conn=DriverManager.getConnection(url,user,password);

        }catch(Exception e)
        {
            e.printStackTrace();
        }

        return conn;
    }
}

```

StudentDOW.java

```

package com.student.manage;

import java.sql.Connection;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
import java.sql.Statement;

public class StudentDOW {
    public static boolean insertStudentToDB(Student st)
    {
        boolean f=false;
        try {
            Connection con = ConP.CreateConnection();
            String q="insert into Student(sname,sphone,scity)
values(?, ?, ?)";
            //Prepare Statement
            PreparedStatement pstmt = con.prepareStatement(q);

            //set the Values of Parameter

            pstmt.setString(1, st.getsname());
            pstmt.setString(2, st.getsphone());
            pstmt.setString(3, st.getscity());

            //execute

            pstmt.executeUpdate();
            f=true;

        } catch (Exception e) {
            // TODO: handle exception
            e.printStackTrace();
        }
        return f;
    }
}

```

```

public static boolean deleteStudent(int userId) {
    boolean f=false;
    try {
        Connection con = ConP.CreateConnection();
        String q="delete from Student where sid=?";
        //Prepare Statement
        PreparedStatement pstmt = con.prepareStatement(q);

        //set the Values of Parameter

        pstmt.setInt(1, userId);
        //execute

        pstmt.executeUpdate();
        f=true;

    } catch (Exception e) {
        // TODO: handle exception
        e.printStackTrace();
    }
    return f;
}

public static boolean ShowAllDatabase() {
    boolean f=false;
    try {
        Connection con = ConP.CreateConnection();
        String q="select * from Student";
        //Prepare Statement
        Statement stmt= con.createStatement();
        ResultSet RSet = stmt.executeQuery(q);
        while (RSet.next())
        {
            int sid=RSet.getInt(1);
            String name=RSet.getString(2);
            String phone=RSet.getString(3);
            String city=RSet.getString(4);
            System.out.println("ID : "+sid);
            System.out.println("Name : "+name);
            System.out.println("Phone No.: "+phone);
            System.out.println("City: "+city);


            System.out.println("*****");
        }

    } catch (Exception e) {
        // TODO: handle exception
        e.printStackTrace();
    }
    return f;
}
}

```

Output:

Data Entry:



The screenshot shows the IntelliJ IDEA interface with a Java project named "FirstJDBC". The "Start.java" file is open, containing the following code:

```
//Display Student
boolean f = StudentDOW.ShowAllDatabase();
```

The "Run" tool window is open, showing the following interaction:

```
Press 1 to ADD Student:  
Press 2 to Display Student:  
Press 3 to Delete Student:  
Press 4 to Exit:  
1  
Enter User Name:  
Anupam Dutta  
Enter User Phone:  
9163142597  
Enter User City:  
Kalyani  
The Student is Added in DB Successfully.  
Student [Student ID =0, Student Name = Anupam Dutta, Student Phone = 9163142597, Student City = Kalyani]  
Press 1 to ADD Student:
```

The status bar at the bottom indicates "Build completed successfully in 6 sec, 833 ms (a minute ago)".


Data Successfully Saved in Database Table:

```
mysql> select * from student;
Empty set (0.00 sec)

mysql> select * from student;
+----+-----+-----+-----+
| sid | sname      | sphone     | scity    |
+----+-----+-----+-----+
|  2  | Anupam Dutta | 9163142597 | Kalyani |
+----+-----+-----+-----+
1 row in set (0.00 sec)

mysql>
```

Data Display:



The screenshot shows the IntelliJ IDEA interface with the "Start" run configuration selected. The output window displays the following data:

```
ID : 2
Name : Anupam Dutta
Phone No.: 9163142597
City: Kalyani
*****
ID : 3
Name : Narendra Modi
Phone No.: 9172597154
City: Delhi
*****
ID : 4
Name : Kumar Biswas
Phone No.: 1234567412
City: Noida
*****
ID : 5
Name : Mamta Kumar Yadav
Phone No.: 1236547412
City: Kolkata
```

The status bar at the bottom indicates "Build completed successfully in 6 sec, 833 ms (6 minutes ago)".

Data Display in SQL Command Line Client:

```
mysql> select * from student;
+----+-----+-----+-----+
| sid | sname          | sphone      | scity    |
+----+-----+-----+-----+
|  2  | Anupam Dutta   | 9163142597  | Kalyani  |
|  3  | Narandra Modi  | 9172597154  | Delhi    |
|  4  | Kumar Biswas   | 1234567412  | Noida    |
|  5  | Mamta Kumar Yadav | 1236547412  | Kolkata  |
+----+-----+-----+-----+
4 rows in set (0.00 sec)
```

Data Delete Operation:

```
3
Enter The Student ID to Delete:
3
Data Deleted...
Press 1 to ADD Student:

Press 2 to Display Student:

Press 3 to Delete Student:

Press 4 to Exit:
```

Data Deleted Successfully on O/P SQL Command Line Client:

```
mysql> select * from student;
+----+-----+-----+-----+
| sid | sname          | sphone      | scity    |
+----+-----+-----+-----+
|  2  | Anupam Dutta   | 9163142597  | Kalyani  |
|  3  | Narandra Modi  | 9172597154  | Delhi    |
|  4  | Kumar Biswas   | 1234567412  | Noida    |
|  5  | Mamta Kumar Yadav | 1236547412  | Kolkata  |
+----+-----+-----+-----+
4 rows in set (0.00 sec)

mysql> select * from student;
+----+-----+-----+-----+
| sid | sname          | sphone      | scity    |
+----+-----+-----+-----+
|  2  | Anupam Dutta   | 9163142597  | Kalyani  |
|  4  | Kumar Biswas   | 1234567412  | Noida    |
|  5  | Mamta Kumar Yadav | 1236547412  | Kolkata  |
+----+-----+-----+-----+
3 rows in set (0.00 sec)
```

Experiment No.2

- Problem Statement:**
- a) Design an HTML page having the following field text box, list, buttons, checkbox, radio, button, text area, select.
 - b) Validate the email id field by JavaScript.
 - c) Validate password filed by alpha-numeric.
 - d) Generate alert for age should be more than 18.
 - e) Phone number validation (10 Digit)
 - f) Date Validation.

Answer / Code:

```
<html>
    <head>
        <script>
            function FormValidate() {
                var name =
                    document.forms.RegForm.Name.value;
                var email =
                    document.forms.RegForm.EMail.value;
                var phone =
                    document.forms.RegForm.Telephone.value;
                var what =
                    document.forms.RegForm.Subject.value;
                var password =
                    document.forms.RegForm.Password.value;
                var address =
                    document.forms.RegForm.Address.value;
                var regEmail=/^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/
                //Javascript reGex for Email Validation.
                var regPhone=/^\d{10}$/;
                // Javascript reGex for Phone Number validation.
                var regName = /\d+/g;
                // Javascript reGex for Name validation

                if (name == "" || regName.test(name)) {
                    window.alert("Please enter your name properly.");
                    name.focus();
                    return false;
                }

                if (address == "") {
                    window.alert("Please enter your address.");
                    address.focus();
                    return false;
                }

                if (email == "" || !regEmail.test(email)) {
                    window.alert("Please enter a valid e-mail address.");
                    email.focus();
                    return false;
                }
            }
        </script>
    </head>
    <body>
        <form name="RegForm">
            <table border="1">
                <tr>
                    <td>Name:</td>
                    <td><input type="text" name="Name"/></td>
                </tr>
                <tr>
                    <td>Email:</td>
                    <td><input type="text" name="EMail"/></td>
                </tr>
                <tr>
                    <td>Phone:</td>
                    <td><input type="text" name="Telephone"/></td>
                </tr>
                <tr>
                    <td>Subject:</td>
                    <td><input type="text" name="Subject"/></td>
                </tr>
                <tr>
                    <td>Password:</td>
                    <td><input type="password" name="Password"/></td>
                </tr>
                <tr>
                    <td>Address:</td>
                    <td><input type="text" name="Address"/></td>
                </tr>
            </table>
            <br/>
            <input type="button" value="Submit" onclick="FormValidate()"/>
        </form>
    </body>
</html>
```

```

        if (password == "") {
            alert("Please enter your password");
            password.focus();
            return false;
        }

        if(password.length <6){
            alert("Password should be atleast 6 character long");
            password.focus();
            return false;
        }

        if (phone == "" || !regPhone.test(phone)) {
            alert("Please enter valid phone number.");
            phone.focus();
            return false;
        }

        if (what.selectedIndex == -1) {
            alert("Please enter your course.");
            what.focus();
            return false;
        }

        return true;
    }

function ageCalculator() {
    var userinput = document.getElementById("birthday").value;
    var dob = new Date(userinput);
    if(userinput==null || userinput=="") {
        document.getElementById("message").innerHTML = "***Choose a date please!";
        return false;
    } else {

        //calculate month difference from current date in time
        var month_diff = Date.now() - dob.getTime();

        //convert the calculated difference in date format
        var age_dt = new Date(month_diff);

        //extract year from date
        var year = age_dt.getUTCFullYear();

        //now calculate the age of the user
        var age = Math.abs(year - 1970);

        //display the calculated age
        return document.getElementById("result").innerHTML =
            "Age is: " + age + " years.";
    }
}

</script>

<style>
```

```
form {
    margin: 0 auto;
    width: 600px;
    background-color: #13b1d3;
    padding: 10px;
}

p{
    font-weight: bold;
}

body {font-family: Arial, Helvetica, sans-serif;}
* {box-sizing: border-box; }

input[type=text], input[type=number], select, textarea {
    width: 100%;
    padding: 12px;
    border: 1px solid #ccc;
    border-radius: 4px;
    box-sizing: border-box;
    margin-top: 6px;
    margin-bottom: 16px;
    resize: vertical;
}

input[type="date"]{
    width: 100%;
    padding: 12px;
    border: 1px solid #ccc;
    border-radius: 4px;
    box-sizing: border-box;
    margin-top: 6px;
    margin-bottom: 16px;
    resize: vertical;
}

input[type=submit] {
    background-color: #04AA6D;
    color: white;
    padding: 12px 20px;
    border: none;
    border-radius: 4px;
    cursor: pointer;
}

input[type=reset] {
    background-color: #FF0000;
    color: white;
    padding: 12px 20px;
    border: none;
    border-radius: 4px;
    cursor: pointer;
}

input[type=submit]:hover {
    background-color: #45a049;
}

.container {
```

```

border-radius: 5px;
background-color: #f2f2f2;
padding: 20px;
}

</style>
</head>

<body style="background-color:powderblue;">
    <h1 style="text-align: center;">REGISTRATION FORM</h1>
    <form name="RegForm" onsubmit="return FormValidate()" method="post">

<p>Name: <input type="text" size="65" name="Name" /></p>
<p>Address: <input type="text" size="65" name="Address" /></p>
<p>E-mail Address: <input type="text" size="65" name="EMail" /></p>
<p>Password: <input type="text" size="65" name="Password" /></p>
<p>Birthday:</p>
<input type="date" id="birthday" name="birthday"><span id = "message" style="color:red"> </span><br>
<p>Age: <input type="number" id="age" size="65" name="Age"/></p>
<p>Caste:</p>
SC<input type="checkbox" id="myCheck">
ST<input type="checkbox" id="myCheck">
OBC<input type="checkbox" id="myCheck">
GEN<input type="checkbox" id="myCheck">
<br><p>Gender:
<input type="radio" id="Male" name="fav_language" value="Male">
<label for="Male">Male</label>
<input type="radio" id="FeMale" name="fav_language" value="FeMale">
<label for="FeMale">FeMale</label>
<input type="radio" id="GEN" name="fav_language" value="GEN">
<label for="GEN">No Info</label><br></p>
<p>Telephone: <input type="text" size="65" name="Telephone" /></p>
<p>SELECT YOUR COURSE
<select type="text" value="" name="Subject">
    <option>BTECH</option>
    <option>BBA</option>
    <option>BCA</option>
    <option>B.COM</option>
    <option>GEEKFORGEEKS</option>
</select>
</p>
<br />
<p>Comments: <textarea cols="100" name="Comment"> </textarea></p>
<p>
<input type="submit" value="send" name="Submit" />
<input type="reset" value="Reset" name="Reset" />
</p>

</form>
</body>
</html>

```

Output:

The screenshot shows a web browser window with multiple tabs open at the top. The active tab displays a registration form titled "REGISTRATION FORM". The form consists of several input fields and dropdown menus. The fields include Name, Address, E-mail Address, Password, Birthday (date input), Age (text input), Caste (checkboxes for SC, ST, OBC, GEN), Gender (radio buttons for Male, Female, No Info), Telephone (text input), and Comments (text area). A dropdown menu for "SELECT YOUR COURSE" shows "BTECH" as the selected option. At the bottom of the form are two buttons: a green "send" button and a red "Reset" button.

REGISTRATION FORM

Name: _____

Address: _____

E-mail Address: _____

Password: _____

Birthday: dd-mm-yyyy

Age: _____

Caste:
SC ST OBC GEN

Gender: Male FeMale No Info

Telephone: _____

SELECT YOUR COURSE

BTECH

Comments: _____

send Reset

Experiment No.3

Problem Statement:

- a) Design an HTML page to create the following table.

User Name	Password	Salary
A	123	10000
B	456	20000
C	789	30000

Answer / Code:

```
<!DOCTYPE html>
<html>
<head>
<style>
table {
    font-family: arial, sans-serif;
    border-collapse: collapse;
    width: 70%;
}

td, th {
    border: 1px solid #000000;
    text-align: left;
    padding: 8px;
}
</style>
</head>
<body>
<h2>Design an HTML page to create the following table. </h2>
<table>
<tr>
<th>Username</th>
<th>Password</th>
<th>Salary</th>
</tr>
<tr>
<td>A</td>
<td>123</td>
<td>10000</td>
</tr>
<tr>
<td>B</td>
```

```

<td>456</td>
<td>20000</td>
</tr>
<tr>
<td>C</td>
<td>789</td>
<td>30000</td>
</tr>
</table>
</body>
</html>

```

Output:

Username	Password	Salary
A	123	10000
B	456	20000
C	789	30000

Problem Statement:

- b) Design an HTML page to create hyper linking between two web pages.

Answer/Code:

```

<!DOCTYPE html>
<html>
<head>
<style media="screen">
img {
    border-radius: 8px;
    display: block;
    height: 250px;
    width: 700px;
    margin-left: auto;
    margin-right: auto;
}

</style>
</head>
<body style="background-color:#22DDf9">
<h2 style="text-align:center">JISCE and NIT</h2>
<p style="text-align:center">The image below is a link. Try to click on it.</p>

```


</body>
</html>

Output:

The screenshot shows a web browser displaying the homepage of JISCE and NIT. The top banner features a large image of a modern university campus building with palm trees, accompanied by the text "Harboring Phenomenal ENGINEERS Since 2000!". Below the banner, there is another image of the same building under a sunset sky. The main navigation bar includes links for Home, Admission, Academic, Training and Placement, Research, Campus Life, and a menu icon. On the left side, there is a "Notice Board" section with a "Virtual Tour" link. The center of the page has sections for "VISITORS @JISCE", "Accreditation and Accolade!", and "Placement @JISCE". The bottom of the page features a blue footer bar with links for "ONLINE ADMISSION APPLICATION FORM", "JEXPO & VOCLET 2022", and various college services like "Download QR based attendance APPS!", "Idea-O-Meter", "Student Feedback", "Instruction for WBJEE", and "Review Result". There is also a prominent "APPLY NOW" button on the right side of the footer.

Experiment No.4

Problem Statement: Design web pages with following CSS

- a) External
- b) Embedded
- c) Inline
- d) Imported

Answer / Code (Internal CSS) :

```
<!DOCTYPE html>
<html>
<head>
<style>
body {background-color: powderblue;}
h1 {color: blue; text-align: center;}
p {color: red; text-align: center;}
</style>
</head>
<body>

<h1>JIS College of Engineering</h1>
<p>This is the small example of <strong>Internal CSS</strong></p>
</body>
</html>
```

Output:

JIS College of Engineering

This is the Small example of Internal CSS

Answer / Code (External CSS):

Home.html

```
<!DOCTYPE html>
<html>
<head>
<link rel="stylesheet" href="style.css">
</head>
<body>


<h1>The Government of India</h1>
<p>This is the Example of External CSS</p>

</body>
</html>
```

Style.css

```
body {
background-color: powderblue;
}
h1 {
text-align: center;
text-decoration-line: underline;
color: orange;
}
p {
text-align: center;
color: green;
}
```

Output:



Answer / Code (Inline CSS):

```
<!DOCTYPE html>
<html>
<body style="background-color:#102030">
<h1 style="color:red;margin-left:40px;">Inline CSS is applied on this heading.</h1>
<p>This paragraph is not affected.</p>
</body>
</html>
```




Output:

Inline CSS is applied on this heading.

This paragraph is not affected.

Experiment No.5

Problem Statement: Design Following Web pages by <framesets> and <frame> tags




Answer / Code:

```
<!DOCTYPE html>
<html>
  <head>
    <title>frameset attribute</title>
    <style>
      frame[id="top"]{
        background-color:blue;
      }
      frame[id="bottom"]{
        background-color:green;
      }
    </style>
  </head>

  <!-- frameset attribute starts here -->
  <frameset rows = "50%, 50%">
    <frame id="top" name = "top"/>
    <frame id="bottom" name = "main" />
  </frameset>
  <!-- frameset attribute ends here -->
</html>
```

Output:




Answer / Code:

```
<!DOCTYPE html>
<html>
  <head>
    <title>frameset attribute</title>
    <style>
      frame[id="top"]{
        background-color:blue;
      }
      frame[id="bottom"]{
        background-color:green;
      }
    </style>
  </head>

  <!-- frameset attribute starts here -->
  <frameset cols = "50%, 50%">
    <frame id="top" name = "top"/>
    <frame id="bottom" name = "main" />
  </frameset>
  <!-- frameset attribute ends here -->
</html>
```


Output:



Answer / Code:

```
<!DOCTYPE HTML>
<HTML>
<HEAD>
<style>
FRAME[id="top"]
{
    background-color:green;
}
FRAME[id="left"]
{
    background-color:blue;
}
FRAME[id="bottom"]
{
    background-color:red;
}
</style>
<TITLE>A simple frameset document</TITLE>
</HEAD>
<FRAMESET rows="50%, 50%">
<FRAME id="bottom"/>
<FRAMESET cols="100, 100">
<FRAME id="top"/>
<FRAME id="left" />
</FRAMESET>
</FRAMESET>
</HTML>
```

Output:



Experiment No.6

Problem Statement: Design an XML documents for Employee Element and where attributes will be name, gender, id, salary. Show the Schema and DTD also.

Answer / Code:

Employee.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE employee SYSTEM "employee.dtd">
<employee>
    <name> Anupam Dutta</name>
    <gender> Male</gender>
    <id>JIS/2020/0706</id>
    <salary>9999999/-</salary>
</employee>
```

Employee.dtd

```
<!DOCTYPE employee
[
    <!ELEMENT employee (name,gender,id,salary)>
    <!ELEMENT name (#PCDATA)*>
    <!ELEMENT gender (#PCDATA)*>
    <!ELEMENT id (#PCDATA)*>
    <!ELEMENT salary (#PCDATA)*>
]
```

XML Schema

```
<xss:element name="note">
<xss:complexType>
    <xss:sequence>
        <xss:element name="name" type="xss:string"/>
        <xss:element name="gender" type="xss:string"/>
        <xss:element name="id" type="xss:string"/>
        <xss:element name="salary" type="xss:int"/>
    </xss:sequence>
</xss:complexType>
</xss:element>
```

Experiment No.7

Problem Statement:

- a) **Develop a web application where user name, user id, principal amount, rate of interest and time will be provided by the HTML interface and calculate the simple interest.**
- b) **Store the value of user name, user id and simple interest amount into the database.**

Answer / Code:

Home.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Simple Interest Calculator</title>
    <!-- Google Fonts -->
    <link
        href="https://fonts.googleapis.com/css2?family=Poppins:wght@400;500&display=swap"
        rel="stylesheet"
    />
    <!-- Stylesheet -->
    <link rel="stylesheet" href="style.css" />
</head>
<body>
    <form action="insert.php" method="POST">
        <div class="container">
            <div class="wrapper">
                <label for="name">Name:</label>
                <input type="text" id="name" name="name" required/>
            </div>
            <div class="wrapper">
                <label for="userid">USER ID:</label>
                <input type="text" id="userid" name="userid" required/>
            </div>
            <div class="input-wrapper">
                <div class="wrapper">
                    <label for="principal">Principal(₹):</label>
                    <input type="number" id="principal" value="1000" name="principal" required/>
                </div>
                <div class="wrapper">
                    <label for="rate">Rate(%):</label>
                    <input type="number" id="rate" value="5" name="rate" required/>
                </div>
            </div>
            <label for="time">Time:</label>
            <div class="time-wrapper">
```

```

<input type="number" id="time" value="1" name="time" required/>
<select name="duration" id="duration">
  <option value="year" name="year">Year</option>
  <option value="month" name="month">Month</option>
</select>
</div>
<input type="submit"><button id="calculate-btn">Calculate</button>
<div id="result"></div>
<label for="result1">Interest Amount:</label>
<input type="number" id="result1" value="0" name="result1" readonly />
</div>
</form>
<!-- Script -->
<script src="script.js"></script>
</body>
</html>

```

Style.css

```

* {
  padding: 0;
  margin: 0;
  box-sizing: border-box;
  font-family: "Poppins", sans-serif;
}
body {
  height: 100vh;
  background: linear-gradient(#01e26e, #72ffb4);
}
.container {
  background-color: #ffffff;
  position: absolute;
  transform: translate(-50%, -50%);
  top: 70%;
  left: 50%;
  width: 80vw;
  max-width: 800px;
  min-width: 350px;
  padding: 60px 30px;
  border-radius: 10px;
  box-shadow: 0 20px 40px rgba(0, 0, 0, 0.2);
}
label {
  display: block;
  font-size: 22px;
  margin-bottom: 10px;
  font-weight: 500;
}
input {
  margin-bottom: 20px;
  border: none;
}

```

```
font-size: 20px;
border-bottom: 2px solid #585858;
color: #585858;
padding: 2px 15px;
}
input:focus {
outline: none;
border-bottom: 2.4px solid #01e26e;
}
.input-wrapper {
display: flex;
justify-content: space-between;
gap: 20px;
}
.input-wrapper input {
width: 100%;
}
.time-wrapper input {
width: 60%;
}
select {
width: 35%;
border: 1px solid #585858;
font-size: 20px;
margin-left: 3%;
padding: 8px 0;
border-radius: 5px;
}
button {
display: block;
background-color: #01e26e;
border: none;
color: #ffffff;
margin: 20px auto 0 auto;
padding: 15px 40px;
font-size: 20px;
border-radius: 5px;
}
#result {
background-color: #c6ffe2;
margin-top: 30px;
color: #585858;
text-align: center;
font-size: 18px;
padding: 20px;
border-radius: 5px;
}
#result div {
margin-bottom: 10px;
}
#result span {
```

```
color: #000000;  
font-weight: 500;  
}
```

Script.js

```
let calculateBtn = document.getElementById("calculate-btn");  
let result = document.getElementById("result");  
let calculate = () => {  
    let p = Number(document.getElementById("principal").value);  
    let r = Number(document.getElementById("rate").value);  
    let t = Number(document.getElementById("time").value);  
    let duration = document.getElementById("duration").value;  
    let simpleInterest =  
        duration == "year" ? (p * r * t) / 100 : (p * r * t) / 1200;  
    let amount = p + simpleInterest;  
    document.getElementsByName('result1')[0].value = simpleInterest;  
    result.innerHTML = `<div>Principal Amount: <span>${p.toFixed(2)}</span></div>  
<div>Total Interest: <span>${simpleInterest.toFixed(2)}</span></div>  
<div>Total Amount: <span>${amount.toFixed(2)}</span></div>`;  
};  
calculateBtn.addEventListener("click", calculate);  
window.addEventListener("load", calculate);
```

Insert.php (used for Save into DBMS, XAMPP Used, Answer of 2nd Question)

```
<?php  
$name = $_POST['name'];  
$userid = $_POST['userid'];  
$time = $_POST['rate'];  
$interest = $_POST['result1'];  
  
if(!empty($name) || !empty($userid) || !empty($time) || !empty($interest))  
{  
    $host = "localhost";  
    $dbUsername = "root";  
    $dbPassword = "";  
    $dbname = "rateuser";  
  
    //Connection Creation  
  
    $conn = new mysqli($host, $dbUsername, $dbPassword, $dbname);  
    if(mysqli_connect_error())  
    {  
        die('Connect Error('. mysqli_connect_errno(). ')'. mysqli_connect_error());  
    }  
    else  
    {  
        $SELECT = "SELECT UserID From userdata Where UserID = ? Limit 1";  
        $INSERT = "INSERT Into userdata(UserID,Username,Rate,Interest) values(?, ?, ?, ?)";
```

```

//Prepare Statement

$stmt = $conn->prepare($SELECT);
$stmt->bind_param("s",$userid);
$stmt->execute();
$stmt->bind_result($userid);
$stmt->store_result();
$rnum = $stmt->num_rows;

if($rnum==0)
{
    $stmt->close();
    $stmt = $conn->prepare($INSERT);
    $stmt->bind_param("ssii", $userid,$name,$time,$interest);
    $stmt->execute();
    echo "New Record Inserted Sucessfully";
}
else
{
    echo "User Already Registered";
}
$stmt->close();
$conn->close();

}

}

else
{
    echo "All Field Are Required";
    die();
}
?>

```

Result / Output:

The image displays three screenshots of a web application interface, likely running on a local server (localhost). The application consists of a form for calculating simple interest and a separate page for inserting data into a database.

Screenshot 1: Simple Interest Calculation Form

This screenshot shows the main calculation form. The fields are as follows:

- Name: King Anupam Dutta
- USER ID: KingAnupamDutta
- Principal(₹): 10000
- Rate(%): 50
- Time: 1
- Time Unit: Year
- Calculate button

The result is displayed below the form: Principal Amount: 1000.00

Screenshot 2: Simple Interest Calculation Form (with spelling error)

This screenshot shows the same form but with a spelling error in the Name field: Kumar Biswas. A tooltip "Spelling correction" appears over the input field. The other values remain the same: Principal(₹): 10000, Rate(%): 5, Time: 1, Time Unit: Year.

Screenshot 3: Database Insertion Confirmation

This screenshot shows a confirmation message: "New Record Inserted Successfully". The URL in the address bar is localhost/insert.php.

Showing rows 0 - 3 (4 total, Query took 0.0007 seconds.)

```
SELECT * FROM `userdata`
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 ▾ Filter rows: Search this table Sort by key: None ▾

Extra options

	User ID	Username	Rate	Interest
<input type="checkbox"/>	Edit Copy Delete	anupamdutta_jisce	Anupam Dutta	5 25000
<input type="checkbox"/>	Edit Copy Delete	bikram	Bikram Biswas	5 500
<input type="checkbox"/>	Edit Copy Delete	KingAnupamDutta	Anupam Dutta	2 10000
<input type="checkbox"/>	Edit Copy Delete	KumarBiswas	Kumar Biswas	5 500

◀ Check all With selected: [Edit](#) [Copy](#) [Delete](#) [Export](#)

Experiment No.8

Problem Statement: Develop a web application where user name, password will be provided by the HTML interface and check the login authentication and password filed with the value stored in database.

Code / Answer:

Login12.php


```
<!DOCTYPE html>
<html>
    <head>
        <title>
            Log In From
        </title>
        <link rel="stylesheet" type="text/css" href="bootstrap.css">
    <body>
        <div class="container">
            <div class="row">
                <div class="col-lg-6">
                    <h2>Log in From</h2>
                    <form action="validation.php" method="post">
                        <div class="form-group">
                            <label for="exampleInputEmail1">Email address</label>
                            <input type="email" name="email" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp" placeholder="Enter email">
                            <small id="emailHelp" class="form-text text-muted">We'll never share your email with anyone else.</small>
                        </div>
                        <div class="form-group">
                            <label for="exampleInputPassword1">Password</label>
                            <input type="password" name="password" class="form-control" id="exampleInputPassword1" placeholder="Password">
                        </div>
                        <div class="form-group form-check">
                            <input type="checkbox" class="form-check-input" id="exampleCheck1">
                            <label class="form-check-label" for="exampleCheck1">Check me out</label>
                        </div>
                        <button type="submit" class="btn btn-primary">Log In</button>
                    </form>
                </div>
                <div class="col-lg-6">
                    <h2>Registration From</h2>
                    <form action="reg.php" method="post">
                        <div class="form-group">
                            <label for="exampleInputEmail1">Email address</label>
                            <input type="email" name="email" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp" placeholder="Enter email">
                        </div>
```

```

        <small id="emailHelp" class="form-text text-muted">We'll never share your email with
anyone else.</small>
    </div>
    <div class="form-group">
        <label for="exampleInputPassword1">Password</label>
        <input type="password" name="password" class="form-control"
id="exampleInputPassword1" placeholder="Password">
    </div>
    <div class="form-group form-check">
        <input type="checkbox" class="form-check-input" id="exampleCheck1">
        <label class="form-check-label" for="exampleCheck1">Check me out</label>
    </div>
    <button type="submit" class="btn btn-primary"> Registration</button>
</form>
</div>
</div>
</div>
</body>
</head>
</html>

```

Output:



Code / Answer:

Reg.php

```
<?php
session_start();
header('location:login12.php');

$con = mysqli_connect('localhost','root');
if($con)
{
    echo "Connection Successfull";
}
else{
    echo "no Connection";
}
mysqli_select_db($con, 'userreg');

$email = $_POST['email'];
$pass = $_POST['password'];

$q = "select * from signin where name = '$email' && password = '$pass' ";
$result = mysqli_query($con, $q);
$num = mysqli_num_rows($result);

if($num == 1)
{
    echo "This Is Duplicate Data";
}
else{
    $qy = " insert into signin(name,password) values ('$email', '$pass') ";
    mysqli_query($con, $qy);
}
?>
```

Validation.php

```
<?php
session_start();
//header('location:login12.php');

$con = mysqli_connect('localhost','root');
if($con)
{
    echo "Connection Successfull";
}
else{
    echo "No Connection";
}
mysqli_select_db($con, 'userreg');
```

```


$email = $_POST['email'];
$pass = $_POST['password'];

$q = "select * from signin where name = '$email' && password = '$pass' ";
$result = mysqli_query($con, $q);
$num = mysqli_num_rows($result);


if($num == 1)
{
    $_SESSION['username'] = $email;
    header('location:home1.php');
    echo "This Is Duplicate Data";
}
else{
    header('location:login12.php');
}
?>

```

Output:



The screenshot shows a web browser window with the URL `localhost/login12.php`. The page title is "Log in From". It has fields for "Email address" (containing `anupamdutta_jisce@jisce.co.in`) and "Password" (containing `*****`). There is a checked checkbox labeled "Check me out" and a blue "Log In" button.



The screenshot shows the "phpMyAdmin" interface connected to "Server: 127.0.0.1" and "Database: userreg". The "Table: signin" is selected. The table structure is shown with columns `id`, `name`, and `password`. Three rows are displayed:

	<code>id</code>	<code>name</code>	<code>password</code>
1	1	admin@gmail.com	123456
2	2	anupam_admin@jisce.co.in	anupam_admin@jisce.co.in
3	3	anupamdutta_jisce@jisce.co.in	admin@12345

Home1.php

```
<?php
session_start();
if(!isset($_SESSION['username']))
{
    header('location:login12.php');
}
?>
<!DOCTYPE html>
<html>
    <head>
        <style>

            body
            {
                font-family: 'Roboto Slab', serif;
                margin:0px;
                padding:0px;
            }

.success_container
{
    width:400px;
    padding:120px 100px;
    -webkit-box-shadow: 0px 0px 25px 0px rgba(209,209,209,1);
    -moz-box-shadow: 0px 0px 25px 0px rgba(209,209,209,1);
    box-shadow: 0px 0px 25px 0px rgba(209,209,209,1);
    position:absolute;
    top:50%;
    left:50%;
    transform:translate(-50%,-50%);
}

.ic_schauhan
{
    width:50px;
    height:50px;
    line-height:50px;
    background:#090;
    text-align:center;
    margin:0px auto;
    border-radius:100%;

}

.ic_schauhan i
{
    color:#fff;
    text-align:center;
    height:50px;
```

```

        font-size:25px;
        line-height:50px;
        animation: txt 2s infinite alternate;
    }

@keyframes txt { 0%{ font-size:15px; } 50%{ font-size:25px; } 100%{ font-size:15px; } }

.success_container p
{
    text-align:center;
    font-weight:600;
    margin:10px;
    font-size:20px;
    padding:0px;
    color:#0C0;
    animation: blink 1s steps(5, start) infinite;
    -webkit-animation: blink 1s steps(5, start) infinite;
}

@keyframes blink { 0%{ color:#0C0; } 100%{ color:green; } }

.line
{
    width:100%;
    height:6px;
    background:#090;
    position:absolute;
    left:0;
    bottom:0;
    animation: line 2s infinite alternate;
}

@keyframes line { 0%{width:0%; background:#0F0; } 100%{ width:100%; background:#030; } }

@media only screen and (max-width: 767px)
{
    .success_container
    {
        width:100%;
        padding:120px 100px;
        box-shadow:none;
        position:absolute;
        top:50%;
        left:50%;
        transform:translate(-50%,-50%);
    }
}
</style>
<title>
```

```

Login Done
</title>
<link rel="stylesheet" type="text/css" href="bootstrap.css">
</head>
<body>
<div class="success_container">
<div class="ic_schauhan">
<i class="fa fa-check" aria-hidden="true"></i>
</div>
<h2 class="text-center text-success"> Welcome </h2>
<h2 class="text-center text-success"> <?php echo $_SESSION['username']; ?> </h2>
<p>LOGIN SUCCESS</p>
<div class="line"></div>
<button type="button" class="btn btn-danger"><a href="logout12.php"><b> Log Out
</b></a></button>
</div>
</body>

```


Logout12.php

```

<?php
session_start();
session_destroy();
header('location:login12.php');
?>

```

Output:



Experiment No.9


Problem Statement: Develop a web application that will display a whole table stored in database.

Code / Answer:

```
<!DOCTYPE html>
<html>
<head>
<title>Table with database</title>
<style>
table {
border-collapse: collapse;
width: 100%;
color: #588c7e;
font-family: monospace;
font-size: 25px;
text-align: left;
}
th {
background-color: #588c7e;
color: white;
}
tr:nth-child(even) {background-color: #f2f2f2}
</style>
</head>
<body>
<table>
<tr>
<th>Id</th>
<th>Username</th>
<th>Password</th>
</tr>
<?php
$conn = mysqli_connect("localhost", "root", "", "company");
// Check connection
if ($conn->connect_error) {
die("Connection failed: " . $conn->connect_error);
}
$sql = "SELECT id, username, password FROM login";
$result = $conn->query($sql);
if ($result->num_rows > 0) {
// output data of each row
while($row = $result->fetch_assoc()) {
echo "<tr><td>" . $row["id"] . "</td><td>" . $row["username"] . "</td><td>" .
$row["password"]. "</td></tr>";
}
echo "</table>";
} else { echo "0 results"; }
```

```
$conn->close();  
?>  
</table>  
</body>  
</html>
```

Output:



A screenshot of a web browser window titled "localhost/login13.php". The browser has several tabs open in the background, including "Table with database", "(23) Display Data From Database", "Bootstrap login success page tem...", "localhost / 127.0.0.1 / company /", "YouTube", "LocalPeers Torrent", "UIDAI - Official We...", "2021 Python Progra...", "Torrentz Search Eng...", "Examination Manag...", "Facebook", "Corsure", "Instagram", "Twitter", and "Google+". The main content area displays a table with four rows of data:

Id	Username	Password
1	Anupam Dutta	admin@anupam
2	Sudipta	Ghosh
3	Anupam Dutta	anupamdutta_admin@jisce.co.in
4	Subhranil Mazumder	Subhranil_SuperStar

Experiment No.10

Problem Statement: Develop a web application that will store values in session object and retrieve the values from session object.

Answer / Code:

Session1.html

```
<!DOCTYPE html>
<html>
  <head>
    <title>Session Lab</title>
  </head>
  </html>
  <body>
    <form action="session1.php" method="post">
      <label for="name">Name :</label>
      <input type="text" name="name" id="name">
      <br>
      <label for="roll">Roll :</label>
      <input type="text" name="roll" id="roll">
      <br>
      <label for="dept">Dept. :</label>
      <input type="text" name="dept" id="dept">
      <br>
      <input type="submit" name="submit" value="Submit">
    </form>

    </body>
  </html>
```

Session1.php

```
<?php
session_start();
?>
<html>
<body>
<?php
$user = $_POST['name'];
$roll = $_POST['roll'];
$dept = $_POST['dept'];

$_SESSION["user"] = $user;
$_SESSION["roll"] = $roll;
$_SESSION["dept"] = $dept;
echo "Session information are set successfully.<br/>";
?>
<a href="session2.php">Visit next page</a>
</body>
</html>
```

Session2.php

```
<?php
session_start();
?>
<html>
<body>
<?php
echo "Current Session User is: ".$_SESSION["user"];
echo " Current Session User's Roll Number is: ".$_SESSION["roll"];
echo " Current Session User's Department is: ".$_SESSION["dept"];
?>
</body>
</html>
```


Sessioncounter.php



```
<?php
session_start();

if (!isset($_SESSION['counter'])) {
    $_SESSION['counter'] = 1;
} else {
    $_SESSION['counter']++;
}
echo ("Page Views: ".$_SESSION['counter']);
?>
```

Session3.php

```
<?php
session_start();
session_destroy();
?>
```

Output:



Experiment No.11

Problem Statement: Develop a Job Portal where a user can search job skill and location wise and then apply the job. After applying job user can check the status.

Code / Answer:

index.php

```
<!doctype html>
<html lang="en">
<?php
include 'constants/settings.php';
include 'constants/check-login.php';
?>
<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <title>Kolkata Jobs - Job Portal</title>
    <meta name="description" content="Online Job Management / Job Portal" />
    <meta name="keywords" content="job, work, resume, applicants, application, employee, employer, hire, hiring, human resource management, hr, online job management, company, worker, career, recruiting, recruitment" />
    <meta name="author" content="BwireSoft" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
    <meta property="og:image" content="http://<?php echo \"$actual_link\"; ?>/images/banner.jpg" />
    <meta property="og:image:secure_url" content="https://<?php echo \"$actual_link\"; ?>/images/banner.jpg" />
    <meta property="og:image:type" content="image/jpeg" />
    <meta property="og:image:width" content="500" />
    <meta property="og:image:height" content="300" />
    <meta property="og:image:alt" content="Kolkata Jobs" />
    <meta property="og:description" content="Online Job Management / Job Portal" />

    <link rel="shortcut icon" href="images/ico/favicon.png">

    <link rel="stylesheet" type="text/css"
href="bootstrap/css/bootstrap.min.css" media="screen">
        <link href="css/animate.css" rel="stylesheet">
        <link href="css/main.css" rel="stylesheet">
        <link href="css/component.css" rel="stylesheet">
```

```
<link rel="stylesheet" href="icons/linearicons/style.css">
<link rel="stylesheet" href="icons/font-awesome/css/font-awesome.min.css">
<link rel="stylesheet" href="icons/simple-line-icons/css/simple-line-
icons.css">
    <link rel="stylesheet" href="icons/ionicons/css/ionicons.css">
    <link rel="stylesheet" href="icons/pe-icon-7-stroke/css/pe-icon-7-
stroke.css">
        <link rel="stylesheet" href="icons/rivolicons/style.css">
        <link rel="stylesheet" href="icons/flaticon-line-icon-set/flaticon-line-
icon-set.css">
            <link rel="stylesheet" href="icons/flaticon-streamline-outline/flaticon-
streamline-outline.css">
            <link rel="stylesheet" href="icons/flaticon-thick-icons/flaticon-
thick.css">
            <link rel="stylesheet" href="icons/flaticon-ventures/flaticon-
ventures.css">

            <link href="css/style.css" rel="stylesheet">

</head>

<style>

.autofit2 {
height:70px;
width:400px;
object-fit:cover;
}

.autofit3 {
height:80px;
width:100px;
object-fit:cover;
}

</style>
<body class="home">

<div id="introLoader" class="introLoading"></div>

<div class="container-wrapper">

<header id="header">
```

```
<nav class="navbar navbar-default navbar-fixed-top navbar-sticky-function">

    <div class="container">

        <div class="logo-wrapper">
            <div class="logo">
                <a href="/"></a>
            </div>
        </div>

        <div id="navbar" class="navbar-nav-wrapper navbar-arrow">

            <ul class="nav navbar-nav" id="responsive-menu">

                <li>
                    <a href="/">Home</a>
                </li>

                <li>
                    <a href="job-list.php">Job List</a>
                </li>

                <li>
                    <a href="employers.php">Employers</a>
                </li>

                <li>
                    <a href="employees.php">Employees</a>
                </li>

                <li>
                    <a href="contact.php">Contact Us</a>
                </li>

            </ul>
        </div>

        <div class="nav-mini-wrapper">
            <ul class="nav-mini sign-in">
                <?php
                if ($user_online == true) {
                    print '

```

```

        <li><a href="logout.php">logout</a></li>
        <li><a href="'.\$myrole.'">Profile</a></li>';
    }else{
        print '
            <li><a href="login.php">login</a></li>
            <li><a data-toggle="modal"
href="#registerModal">register</a></li>';
        }

    ?>

    </ul>
</div>

</div>

<div id="slicknav-mobile"></div>

</nav>

<div id="registerModal" class="modal fade login-box-wrapper"
tabindex="-1" style="display: none;" data-backdrop="static" data-
keyboard="false" data-replace="true">

    <div class="modal-header">
        <button type="button" class="close" data-dismiss="modal"
aria-hidden="true">&times;</button>
        <h4 class="modal-title text-center">Create your account
for free</h4>
    </div>

    <div class="modal-body">

        <div class="row gap-20">

            <div class="col-sm-6 col-md-6">
                <a href="register.php?p=Employer" class="btn btn-
facebook btn-block mb-5-xs">Register as Employer</a>
            </div>
            <div class="col-sm-6 col-md-6">
                <a href="register.php?p=Employee" class="btn btn-
facebook btn-block mb-5-xs">Register as Employee</a>
            </div>

        </div>

    </div>

</div>

```

```

        <div class="modal-footer text-center">
            <button type="button" data-dismiss="modal" class="btn btn-primary btn-inverse">Close</button>
        </div>

    </div>

</header>

<div class="main-wrapper">

    <div class="hero" style="background-image:url('images/hero-header/Biswa_Bangla_Gate.jpg');">
        <div class="container">

            <h1>your bright future starts here now</h1>
            <p>Finding your next job or career on Kolkata Jobs</p>

            <div class="main-search-form-wrapper">

                <form action="job-list.php" method="GET"
autocomplete="off">

                    <div class="form-holder">
                        <div class="row gap-0">

                            <div class="col-xss-6 col-xs-6 col-sm-6">
                                <select class="form-control"
name="category" required/>
                                    <option value="">-Select category-
</option>
                                    <?php
                                    require 'constants/db_config.php';
                                    try {
                                    $conn = new
PDO("mysql:host=$servername;dbname=$dbname", $username, $password);
                                    $conn-
                                >setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);

                                    $stmt = $conn->prepare("SELECT * FROM
tbl_categories ORDER BY category");
                                    $stmt->execute();
                                    $result = $stmt->fetchAll();

                                    foreach($result as $row)

```

```

        {
        ?>

        <option style="color:black"
value=<?php echo $row['category']; ?>><?php echo $row['category'];
?></option>
<?php
}
$stmt->execute();

}catch(PDOException $e)
{
}

?>

</select>
</div>

<div class="col-xss-6 col-xs-6 col-sm-6">
<select class="form-
control" name="country" required/>
<option value="">-Select country-
<?php
require 'constants/db_config.php';
try {
$conn = new
PDO("mysql:host=$servername;dbname=$dbname", $username, $password);
$conn-
>setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);

$stmt = $conn->prepare("SELECT * FROM
tbl_countries ORDER BY country_name");
$stmt->execute();
$result = $stmt->fetchAll();

foreach($result as $row)
{
?>

<option style="color:black"
value=<?php echo $row['country_name']; ?>><?php echo $row['country_name'];
?></option>
<?php
}

```

```
$stmt->execute();

}catch(PDOException $e)
{
}

?>

</select>
</div>

</div>

<div class="btn-holder">
    <button name="search" value="✓" type="submit"
class="btn"><i class="ion-android-search"></i></button>
</div>

</form>

</div>

</div>

<div class="post-hero bg-light">

<div class="container">

<div class="process-item-wrapper mt-20">

<div class="row">

<div class="col-sm-4">

<div class="process-item clearfix">

<div class="icon">
    <i class="flaticon-line-icon-set-
magnification-lens"></i>
</div>

<div class="content">
```

```
          <h5>01 / Search for jobs</h5>
        </div>

      </div>

    </div class="col-sm-4">

      <div class="process-item clearfix">

        <div class="icon">
          <i class="flaticon-line-icon-set-pencil"></i>
        </div>

        <div class="content">
          <h5>02 / Apply a Job</h5>
        </div>

      </div>

    </div class="col-sm-4">

      <div class="process-item clearfix">

        <div class="icon">
          <i class="flaticon-line-icon-set-calendar"></i>
        </div>

        <div class="content">
          <h5>03 / Start Working</h5>
        </div>

      </div>

    </div>

  </div>

</div>
```

```

<div class="pt-0 pb-50">

    <div class="container">

        <div class="row">

            <div class="col-sm-10 col-sm-offset-1 col-md-8 col-md-
offset-2">

                <div class="section-title">

                    <br><h2>Random Companies</h2>

                </div>

            </div>

        </div>

        <div class="row top-company-wrapper with-bg">

            <?php
            require 'constants/db_config.php';
            try {
                $conn = new PDO("mysql:host=$servername;dbname=$dbname",
$username, $password);
                $conn->setAttribute(PDO::ATTR_ERRMODE,
PDO::ERRMODE_EXCEPTION);

                $stmt = $conn->prepare("SELECT * FROM tbl_users WHERE role
= 'employer' ORDER BY rand() LIMIT 8");
                $stmt->execute();
                $result = $stmt->fetchAll();

                foreach($result as $row) {
                    $complogo = $row['avatar'];
                }
                <div class="col-xss-12 col-xs-6 col-sm-4 col-md-3">

                    <div class="top-company">
                    <div class="image">
                    <?php
                    if ($complogo == null) {
                        print '<center></center>';
                    }else{

```

```
        echo '<center></center>';
    }
?>
</div>
<h6><?php echo $row[ 'first_name' ] ; ?></h6>
<a target="_blank" href="company.php?ref=<?php echo
$row[ 'member_no' ] ; ?>">View Company</a>
</div>

</div>
<?php

{

}

}}catch(PDOException $e)
{
}

?>

</div>

</div>

</div>

<div class="bg-light pt-80 pb-80">

<div class="container">

<div class="row">

<div class="col-sm-10 col-sm-offset-1 col-md-8 col-md-
offset-2">

<div class="section-title">

<h2>Latest Jobs</h2>

</div>
```

```

        </div>

        </div>

<div class="row">

    <div class="col-md-12">

        <div class="recent-job-wrapper alt-stripe mr-0">
<?php
require 'constants/db_config.php';
try {
$conn = new
PDO("mysql:host=$servername;dbname=$dbname", $username, $password);
$conn->setAttribute(PDO::ATTR_ERRMODE,
PDO::ERRMODE_EXCEPTION);
$stmt = $conn->prepare("SELECT * FROM tbl_jobs
ORDER BY enc_id DESC LIMIT 8");
$stmt->execute();
$result = $stmt->fetchAll();

foreach($result as $row) {
$jobcity = $row['city'];
$jobcountry = $row['country'];
$type = $row['type'];
$title = $row['title'];
$closingdate = $row['closing_date'];
$company_id = $row['company'];
$post_date =
date_format(date_create_from_format('d/m/Y', $closingdate), 'd');
$post_month =
date_format(date_create_from_format('d/m/Y', $closingdate), 'F');
$post_year =
date_format(date_create_from_format('d/m/Y', $closingdate), 'Y');

$stmtb = $conn->prepare("SELECT * FROM tbl_users
WHERE member_no = '$company_id' and role = 'employer'");
$stmtb->execute();
$resultb = $stmtb->fetchAll();
foreach($resultb as $rowb) {
$complogo = $rowb['avatar'];
$thecompname = $rowb['first_name'];

}

if ($type == "Freelance") {

```

```

$sta = '<div class="job-label label label-
success">
    Freelance
</div>';

}
if ($type == "Part-time") {
$sta = '<div class="job-label label label-danger">
    Part-time
</div>';

}
if ($type == "Full-time") {
$sta = '<div class="job-label label label-
warning">
    Full-time
</div>';

}
?>
<a class="recent-job-item clearfix"
target="_blank" href="explore-job.php?jobid=<?php echo $row['job_id']; ?>">
    <div class="GridLex-grid-middle">
        <div class="GridLex-col-5_xs-12">
            <div class="job-position">
                <div class="image">
                    <?php
                        if ($complogo == null) {
                            print '<center></center>';
                        }else{
                            echo '<center></center>';
                        }
                    ?>
                </div>
                <div class="content">
                    <h4><?php echo "$title"; ?></h4>
                    <p><?php echo "$thecompname"; ?></p>
                </div>
            </div>
        </div>
        <div class="GridLex-col-5_xs-8_xss-12 mt-10-xss">
            <div class="job-location">
                <i class="fa fa-map-marker text-primary"></i>
<?php echo "$jobcountry" ?></strong> - <?php echo "$jobcity" ?>
            </div>
        </div>
    </div>
</a>

```

```
        </div>
        <div class="GridLex-col-2_xs-4_xss-12">
            <?php echo "$sta"; ?>
            <span class="font12 block spacing1 font400 text-center">Due - <?php echo "$post_month"; ?> <?php echo "$post_date"; ?>, <?php echo "$post_year"; ?></span>
        </div>
        </div>
    </a>

    <?php

    }

}catch(PDOException $e)
{
}

?>

</div>

</div>

</div>

</div>

</div>

<footer class="footer-wrapper">

    <div class="main-footer">

        <div class="container">

            <div class="row">

                <div class="col-sm-12 col-md-9">

                    <div class="row">

                        <div class="col-sm-6 col-md-4">
```

```

        <div class="footer-about-us">
            <h5 class="footer-title">About
Kolkata Jobs</h5>
            <p>Kolkata Jobs is a job portal,  

online job management system developed by Anupam Dutta for his project in  

November 2022 at JIS College of Engineering, Kalyani.</p>

        </div>

        </div>

        <div class="col-sm-6 col-md-5 mt-30-xs">
            <h5 class="footer-title">Quick
Links</h5>
            <ul class="footer-menu clearfix">
                <li><a href="/">Home</a></li>
                <li><a href="job-list.php">Job
List</a></li>
                <li><a href="employers.php">Employers</a></li>
                <li><a href="employees.php">Employees</a></li>
                <li><a href="contact.php">Contact
Us</a></li>
                <li><a href="#">Go to top</a></li>
            </ul>

        </div>

        </div>

        <div class="col-sm-12 col-md-3 mt-30-sm">
            <h5 class="footer-title">Kolkata Jobs
Contact</h5>
            <p>Address : Vill. Jaydebbati, Kalyani,  

Saguna, Nadia, West Bengal, India, PIN- 741245</p>
            <p>Email : <a
href="mailto:anupamdutta.kalyani@yahoo.com">anupamdutta.kalyani@yahoo.com</a></p>
            <p>Phone : <a href="tel:+91 89100 69724">+91
89100 69724</a></p>

```

```
        <p>Phone : <a href="tel:+91 91631 42597">+91  
91631 42597</a></p>  
  
    </div>  
  
    </div>  
  
    </div>  
  
    </div>  
  
    <div class="bottom-footer">  
  
        <div class="container">  
  
            <div class="row">  
  
                <div class="col-sm-4 col-md-4">  
  
                    <p class="copy-right">© Copyright <?php  
echo date('Y'); ?> Anupam Dutta Software Pvt. Ltd.</p>  
  
                </div>  
  
                <div class="col-sm-4 col-md-4">  
  
                    <ul class="bottom-footer-menu">  
                        <li><a href="#">Developed by Anupam Dutta</a></li>  
                    </ul>  
  
                </div>  
  
                <div class="col-sm-4 col-md-4">  
                    <ul class="bottom-footer-menu for-social">  
                        <li><a href="<?php echo  
"https://www.twitter.com/@kinganupamdutta"; ?>"><i class="ri ri-twitter" data-  
toggle="tooltip" data-placement="top" title="twitter"></i></a></li>  
                        <li><a href="<?php echo  
"https://www.facebook.com/king.anupam.dutta"; ?>"><i class="ri ri-facebook" data-  
toggle="tooltip" data-placement="top" title="facebook"></i></a></li>  
                        <li><a href="<?php echo  
"https://www.instagram.com/kinganupamdutta/"; ?>"><i class="ri ri-instagram" data-  
toggle="tooltip" data-placement="top" title="instagram"></i></a></li>  
                    </ul>  
                </div>  
            </div>  
        </div>  
    </div>
```

```
        </div>

    </div>

</div>

</div>



<div id="back-to-top">
    <a href="#"><i class="ion-ios-arrow-up"></i></a>
</div>

<script type="text/javascript" src="js/jquery-1.11.3.min.js"></script>
<script type="text/javascript" src="js/jquery-migrate-1.2.1.min.js"></script>
<script type="text/javascript" src="bootstrap/js/bootstrap.min.js"></script>
<script type="text/javascript" src="js/bootstrap-modalmanager.js"></script>
<script type="text/javascript" src="js/bootstrap-modal.js"></script>
<script type="text/javascript" src="js/smoothscroll.js"></script>
<script type="text/javascript" src="js/jquery.easing.1.3.js"></script>
<script type="text/javascript" src="js/jquery.waypoints.min.js"></script>
<script type="text/javascript" src="js/wow.min.js"></script>
<script type="text/javascript" src="js/jquery.slicknav.min.js"></script>
<script type="text/javascript" src="js/jquery.placeholder.min.js"></script>
<script type="text/javascript" src="js/bootstrap-tokenfield.js"></script>
<script type="text/javascript" src="js/typeahead.bundle.min.js"></script>
<script type="text/javascript" src="js/bootstrap3-wysihtml5.min.js"></script>
<script type="text/javascript" src="js/bootstrap-select.min.js"></script>
<script type="text/javascript" src="js/jquery-filestyle.min.js"></script>
<script type="text/javascript" src="js/bootstrap-select.js"></script>
<script type="text/javascript" src="js/ion.rangeSlider.min.js"></script>
<script type="text/javascript" src="js/handlebars.min.js"></script>
<script type="text/javascript" src="js/jquery.countimator.js"></script>
<script type="text/javascript" src="js/jquery.countimator.wheel.js"></script>
<script type="text/javascript" src="js/slick.min.js"></script>
<script type="text/javascript" src="js/easy-ticker.js"></script>
<script type="text/javascript" src="js/jquery.introLoader.min.js"></script>
<script type="text/javascript" src="js/jquery.responsivegrid.js"></script>
<script type="text/javascript" src="js/customs.js"></script>

</body>
```

```
</html>
```

Output:



Job-list.php

```
<!doctype html>
<html lang="en">
<?php
require 'constants/settings.php';
require 'constants/check-login.php';
$fromsearch = false;
```

```

if (isset($_GET['search'])) && $_GET['search'] == "✓") {

}else{

}

if (isset($_GET['page'])) {
$page = $_GET['page'];
if ($page=="" || $page=="1")
{
$page1 = 0;
$page = 1;
}else{
$page1 = ($page*16)-16;
}
}else{
$page1 = 0;
$page = 1;
}

if (isset($_GET['country']) && ($_GET['category'])) ){
$cate = $_GET['category'];
$country = $_GET['country'];
$query1 = "SELECT * FROM tbl_jobs WHERE category = :cate AND country = :country ORDER BY enc_id DESC LIMIT $page1,12";
$query2 = "SELECT * FROM tbl_jobs WHERE category = :cate AND country = :country ORDER BY enc_id DESC";
$fromsearch = true;

$slc_country = "$country";
$slc_category = "$cate";
$title = "$slc_category jobs in $slc_country";
}else{
$query1 = "SELECT * FROM tbl_jobs ORDER BY enc_id DESC LIMIT $page1,12";
$query2 = "SELECT * FROM tbl_jobs ORDER BY enc_id DESC";
$slc_country = "NULL";
$slc_category = "NULL";
$title = "Job List";
}
?>

<head>

<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">

```

```
<title>Kolkata Jobs - <?php echo "$title"; ?></title>
<meta name="description" content="Online Job Management / Job Portal" />
<meta name="keywords" content="job, work, resume, applicants, application,
employee, employer, hire, hiring, human resource management, hr, online job
management, company, worker, career, recruiting, recruitment" />
<meta name="author" content="BwireSoft">
<meta name="viewport" content="width=device-width, initial-scale=1,
maximum-scale=1">
<meta property="og:image" content="http://<?php echo "$actual_link";
?>/images/banner.jpg" />
<meta property="og:image:secure_url" content="https://<?php echo
"$actual_link"; ?>/images/banner.jpg" />
<meta property="og:image:type" content="image/jpeg" />
<meta property="og:image:width" content="500" />
<meta property="og:image:height" content="300" />
<meta property="og:image:alt" content="Kolkata Jobs" />
<meta property="og:description" content="Online Job Management / Job
Portal" />

<link rel="shortcut icon" href="images/ico/favicon.png">

<link rel="stylesheet" type="text/css"
href="bootstrap/css/bootstrap.min.css" media="screen">
<link href="css/animate.css" rel="stylesheet">
<link href="css/main.css" rel="stylesheet">
<link href="css/component.css" rel="stylesheet">

<link rel="stylesheet" href="icons/linearicons/style.css">
<link rel="stylesheet" href="icons/font-awesome/css/font-awesome.min.css">
<link rel="stylesheet" href="icons/simple-line-icons/css/simple-line-
icons.css">
<link rel="stylesheet" href="icons/ionicons/css/ionicons.css">
<link rel="stylesheet" href="icons/pe-icon-7-stroke/css/pe-icon-7-
stroke.css">
<link rel="stylesheet" href="icons/rivolicons/style.css">
<link rel="stylesheet" href="icons/flaticon-line-icon-set/flaticon-line-
icon-set.css">
<link rel="stylesheet" href="icons/flaticon-streamline-outline/flaticon-
streamline-outline.css">
<link rel="stylesheet" href="icons/flaticon-thick-icons/flaticon-
thick.css">
<link rel="stylesheet" href="icons/flaticon-ventures/flaticon-
ventures.css">

<link href="css/style.css" rel="stylesheet">

</head>
```

```
<body class="not-transparent-header">

    <div class="container-wrapper">

        <header id="header">

            <nav class="navbar navbar-default navbar-fixed-top navbar-sticky-function">

                <div class="container">

                    <div class="logo-wrapper">
                        <div class="logo">
                            <a href="/"></a>
                        </div>
                    </div>

                    <div id="navbar" class="navbar-nav-wrapper navbar-arrow">

                        <ul class="nav navbar-nav" id="responsive-menu">

                            <li>
                                <a href="/">Home</a>
                            </li>

                            <li>
                                <a href="job-list.php">Job List</a>
                            </li>

                            <li>
                                <a href="employers.php">Employers</a>
                            </li>

                            <li>
                                <a href="employees.php">Employees</a>
                            </li>

                            <li>
                                <a href="contact.php">Contact Us</a>
                            </li>

                        </ul>
                    </div>
                </div>
            </nav>
        </div>
    </div>
</body>
```

```

        </div>

        <div class="nav-mini-wrapper">
            <ul class="nav-mini sign-in">
                <?php
                    if ($user_online == true) {
                        print '
                            <li><a href="logout.php">logout</a></li>
                            <li><a href="'. $myrole .'>Profile</a></li>';
                    }else{
                        print '
                            <li><a href="login.php">login</a></li>
                            <li><a data-toggle="modal"
                        href="#registerModal">register</a></li>';
                    }
                ?>

            </ul>
        </div>

    </div>

    <div id="slicknav-mobile"></div>

</nav>

<div id="registerModal" class="modal fade login-box-wrapper"
tabindex="-1" style="display: none;" data-backdrop="static" data-
keyboard="false" data-replace="true">

    <div class="modal-header">
        <button type="button" class="close" data-dismiss="modal"
aria-hidden="true">&times;</button>
        <h4 class="modal-title text-center">Create your account
for free</h4>
    </div>

    <div class="modal-body">

        <div class="row gap-20">

            <div class="col-sm-6 col-md-6">
                <a href="register.php?p=Employer" class="btn btn-
facebook btn-block mb-5-xs">Register as Employer</a>
            </div>
            <div class="col-sm-6 col-md-6">

```

```

                <a href="register.php?p=Employee" class="btn btn-
facebook btn-block mb-5-xs">Register as Employee</a>
            </div>

        </div>

        <div class="modal-footer text-center">
            <button type="button" data-dismiss="modal" class="btn btn-
primary btn-inverse">Close</button>
        </div>

    </div>

</header>

<div class="main-wrapper">

    <div class="second-search-result-wrapper">

        <div class="container">

            <form action="job-list.php" method="GET"
autocomplete="off">

                <div class="second-search-result-inner">
                    <span class="labeling">Search a job</span>
                    <div class="row">

                        <div class="col-xss-12 col-xs-6 col-sm-6 col-
md-5">
                            <div class="form-group form-lg">
                                <select class="form-control"
name="category" required>
                                    <option value="">-Select category-
</option>
                                    <?php
                                        require 'constants/db_config.php';
                                        try {
                                            $conn = new
PDO("mysql:host=$servername;dbname=$dbname", $username, $password);
                                            $conn-
                                        >setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);

                                    $stmt = $conn->prepare("SELECT * FROM
tbl_categories ORDER BY category");

```

```

$stmt->execute();
$result = $stmt->fetchAll();

foreach($result as $row)

{
$cat = $row['category'];
?>
<option <?php if ($slc_category ==
"$cat") { print ' selected ' ; } ?> value=<?php echo $row['category'];
?>><?php echo $row['category']; ?></option>
<?php
}
$stmt->execute();

}catch(PDOException $e)
{
}

}

?>

</select>
</div>
</div>

<div class="col-xss-12 col-xs-6 col-sm-6 col-
md-5">

<div class="form-group form-lg">
<select class="form-control"
name="country" required>
<option value="">-Select country-
</option>
<?php
require 'constants/db_config.php';
try {
$conn = new
PDO("mysql:host=$servername;dbname=$dbname", $username, $password);
$conn-
>setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);

$stmt = $conn->prepare("SELECT * FROM
tbl_countries ORDER BY country_name");
$stmt->execute();
$result = $stmt->fetchAll();

foreach($result as $row)

```

```

        {
            $cnt = $row['country_name'];
        ?>

            <option <?php if ($slc_country ==
"$cnt") { print ' selected ' ; } ?> value=<?php echo $row['country_name'];
?>"<?php echo $row['country_name']; ?></option>
            <?php
            }
            $stmt->execute();

        }catch(PDOException $e)
        {
            }

        ?>
    </select>
</div>
</div>

<div class="col-xss-12 col-xs-6 col-sm-4 col-md-2">
    <button name="search" value="√"
type="submit" class="btn btn-block">Search</button>
</div>

    </div>
</div>

</form>

</div>

</div>

<div class="breadcrumb-wrapper">

    <div class="container">

        <ol class="breadcrumb-list booking-step">
            <li><a href="/">Home</a></li>
            <li><span><?php echo "$title"; ?></span></li>
        </ol>

    </div>

```

```

        </div>

    <div class="section sm">
        <div class="container">
            <div class="sorting-wrapper">
                <div class="sorting-header">
                    <h3 class="sorting-title"><?php echo "$title"; ?></h3>
                </div>
            </div>
            <div class="result-wrapper">
                <div class="row">
                    <div class="col-sm-12 col-md-12 mt-25">
                        <div class="result-list-wrapper">
                            <?php
                                require 'constants/db_config.php';

                                try {
                                    $conn = new
                                PDO("mysql:host=$servername;dbname=$dbname", $username, $password);
                                    $conn->setAttribute(PDO::ATTR_ERRMODE,
                                PDO::ERRMODE_EXCEPTION);
                                    $stmt = $conn->prepare($query1);
                                    if ($fromsearch == true) {
                                        $stmt->bindParam(':cate', $slc_category);
                                        $stmt->bindParam(':country', $slc_country);
                                    }
                                    $stmt->execute();
                                    $result = $stmt->fetchAll();
                                    foreach($result as $row)
                                    {
                                        $post_date =
                                            date_format(date_create_from_format('d/m/Y', $row['closing_date']), 'd');
                                        $post_month =
                                            date_format(date_create_from_format('d/m/Y', $row['closing_date']), 'F');
                                        $post_year =
                                            date_format(date_create_from_format('d/m/Y', $row['closing_date']), 'Y');
                                    }
                                }
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        $type = $row['type'];
        $compid = $row['company'];

        $stmtb = $conn->prepare("SELECT * FROM
tbl_users WHERE member_no = '$compid' and role = 'employer'");
        $stmtb->execute();
        $resultb = $stmtb->fetchAll();
        foreach($resultb as $rowb) {
        $complogo = $rowb['avatar'];
        $thecompname = $rowb['first_name'];

        }
        if ($type == "Freelance") {
        $sta = '<span class="job-label label label-
success">Freelance</span>';

        }
        if ($type == "Part-time") {
        $sta = '<span class="job-label label label-
danger">Part-time</span>';

        }
        if ($type == "Full-time") {
        $sta = '<span class="job-label label label-
warning">Full-time</span>';

        }

        ?>
        <div class="job-item-list">

        <div class="image">
        <?php
        if ($complogo == null) {
        print '<center></center>';
        }else{
        echo '<center></center>';
        }
        ?>
        </div>

        <div class="content">
        <div class="job-item-list-info">

                <div class="row">

```

```
<div class="col-sm-7 col-md-8">

    <h4 class="heading"><?php echo $row['title']; ?></h4>
    <div class="meta-div clearfix mb-25">
        <span>at <a href="company.php?ref=<?php echo "$compid"; ?>"><?php echo "$the_comppname"; ?></a></span>
        <?php echo "$sta"; ?>
    </div>

    <p class="texting character_limit"><?php echo $row['description']; ?></p>
    </div>

    <div class="col-sm-5 col-md-4">
        <ul class="meta-list">
            <li>
                <span>Country:</span>
                <?php echo $row['country']; ?>
            </li>
            <li>
                <span>City:</span>
                <?php echo $row['city']; ?>
            </li>
            <li>
                <span>Experience:</span>
                <?php echo $row['experience']; ?>
            </li>
            <li>
                <span>Deadline:</span>
                <?php echo "$post_month"; ?> <?php echo "$post_date"; ?>, <?php echo "$post_year"; ?>
            </li>
        </ul>
    </div>
```

```
        </div>

        </div>

<div class="job-item-list-bottom">

    <div class="row">

        <div class="col-sm-7 col-md-8">
            <div class="sub-category">
                <a><?php echo $row[ 'category' ]; ?></a>
                </div>
            </div>

            <div class="col-sm-5 col-md-4">
                <a target="_blank" href="explore-job.php?jobid=<?php echo $row[ 'job_id' ]; ?>" class="btn btn-primary">View This Job</a>
                </div>
            </div>

            </div>
        </div>
        <?php
    }

} catch(PDOException $e)
{
    <?php
}
</div>

<div class="pager-wrapper">
```

```

<ul class="pager-list">
<?php
$total_records = 0;
require 'constants/db_config.php';

try {
$conn = new
PDO("mysql:host=$servername;dbname=$dbname", $username, $password);
$conn->setAttribute(PDO::ATTR_ERRMODE,
PDO::ERRMODE_EXCEPTION);
$stmt = $conn->prepare($query2);
if ($fromsearch == true) {
$stmt->bindParam(':cate', $slc_category);
$stmt->bindParam(':country', $slc_country);
}
$stmt->execute();
$result = $stmt->fetchAll();

foreach($result as $row)
{
$total_records++;
}

}catch(PDOException $e)
{
}

$records = $total_records/12;
$records = ceil($records);
if ($records > 1 ) {
$prevpage = $page - 1;
$nextpage = $page + 1;

print '<li class="paging-nav" ' ; if ($page ==
"1") { print 'class="disabled"'; } print '><a ' ; if ($page == "1") { print '' ;
} else { print 'href="job-list.php?page='.$prevpage.''; ?> <?php if
($fromsearch == true) { print
'&category='.$cate.'&country='.$country.'&search=/'; } '';} print '"><i
class="fa fa-chevron-left"></i></a></li>';
for ($b=1;$b<=$records;$b++)
{

?><li class="paging-nav" ><a <?php if ($b ==
$page) { print ' style="background-color:#33B6CB; color:white" ' ;
?> href="job-list.php?page=<?php echo "$b"; ?><?php if ($fromsearch == true)

```

```
{ print '&category='.$cate.'&country='.$country.'&search=✓'; }?>"><?php echo  
$b." "; ?></a></li><?php  
}  
print '<li class="paging-nav"'; if ($page ==  
$records) { print 'class="disabled"'; } print '><a ' ; if ($page == $records) {  
print ''; } else { print 'href="job-list.php?page='.$nextpage.'"; ?> <?php if  
($fromsearch == true) { print  
'&category='.$cate.'&country='.$country.'&search=✓'; } '';} print '"><i  
class="fa fa-chevron-right"></i></a></li>';  
}  
  
?  
  
</ul>  
  
</div>  
  
</div>  
  
</div>  
  
</div>  
  
</div>  
  
</div>  
  
<div class="main-footer">  
  
<div class="container">  
  
<div class="row">  
    <div class="col-sm-12 col-md-9">  
        <div class="row">  
            <div class="col-sm-6 col-md-4">  
                <div class="footer-about-us">  
                    <h5 class="footer-title">About  
Kolkata Jobs</h5>
```

```
                                <p>Kolkata Jobs is a job portal,  
online job management system developed by Anupam Dutta for his project in  
November 2022 at JIS College of Engineering, Kalyani.</p>  
  
                                </div>  
  
                                </div>  
  
                                <div class="col-sm-6 col-md-5 mt-30-xs">  
                                    <h5 class="footer-title">Quick  
Links</h5>  
                                    <ul class="footer-menu clearfix">  
                                        <li><a href="/">Home</a></li>  
                                        <li><a href="job-list.php">Job  
List</a></li>  
                                        <li><a href="employers.php">Employers</a></li>  
                                        <li><a href="employees.php">Employees</a></li>  
                                        <li><a href="contact.php">Contact  
Us</a></li>  
                                        <li><a href="#">Go to top</a></li>  
                                    </ul>  
                                </div>  
                                </div>  
                                </div>  
  
                                <div class="col-sm-12 col-md-3 mt-30-sm">  
                                    <h5 class="footer-title">Kolkata Jobs  
Contact</h5>  
                                    <p>Address : Vill. Jaydebbati, Kalyani,  
Saguna, Nadia, West Bengal, India, PIN- 741245</p>  
                                    <p>Email : <a  
href="mailto:anupamdutta.kalyani@yahoo.com">anupamdutta.kalyani@yahoo.com</a></p>  
                                    <p>Phone : <a href="tel:+91 89100 69724">+91  
89100 69724</a></p>  
                                    <p>Phone : <a href="tel:+91 91631 42597">+91  
91631 42597</a></p>  
                                </div>
```

```
</div>

</div>

</div>

<div class="bottom-footer">

    <div class="container">

        <div class="row">

            <div class="col-sm-4 col-md-4">

                <p class="copy-right">© Copyright <?php echo date('Y'); ?> Anupam Dutta Software Pvt. Ltd.</p>

            </div>

            <div class="col-sm-4 col-md-4">

                <ul class="bottom-footer-menu">
                    <li><a href="#">Developed by Anupam Dutta</a></li>
                </ul>

            </div>

            <div class="col-sm-4 col-md-4">
                <ul class="bottom-footer-menu for-social">
                    <li><a href="<?php echo "https://www.twitter.com/@kinganupamdutta"; ?>"><i class="ri ri-twitter" data-toggle="tooltip" data-placement="top" title="twitter"></i></a></li>
                    <li><a href="<?php echo "https://www.facebook.com/king.anupam.dutta"; ?>"><i class="ri ri-facebook" data-toggle="tooltip" data-placement="top" title="facebook"></i></a></li>
                    <li><a href="<?php echo "https://www.instagram.com/kinganupamdutta/"; ?>"><i class="ri ri-instagram" data-toggle="tooltip" data-placement="top" title="instagram"></i></a></li>
                </ul>
            </div>

        </div>

    </div>

</div>
```

```
</footer>

</div>

</div>
<div id="back-to-top">
  <a href="#"><i class="ion-ios-arrow-up"></i></a>
</div>

<script type="text/javascript" src="js/jquery-1.11.3.min.js"></script>
<script type="text/javascript" src="js/jquery-migrate-1.2.1.min.js"></script>
<script type="text/javascript" src="bootstrap/js/bootstrap.min.js"></script>
<script type="text/javascript" src="js/bootstrap-modalmanager.js"></script>
<script type="text/javascript" src="js/bootstrap-modal.js"></script>
<script type="text/javascript" src="js/smoothscroll.js"></script>
<script type="text/javascript" src="js/jquery.easing.1.3.js"></script>
<script type="text/javascript" src="js/jquery.waypoints.min.js"></script>
<script type="text/javascript" src="js/wow.min.js"></script>
<script type="text/javascript" src="js/jquery.slicknav.min.js"></script>
<script type="text/javascript" src="js/jquery.placeholder.min.js"></script>
<script type="text/javascript" src="js/bootstrap-tokenfield.js"></script>
<script type="text/javascript" src="js/typeahead.bundle.min.js"></script>
<script type="text/javascript" src="js/bootstrap3-wysihtml5.min.js"></script>
<script type="text/javascript" src="js/bootstrap-select.min.js"></script>
<script type="text/javascript" src="js/jquery-filestyle.min.js"></script>
<script type="text/javascript" src="js/bootstrap-select.js"></script>
<script type="text/javascript" src="js/ion.rangeSlider.min.js"></script>
<script type="text/javascript" src="js/handlebars.min.js"></script>
<script type="text/javascript" src="js/jquery.countimator.js"></script>
<script type="text/javascript" src="js/jquery.countimator.wheel.js"></script>
<script type="text/javascript" src="js/slick.min.js"></script>
<script type="text/javascript" src="js/easy-ticker.js"></script>
<script type="text/javascript" src="js/jquery.introLoader.min.js"></script>
<script type="text/javascript" src="js/jquery.responsivegrid.js"></script>
<script type="text/javascript" src="js/customs.js"></script>

</body>

</html>
```

Output:

The screenshot shows the 'SEARCH A JOB' page of the Kolkata Jobs website. At the top, there is a navigation bar with links for 'home', 'job list', 'employers', 'employees', and 'contact us'. On the right side of the navigation bar are 'logout' and 'profile' buttons. Below the navigation bar is a search form with dropdown menus for 'Select category' and 'Select country', and a 'SEARCH' button. The main content area has a teal header with the text 'SEARCH A JOB'. Below this, there is a breadcrumb trail: 'Home / Job List'. The main content displays a job listing for a 'Data Science Prof.' position at 'JIS COLLEGE OF ENGINEERING, KALYANI'. The listing includes the job title, employer name, and status ('FULL-TIME'). It also provides a brief description: 'Experience in the domain of data science, IOT and other relevant new edge technologies.', a 'Education and Training' button, and a 'VIEW THIS JOB' button. To the right of the job listing, there are details about the job: 'Country: India', 'City: KALYANI', 'Experience: Expert', and 'Deadline: December 31, 2022'.

Job List

The screenshot shows the 'Job List' page of the Kolkata Jobs website. At the top, there is a navigation bar with links for 'home', 'job list', 'employers', 'employees', and 'contact us'. On the right side of the navigation bar are 'logout' and 'profile' buttons. Below the navigation bar is a search form with dropdown menus for 'Select category' and 'Select country', and a 'SEARCH' button. The main content area displays a job listing for a 'Data Science Prof.' position at 'JIS COLLEGE OF ENGINEERING, KALYANI'. The listing includes the job title, employer name, and status ('FULL-TIME'). It also provides a brief description: 'Experience in the domain of data science, IOT and other relevant new edge technologies.', a 'Education and Training' button, and a 'VIEW THIS JOB' button. To the right of the job listing, there are details about the job: 'Country: India', 'City: KALYANI', 'Experience: Expert', and 'Deadline: December 31, 2022'. Below this listing, there is another job listing for a 'Technical Engineer' position at 'Alliance Broadband Pvt. Ltd'. The listing includes the job title, employer name, and status ('FULL-TIME'). It also provides a brief description: 'This is a complete system that has both android version and the desktop version. It also manages sales and can be used manage attendance as well.', a 'IT and Telecoms' button, and a 'VIEW THIS JOB' button. To the right of this listing, there are details about the job: 'Country: Kolkata, West Bengal', 'City: Alliance Broadband Services Pvt. Ltd', 'Experience: 2 Years', and 'Deadline: December 31, 2022'. A screenshot of a Microsoft OneDrive window is overlaid on the bottom right, showing a message: 'Screenshot saved' and 'The screenshot was added to your OneDrive.'

employers.php

```
<!doctype html>
<html lang="en">
<?php
require 'constants/settings.php';
require 'constants/check-login.php';

if (isset($_GET['page'])) {
```

```

$page = $_GET['page'];
if ($page=="" || $page=="1")
{
$page1 = 0;
$page = 1;
}else{
$page1 = ($page*16)-16;
}
}else{
$page1 = 0;
$page = 1;
}
?>
<head>

<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">

<title>Kolkata Jobs - Employers</title>
<meta name="description" content="Online Job Management / Job Portal" />
<meta name="keywords" content="job, work, resume, applicants, application, employee, employer, hire, hiring, human resource management, hr, online job management, company, worker, career, recruiting, recruitment" />
<meta name="author" content="BwireSoft">
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
<meta property="og:image" content="http://<?php echo "$actual_link"; ?>/images/banner.jpg" />
<meta property="og:image:secure_url" content="https://<?php echo "$actual_link"; ?>/images/banner.jpg" />
<meta property="og:image:type" content="image/jpeg" />
<meta property="og:image:width" content="500" />
<meta property="og:image:height" content="300" />
<meta property="og:image:alt" content="Bwire Jobs" />
<meta property="og:description" content="Online Job Management / Job Portal" />

<link rel="shortcut icon" href="images/ico/favicon.png">

<link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">
<link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">
<link rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">
<link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-precomposed.png">

```

```
<link rel="shortcut icon" href="images/ico/favicon.png">

<link rel="stylesheet" type="text/css"
href="bootstrap/css/bootstrap.min.css" media="screen">
    <link href="css/animate.css" rel="stylesheet">
    <link href="css/main.css" rel="stylesheet">
    <link href="css/component.css" rel="stylesheet">

    <link rel="stylesheet" href="icons/linearicons/style.css">
    <link rel="stylesheet" href="icons/font-awesome/css/font-awesome.min.css">
        <link rel="stylesheet" href="icons/simple-line-icons/css/simple-line-
icons.css">
        <link rel="stylesheet" href="icons/ionicons/css/ionicons.css">
        <link rel="stylesheet" href="icons/pe-icon-7-stroke/css/pe-icon-7-
stroke.css">
        <link rel="stylesheet" href="icons/rivolicons/style.css">
        <link rel="stylesheet" href="icons/flaticon-line-icon-set/flaticon-line-
icon-set.css">
        <link rel="stylesheet" href="icons/flaticon-streamline-outline/flaticon-
streamline-outline.css">
        <link rel="stylesheet" href="icons/flaticon-thick-icons/flaticon-
thick.css">
        <link rel="stylesheet" href="icons/flaticon-ventures/flaticon-
ventures.css">

    <link href="css/style.css" rel="stylesheet">

</head>
<style>

    .autofit2 {
        height:100px;
        width:100px;
        object-fit:cover;
    }

</style>

<body class="not-transparent-header">

    <div class="container-wrapper">

        <header id="header">
```

```
<nav class="navbar navbar-default navbar-fixed-top navbar-sticky-function">

    <div class="container">

        <div class="logo-wrapper">
            <div class="logo">
                <a href="/"></a>
            </div>
        </div>

        <div id="navbar" class="navbar-nav-wrapper navbar-arrow">

            <ul class="nav navbar-nav" id="responsive-menu">

                <li>
                    <a href="/">Home</a>
                </li>

                <li>
                    <a href="job-list.php">Job List</a>
                </li>

                <li>
                    <a href="employers.php">Employers</a>
                </li>

                <li>
                    <a href="employees.php">Employees</a>
                </li>

                <li>
                    <a href="contact.php">Contact Us</a>
                </li>

            </ul>
        </div>

        <div class="nav-mini-wrapper">
            <ul class="nav-mini sign-in">
                <?php
                if ($user_online == true) {
                    print '

```

```

        <li><a href="logout.php">logout</a></li>
        <li><a href="'.\$myrole.'">Profile</a></li>';
    }else{
        print '
            <li><a href="login.php">login</a></li>
            <li><a data-toggle="modal"
href="#registerModal">register</a></li>';
        }

    ?>

    </ul>
</div>

</div>

<div id="slicknav-mobile"></div>

</nav>

<div id="registerModal" class="modal fade login-box-wrapper"
tabindex="-1" style="display: none;" data-backdrop="static" data-
keyboard="false" data-replace="true">

    <div class="modal-header">
        <button type="button" class="close" data-dismiss="modal"
aria-hidden="true">&times;</button>
        <h4 class="modal-title text-center">Create your account
for free</h4>
    </div>

    <div class="modal-body">

        <div class="row gap-20">

            <div class="col-sm-6 col-md-6">
                <a href="register.php?p=Employer" class="btn btn-
facebook btn-block mb-5-xs">Register as Employer</a>
            </div>
            <div class="col-sm-6 col-md-6">
                <a href="register.php?p=Employee" class="btn btn-
facebook btn-block mb-5-xs">Register as Employee</a>
            </div>

        </div>

    </div>

</div>

```

```
        <div class="modal-footer text-center">
            <button type="button" data-dismiss="modal" class="btn btn-primary btn-inverse">Close</button>
        </div>

    </div>

</header>

<div class="main-wrapper">

    <div class="breadcrumb-wrapper">

        <div class="container">

            <ol class="breadcrumb-list booking-step">
                <li><a href="/">Home</a></li>
                <li><span>Employers</span></li>
            </ol>

        </div>

    </div>

    <div class="section sm">

        <div class="container">

            <div class="sorting-wrappper alt">

                <div class="GridLex-grid-middle">

                    <div class="GridLex-col-3_sm-12_xs-12">

                        <div class="sorting-header">
                            <h3 class="sorting-title">Employers</h3>
                        </div>

                    </div>

                </div>

            </div>

        </div>

    
```

```

<div class="company-grid-wrapper top-company-2-wrapper">

    <div class="GridLex-gap-30">

        <div class="GridLex-grid-noGutter-equalHeight">
            <?php
            require 'constants/db_config.php';
            try {
                $conn = new
PDO("mysql:host=$servername;dbname=$dbname", $username, $password);
                $conn->setAttribute(PDO::ATTR_ERRMODE,
PDO::ERRMODE_EXCEPTION);

                $stmt = $conn->prepare("SELECT * FROM tbl_users
WHERE role = 'employer' ORDER BY first_name LIMIT $page1,16");
                $stmt->execute();
                $result = $stmt->fetchAll();

                foreach($result as $row)
                {
                    $complogo = $row['avatar'];
                    ?>
                    <div class="GridLex-col-3_sm-4_xs-6_xss-12">

                        <div class="top-company-2">
                            <a target="_blank" href="company.php?ref=<?php
echo $row['member_no']; ?>">

                                <div class="image">
                                    <?php
                                    if ($complogo == null) {
                                        print '<center></center>';
                                    }else{
                                        echo '<center></center>';
                                    }
                                    ?>

                                </div>

                                <div class="content">
                                    <h5 class="heading text-primary font700"><?php
echo $row['first_name'];?></h5>
                                    <p class="texting font600"><?php echo
$row['title'];?><p>
```

```

        <p class="mata-p clearfix"><span class="text-primary font700">25</span> <span class="font13">Active job post(s)</span>
<span class="pull-right icon"><i class="fa fa-long-arrow-right"></i></span></p>
        </div>

        </a>

        </div>

        </div>
<?php

}

} catch(PDOException $e)
{
}

} ?>

        </div>

        </div>

        </div>

        <div class="pager-wrapper">

            <ul class="pager-list">
<?php
require 'constants/db_config.php';
$total_records = 0;
try {
$conn = new
PDO("mysql:host=$servername;dbname=$dbname", $username, $password);
$conn->setAttribute(PDO::ATTR_ERRMODE,
PDO::ERRMODE_EXCEPTION);

$stmt = $conn->prepare("SELECT * FROM tbl_users
WHERE role = 'employer' ORDER BY first_name");
$stmt->execute();
$result = $stmt->fetchAll();

```

```

        foreach($result as $row)
        {
            $total_records++;

        }

    }catch(PDOException $e)
    {

    } ?>

    <?php
    $records = $total_records/16;
    $records = ceil($records);
    if ($records > 1 ) {
        $prevpage = $page - 1;
        $nextpage = $page + 1;

        print '<li class="paging-nav" ';
        if ($page == "1") { print 'class="disabled"'; } print '><a ';
        if ($page == "1") { print '';}
        else { print 'href="employers.php?page='.$prevpage.'"';} print '><i
        class="fa fa-chevron-left"></i></a></li>';
        for ($b=1;$b<=$records;$b++)
        {

            ?><li class="paging-nav" ><a <?php if ($b ==
$page) { print ' style="background-color:#33B6CB; color:white" ';}
            ?> href="employers.php?page=<?php echo "$b"; ?>"><?php echo $b." ";
            ?></a></li><?php
        }

        print '<li class="paging-nav" ';
        if ($page == $records) { print 'class="disabled"'; } print '><a ';
        if ($page == $records) { print '';}
        else { print 'href="employers.php?page='.$nextpage.'"';} print
        '><i class="fa fa-chevron-right"></i></a></li>';
    }

    ?>

    </ul>

    </div>

</div>

```

```
<footer class="footer-wrapper">

    <div class="main-footer">

        <div class="container">

            <div class="row">
                <div class="col-sm-12 col-md-9">
                    <div class="row">
                        <div class="col-sm-6 col-md-4">
                            <div class="footer-about-us">
                                <h5 class="footer-title">About
                                Kolkata Jobs</h5>
                                <p>Kolkata Jobs is a job portal,  
online job management system developed by Anupam Dutta for his project in  
November 2022 at JIS College of Engineering, Kalyani.</p>
                            </div>
                        </div>
                    </div>
                <div class="col-sm-6 col-md-5 mt-30-xs">
                    <h5 class="footer-title">Quick
                    Links</h5>
                    <ul class="footer-menu clearfix">
                        <li><a href="/">Home</a></li>
                        <li><a href="job-list.php">Job
                        List</a></li>
                        <li><a href="employers.php">Employers</a></li>
                        <li><a href="employees.php">Employees</a></li>
                        <li><a href="contact.php">Contact
                        Us</a></li>
                        <li><a href="#">Go to top</a></li>
                    </ul>
                </div>
            </div>
        </div>
    </div>
```

```
<div class="col-sm-12 col-md-3 mt-30-sm">

    <h5 class="footer-title">Kolkata Jobs
Contact</h5>

    <p>Address : Vill. Jaydebbati, Kalyani,
Saguna, Nadia, West Bengal, India, PIN- 741245</p>
    <p>Email : <a href="mailto:anupamdutta.kalyani@yahoo.com">anupamdutta.kalyani@yahoo.com</a></p>
    <p>Phone : <a href="tel:+91 89100 69724">+91
89100 69724</a></p>
    <p>Phone : <a href="tel:+91 91631 42597">+91
91631 42597</a></p>

    </div>

</div>

</div>

</div>

<div class="bottom-footer">

    <div class="container">

        <div class="row">

            <div class="col-sm-4 col-md-4">

                <p class="copy-right">© Copyright <?php
echo date('Y'); ?> Anupam Dutta Software Pvt. Ltd.</p>

            </div>

            <div class="col-sm-4 col-md-4">

                <ul class="bottom-footer-menu">
                    <li><a href="#">Developed by Anupam Dutta</a></li>
                </ul>

            </div>

            <div class="col-sm-4 col-md-4">
                <ul class="bottom-footer-menu for-social">
```

```

                <li><a href="<?php echo
"https://www.twitter.com/@kinganupamdutta"; ?>"><i class="ri ri-twitter" data-
toggle="tooltip" data-placement="top" title="twitter"></i></a></li>
                <li><a href="<?php echo
"https://www.facebook.com/king.anupam.dutta"; ?>"><i class="ri ri-facebook" data-
toggle="tooltip" data-placement="top" title="facebook"></i></a></li>
                <li><a href="<?php echo
"https://www.instagram.com/kinganupamdutta/"; ?>"><i class="ri ri-instagram" data-
toggle="tooltip" data-placement="top" title="instagram"></i></a></li>
            </ul>
        </div>

    </div>

</div>

</div>

</div>

<div id="back-to-top">
    <a href="#"><i class="ion-ios-arrow-up"></i></a>
</div>

<script type="text/javascript" src="js/jquery-1.11.3.min.js"></script>
<script type="text/javascript" src="js/jquery-migrate-1.2.1.min.js"></script>
<script type="text/javascript" src="bootstrap/js/bootstrap.min.js"></script>
<script type="text/javascript" src="js/bootstrap-modalmanager.js"></script>
<script type="text/javascript" src="js/bootstrap-modal.js"></script>
<script type="text/javascript" src="js/smoothscroll.js"></script>
<script type="text/javascript" src="js/jquery.easing.1.3.js"></script>
<script type="text/javascript" src="js/jquery.waypoints.min.js"></script>
<script type="text/javascript" src="js/wow.min.js"></script>
<script type="text/javascript" src="js/jquery.slicknav.min.js"></script>
<script type="text/javascript" src="js/jquery.placeholder.min.js"></script>
<script type="text/javascript" src="js/bootstrap-tokenfield.js"></script>
<script type="text/javascript" src="js/typeahead.bundle.min.js"></script>
<script type="text/javascript" src="js/bootstrap3-wysihtml5.min.js"></script>
<script type="text/javascript" src="js/bootstrap-select.min.js"></script>
<script type="text/javascript" src="js/jquery-filestyle.min.js"></script>
<script type="text/javascript" src="js/bootstrap-select.js"></script>
<script type="text/javascript" src="js/ion.rangeSlider.min.js"></script>
<script type="text/javascript" src="js/handlebars.min.js"></script>
<script type="text/javascript" src="js/jquery.countimator.js"></script>

```

```


<script type="text/javascript" src="js/jquery.countimator.wheel.js"></script>
<script type="text/javascript" src="js/slick.min.js"></script>
<script type="text/javascript" src="js/easy-ticker.js"></script>
<script type="text/javascript" src="js/jquery.introLoader.min.js"></script>
<script type="text/javascript" src="js/jquery.responsivegrid.js"></script>
<script type="text/javascript" src="js/customs.js"></script>

</body>

</html>

```

Output:



Employees.php

```

<!doctype html>
<html lang="en">
<?php
require 'constants/settings.php';
require 'constants/check-login.php';

if (isset($_GET['page'])) {
$page = $_GET['page'];
if ($page=="") || $page=="1")
{
$page1 = 0;
$page = 1;
}else{

```

```

$page1 = ($page*16)-16;
}
}else{
$page1 = 0;
$page = 1;
}

?>
<head>

<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>Kolkata Jobs - Employees</title>
<meta name="description" content="Online Job Management / Job Portal" />
<meta name="keywords" content="job, work, resume, applicants, application, employee, employer, hire, hiring, human resource management, hr, online job management, company, worker, career, recruiting, recruitment" />
<meta name="author" content="BwireSoft">
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
<meta property="og:image" content="http://<?php echo \"$actual_link\"; ?>/images/banner.jpg" />
<meta property="og:image:secure_url" content="https://<?php echo \"$actual_link\"; ?>/images/banner.jpg" />
<meta property="og:image:type" content="image/jpeg" />
<meta property="og:image:width" content="500" />
<meta property="og:image:height" content="300" />
<meta property="og:image:alt" content="Bwire Jobs" />
<meta property="og:description" content="Online Job Management / Job Portal" />

<link rel="shortcut icon" href="images/ico/favicon.png">

<link rel="stylesheet" type="text/css"
href="bootstrap/css/bootstrap.min.css" media="screen">
<link href="css/animate.css" rel="stylesheet">
<link href="css/main.css" rel="stylesheet">
<link href="css/component.css" rel="stylesheet">

<link rel="stylesheet" href="icons/linearicons/style.css">
<link rel="stylesheet" href="icons/font-awesome/css/font-awesome.min.css">
<link rel="stylesheet" href="icons/simple-line-icons/simple-line-icons.html">
<link rel="stylesheet" href="icons/ionicons/css/ionicons.css">
<link rel="stylesheet" href="icons/pe-icon-7-stroke/css/pe-icon-7-stroke.css">
<link rel="stylesheet" href="icons/rivolicons/style.css">

```

```

        <link rel="stylesheet" href="icons/flaticon-line-icon-set/flaticon-line-
icon-set.css">
        <link rel="stylesheet" href="icons/flaticon-streamline-outline/flaticon-
streamline-outline.css">
        <link rel="stylesheet" href="icons/flaticon-thick-icons/flaticon-
thick.css">
        <link rel="stylesheet" href="icons/flaticon-ventures/flaticon-
ventures.css">

        <link href="css/style.css" rel="stylesheet">

</head>

<style>

.autofit2 {
    height:63px;
    width:63px;
    object-fit:cover;
}

</style>

<body class="not-transparent-header">

<div class="container-wrapper">

    <header id="header">
        <nav class="navbar navbar-default navbar-fixed-top navbar-sticky-
function">

            <div class="container">

                <div class="logo-wrapper">
                    <div class="logo">
                        <a href="/"></a>
                    </div>
                </div>

                <div id="navbar" class="navbar-nav-wrapper navbar-arrow">

                    <ul class="nav navbar-nav" id="responsive-menu">

                        <li>
                            <a href="/">Home</a>

```

```

        </li>

        <li>
            <a href="job-list.php">Job List</a>
        </li>

        <li>
            <a href="employers.php">Employers</a>
        </li>

        <li>
            <a href="employees.php">Employees</a>
        </li>

        <li>
            <a href="contact.php">Contact Us</a>
        </li>

    </ul>

</div>

<div class="nav-mini-wrapper">
    <ul class="nav-mini sign-in">
        <?php
        if ($user_online == true) {
            print '
                <li><a href="logout.php">logout</a></li>
                <li><a href="'.$myrole.'">Profile</a></li>';
        }else{
            print '
                <li><a href="login.php">login</a></li>
                <li><a data-toggle="modal"
href="#registerModal">register</a></li>';
        }
    ?>

    </ul>
</div>

</div>

<div id="slicknav-mobile"></div>

</nav>
```

```
        <div id="registerModal" class="modal fade login-box-wrapper"
tabindex="-1" style="display: none;" data-backdrop="static" data-
keyboard="false" data-replace="true">

            <div class="modal-header">
                <button type="button" class="close" data-dismiss="modal"
aria-hidden="true">&times;</button>
                <h4 class="modal-title text-center">Create your account
for free</h4>
            </div>

            <div class="modal-body">

                <div class="row gap-20">

                    <div class="col-sm-6 col-md-6">
                        <a href="register.php?p=Employer" class="btn btn-
facebook btn-block mb-5-xs">Register as Employer</a>
                    </div>
                    <div class="col-sm-6 col-md-6">
                        <a href="register.php?p=Employee" class="btn btn-
facebook btn-block mb-5-xs">Register as Employee</a>
                    </div>

                </div>

            </div>

            <div class="modal-footer text-center">
                <button type="button" data-dismiss="modal" class="btn btn-
primary btn-inverse">Close</button>
            </div>

        </div>

    </header>

    <div class="main-wrapper">

        <div class="breadcrumb-wrapper">

            <div class="container">

                <ol class="breadcrumb-list booking-step">
                    <li><a href="/">Home</a></li>
                    <li><span>Employees</span></li>
                </ol>

            </div>

        </div>

    </div>
```

```

        </div>

    </div>

<div class="section sm">

    <div class="container">

        <div class="sorting-wrapper">

            <div class="sorting-header">
                <h3 class="sorting-title">Employees</h3>
            </div>

        </div>

        <div class="employee-grid-wrapper">

            <div class="GridLex-gap-15-wrappper">

                <div class="GridLex-grid-noGutter-equalHeight">
                    <?php
                    require 'constants/db_config.php';

                    try {
                        $conn = new
PDO("mysql:host=$servername;dbname=$dbname", $username, $password);
                        $conn->setAttribute(PDO::ATTR_ERRMODE,
PDO::ERRMODE_EXCEPTION);
                        $stmt = $conn->prepare("SELECT * FROM tbl_users
WHERE role = 'employee' ORDER BY first_name LIMIT $page1,16");
                        $stmt->execute();
                        $result = $stmt->fetchAll();
                        foreach($result as $row)
                        {
                            $empavatar = $row['avatar'];
                            ?>
                                <div
class="GridLex-col-3_sm-4_xs-6_xss-12">

                                    <div class="employee-grid-item">

                                        <div class="action">

                                            <div class="row gap-10">

```

```

<div class="col-xs-6 col-sm-6">
    <div class="text-left">
        <button class="btn"><i class="icon-heart"></i></button>
    </div>
</div>

<div class="col-xs-6 col-sm-6">
    <div class="text-right">
        <a class="btn text-right" href="employee-detail.html"><i class="icon-action-redo"></i></a>
    </div>
</div>

</div>

<a target="_blank" href="employee-detail.php?empid=<?php echo $row['member_no']; ?>" class="clearfix">
    <div class="image clearfix">
        <?php
            if ($empavatar == null) {
                print '<center></center>';
            }else{
                echo '<center></center>';
            }
        ?>
    </div>
</a>

```

```

<div class="content">
    <h4><?php echo $row['first_name'] ?> <?php echo $row['last_name'] ?></h4>
    <p class="location"><i class="fa fa-map-marker"></i> <?php echo $row['country'] ?></p>
    <h6 class="text-primary">Education : <?php echo $row['education'] ?></h6>

```

```

        <h6 class="text-primary"><?php
echo $row['title'] ?></h6>

        </div>
</a>
</div>

        </div>
<?php

}

}catch(PDOException $e)
{
}

?>

        </div>
</div>

</div>

        <div class="pager-wrapper">

            <ul class="pager-list">
<?php
require 'constants/db_config.php';
$total_records = 0;
try {
$conn = new
PDO("mysql:host=$servername;dbname=$dbname", $username, $password);
$conn->setAttribute(PDO::ATTR_ERRMODE,
PDO::ERRMODE_EXCEPTION);

$stmt = $conn->prepare("SELECT * FROM tbl_users
WHERE role = 'employee' ORDER BY first_name");
$stmt->execute();
$result = $stmt->fetchAll();

```

```

        foreach($result as $row)
        {
            $total_records++;

        }

    }catch(PDOException $e)
    {

    } ?>

    <?php
    $records = $total_records/16;
    $records = ceil($records);
    if ($records > 1 ) {
        $prevpage = $page - 1;
        $nextpage = $page + 1;

        print '<li class="paging-nav" ' ; if ($page == "1") { print 'class="disabled"'; } print '><a ' ; if ($page == "1") { print '' ;
} else { print 'href="employees.php?page='.$prevpage.'"';} print '><i
class="fa fa-chevron-left"></i></a></li>';
        for ($b=1;$b<=$records;$b++)
        {

            ?><li class="paging-nav" ><a <?php if ($b == $page) { print ' style="background-color:#33B6CB; color:white" ' ;
} ?> href="employees.php?page=<?php echo "$b"; ?>"><?php echo $b." " ;
?></a></li><?php
        }
        print '<li class="paging-nav"'; if ($page == $records) { print 'class="disabled"'; } print '><a ' ; if ($page == $records) { print '' ; } else { print 'href="employees.php?page='.$nextpage.'"';} print '><i class="fa fa-chevron-right"></i></a></li>';
        }

    ?>

    </ul>

    </div>

</div>

<footer class="footer-wrapper">

```

```
<div class="main-footer">

    <div class="container">

        <div class="row">
            <div class="col-sm-12 col-md-9">
                <div class="row">
                    <div class="col-sm-6 col-md-4">
                        <div class="footer-about-us">
                            <h5 class="footer-title">About
Kolkata Jobs</h5>
                            <p>Kolkata Jobs is a job portal,  
online job management system developed by Anupam Dutta for his project in  
November 2022 at JIS College of Engineering, Kalyani.</p>
                    </div>
                </div>
            <div class="col-sm-6 col-md-5 mt-30-xs">
                <h5 class="footer-title">Quick
Links</h5>
                <ul class="footer-menu clearfix">
                    <li><a href="/">Home</a></li>
                    <li><a href="job-list.php">Job
List</a></li>
                    <li><a href="employers.php">Employers</a></li>
                    <li><a href="employees.php">Employees</a></li>
                    <li><a href="#">Contact
Us</a></li>
                    <li><a href="#">Go to top</a></li>
                </ul>
            </div>
        </div>
    </div>
<div class="col-sm-12 col-md-3 mt-30-sm">
```

```
<h5 class="footer-title">Kolkata Jobs  
Contact</h5>  
  
<p>Address : Vill. Jaydebbati, Kalyani,  
Saguna, Nadia, West Bengal, India, PIN- 741245</p>  
<p>Email : <a href="mailto:anupamdutta.kalyani@yahoo.com">anupamdutta.kalyani@yahoo.com</a></p>  
<p>Phone : <a href="tel:+91 89100 69724">+91  
89100 69724</a></p>  
<p>Phone : <a href="tel:+91 91631 42597">+91  
91631 42597</a></p>  
  
</div>  
  
</div>  
  
</div>  
  
<div class="bottom-footer">  
  
<div class="container">  
  
<div class="row">  
  
<div class="col-sm-4 col-md-4">  
  
<p class="copy-right">© Copyright <?php  
echo date('Y'); ?> Anupam Dutta Software Pvt. Ltd.</p>  
  
</div>  
  
<div class="col-sm-4 col-md-4">  
  
<ul class="bottom-footer-menu">  
    <li><a href="#">Developed by Anupam Dutta</a></li>  
</ul>  
  
</div>  
  
<div class="col-sm-4 col-md-4">  
<ul class="bottom-footer-menu for-social">
```

```

                <li><a href="<?php echo
"https://www.twitter.com/@kinganupamdutta"; ?>"><i class="ri ri-twitter" data-
toggle="tooltip" data-placement="top" title="twitter"></i></a></li>
                <li><a href="<?php echo
"https://www.facebook.com/king.anupam.dutta"; ?>"><i class="ri ri-facebook" data-
toggle="tooltip" data-placement="top" title="facebook"></i></a></li>
                <li><a href="<?php echo
"https://www.instagram.com/kinganupamdutta/"; ?>"><i class="ri ri-instagram" data-
toggle="tooltip" data-placement="top" title="instagram"></i></a></li>
            </ul>
        </div>

    </div>

</div>

</div>

</div>

<div id="back-to-top">
    <a href="#"><i class="ion-ios-arrow-up"></i></a>
</div>

<script type="text/javascript" src="js/jquery-1.11.3.min.js"></script>
<script type="text/javascript" src="js/jquery-migrate-1.2.1.min.js"></script>
<script type="text/javascript" src="bootstrap/js/bootstrap.min.js"></script>
<script type="text/javascript" src="js/bootstrap-modalmanager.js"></script>
<script type="text/javascript" src="js/bootstrap-modal.js"></script>
<script type="text/javascript" src="js/smoothscroll.js"></script>
<script type="text/javascript" src="js/jquery.easing.1.3.js"></script>
<script type="text/javascript" src="js/jquery.waypoints.min.js"></script>
<script type="text/javascript" src="js/wow.min.js"></script>
<script type="text/javascript" src="js/jquery.slicknav.min.js"></script>
<script type="text/javascript" src="js/jquery.placeholder.min.js"></script>
<script type="text/javascript" src="js/bootstrap-tokenfield.js"></script>
<script type="text/javascript" src="js/typeahead.bundle.min.js"></script>
<script type="text/javascript" src="js/bootstrap3-wysihtml5.min.js"></script>
<script type="text/javascript" src="js/bootstrap-select.min.js"></script>
<script type="text/javascript" src="js/jquery-filestyle.min.js"></script>
<script type="text/javascript" src="js/bootstrap-select.js"></script>
<script type="text/javascript" src="js/ion.rangeSlider.min.js"></script>
```

```


<script type="text/javascript" src="js/handlebars.min.js"></script>
<script type="text/javascript" src="js/jquery.countimator.js"></script>
<script type="text/javascript" src="js/jquery.countimator.wheel.js"></script>
<script type="text/javascript" src="js/slick.min.js"></script>
<script type="text/javascript" src="js/easy-ticker.js"></script>
<script type="text/javascript" src="js/jquery.introLoader.min.js"></script>
<script type="text/javascript" src="js/jquery.responsivegrid.js"></script>
<script type="text/javascript" src="js/customs.js"></script>

</body>

</html>

```

Output:



Employees



Contact.php

```

<!doctype html>
<html lang="en">
<?php
include 'constants/settings.php';
include 'constants/check-login.php';
?>
<head>

<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">

```

```
<title>Kolkata Jobs - Contact Us</title>
<meta name="description" content="Online Job Management / Job Portal" />
<meta name="keywords" content="job, work, resume, applicants, application, employee, employer, hire, hiring, human resource management, hr, online job management, company, worker, career, recruiting, recruitment" />
<meta name="author" content="BwireSoft">
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
<meta property="og:image" content="http://<?php echo \"$actual_link\"; ?>/images/banner.jpg" />
<meta property="og:image:secure_url" content="https://<?php echo \"$actual_link\"; ?>/images/banner.jpg" />
<meta property="og:image:type" content="image/jpeg" />
<meta property="og:image:width" content="500" />
<meta property="og:image:height" content="300" />
<meta property="og:image:alt" content="Kolkata Jobs" />
<meta property="og:description" content="Online Job Management / Job Portal" />

<link rel="shortcut icon" href="images/ico/favicon.png">

<link rel="stylesheet" type="text/css" href="bootstrap/css/bootstrap.min.css" media="screen">
<link href="css/animate.css" rel="stylesheet">
<link href="css/main.css" rel="stylesheet">
<link href="css/component.css" rel="stylesheet">

<link rel="stylesheet" href="icons/linearicons/style.css">
<link rel="stylesheet" href="icons/font-awesome/css/font-awesome.min.css">
<link rel="stylesheet" href="icons/simple-line-icons/css/simple-line-icons.css">
<link rel="stylesheet" href="icons/ionicons/css/ionicons.css">
<link rel="stylesheet" href="icons/pe-icon-7-stroke/css/pe-icon-7-stroke.css">
<link rel="stylesheet" href="icons/rivolicons/style.css">
<link rel="stylesheet" href="icons/flaticon-line-icon-set/flaticon-line-icon-set.css">
<link rel="stylesheet" href="icons/flaticon-streamline-outline/flaticon-streamline-outline.css">
<link rel="stylesheet" href="icons/flaticon-thick-icons/flaticon-thick.css">
<link rel="stylesheet" href="icons/flaticon-ventures/flaticon-ventures.css">

<link href="css/style.css" rel="stylesheet">
```

```
</head>

<body class="not-transparent-header">

    <div class="container-wrapper">

        <header id="header">
            <nav class="navbar navbar-default navbar-fixed-top navbar-sticky-function">

                <div class="container">

                    <div class="logo-wrapper">
                        <div class="logo">
                            <a href="/"></a>
                        </div>
                    </div>

                    <div id="navbar" class="navbar-nav-wrapper navbar-arrow">

                        <ul class="nav navbar-nav" id="responsive-menu">

                            <li>
                                <a href="/">Home</a>
                            </li>

                            <li>
                                <a href="job-list.php">Job List</a>
                            </li>

                            <li>
                                <a href="employers.php">Employers</a>
                            </li>

                            <li>
                                <a href="employees.php">Employees</a>
                            </li>

                            <li>
                                <a href="contact.php">Contact Us</a>
                            </li>

                        </ul>
                    </div>
                </div>
            </nav>
        </div>
    </div>
</body>
```

```

        </div>

        <div class="nav-mini-wrapper">
            <ul class="nav-mini sign-in">
                <?php
                    if ($user_online == true) {
                        print '
                            <li><a href="logout.php">logout</a></li>
                            <li><a href="'. $myrole .'">Profile</a></li>';
                    } else{
                        print '
                            <li><a href="login.php">login</a></li>
                            <li><a data-toggle="modal"
                        href="#registerModal">register</a></li>';
                    }
                ?>

                </ul>
            </div>

        </div>

        <div id="slicknav-mobile"></div>

    </nav>

    <div id="registerModal" class="modal fade login-box-wrapper"
        tabindex="-1" style="display: none;" data-backdrop="static" data-
        keyboard="false" data-replace="true">

        <div class="modal-header">
            <button type="button" class="close" data-dismiss="modal"
            aria-hidden="true">&times;</button>
            <h4 class="modal-title text-center">Create your account
            for free</h4>
        </div>

        <div class="modal-body">

            <div class="row gap-20">

                <div class="col-sm-6 col-md-6">
                    <a href="register.php?p=Employer" class="btn btn-
                    facebook btn-block mb-5-xs">Register as Employer</a>
                </div>
                <div class="col-sm-6 col-md-6">

```

```
        <a href="register.php?p=Employee" class="btn btn-
facebook btn-block mb-5-xs">Register as Employee</a>
    </div>

    </div>

    <div class="modal-footer text-center">
        <button type="button" data-dismiss="modal" class="btn btn-
primary btn-inverse">Close</button>
    </div>

    </div>

</header>

<div class="main-wrapper">

    <div class="breadcrumb-wrapper">

        <div class="container">

            <ol class="breadcrumb-list">
                <li><a href="/">Home</a></li>
                <li><span>Contact Us</span></li>
            </ol>

        </div>
    </div>

    <div class="section sm">

        <div class="container">

            <div class="row">

                <div class="col-sm-10 col-sm-offset-1 col-md-8 col-md-
offset-2">

                    <div class="section-title">

                        <h2>Contact us for help</h2>

                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```

```
</div>

</div>

<div class="row">

    <div class="col-sm-7 col-md-6 col-md-offset-1 mb-30">
        <?php include 'constants/check_reply.php'; ?>

        <form class="contact-form-wrapper" data-
        toggle="validator" action="app/send-message.php" method="POST"
        autocomplete="off">

            <div class="row">

                <div class="col-sm-6">

                    <div class="form-group">
                        <label for="inputName">Your Name
<span class="font10 text-danger">(required)</span></label>
                        <input id="inputName"
name="fullname" type="text" class="form-control" data-error="Your name is
required" required>
                        <div class="help-block with-
errors"></div>
                    </div>

                </div>

                <div class="col-sm-6">

                    <div class="form-group">
                        <label for="inputEmail">Your Email
<span class="font10 text-danger">(required)</span></label>
                        <input id="inputEmail"
name="email" type="email" class="form-control" data-error="Your email is
required and must be a valid email address" required>
                        <div class="help-block with-
errors"></div>
                    </div>

                </div>

            <div class="col-sm-12">

                <div class="form-group">
```

```

                <label for="inputMessage">Message
<span class="font10 text-danger">(required)</span></label>
                <textarea id="inputMessage"
name="message" class="form-control" rows="8" data-minlength="50" data-
error="Your message is required and must not less than 50 characters"
required></textarea>
                <div class="help-block with-
errors"></div>
            </div>

        </div>

        <div class="col-sm-12 text-right">
            <button type="submit" class="btn btn-
primary mt-5">Send Message</button>
        </div>
    </div>

</form>

</div>

<div class="col-sm-5 col-md-4">

    <ul class="address-list">
        <li>
            <h5>Address</h5>
            <address> Vill. Jaydebbati, Kalyani
<br/> PO.- 741235, <br/>West Bengal, India</address>
        </li>
        <li>
            <h5>Email</h5><a
href="mailto:anupamdutta.kalyani@yahoo.com">anupamdutta.kalyani@yahoo.com</a>
        </li>
        <li>
            <h5>Phone Number</h5><a
href="tel:+919163142597">+919163142597</a>
        </li>
        <li>
            <h5>Social Networks</h5>
            <div class="contact-social">
                <a href="<?php echo
"https://www.facebook.com/king.anupam.dutta"; ?>" data-toggle="tooltip" data-
placement="top" title="Facebook"><i class="fa fa-facebook"></i></a>
            </div>
        </li>
    </ul>

```

```
                                <a href="<?php echo  
"https://www.twitter.com/@kinganupamdutta"; ?>" data-toggle="tooltip" data-  
placement="top" title="Twitter"><i class="fa fa-twitter"></i></a>  
                                <a href="<?php echo  
"https://www.instagram.com/kinganupamdutta/"; ?>" data-toggle="tooltip" data-  
placement="top" title="Instagram"><i class="fa fa-instagram"></i></a>  
  
                            </div>  
                        </li>  
  
                    </ul>  
  
                </div>  
  
            </div>  
  
        </div>  
  
    </div>  
  
    <footer class="footer-wrapper">  
  
        <div class="main-footer">  
  
            <div class="container">  
  
                <div class="row">  
  
                    <div class="col-sm-12 col-md-9">  
  
                        <div class="row">  
  
                            <div class="col-sm-6 col-md-4">  
  
                                <div class="footer-about-us">  
                                    <h5 class="footer-title">About  
Kolkata Jobs</h5>  
                                    <p>Kolkata Jobs is a job portal,  
online job management system developed by Anupam Dutta for his project in  
November 2022 at JIS College of Engineering, Kalyani.</p>  
  
                            </div>  
  
                        </div>  
  
                    <div class="col-sm-6 col-md-5 mt-30-xs">
```

```

        <h5 class="footer-title">Quick
Links</h5>

        <ul class="footer-menu clearfix">
            <li><a href="/">Home</a></li>
            <li><a href="job-list.php">Job
List</a></li>
            <li><a href="employers.php">Employers</a></li>
            <li><a href="employees.php">Employees</a></li>
            <li><a href="contact.php">Contact
Us</a></li>
            <li><a href="#">Go to top</a></li>
        </ul>

        </div>

        </div>

        </div>

<div class="col-sm-12 col-md-3 mt-30-sm">

        <h5 class="footer-title">Kolkata Jobs
Contact</h5>

        <p>Address : Vill. Jaydebbati, Kalyani,
Saguna, Nadia, West Bengal, India, PIN- 741245</p>
        <p>Email : <a
href="mailto:anupamdutta.kalyani@yahoo.com">anupamdutta.kalyani@yahoo.com</a><
/p>
        <p>Phone : <a href="tel:+91 89100 69724">+91
89100 69724</a></p>
        <p>Phone : <a href="tel:+91 91631 42597">+91
91631 42597</a></p>

        </div>

        </div>

        </div>

        <div class="bottom-footer">

```

```
<div class="container">

    <div class="row">

        <div class="col-sm-4 col-md-4">

            <p class="copy-right">© Copyright <?php
echo date('Y'); ?> Anupam Dutta Software Pvt. Ltd.</p>

        </div>

        <div class="col-sm-4 col-md-4">

            <ul class="bottom-footer-menu">
                <li><a href="#">Developed by Anupam Dutta</a></li>
            </ul>

        </div>

        <div class="col-sm-4 col-md-4">
            <ul class="bottom-footer-menu for-social">
                <li><a href="<?php echo "$tw"; ?>"><i
class="ri ri-twitter" data-toggle="tooltip" data-placement="top"
title="twitter"></i></a></li>
                <li><a href="<?php echo "$fb"; ?>"><i
class="ri ri-facebook" data-toggle="tooltip" data-placement="top"
title="facebook"></i></a></li>
                <li><a href="<?php echo "$ig"; ?>"><i
class="ri ri-instagram" data-toggle="tooltip" data-placement="top"
title="instagram"></i></a></li>
            </ul>
        </div>

    </div>

    </div>

</div>

</div>

<div id="back-to-top">
```

```

        <a href="#"><i class="ion-ios-arrow-up"></i></a>
</div>

<script type="text/javascript" src="js/jquery-1.11.3.min.js"></script>
<script type="text/javascript" src="js/jquery-migrate-1.2.1.min.js"></script>
<script type="text/javascript" src="bootstrap/js/bootstrap.min.js"></script>
<script type="text/javascript" src="js/bootstrap-modalmanager.js"></script>
<script type="text/javascript" src="js/bootstrap-modal.js"></script>
<script type="text/javascript" src="js/smoothscroll.js"></script>
<script type="text/javascript" src="js/jquery.easing.1.3.js"></script>
<script type="text/javascript" src="js/jquery.waypoints.min.js"></script>
<script type="text/javascript" src="js/wow.min.js"></script>
<script type="text/javascript" src="js/jquery.slicknav.min.js"></script>
<script type="text/javascript" src="js/jquery.placeholder.min.js"></script>
<script type="text/javascript" src="js/bootstrap-tokenfield.js"></script>
<script type="text/javascript" src="js/typeahead.bundle.min.js"></script>
<script type="text/javascript" src="js/bootstrap3-wysihtml5.min.js"></script>
<script type="text/javascript" src="js/bootstrap-select.min.js"></script>
<script type="text/javascript" src="js/jquery-filestyle.min.js"></script>
<script type="text/javascript" src="js/bootstrap-select.js"></script>
<script type="text/javascript" src="js/ion.rangeSlider.min.js"></script>
<script type="text/javascript" src="js/handlebars.min.js"></script>
<script type="text/javascript" src="js/jquery.countimator.js"></script>
<script type="text/javascript" src="js/jquery.countimator.wheel.js"></script>
<script type="text/javascript" src="js/slick.min.js"></script>
<script type="text/javascript" src="js/easy-ticker.js"></script>
<script type="text/javascript" src="js/jquery.introLoader.min.js"></script>
<script type="text/javascript" src="js/jquery.responsivegrid.js"></script>
<script type="text/javascript" src="js/customs.js"></script>

<script src="js/validator.min.js"></script>

<script type="text/javascript"
src="http://maps.google.com/maps/api/js?sensor=false"></script>
<script type="text/javascript" src="js/infobox.js"></script>

<script>
    function initialize() {

var styles =
[{"featureType":"all","elementType":"labels","stylers":[{"lightness":63},{"hue": "#ff0000"}]}, {"featureType": "administrative", "elementType": "all", "stylers": [{"hue": "#000bff"}, {"visibility": "on"}]}, {"featureType": "administrative", "elementType": "geometry", "stylers": [{"visibility": "on"}]}, {"featureType": "administrative", "elementType": "labels", "stylers": [{"color": "#4a4a4a"}, {"visibility": "on"}]}, {"featureType": "administrative", "elementType": "labels.text", "stylers": [{"weight": "0.01"}, {"color": "#727272"}, {"visibility": "on"}]}, {"featureType": "administrative.country", "elementType": "labels", "stylers": [{"color": "#ff0000"}]}], {"f

```

```

featureType": "administrative.country", "elementType": "labels.text", "stylers": [{"color": "#ff0000"}]}, {"featureType": "administrative.province", "elementType": "geometry.fill", "stylers": [{"visibility": "on"}]}, {"featureType": "administrative.province", "elementType": "labels.text", "stylers": [{"color": "#545454"}]}, {"featureType": "administrative.locality", "elementType": "labels.text", "stylers": [{"visibility": "on"}, {"color": "#737373"}]}, {"featureType": "administrative.neighborhood", "elementType": "labels.text", "stylers": [{"color": "#7c7c7c"}, {"weight": "0.01"}]}, {"featureType": "administrative.land_parcel", "elementType": "labels.text", "stylers": [{"color": "#404040"}]}, {"featureType": "landscape", "elementType": "all", "stylers": [{"lightness": 16}, {"hue": "#ff001a"}, {"saturation": -61}]}], {"featureType": "poi", "elementType": "labels.text", "stylers": [{"color": "#828282"}, {"weight": "0.01"}]}, {"featureType": "poi.government", "elementType": "labels.text", "stylers": [{"color": "#4c4c4c"}]}, {"featureType": "poi.park", "elementType": "all", "stylers": [{"hue": "#00ff91"}]}, {"featureType": "poi.park", "elementType": "labels.text", "stylers": [{"color": "#7b7b7b"}]}, {"featureType": "road", "elementType": "all", "stylers": [{"visibility": "on"}]}, {"featureType": "road", "elementType": "labels", "stylers": [{"visibility": "off"}]}, {"featureType": "road", "elementType": "labels.text", "stylers": [{"color": "#999999"}, {"visibility": "on"}, {"weight": "0.01"}]}, {"featureType": "road.highway", "elementType": "all", "stylers": [{"hue": "#ff0011"}, {"lightness": 53}]}], {"featureType": "road.highway", "elementType": "labels.text", "stylers": [{"color": "#626262"}]}, {"featureType": "transit", "elementType": "labels.text", "stylers": [{"color": "#676767"}, {"weight": "0.01"}]}, {"featureType": "water", "elementType": "all", "stylers": [{"hue": "#0055ff"}]}];

var loc, map, marker, infobox;

var styledMap = new google.maps.StyledMapType(styles, {name: "Styled Map"});

loc = new google.maps.LatLng($("#map").attr("data-lat"), $("#map").attr("data-lon"));

map = new google.maps.Map(document.getElementById("map"), {
    zoom: 14,
    center: loc,
    scrollwheel: false,

    navigationControl: false,
    scaleControl: false,
    mapTypeControl: false,
    streetViewControl: false,
    mapTypeControlOptions: {
        mapTypeIds: [google.maps.MapTypeId.ROADMAP, 'map_style']
    },
    mapTypeId: google.maps.MapTypeId.ROADMAP,
});

map.mapTypes.set('map_style', styledMap);
map.setMapTypeId('map_style');

```

```
marker = new google.maps.Marker({
  map: map,
  position: loc,

  icon:'images/map-marker/00.png',
  visible: true

});

infobox = new InfoBox({
  content: document.getElementById("infobox"),
  disableAutoPan: true,
  pixelOffset: new google.maps.Size(0, -50),
  zIndex: null,
  alignBottom: true,
  isHidden: false,
  closeBoxURL: "images/infobox-close.png",
  closeBoxClass:"infoBox-close",
  infoBoxClearance: new google.maps.Size(1, 1)
});

openInfoBox(marker);

google.maps.event.addListener(marker, 'click', function() {
  openInfoBox(this);
});


function openInfoBox(thisMarker){
  map.panTo(loc);
  map.panBy(0,-80);
  infobox.open(map, thisMarker);
}

var center;
function calculateCenter() {
  center = map.getCenter();
}
google.maps.event.addDomListener(map, 'idle', function() {
  calculateCenter();
});
google.maps.event.addDomListener(window, 'resize', function() {
  map.setCenter(center);
});

}
google.maps.event.addDomListener(window, 'load', initialize);
</script>
```

```
</body>  
  
</html>
```

Output:



The screenshot shows a web browser window with multiple tabs open at the top. The active tab displays a contact form for 'Kolkata Jobs'. The page has a dark header with the logo 'Kolkata Jobs' and the tagline 'Maha Bhaarat Great Austin'. Below the header, there is a navigation menu with links for 'home', 'job list', 'employers', 'employees', and 'contact us'. On the right side of the header, there are 'logout' and 'profile' buttons. The main content area features a heading 'contact us for help'. Below it are three input fields: 'Your Name (required)', 'Your Email (required)', and 'Address'. The 'Address' field contains the text 'Vill. Jaydebbati, Kalyani P.O.- 741235, West Bengal, India'. There is also a 'Message (required)' field which has a placeholder 'Please fill out this field.' and a 'SEND MESSAGE' button below it. To the right of the message field, there is an 'Email' section with the address 'anupamdutta.kalyani@yahoo.com', a 'Phone Number' section with '+919163142597', and a 'Social Networks' section with links for Facebook, Twitter, and LinkedIn. The bottom of the browser window shows the Windows taskbar with various pinned icons and system status information.

Register.php

```
<!doctype html>  
<html lang="en">  
<?php  
include 'constants/settings.php';  
include 'constants/check-login.php';  
?>  
<head>  
  
<meta charset="utf-8">  
<meta http-equiv="X-UA-Compatible" content="IE=edge">  
<meta name="viewport" content="width=device-width, initial-scale=1">  
  
<title>Kolkata Jobs - Register</title>  
<meta name="description" content="Online Job Management / Job Portal" />  
<meta name="keywords" content="job, work, resume, applicants, application, employee, employer, hire, hiring, human resource management, hr, online job management, company, worker, career, recruiting, recruitment" />  
<meta name="author" content="BwireSoft" />  
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
```

```
<meta property="og:image" content="http://<?php echo \"$actual_link\";  
?>/images/banner.jpg" />  
    <meta property="og:image:secure_url" content="https://<?php echo  
"$actual_link"; ?>/images/banner.jpg" />  
    <meta property="og:image:type" content="image/jpeg" />  
    <meta property="og:image:width" content="500" />  
    <meta property="og:image:height" content="300" />  
    <meta property="og:image:alt" content="Kolkata Jobs" />  
    <meta property="og:description" content="Online Job Management / Job  
Portal" />  
  
    <link rel="shortcut icon" href="images/ico/favicon.png">  
  
    <link rel="stylesheet" type="text/css"  
href="bootstrap/css/bootstrap.min.css" media="screen">  
    <link href="css/animate.css" rel="stylesheet">  
    <link href="css/main.css" rel="stylesheet">  
    <link href="css/component.css" rel="stylesheet">  
  
    <link rel="stylesheet" href="icons/linearicons/style.css">  
    <link rel="stylesheet" href="icons/font-awesome/css/font-awesome.min.css">  
    <link rel="stylesheet" href="icons/simple-line-icons/css/simple-line-  
icons.css">  
    <link rel="stylesheet" href="icons/ionicons/css/ionicons.css">  
    <link rel="stylesheet" href="icons/pe-icon-7-stroke/css/pe-icon-7-  
stroke.css">  
    <link rel="stylesheet" href="icons/rivolicons/style.css">  
    <link rel="stylesheet" href="icons/flaticon-line-icon-set/flaticon-line-  
icon-set.css">  
    <link rel="stylesheet" href="icons/flaticon-streamline-outline/flaticon-  
streamline-outline.css">  
    <link rel="stylesheet" href="icons/flaticon-thick-icons/flaticon-  
thick.css">  
    <link rel="stylesheet" href="icons/flaticon-ventures/flaticon-  
ventures.css">  
  
    <link href="css/style.css" rel="stylesheet">  
  
</head>  
  
<body class="not-transparent-header">  
  
    <div class="container-wrapper">  
  
        <header id="header">
```

```
<nav class="navbar navbar-default navbar-fixed-top navbar-sticky-function">

    <div class="container">

        <div class="logo-wrapper">
            <div class="logo">
                <a href="/"></a>
            </div>
        </div>

        <div id="navbar" class="navbar-nav-wrapper navbar-arrow">

            <ul class="nav navbar-nav" id="responsive-menu">

                <li>
                    <a href="/">Home</a>
                </li>

                <li>
                    <a href="job-list.php">Job List</a>
                </li>

                <li>
                    <a href="employers.php">Employers</a>
                </li>

                <li>
                    <a href="employees.php">Employees</a>
                </li>

                <li>
                    <a href="contact.php">Contact Us</a>
                </li>

            </ul>
        </div>

        <div class="nav-mini-wrapper">
            <ul class="nav-mini sign-in">
                <li><a href="login.php">login</a></li>
                <li><a data-toggle="modal" href="#registerModal">register</a></li>
            </ul>
        </div>
    </div>

```

```
        </ul>
    </div>

</div>

<div id="slicknav-mobile"></div>

</nav>

<div id="registerModal" class="modal fade login-box-wrapper"
tabindex="-1" style="display: none;" data-backdrop="static" data-
keyboard="false" data-replace="true">

    <div class="modal-header">
        <button type="button" class="close" data-dismiss="modal"
aria-hidden="true">&times;</button>
        <h4 class="modal-title text-center">Create your account
for free</h4>
    </div>

    <div class="modal-body">

        <div class="row gap-20">

            <div class="col-sm-6 col-md-6">
                <a href="register.php?p=Employer" class="btn btn-
facebook btn-block mb-5-xs">Register as Employer</a>
            </div>
            <div class="col-sm-6 col-md-6">
                <a href="register.php?p=Employee" class="btn btn-
facebook btn-block mb-5-xs">Register as Employee</a>
            </div>

        </div>

    </div>

    <div class="modal-footer text-center">
        <button type="button" data-dismiss="modal" class="btn btn-
primary btn-inverse">Close</button>
    </div>

</div>

</header>
```

```
<div class="main-wrapper">

    <div class="breadcrumb-wrapper">

        <div class="container">

            <ol class="breadcrumb-list">
                <li><a href="/">Home</a></li>
                <li><span>Register</span></li>
            </ol>

        </div>

    </div>

    <div class="login-container-wrapper">

        <div class="container">

            <div class="row">
                <div class="col-md-10 col-md-offset-1">
                    <div class="row">
                        <div class="col-sm-6 col-sm-offset-3">
                            <?php

                                if (isset($_GET['p'])) {
                                    $position = $_GET['p'];
                                    if ($position == "Employee") {
                                        include 'constants/draw-employee.php';
                                    }else{
                                        }
                                    if ($position == "Employer") {
                                        include 'constants/draw-employer.php';
                                    }else{
                                        }
                                }else{
                                    }

                            ?>
                        
```

```
        </div>

    </div>

</div>

</div>

</div>
<footer class="footer-wrapper">

    <div class="main-footer">

        <div class="container">

            <div class="row">

                <div class="col-sm-12 col-md-9">

                    <div class="row">

                        <div class="col-sm-6 col-md-4">

                            <div class="footer-about-us">
                                <h5 class="footer-title">About
Kolkata Jobs</h5>
                                <p>Kolkata Jobs is a job portal,
online job management system developed by Anupam Dutta for his project in
November 2022 at JIS College of Engineering, Kalyani.</p>
                            </div>

                        </div>

                    </div>

                <div class="col-sm-6 col-md-5 mt-30-xs">
                    <h5 class="footer-title">Quick
Links</h5>
                    <ul class="footer-menu clearfix">
                        <li><a href="/">Home</a></li>
                        <li><a href="job-list.php">Job
List</a></li>
                        <li><a
href="employers.php">Employers</a></li>
                    </ul>
                </div>
            </div>
        </div>
    </div>
</footer>
```

```
        <li><a href="employees.php">Employees</a></li>
        <li><a href="contact.php">Contact Us</a></li>
        <li><a href="#">Go to top</a></li>
    </ul>
</div>
</div>
</div>
<div class="col-sm-12 col-md-3 mt-30-sm">
    <h5 class="footer-title">Kolkata Jobs Contact</h5>
    <p>Address : Vill. Jaydebbati, Kalyani, Saguna, Nadia, West Bengal, India, PIN- 741245</p>
    <p>Email : <a href="mailto:anupamdutta.kalyani@yahoo.com">anupamdutta.kalyani@yahoo.com</a></p>
    <p>Phone : <a href="tel:+91 89100 69724">+91 89100 69724</a></p>
    <p>Phone : <a href="tel:+91 91631 42597">+91 91631 42597</a></p>
</div>
</div>
</div>
<div class="bottom-footer">
    <div class="container">
        <div class="row">
            <div class="col-sm-4 col-md-4">
```

```

                <p class="copy-right">© Copyright <?php
echo date('Y'); ?> Anupam Dutta Software Pvt. Ltd.</p>

            </div>

            <div class="col-sm-4 col-md-4">

                <ul class="bottom-footer-menu">
                    <li><a href="#">Developed by Anupam Dutta</a></li>
                </ul>

            </div>

            <div class="col-sm-4 col-md-4">
                <ul class="bottom-footer-menu for-social">
                    <li><a href="https://www.twitter.com/@kinganupamdutta"; ?>"><i class="ri ri-twitter" data-toggle="tooltip" data-placement="top" title="twitter"></i></a></li>
                    <li><a href="https://www.facebook.com/king.anupam.dutta"; ?>"><i class="ri ri-facebook" data-toggle="tooltip" data-placement="top" title="facebook"></i></a></li>
                    <li><a href="https://www.instagram.com/kinganupamdutta/"; ?>"><i class="ri ri-instagram" data-toggle="tooltip" data-placement="top" title="instagram"></i></a></li>
                </ul>
            </div>

        </div>

    </div>

</div>

</div>

</div>

</script type="text/javascript">
function val(){
if(frm.password.value == "")
{
    alert("Enter the Password.");
    frm.password.focus();
    return false;
}
if((frm.password.value).length < 8)
{

```

```

        alert("Password should be minimum 8 characters.");
        frm.password.focus();
        return false;
    }

    if((frm.password.value).length > 20)
    {
        alert("Password should be maximum 20 characters.");
        frm.password.focus();
        return false;
    }

    if(frm.confirmpassword.value == "")
    {
        alert("Enter the Confirmation Password.");
        return false;
    }
    if(frm.confirmpassword.value != frm.password.value)
    {
        alert("Password confirmation does not match.");
        return false;
    }

    return true;
}
</script>

<div id="back-to-top">
    <a href="#"><i class="ion-ios-arrow-up"></i></a>
</div>

<script type="text/javascript" src="js/jquery-1.11.3.min.js"></script>
<script type="text/javascript" src="js/jquery-migrate-1.2.1.min.js"></script>
<script type="text/javascript" src="bootstrap/js/bootstrap.min.js"></script>
<script type="text/javascript" src="js/bootstrap-modalmanager.js"></script>
<script type="text/javascript" src="js/bootstrap-modal.js"></script>
<script type="text/javascript" src="js/smoothscroll.js"></script>
<script type="text/javascript" src="js/jquery.easing.1.3.js"></script>
<script type="text/javascript" src="js/jquery.waypoints.min.js"></script>
<script type="text/javascript" src="js/wow.min.js"></script>
<script type="text/javascript" src="js/jquery.slicknav.min.js"></script>
<script type="text/javascript" src="js/jquery.placeholder.min.js"></script>
<script type="text/javascript" src="js/bootstrap-tokenfield.js"></script>
<script type="text/javascript" src="js/typeahead.bundle.min.js"></script>
<script type="text/javascript" src="js/bootstrap3-wysihtml5.min.js"></script>
<script type="text/javascript" src="js/bootstrap-select.min.js"></script>
<script type="text/javascript" src="js/jquery-filestyle.min.js"></script>
<script type="text/javascript" src="js/bootstrap-select.js"></script>
```

```


<script type="text/javascript" src="js/ion.rangeSlider.min.js"></script>
<script type="text/javascript" src="js/handlebars.min.js"></script>
<script type="text/javascript" src="js/jquery.countimator.js"></script>
<script type="text/javascript" src="js/jquery.countimator.wheel.js"></script>
<script type="text/javascript" src="js/slick.min.js"></script>
<script type="text/javascript" src="js/easy-ticker.js"></script>
<script type="text/javascript" src="js/jquery.introLoader.min.js"></script>
<script type="text/javascript" src="js/jquery.responsivegrid.js"></script>
<script type="text/javascript" src="js/customs.js"></script>


</body>

</html>

```

Output:-





Login.php

```
<!doctype html>
<html lang="en">
<?php
include 'constants/settings.php';
include 'constants/check-login.php';
?>
<head>

<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">

<title>Kolkata Jobs - Login</title>

<meta name="description" content="Online Job Management / Job Portal" />
<meta name="keywords" content="job, work, resume, applicants, application, employee, employer, hire, hiring, human resource management, hr, online job management, company, worker, career, recruiting, recruitment" />
<meta name="author" content="BwireSoft" />
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
<meta property="og:image" content="http://<?php echo "$actual_link"; ?>/images/banner.jpg" />
<meta property="og:image:secure_url" content="https://<?php echo "$actual_link"; ?>/images/banner.jpg" />
<meta property="og:image:type" content="image/jpeg" />
<meta property="og:image:width" content="500" />
<meta property="og:image:height" content="300" />
```

```
<meta property="og:image:alt" content="Kolkata Jobs" />
<meta property="og:description" content="Online Job Management / Job
Portal" />

<link rel="shortcut icon" href="images/ico/favicon.png">

<link rel="stylesheet" type="text/css"
href="bootstrap/css/bootstrap.min.css" media="screen">
<link href="css/animate.css" rel="stylesheet">
<link href="css/main.css" rel="stylesheet">
<link href="css/component.css" rel="stylesheet">

<link rel="stylesheet" href="icons/linearicons/style.css">
<link rel="stylesheet" href="icons/font-awesome/css/font-awesome.min.css">
<link rel="stylesheet" href="icons/simple-line-icons/css/simple-line-
icons.css">
<link rel="stylesheet" href="icons/ionicons/css/ionicons.css">
<link rel="stylesheet" href="icons/pe-icon-7-stroke/css/pe-icon-7-
stroke.css">
<link rel="stylesheet" href="icons/rivolicons/style.css">
<link rel="stylesheet" href="icons/flaticon-line-icon-set/flaticon-line-
icon-set.css">
<link rel="stylesheet" href="icons/flaticon-streamline-outline/flaticon-
streamline-outline.css">
<link rel="stylesheet" href="icons/flaticon-thick-icons/flaticon-
thick.css">
<link rel="stylesheet" href="icons/flaticon-ventures/flaticon-
ventures.css">

<link href="css/style.css" rel="stylesheet">
<script type="text/javascript">
    function update(str)
    {
        if(document.getElementById('mymail').value == "")
        {
            alert("Please enter your email");

        }else{
            document.getElementById("data").innerHTML = "Please wait..."; 
            var xmlhttp;

            if (window.XMLHttpRequest)
            {
                xmlhttp=new XMLHttpRequest();
            }
            else
            {
```

```

        xmlhttp=new ActiveXObject("Microsoft.XMLHTTP");
    }

    xmlhttp.onreadystatechange = function() {
        if(xmlhttp.readyState == 4 && xmlhttp.status == 200)
        {
            document.getElementById("data").innerHTML = xmlhttp.responseText;
        }
    }

    xmlhttp.open("GET","app/reset-pw.php?opt="+str, true);
    xmlhttp.send();
}

function reset_text()
{
document.getElementById('mymail').value = "";
document.getElementById("data").innerHTML = "";
}

</script>
</head>

<body class="not-transparent-header">

<div class="container-wrapper">

    <header id="header">

        <nav class="navbar navbar-default navbar-fixed-top navbar-sticky-function">

            <div class="container">

                <div class="logo-wrapper">
                    <div class="logo">
                        <a href="/"></a>
                    </div>
                </div>

                <div id="navbar" class="navbar-nav-wrapper navbar-arrow">

                    <ul class="nav navbar-nav" id="responsive-menu">

```

```
<li>

    <a href=".//">Home</a>

</li>

<li>
    <a href="job-list.php">Job List</a>

</li>

<li>
    <a href="employers.php">Employers</a>
</li>

<li>
    <a href="employees.php">Employees</a>
</li>

<li>
    <a href="contact.php">Contact Us</a>
</li>

</ul>

</div>

<div class="nav-mini-wrapper">
    <ul class="nav-mini sign-in">
        <li><a href="login.php">login</a></li>
        <li><a data-toggle="modal"
href="#registerModal">register</a></li>
    </ul>
</div>

</div>

<div id="slicknav-mobile"></div>

</nav>

<div id="registerModal" class="modal fade login-box-wrapper"
tabindex="-1" style="display: none;" data-backdrop="static" data-
keyboard="false" data-replace="true">

    <div class="modal-header">
```

```
        <button type="button" class="close" data-dismiss="modal"
aria-hidden="true">&times;/>
```

```
        <h4 class="modal-title text-center">Create your account
for free</h4>
```

```
        </div>
```

```
        <div class="modal-body">
```

```
            <div class="row gap-20">
```

```
                <div class="col-sm-6 col-md-6">
                    <a href="register.php?p=Employer" class="btn btn-
facebook btn-block mb-5-xs">Register as Employer</a>
                </div>
                <div class="col-sm-6 col-md-6">
                    <a href="register.php?p=Employee" class="btn btn-
facebook btn-block mb-5-xs">Register as Employee</a>
                </div>
```

```
            </div>
```

```
        </div>
```

```
        <div class="modal-footer text-center">
            <button type="button" data-dismiss="modal" class="btn btn-
primary btn-inverse">Close</button>
        </div>
```

```
    </div>
```

```
</header>
```

```
<div class="main-wrapper">
```

```
    <div class="breadcrumb-wrapper">
```

```
        <div class="container">
```

```
            <ol class="breadcrumb-list">
                <li><a href="/">Home</a></li>
                <li><span>Access your account</span></li>
            </ol>
```

```
        </div>
```

```
</div>

<div class="login-container-wrapper">

    <div class="container">

        <div class="row">

            <div class="col-md-10 col-md-offset-1">

                <div class="row">

                    <div class="col-sm-6 col-sm-offset-3">
<?php
include 'constants/check_reply.php';
?>
<form name="frm" action="app/auth.php"
method="POST" autocomplete="off">
<div class="login-box-wrapper">

    <div class="modal-header">
<h4 class="modal-title text-center">Access
your account</h4>
</div>

    <div class="modal-body">

        <div class="row gap-20">

            <div class="col-sm-12 col-md-12">

                <div class="form-group">
<label>Email Address</label>
<input class="form-control" placeholder="Enter
your email address" name="email" required type="text">
</div>

            </div>

            <div class="col-sm-12 col-md-12">

                <div class="form-group">
<label>Password</label>
<input class="form-control" placeholder="Enter
your password" name="password" required type="password">
</div>
```

```
        </div>

        <div class="col-sm-12 col-md-12">
            <div class="login-box-link-action">
                <a data-toggle="modal" onclick =
"reset_text()" href="#forgotPasswordModal">Forgot password?</a>
            </div>
        </div>

</div>

</div>

<div class="modal-footer text-center">
    <button type="submit" class="btn btn-primary">Login</button>
</div>

</div>
</form>

<div id="forgotPasswordModal"
class="modal fade login-box-wrapper" tabindex="-1" style="display: none;" data-backdrop="static" data-keyboard="false" data-replace="true">

    <div class="modal-header">
        <button type="button" class="close" data-dismiss="modal" aria-hidden="true">&times;</button>
        <h4 class="modal-title text-center">Restore your forgotten password</h4>
    </div>

    <div class="modal-body">
        <div class="row gap-20">

            <div class="col-sm-12 col-md-12">
                <p class="mb-20">Enter the email address associated to your account, we will send you the link to reset your password</p>
            </div>

            <div class="col-sm-12 col-md-12">
                <div class="form-group">
```

```
        <label>Email Address</label>
        <input id="mymail" autocomplete="off"
name="email" class="form-control" placeholder="Enter your email address"
type="email" required>
    </div>

    </div>

        <div class="col-sm-12 col-md-12">
            <div class="login-box-box-action">
                Return to <a data-dismiss="modal">Log-in</a>
                <p id="data"></p>
            </div>

        </div>

        </div>
    </div>

        <div class="modal-footer text-center">
            <button onclick="update(mymail.value)" type="submit"
class="btn btn-primary">Restore</button>
            <button type="button" data-dismiss="modal" class="btn btn-
primary btn-inverse">Close</button>
        </div>

    </div>

        </div>

    </div>

        </div>

    </div>

        </div>
    </div>

        <div class="main-footer">
            <div class="container">
                <div class="row">
```

```
<div class="col-sm-12 col-md-9">

    <div class="row">

        <div class="col-sm-6 col-md-4">

            <div class="footer-about-us">
                <h5 class="footer-title">About
Kolkata Jobs</h5>
                <p>Kolkata Jobs is a job portal,  
online job management system developed by Anupam Dutta for his project in  
November 2022 at JIS College of Engineering, Kalyani.</p>
            </div>

        </div>

        <div class="col-sm-6 col-md-5 mt-30-xs">
            <h5 class="footer-title">Quick
Links</h5>
            <ul class="footer-menu clearfix">
                <li><a href="/">Home</a></li>
                <li><a href="job-list.php">Job
List</a></li>
                <li><a href="employers.php">Employers</a></li>
                <li><a href="employees.php">Employees</a></li>
                <li><a href="contact.php">Contact
Us</a></li>
                <li><a href="#">Go to top</a></li>
            </ul>
        </div>

    </div>

<div class="col-sm-12 col-md-3 mt-30-sm">

    <h5 class="footer-title">Kolkata Jobs
Contact</h5>
    <p>Address : Vill. Jaydebbati, Kalyani,  
Saguna, Nadia, West Bengal, India, PIN- 741245</p>

```

```

                <p>Email : <a href="mailto:anupamdutta.kalyani@yahoo.com">anupamdutta.kalyani@yahoo.com</a></p>
                <p>Phone : <a href="tel:+91 89100 69724">+91 89100 69724</a></p>
                <p>Phone : <a href="tel:+91 91631 42597">+91 91631 42597</a></p>

            </div>

        </div>

    </div>

</div>

<div class="bottom-footer">

    <div class="container">

        <div class="row">

            <div class="col-sm-4 col-md-4">

                <p class="copy-right">© Copyright <?php echo date('Y'); ?> Anupam Dutta Software Pvt. Ltd.</p>

            </div>

            <div class="col-sm-4 col-md-4">

                <ul class="bottom-footer-menu">
                    <li><a href="#">Developed by Anupam Dutta</a></li>
                </ul>

            </div>

            <div class="col-sm-4 col-md-4">
                <ul class="bottom-footer-menu for-social">
                    <li><a href="<?php echo "https://www.twitter.com/@kinganupamdutta"; ?>"><i class="ri ri-twitter" data-toggle="tooltip" data-placement="top" title="twitter"></i></a></li>
                    <li><a href="<?php echo "https://www.facebook.com/king.anupam.dutta"; ?>"><i class="ri ri-facebook" data-toggle="tooltip" data-placement="top" title="facebook"></i></a></li>
                </ul>
            </div>
        </div>
    </div>
</div>

```

```
        <li><a href="<?php echo "https://www.instagram.com/kinganupamdutta/"; ?>"><i class="ri ri-instagram" data-toggle="tooltip" data-placement="top" title="instagram"></i></a></li>
    </ul>
</div>

</div>

</div>

</div>

</div>

<div id="back-to-top">
    <a href="#"><i class="ion-ios-arrow-up"></i></a>
</div>

<script type="text/javascript" src="js/jquery-1.11.3.min.js"></script>
<script type="text/javascript" src="js/jquery-migrate-1.2.1.min.js"></script>
<script type="text/javascript" src="bootstrap/js/bootstrap.min.js"></script>
<script type="text/javascript" src="js/bootstrap-modalmanager.js"></script>
<script type="text/javascript" src="js/bootstrap-modal.js"></script>
<script type="text/javascript" src="js/smoothscroll.js"></script>
<script type="text/javascript" src="js/jquery.easing.1.3.js"></script>
<script type="text/javascript" src="js/jquery.waypoints.min.js"></script>
<script type="text/javascript" src="js/wow.min.js"></script>
<script type="text/javascript" src="js/jquery.slicknav.min.js"></script>
<script type="text/javascript" src="js/jquery.placeholder.min.js"></script>
<script type="text/javascript" src="js/bootstrap-tokenfield.js"></script>
<script type="text/javascript" src="js/typeahead.bundle.min.js"></script>
<script type="text/javascript" src="js/bootstrap3-wysihtml5.min.js"></script>
<script type="text/javascript" src="js/bootstrap-select.min.js"></script>
<script type="text/javascript" src="js/jquery-filestyle.min.js"></script>
<script type="text/javascript" src="js/bootstrap-select.js"></script>
<script type="text/javascript" src="js/ion.rangeSlider.min.js"></script>
<script type="text/javascript" src="js/handlebars.min.js"></script>
<script type="text/javascript" src="js/jquery.countimator.js"></script>
<script type="text/javascript" src="js/jquery.countimator.wheel.js"></script>
<script type="text/javascript" src="js/slick.min.js"></script>
<script type="text/javascript" src="js/easy-ticker.js"></script>
<script type="text/javascript" src="js/jquery.introLoader.min.js"></script>
<script type="text/javascript" src="js/jquery.responsivegrid.js"></script>
```

```
<script type="text/javascript" src="js/customs.js"></script>

</body>

</html>
```

Output:

The screenshot shows a web browser window with multiple tabs open at the top. The active tab displays a login form for 'Kolkata Jobs'. The form has fields for 'Email Address' (containing 'admin@jisce.com') and 'Password' (containing several dots). There is a 'Forgot password?' link and a 'LOGIN' button at the bottom. The browser's address bar shows the URL 'localhost/OnlineJobPortal/System/login.php'. The page header includes the 'Kolkata Jobs' logo and navigation links for 'home', 'job list', 'employers', 'employees', and 'contact us'. There are also 'login' and 'register' buttons in the top right corner.

Logout.php

```
<?php
session_start();
$_SESSION['logged'] = false;
session_unset();
session_destroy();
header("location:./");
?>
```

Employer Profile:

The screenshot shows the employer profile page for JIS COLLEGE OF ENGINEERING, KALYANI. The page includes a sidebar with options like 'POST A JOB', 'Profile', 'Change Password', 'Company Overview', 'Posted Jobs', and 'Logout'. The main content area displays the company's name, established year (2001), people count (1000+), city/town (Kalyani), zip code (741235), and website (https://www.jiscollege.ac.in/). The top navigation bar has links for 'home', 'job list', 'employers', 'employees', and 'contact us', along with 'logout' and 'profile' buttons.

Employee Profile:

The screenshot shows the employee profile page for Anupam Dutta. The page includes a sidebar with options like 'VIEW MY CV', 'Profile', 'Change Password', 'Professional Qualifications', and 'Language Proficiency'. The main content area displays the employee's first name (Anupam), last name (Dutta), birth date (27/12/1998), email (anupamdutta27121998.in@gmail.com), education level (B.tech In CSE), gender (Male), and city/town (Kalyani). The top navigation bar has links for 'home', 'job list', 'employers', 'employees', and 'contact us', along with 'logout' and 'profile' buttons.

Server Setup on XAMPP PHPMYADMIN

The screenshot shows the phpMyAdmin interface for the 'job_portal' database. The left sidebar lists tables: information_schema, job_portal, mysql, performance_schema, and phpmyadmin. The main area displays the 'tbl_jobs' table structure. The table has 12 columns: id (int), title (text), description (text), location (text), experience (text), education (text), salary (text), benefits (text), application_deadline (text), status (text), created_at (text), and updated_at (text). The table contains 2 rows. The 'Actions' column includes links for Browse, Structure, Search, Insert, Empty, Drop, and InnoDB. The 'Collation' column shows latin1_swedish_ci for most columns and utf8_general_ci for the 'id' column.

Database name: job_portal

Job_portal.sql

```
-- phpMyAdmin SQL Dump
-- version 4.8.4
-- https://www.phpmyadmin.net/
--
-- Host: 127.0.0.1
-- Generation Time: Aug 06, 2021 at 03:04 PM
-- Server version: 10.1.37-MariaDB
-- PHP Version: 7.0.33

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET AUTOCOMMIT = 0;
START TRANSACTION;
SET time_zone = "+00:00";

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */
/*!;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;

--
-- Database: `job_portal`
```

```
--  
-- Table structure for table `tbl_academic_qualification`  
--
```

```
CREATE TABLE `tbl_academic_qualification` (  
  `id` int(255) NOT NULL,  
  `member_no` varchar(255) NOT NULL,  
  `country` varchar(255) NOT NULL,  
  `institution` varchar(255) NOT NULL,  
  `course` varchar(255) NOT NULL,  
  `level` varchar(255) NOT NULL,  
  `timeframe` varchar(255) NOT NULL,  
  `certificate` longblob NOT NULL,  
  `transcript` longblob NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
```

```
--  
-- Table structure for table `tbl_alerts`  
--
```

```
CREATE TABLE `tbl_alerts` (  
  `id` int(255) NOT NULL,  
  `code` varchar(255) NOT NULL,  
  `description` varchar(255) NOT NULL,  
  `type` varchar(255) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
```

```
--  
-- Dumping data for table `tbl_alerts`  
--
```

```
INSERT INTO `tbl_alerts` (`id`, `code`, `description`, `type`) VALUES  
(1, '1123', 'You have been registered successfully', 'success'),  
(2, '4568', 'Unknown error occurred while performing your request', 'danger'),  
(3, '0927', 'Email address is already registered', 'warning'),  
(4, '0346', 'Invalid email or password', 'danger'),  
(5, '9837', 'Your profile have been updated successfully', 'success'),  
(6, '9564', 'Password updated successfully', 'success'),  
(9, '2305', 'Professional qualification was added successfully', 'success'),  
(11, '0521', 'Qualification was deleted successfully', 'success'),  
(13, '9367', 'language have been added', 'success'),  
(14, '0591', 'Language was deleted successfully', 'success'),  
(15, '8763', 'Language have been updated', 'success'),  
(16, '6734', 'Professional qualification was updated', 'success'),  
(17, '9843', 'Your job advertise have been posted successfully', 'success'),  
(18, '1964', 'Training / Workshop have been added successfully', 'success'),  
(20, '9210', 'working experience have been added', 'success'),
```

```
(22, '9215', 'working experience updated successfully', 'success'),
(24, '0593', 'working experience was deleted', 'success'),
(26, '9522', 'Training / workshop record have been deleted', 'success'),
(28, '2303', 'Academic qualification have been added successfully', 'success'),
(30, '1521', 'Academic qualification was deleted', 'success'),
(32, '3214', 'Academic qualification have been updated', 'success'),
(34, '2380', 'Referee was added successfully', 'success'),
(36, '7642', 'Referee information have been updated', 'success'),
(38, '0173', 'Job Ad have been deleted', 'success'),
(40, '0369', 'Job Ad has been updated successfully', 'success'),
(42, '2974', 'An error occurred while sending your message', 'danger'),
(43, '5634', 'Your message was sent successfully', 'success'),
(44, '3091', 'You have successfully changed your password', 'success'),
(45, '3591', 'An error occurred while updating your password', 'danger'),
(46, '2290', 'Your certificate size must be less or equal to <strong>1MB</strong>', 'warning'),
(47, '2490', 'Your transcript size must be less or equal to <strong>1MB</strong>', 'warning'),
(48, '5790', 'Training information was updated', 'success'),
(50, '3478', 'Your image size must be less or equal to <strong>1MB</strong>', 'warning'),
(51, '6789', 'Attachment was added successfully', 'success'),
(53, '6784', 'Attachment was deleted successfully', 'success'),
(55, '7764', 'Attachment was updated successfully', 'success'),
(57, '9517', 'Referee have been deleted', 'success');
```

--

```
-- Table structure for table `tbl_categories`
```

```
CREATE TABLE `tbl_categories` (
  `id` int(255) NOT NULL,
  `category` varchar(255) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
```

```
--
```

```
-- Dumping data for table `tbl_categories`
```

```
--
```

```
INSERT INTO `tbl_categories` (`id`, `category`) VALUES
```

```
(1, 'Accounting'),
(2, 'Auditing'),
(3, 'Banking and Financial Services'),
(4, 'CEO and General Management'),
(5, 'Community and Social Devt'),
(6, 'Creative and Design'),
(7, 'Education and Training'),
(8, 'Engineering and Construction'),
(9, 'Farming and Agribusiness'),
(10, 'Healthcare and Pharmaceutical'),
(11, 'HR & Administration'),
(12, 'IT and Telecoms'),
```

(13, 'Legal'),
(14, 'Manufacturing'),
(15, 'Marketing,Media and Brand'),
(16, 'Mining and Natural Resources'),
(17, 'Project & Programme Mngmnt'),
(18, 'Research,Science and Biotech'),
(19, 'Security'),
(20, 'Strategy and Consulting'),
(21, 'Tourism and Travel'),
(22, 'Trades and Services'),
(23, 'Transport and Logistics'),
(24, 'Other');

-- Table structure for table `tbl_countries`

```
CREATE TABLE `tbl_countries` (
  `id` int(11) NOT NULL,
  `country_code` varchar(2) NOT NULL DEFAULT '',
  `country_name` varchar(100) NOT NULL DEFAULT ''
) ENGINE=MyISAM DEFAULT CHARSET=utf8;
```

-- Dumping data for table `tbl_countries`

```
INSERT INTO `tbl_countries` (`id`, `country_code`, `country_name`) VALUES
(1, 'AF', 'Afghanistan'),
(2, 'AL', 'Albania'),
(3, 'DZ', 'Algeria'),
(4, 'DS', 'American Samoa'),
(5, 'AD', 'Andorra'),
(6, 'AO', 'Angola'),
(7, 'AI', 'Anguilla'),
(8, 'AQ', 'Antarctica'),
(9, 'AG', 'Antigua and Barbuda'),
(10, 'AR', 'Argentina'),
(11, 'AM', 'Armenia'),
(12, 'AW', 'Aruba'),
(13, 'AU', 'Australia'),
(14, 'AT', 'Austria'),
(15, 'AZ', 'Azerbaijan'),
(16, 'BS', 'Bahamas'),
(17, 'BH', 'Bahrain'),
(18, 'BD', 'Bangladesh'),
(19, 'BB', 'Barbados'),
(20, 'BY', 'Belarus'),
(21, 'BE', 'Belgium'),
```

(22, 'BZ', 'Belize'),
(23, 'BJ', 'Benin'),
(24, 'BM', 'Bermuda'),
(25, 'BT', 'Bhutan'),
(26, 'BO', 'Bolivia'),
(27, 'BA', 'Bosnia and Herzegovina'),
(28, 'BW', 'Botswana'),
(29, 'BV', 'Bouvet Island'),
(30, 'BR', 'Brazil'),
(31, 'IO', 'British Indian Ocean Territory'),
(32, 'BN', 'Brunei Darussalam'),
(33, 'BG', 'Bulgaria'),
(34, 'BF', 'Burkina Faso'),
(35, 'BI', 'Burundi'),
(36, 'KH', 'Cambodia'),
(37, 'CM', 'Cameroon'),
(38, 'CA', 'Canada'),
(39, 'CV', 'Cape Verde'),
(40, 'KY', 'Cayman Islands'),
(41, 'CF', 'Central African Republic'),
(42, 'TD', 'Chad'),
(43, 'CL', 'Chile'),
(44, 'CN', 'China'),
(45, 'CX', 'Christmas Island'),
(46, 'CC', 'Cocos (Keeling) Islands'),
(47, 'CO', 'Colombia'),
(48, 'KM', 'Comoros'),
(49, 'CG', 'Congo'),
(50, 'CK', 'Cook Islands'),
(51, 'CR', 'Costa Rica'),
(52, 'HR', 'Croatia (Hrvatska)'),
(53, 'CU', 'Cuba'),
(54, 'CY', 'Cyprus'),
(55, 'CZ', 'Czech Republic'),
(56, 'DK', 'Denmark'),
(57, 'DJ', 'Djibouti'),
(58, 'DM', 'Dominica'),
(59, 'DO', 'Dominican Republic'),
(60, 'TP', 'East Timor'),
(61, 'EC', 'Ecuador'),
(62, 'EG', 'Egypt'),
(63, 'SV', 'El Salvador'),
(64, 'GQ', 'Equatorial Guinea'),
(65, 'ER', 'Eritrea'),
(66, 'EE', 'Estonia'),
(67, 'ET', 'Ethiopia'),
(68, 'FK', 'Falkland Islands (Malvinas)'),
(69, 'FO', 'Faroe Islands'),
(70, 'FJ', 'Fiji'),
(71, 'FI', 'Finland'),
(72, 'FR', 'France'),

(73, 'FX', 'France, Metropolitan'),
(74, 'GF', 'French Guiana'),
(75, 'PF', 'French Polynesia'),
(76, 'TF', 'French Southern Territories'),
(77, 'GA', 'Gabon'),
(78, 'GM', 'Gambia'),
(79, 'GE', 'Georgia'),
(80, 'DE', 'Germany'),
(81, 'GH', 'Ghana'),
(82, 'GI', 'Gibraltar'),
(83, 'GK', 'Guernsey'),
(84, 'GR', 'Greece'),
(85, 'GL', 'Greenland'),
(86, 'GD', 'Grenada'),
(87, 'GP', 'Guadeloupe'),
(88, 'GU', 'Guam'),
(89, 'GT', 'Guatemala'),
(90, 'GN', 'Guinea'),
(91, 'GW', 'Guinea-Bissau'),
(92, 'GY', 'Guyana'),
(93, 'HT', 'Haiti'),
(94, 'HM', 'Heard and Mc Donald Islands'),
(95, 'HN', 'Honduras'),
(96, 'HK', 'Hong Kong'),
(97, 'HU', 'Hungary'),
(98, 'IS', 'Iceland'),
(99, 'IN', 'India'),
(100, 'IM', 'Isle of Man'),
(101, 'ID', 'Indonesia'),
(102, 'IR', 'Iran (Islamic Republic of)'),
(103, 'IQ', 'Iraq'),
(104, 'IE', 'Ireland'),
(105, 'IL', 'Israel'),
(106, 'IT', 'Italy'),
(107, 'CI', 'Ivory Coast'),
(108, 'JE', 'Jersey'),
(109, 'JM', 'Jamaica'),
(110, 'JP', 'Japan'),
(111, 'JO', 'Jordan'),
(112, 'KZ', 'Kazakhstan'),
(113, 'KE', 'Kenya'),
(114, 'KI', 'Kiribati'),
(115, 'KP', 'Korea, Democratic People\\'s Republic of'),
(116, 'KR', 'Korea, Republic of'),
(117, 'XK', 'Kosovo'),
(118, 'KW', 'Kuwait'),
(119, 'KG', 'Kyrgyzstan'),
(120, 'LA', 'Lao People\\'s Democratic Republic'),
(121, 'LV', 'Latvia'),
(122, 'LB', 'Lebanon'),
(123, 'LS', 'Lesotho'),

- (124, 'LR', 'Liberia'),
- (125, 'LY', 'Libyan Arab Jamahiriya'),
- (126, 'LI', 'Liechtenstein'),
- (127, 'LT', 'Lithuania'),
- (128, 'LU', 'Luxembourg'),
- (129, 'MO', 'Macau'),
- (130, 'MK', 'Macedonia'),
- (131, 'MG', 'Madagascar'),
- (132, 'MW', 'Malawi'),
- (133, 'MY', 'Malaysia'),
- (134, 'MV', 'Maldives'),
- (135, 'ML', 'Mali'),
- (136, 'MT', 'Malta'),
- (137, 'MH', 'Marshall Islands'),
- (138, 'MQ', 'Martinique'),
- (139, 'MR', 'Mauritania'),
- (140, 'MU', 'Mauritius'),
- (141, 'TY', 'Mayotte'),
- (142, 'MX', 'Mexico'),
- (143, 'FM', 'Micronesia, Federated States of'),
- (144, 'MD', 'Moldova, Republic of'),
- (145, 'MC', 'Monaco'),
- (146, 'MN', 'Mongolia'),
- (147, 'ME', 'Montenegro'),
- (148, 'MS', 'Montserrat'),
- (149, 'MA', 'Morocco'),
- (150, 'MZ', 'Mozambique'),
- (151, 'MM', 'Myanmar'),
- (152, 'NA', 'Namibia'),
- (153, 'NR', 'Nauru'),
- (154, 'NP', 'Nepal'),
- (155, 'NL', 'Netherlands'),
- (156, 'AN', 'Netherlands Antilles'),
- (157, 'NC', 'New Caledonia'),
- (158, 'NZ', 'New Zealand'),
- (159, 'NI', 'Nicaragua'),
- (160, 'NE', 'Niger'),
- (161, 'NG', 'Nigeria'),
- (162, 'NU', 'Niue'),
- (163, 'NF', 'Norfolk Island'),
- (164, 'MP', 'Northern Mariana Islands'),
- (165, 'NO', 'Norway'),
- (166, 'OM', 'Oman'),
- (167, 'PK', 'Pakistan'),
- (168, 'PW', 'Palau'),
- (169, 'PS', 'Palestine'),
- (170, 'PA', 'Panama'),
- (171, 'PG', 'Papua New Guinea'),
- (172, 'PY', 'Paraguay'),
- (173, 'PE', 'Peru'),
- (174, 'PH', 'Philippines'),

(175, 'PN', 'Pitcairn'),
(176, 'PL', 'Poland'),
(177, 'PT', 'Portugal'),
(178, 'PR', 'Puerto Rico'),
(179, 'QA', 'Qatar'),
(180, 'RE', 'Reunion'),
(181, 'RO', 'Romania'),
(182, 'RU', 'Russian Federation'),
(183, 'RW', 'Rwanda'),
(184, 'KN', 'Saint Kitts and Nevis'),
(185, 'LC', 'Saint Lucia'),
(186, 'VC', 'Saint Vincent and the Grenadines'),
(187, 'WS', 'Samoa'),
(188, 'SM', 'San Marino'),
(189, 'ST', 'Sao Tome and Principe'),
(190, 'SA', 'Saudi Arabia'),
(191, 'SN', 'Senegal'),
(192, 'RS', 'Serbia'),
(193, 'SC', 'Seychelles'),
(194, 'SL', 'Sierra Leone'),
(195, 'SG', 'Singapore'),
(196, 'SK', 'Slovakia'),
(197, 'SI', 'Slovenia'),
(198, 'SB', 'Solomon Islands'),
(199, 'SO', 'Somalia'),
(200, 'ZA', 'South Africa'),
(201, 'GS', 'South Georgia South Sandwich Islands'),
(202, 'ES', 'Spain'),
(203, 'LK', 'Sri Lanka'),
(204, 'SH', 'St. Helena'),
(205, 'PM', 'St. Pierre and Miquelon'),
(206, 'SD', 'Sudan'),
(207, 'SR', 'Suriname'),
(208, 'SJ', 'Svalbard and Jan Mayen Islands'),
(209, 'SZ', 'Swaziland'),
(210, 'SE', 'Sweden'),
(211, 'CH', 'Switzerland'),
(212, 'SY', 'Syrian Arab Republic'),
(213, 'TW', 'Taiwan'),
(214, 'TJ', 'Tajikistan'),
(215, 'TZ', 'Tanzania, United Republic of'),
(216, 'TH', 'Thailand'),
(217, 'TG', 'Togo'),
(218, 'TK', 'Tokelau'),
(219, 'TO', 'Tonga'),
(220, 'TT', 'Trinidad and Tobago'),
(221, 'TN', 'Tunisia'),
(222, 'TR', 'Turkey'),
(223, 'TM', 'Turkmenistan'),
(224, 'TC', 'Turks and Caicos Islands'),
(225, 'TV', 'Tuvalu'),

```
(226, 'UG', 'Uganda'),
(227, 'UA', 'Ukraine'),
(228, 'AE', 'United Arab Emirates'),
(229, 'GB', 'United Kingdom'),
(230, 'US', 'United States'),
(231, 'UM', 'United States minor outlying islands'),
(232, 'UY', 'Uruguay'),
(233, 'UZ', 'Uzbekistan'),
(234, 'VU', 'Vanuatu'),
(235, 'VA', 'Vatican City State'),
(236, 'VE', 'Venezuela'),
(237, 'VN', 'Vietnam'),
(238, 'VG', 'Virgin Islands (British)'),
(239, 'VI', 'Virgin Islands (U.S.)'),
(240, 'WF', 'Wallis and Futuna Islands'),
(241, 'EH', 'Western Sahara'),
(242, 'YE', 'Yemen'),
(243, 'ZR', 'Zaire'),
(244, 'ZM', 'Zambia'),
(245, 'ZW', 'Zimbabwe');
```

```
-- Table structure for table `tbl_experience`
```

```
CREATE TABLE `tbl_experience` (
  `id` int(255) NOT NULL,
  `member_no` varchar(255) NOT NULL,
  `title` varchar(255) NOT NULL,
  `institution` varchar(255) NOT NULL,
  `supervisor` varchar(255) NOT NULL,
  `supervisor_phone` varchar(255) NOT NULL,
  `start_date` varchar(255) NOT NULL,
  `end_date` varchar(255) NOT NULL,
  `duties` longtext NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
```

```
-- Table structure for table `tbl_jobs`
```

```
CREATE TABLE `tbl_jobs` (
  `job_id` varchar(255) NOT NULL,
  `title` varchar(255) NOT NULL,
  `city` varchar(255) NOT NULL,
  `country` varchar(255) NOT NULL,
  `category` varchar(255) NOT NULL,
```

```
`type` varchar(255) NOT NULL,  
`experience` varchar(255) NOT NULL,  
`description` longtext NOT NULL,  
`responsibility` longtext NOT NULL,  
`requirements` longtext NOT NULL,  
`company` varchar(255) NOT NULL,  
`date_posted` varchar(255) NOT NULL,  
`closing_date` varchar(255) NOT NULL,  
`enc_id` int(255) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
```

```
--  
-- Dumping data for table `tbl_jobs`  
--
```

```
INSERT INTO `tbl_jobs` (`job_id`, `title`, `city`, `country`, `category`, `type`, `experience`,  
`description`, `responsibility`, `requirements`, `company`, `date_posted`, `closing_date`,  
`enc_id`) VALUES  
('5609558107', 'Technical Engineer', 'Takoradi', 'Ghana', 'IT and Telecoms', 'Full-time', '2  
Years', 'This is a complete system that has both android version and the desktop version. It also  
manages sales and can be used manage attendance as well.<br>', 'This is a complete system that  
has both android version and the desktop version. It also manages sales and can be used  
manage attendance as well.<br>', 'This is a complete system that has both android version and  
the desktop version. It also manages sales and can be used manage attendance as well.<br>',  
'CM858235891', 'August 06, 2021', '01/09/2021', 11);
```

```
--  
-- Table structure for table `tbl_job_applications`  
--
```

```
CREATE TABLE `tbl_job_applications` (  
`id` int(255) NOT NULL,  
`member_no` varchar(255) NOT NULL,  
`job_id` varchar(255) NOT NULL,  
`application_date` varchar(255) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
```

```
--  
-- Table structure for table `tbl_language`  
--
```

```
CREATE TABLE `tbl_language` (  
`id` int(255) NOT NULL,  
`member_no` varchar(255) NOT NULL,  
`language` varchar(255) NOT NULL,  
`speak` varchar(255) NOT NULL,  
`reading` varchar(255) NOT NULL,
```

```
`writing` varchar(255) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
```

```
--  
-- Table structure for table `tbl_other_attachments`  
--
```

```
CREATE TABLE `tbl_other_attachments` (  
  `id` int(255) NOT NULL,  
  `member_no` varchar(255) NOT NULL,  
  `title` varchar(255) NOT NULL,  
  `issuer` varchar(255) NOT NULL,  

```

```
--  
-- Table structure for table `tbl_professional_qualification`  
--
```

```
CREATE TABLE `tbl_professional_qualification` (  
  `id` int(255) NOT NULL,  
  `member_no` varchar(255) NOT NULL,  
  `country` varchar(255) NOT NULL,  
  `institution` varchar(255) NOT NULL,  

```

```
--  
-- Table structure for table `tbl_referees`  
--
```

```
CREATE TABLE `tbl_referees` (  
  `id` int(255) NOT NULL,  
  `member_no` varchar(255) NOT NULL,  
  `ref_name` varchar(255) NOT NULL,  
  `ref_mail` varchar(255) NOT NULL,  

```

```
--  
-- Table structure for table `tbl_tokens`  
  
CREATE TABLE `tbl_tokens` (  
  `id` int(255) NOT NULL,  
  `email` varchar(255) NOT NULL,  
  `token` varchar(255) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
```

```
--  
-- Table structure for table `tbl_training`  
  
CREATE TABLE `tbl_training` (  
  `id` int(255) NOT NULL,  
  `member_no` varchar(255) NOT NULL,  
  `training` varchar(255) NOT NULL,  
  `institution` varchar(255) NOT NULL,  
  `timeframe` varchar(255) NOT NULL,  
  `certificate` longblob  
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
```

```
--  
-- Table structure for table `tbl_users`  
  
CREATE TABLE `tbl_users` (  
  `first_name` varchar(255) NOT NULL,  
  `last_name` varchar(255) NOT NULL,  
  `gender` varchar(255) NOT NULL DEFAULT '-',  
  `bdate` varchar(255) NOT NULL DEFAULT '-',  
  `bmonth` varchar(255) NOT NULL DEFAULT '-',  
  `byear` varchar(255) NOT NULL DEFAULT '-',  
  `email` varchar(255) NOT NULL,  
  `education` varchar(255) NOT NULL DEFAULT '-',  
  `title` varchar(255) NOT NULL DEFAULT 'Your professional',  
  `city` varchar(255) NOT NULL DEFAULT '-',  
  `street` varchar(255) NOT NULL DEFAULT '-',  
  `zip` varchar(255) NOT NULL DEFAULT '-',  
  `country` varchar(255) NOT NULL DEFAULT '-',  
  `phone` varchar(255) NOT NULL DEFAULT '-',  
  `about` longtext,  
  `avatar` longblob,  
  `services` longtext,  
  `expertise` longtext,  
  `people` varchar(255) NOT NULL DEFAULT '-'
```

```

`last_login` varchar(255) NOT NULL,
`role` varchar(255) NOT NULL,
`website` varchar(255) NOT NULL DEFAULT '-',
`login` varchar(255) NOT NULL,
`member_no` varchar(255) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

-- 
-- Dumping data for table `tbl_users`
-- 

INSERT INTO `tbl_users` (`first_name`, `last_name`, `gender`, `bdate`, `bmonth`, `byear`,
`email`, `education`, `title`, `city`, `street`, `zip`, `country`, `phone`, `about`, `avatar`, `services`,
`expertise`, `people`, `last_login`, `role`, `website`, `login`, `member_no`) VALUES
('CodeLytical', '-', '-', '-', '2021', 'codehacker768@gmail.com', '-', 'Software Company',
'Takoradi', 'Chinese Avenue', '12345', 'Ghana', '2332488659', 'This is a complete system that
has both android version and the desktop version. It also manages sales and can be used
manage attendance as well.<br>',
28a2800a28a2800a28a2800a28a2800a28a2800a28a2800a28a2800a28a2800a28a2803ffd
9, 'This is a complete system that has both android version and the desktop version. It also
manages sales and can be used manage attendance as well.<br>', 'This is a complete system that
has both android version and the desktop version. It also manages sales and can be used
manage attendance as well.<br>', '11-100', '06-08-2021 03:08 PM [EAT +03:00]', 'employer',
'https://kpro.netlify.app/', '9b945ee15998a7d24714d88adaccf2e0', 'CM858235891');

-- 
-- Indexes for dumped tables
-- 

-- 
-- Indexes for table `tbl_academic_qualification`
-- 

ALTER TABLE `tbl_academic_qualification`
ADD PRIMARY KEY (`id`);

-- 
-- Indexes for table `tbl_alerts`
-- 

ALTER TABLE `tbl_alerts`
ADD PRIMARY KEY (`id`),
ADD UNIQUE KEY `code` (`code`);

-- 
-- Indexes for table `tbl_categories`
-- 

ALTER TABLE `tbl_categories`
ADD PRIMARY KEY (`id`);

-- 
-- Indexes for table `tbl_countries`
-- 

```

```
ALTER TABLE `tbl_countries`
ADD PRIMARY KEY (`id`);

<-- 
-- Indexes for table `tbl_experience` 
-- 
ALTER TABLE `tbl_experience`
ADD PRIMARY KEY (`id`);

<-- 
-- Indexes for table `tbl_jobs` 
-- 
ALTER TABLE `tbl_jobs`
ADD PRIMARY KEY (`enc_id`),
ADD UNIQUE KEY `job_id` (`job_id`);

<-- 
-- Indexes for table `tbl_job_applications` 
-- 
ALTER TABLE `tbl_job_applications`
ADD PRIMARY KEY (`id`);

<-- 
-- Indexes for table `tbl_language` 
-- 
ALTER TABLE `tbl_language`
ADD PRIMARY KEY (`id`);

<-- 
-- Indexes for table `tbl_other_attachments` 
-- 
ALTER TABLE `tbl_other_attachments`
ADD PRIMARY KEY (`id`);

<-- 
-- Indexes for table `tbl_professional_qualification` 
-- 
ALTER TABLE `tbl_professional_qualification`
ADD PRIMARY KEY (`id`);

<-- 
-- Indexes for table `tbl_referees` 
-- 
ALTER TABLE `tbl_referees`
ADD PRIMARY KEY (`id`);

<-- 
-- Indexes for table `tbl_tokens` 
-- 
ALTER TABLE `tbl_tokens`
ADD PRIMARY KEY (`id`);
```

```
--  
-- Indexes for table `tbl_training`  
--  
ALTER TABLE `tbl_training`  
  ADD PRIMARY KEY (`id`);  
  
--  
-- Indexes for table `tbl_users`  
--  
ALTER TABLE `tbl_users`  
  ADD PRIMARY KEY (`member_no`);  
  
--  
-- AUTO_INCREMENT for dumped tables  
--  
  
--  
-- AUTO_INCREMENT for table `tbl_academic_qualification`  
--  
ALTER TABLE `tbl_academic_qualification`  
  MODIFY `id` int(255) NOT NULL AUTO_INCREMENT;  
  
--  
-- AUTO_INCREMENT for table `tbl_alerts`  
--  
ALTER TABLE `tbl_alerts`  
  MODIFY `id` int(255) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=58;  
  
--  
-- AUTO_INCREMENT for table `tbl_categories`  
--  
ALTER TABLE `tbl_categories`  
  MODIFY `id` int(255) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=25;  
  
--  
-- AUTO_INCREMENT for table `tbl_countries`  
--  
ALTER TABLE `tbl_countries`  
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=246;  
  
--  
-- AUTO_INCREMENT for table `tbl_experience`  
--  
ALTER TABLE `tbl_experience`  
  MODIFY `id` int(255) NOT NULL AUTO_INCREMENT;  
  
--  
-- AUTO_INCREMENT for table `tbl_jobs`  
--  
ALTER TABLE `tbl_jobs`
```

```

MODIFY `enc_id` int(255) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=12;

-- 
-- AUTO_INCREMENT for table `tbl_job_applications`
-- 

ALTER TABLE `tbl_job_applications`
MODIFY `id` int(255) NOT NULL AUTO_INCREMENT;

-- 
-- AUTO_INCREMENT for table `tbl_language`
-- 

ALTER TABLE `tbl_language`
MODIFY `id` int(255) NOT NULL AUTO_INCREMENT;

-- 
-- AUTO_INCREMENT for table `tbl_other_attachments`
-- 

ALTER TABLE `tbl_other_attachments`
MODIFY `id` int(255) NOT NULL AUTO_INCREMENT;

-- 
-- AUTO_INCREMENT for table `tbl_professional_qualification`
-- 

ALTER TABLE `tbl_professional_qualification`
MODIFY `id` int(255) NOT NULL AUTO_INCREMENT;

-- 
-- AUTO_INCREMENT for table `tbl_referees`
-- 

ALTER TABLE `tbl_referees`
MODIFY `id` int(255) NOT NULL AUTO_INCREMENT;

-- 
-- AUTO_INCREMENT for table `tbl_tokens`
-- 

ALTER TABLE `tbl_tokens`
MODIFY `id` int(255) NOT NULL AUTO_INCREMENT;

-- 
-- AUTO_INCREMENT for table `tbl_training`
-- 

ALTER TABLE `tbl_training`
MODIFY `id` int(255) NOT NULL AUTO_INCREMENT;
COMMIT;

/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```