



BRAND+**MANUAL**

THIS MANUAL CONTAINS INFORMATION THAT IS PROPRIETARY TO **PLANNING SYSTEMS SERVICES LTD.**
IT IS AN OFFICIAL CORPORATE DOCUMENT THAT EXPLAINS THE BRAND'S IDENTITY AND PRESENTS BRAND STANDARDS.

INTRO.

Not only by our financial performance but also the way we conduct our business. We appreciate that large and varied groups need to understand our commitments and policies, our direction and strategies, and our current as well as future prospects to be able to place their trust in us.

PLANNING SYSTEMS SERVICES LTD brand integrity is a fragile thing and it needs to be treated as such. Brand guidelines are, in essence, PLANNING SYSTEMS SERVICES LTC's manual on how to "use" the brand. These guidelines will be referenced by everyone who touches the brand, internally or externally, and will often be partially reused in future brand identity revisions



- 01. LOGO VISUALS
- 02. TYPOGRAPHY
- 03. COLOR PALETTE
- 04. BRANDED ASSETS
- 05. LOGO PLACEMENT
- 06. BRAND ICONS
- 07. WEB GUIDELINES
- 08. PHOTOGRAPHY

CONTENTS.

TABLE OF CONTENTS

- 1 WELCOME
 - 1.1 PSSSL'S MISSION
 - 1.2 WHO IS THIS GUIDE FOR?
 - 1.3 WHAT IS THIS GUIDE IMPORTANT?
- 2 GENERAL GUIDELINES
 - 2.1 GENERAL DO'S AND DON'TS
 - 2.2
 - 2.3 TYPOGRAPHY
 - 2.4
- 3 BRAND ASSETS
 - 3.1 LOGOS & BADGES

WHO IS THIS GUIDE FOR?

This guide is for anyone who wants to use PSSL's brand assets in their marketing or advertising and briefly covers guidelines for the assets approved for use and available at the PSSL Brand Resource Center at PLANNING SYSTEMS SERVICE LTD.

WHY IS THIS GUIDE IMPORTANT?

These guidelines outline the general rules when using PSSL's brand assets and showcasing PSSL content. Consistent use of these assets helps people easily recognize references to PSSL and protect company trademarks. It is important that your marketing materials use PSSL standards and use PSSL approved assets correctly. This guide will help you meet those standards.

In an effort to protect the integrity of the PLANNING brand the following pages offer guidelines for any use of the PLANNING assets by internal or external stakeholders of the organization.

01 LOGO+VISUALS

1.1 INTRODUCTION


The PLANNING logo is a wordmark logo. The PSSL logo only uses solid black or white versions when color is not an option. The navy blue logo is our most universally recognized asset, and to aid comprehension, we use that version wherever possible.

LOGO QUALIFICATIONS AND REQUIREMENTS

To qualify for use of any of these logo variations, you must meet the requirements of the appropriate logo program for each product you use the logo on. For more info on those requirements.

LOGO USAGE OVERVIEW

In all new productions and printings of your products and related marketing materials, use the logo that correctly represents your department's qualification and follow these guidelines. All PSSL licensing logos are intended for use on a the different departments under PSSL, its documentation and presentation, or as a descriptor on a presentation's boot-up or information screen. Any use on Websites and/or marketing materials must be closely tied with a description of the qualifying project.



Primary Logo

1.2 PRIMARY MARK

The PLANNING Wordmark shown here is the primary logo for PSSSL Company. This wordmark must stand alone. It should be used as a singular graphic element. It should not be used as part of another mark and should not be combined with another logo, mark, graphic or other visual element. Do not modify the logos in any way, such as changing the design or color.

LOGO ELEMENTS

The full-color logo shown below is the primary and preferred visual identification for the other departments under PSSSL.

PLANNING
project management

PLANNING
visualisation

PLANNING
energy + environment

PLANNING
architecture + land use

LOGO TYPES

The Linxor Logo is the combination of two separate elements: The Logo type and the icon (which constitute the indicia), next to the logotype and the DOE tag. The full-color logo shown below is the primary and preferred visual identification.



THE LOGO TYPOGRAPHY

The black and white versions are only to be used if necessary due to color restriction or background color.

1.3 LOGO SIZE GUIDELINES

It is important that the appearance of the logo remains consistent. The logo should not be misinterpreted, modified, or added to. No attempt should be made to alter the logo in any way. Do not rotate, warp, or disproportionately scale the logo. Its orientation, color and composition should remain as indicated in this document—there are no exceptions. To standardize the use of the tag, three sizes are provided for most uses—50 pixels high for web banners and e-mail headers, .875" high for printed materials, and 72 pixels high for web pages. These sizes should be considered the minimum size for print/online uses. For printed communication, add .125" to the top or bottom of the red field to cover bleed.combined with another logo, mark, graphic or other visual element.

1 LOGO SIZE: 150 PX

All PSSSL licensing logos are intended for use on a physical product, its documentation and packaging, or as a descriptor on a product's.

2 LOGO SIZE: 120 PX


All PSSSL licensing logos are intended for use on a physical product, its documentation and packaging, or as a descriptor on a product's.

3 LOGO SIZE: 100 PX

All PSSSL licensing logos are intended for use on a physical product, its documentation and packaging, or as a descriptor on a product's.

4 LOGO SIZE: 80 PX

All PSSSL licensing logos are intended for use on a physical product, its documentation and packaging, or as a descriptor on a product's.




1.4 CLEAR SPACE

The PSSSL wordmark logo requires a safe area of approximately one full-letter height around all text edges, on all four sides. No text or graphic element should be placed within the protective zone of the logo as shown. This zone protects the logo from other competing graphic elements and ensures that the logo is clearly visible to the reader. This also gives the logo prominence and ensures that it will not be obscured or diminished by other surrounding elements.

MAIN LOGO SPACING

In order to preserve the integrity of the Primary Logotype, it is important that no other logos, type or other graphic elements infringe on its space. The minimum clearspace around the logotype is equivalent to 1/3 of the width of the logotype.



MINIMUM SIZE

For effective readability the PSSSL logo should never appear smaller than 60mm in length.

1.5 BACKGROUND COLOR VARIATIONS

The correct color versions to use are the blue or reversed-out to white. If you are unable to use the correct color due to technical limitations, you may revert to black and white. No other color combinations are allowed.



BG
White

The Navy blue Version
will be used when the background color is light colored.



BG
Black

The Dark Version
will be used when the background color is dark colored.


02 TYPOGRAPHY

2.1 PRIMARY TYPEFACE

Typography plays an important role in communicating an overall tone and quality. Careful use of typography reinforces our personality and ensures clarity and harmony in all PLANNING communications.

MONTERRAT is the preferred PSSSL brand typeface. The typeface evokes the modernist style of an early 20th century font. It's clean, contemporary style accentuates the streamlined experience we deliver to our clients. To reinforce clarity and consistency in our design, please follow these general guidelines

MONTERRAT



ABCDEFGHIJKLMNOPQRSTUVWXYZ

SEMIBOLD - 30 PT

abcdefghijklmnopqrstuvwxyz

MEDIUM - NUMERALS, PUNCTUATION AND GLYPHS - 30 PT

0123456789

!@#\$%^&*~([["-+
=.,:;|±|·WO"]])

2.2 ALTERNATE USAGE TYPEFACE

Screen-based applications, Web sites, or internal documents, such as the body copy on corporate stationery require alternate typefaces that are generally available throughout the organization and work across platforms.

CORRECT TYPOGRAPHY USE:

Title

Font Size	Case	Color
12pt	Uppercase	Black 100%

Subtitle

Font Size	Case	Color
10pt	Title	C:100 M:70 Y:0 K:0

Main Body

Font Size	Case	Color
8pt	Line Height	Black 100%

Emails

Font Size	Case	Color
11pt	Sentence	Black 100%

Diagram Description

Font Size	Case	Color
6PT	Sentence	C:100 M:70 Y:0 K:0

2.3 TYPOGRAPHY HIERARCHY

These are general guidelines that will apply to most PSSSL materials, and are consistent with guidelines for advertising and literature. Additional guidelines with respect to specific PSSSL components are noted

ALIGNMENT: Left align is preferred. Right align is okay when required by the design, but center align should be avoided.

HEADLINES AND SUBHEADS: You can use sentence case or all-caps. Intro copy, body text: Should always be in sentence case.

INITIAL CAPS (PSSSL): Only use on buttons, marks, labels, and PLANNING entities.

FONT DOWNLOADLINK:

www.fontsquirrel.com/fonts/montserrat

HOW TO INSTALL FONT IN WINDOWS:

- Step 1:** Open folder called Fonts - Control panel.
- Step 2:** Drag the font needed to install to the main window that contains all the other installed fonts.
- Step 3:** Drop the font in the folder and the new font is installed.

HOW TO INSTALL FONT IN MAC:

- Step 1:** Open Finder and locate the folder in which the new Mac font is downloaded.
- Step 2:** In the same folder, find a file ending with ".ttf" or ".ttc" or ".otf" and double-click on it. This will automatically run Font Book.
- Step 4:** Click Install Font In the pop-up window and the new font is installed.

2.3 GENERAL USE

These are general guidelines that will apply to most PSSL materials, and are consistent with guidelines for advertising and literature. Additional guidelines with respect to specific DM components are noted. Always use the GE Inspira set of fonts in all applications.

HEADLINES

On brochures, inserts, letters (i.e., on energy+environment) and envelopes, headlines should always be prominent and set in the largest type size on the page. Headlines are always set in GE Inspira Regular. Do not use GE Inspira Bold for headlines (although bolding key words or phrases to PSS Law reader attention is acceptable). Headlines may also be left or center justified but not set flush right.

SUBHEADS

Subheads can use a large type and can also be presented in any GE Inspira weight or style. Avoid using more than 2 font styles in subheads. Subheads may also be left or center justified but not set flush right.

IN-MARKET TESTING

It is understood that at times there is a desire to use alternate fonts in select PSSL communications, and direct marketers may wish for further flexibility beyond the Inspira font style to PSSLaw attention to important call-to-action messages or to highlight important brand, product or service benefits.

These brand font should never be manipulated or altered. This includes adding a stroke, stretching, skew-ing adding a drop shadow and all other modifications outside of color and size

03 COLOR+PALETTE

CORPORATE COLOR SYSTEM

Beyond our logo, color is the most recognizable aspect of our brand identity. Colors were selected that reflect our bold, diverse community and given names that reflect their inspiration. Using color appropriately is one of the easiest ways to make sure our materials reflect a cohesive Linexor image or visual story.

PSSL COLORS

There are four PSSL colours . Each PSSL department has its own distinct color. General guidance in proportions is provided in the colour wheels on this page.

DO NOT USE MORE THAN ONE COLOUR ON THE SAME PAGE UNLESS YOU ARE WORKING WITH GRAPHS AND CHARTS.

Using colours together within an application, colours may switch in order to divide sections or topics of communication (as employed in this guidelines document). When using the colours in this way, there should always be a clear and simple logic for the changing of the colours within the application.

USE OF TINTS

As a general rule, tints of the colours are to be avoided, but may be used for graphs and charts where colours are limited (eg single-colour printing).

PLANNING
architecture + land use

PLANNING
visualisation

PLANNING
project management


PLANNING
energy + environment

PLANNING
group

3.2 PRIMARY COLOR PALETTE

PLANNING signature color is navy blue on a white background. This should always be considered as the primary color. Black is to be used very sparingly.

PLANNING




NAVY BLUE

Color RGB value is (12,84,160).
This hex color code is also a web safe color which is equal to #004DFF.

Color spaces of #004DFF

Hex: #004DFF
RGB: 0, 77, 255
CMYK: 100, 70, 0, 0
HSV: 222°, 100, 100



Tint colors
Navy blue variation

SIZE: 25 pt
LEADING: 27 pt
TRACKING: -10

3.4 VISUALISATION AND GROUP LTD PALETTE

#00FFFF

COLOR SPACES OF #00FFFF


Hex: #00ffff

RGB: 0, 255, 255

CMYK: 15, 79, 0, 0

HSV: 15°, 100, 80

TINTS OF
#00FFFF



PLANNING
visualisation

#00ffff to be used in conjunction with PV on Brochures, Reports, and Presentations. To ensure legibility, the minimum length of this logo should be 65mmW. Use this logo only as you have received it, do not adjust the spacing between the letters or words.

#000000

COLOR SPACES OF #000000


Hex: #000000

RGB: 0, 0, 0

CMYK: 0, 0, 0, 100

HSV: 0°, 0, 0

TINTS OF
#000000



PLANNING
group

#000000 to be used in conjunction with PG on Brochures, Reports, and Presentations. To ensure legibility, the minimum length of this logo should be 65mmW. Use this logo only as you have received it, do not adjust the spacing between the letters or words.

3.4 ENERGY+ENVIRONMENT AND PROJECT MANAGEMENT PALETTES

#00FF00

COLOR SPACES OF #4CCE00


Hex: #4cce00

RGB: 76, 209, 0

CMYK: 65, 5, 100, 15

HSV: 98°, 100, 80.8

TINTS OF
#4CCE00



PLANNING
energy + environment

#cc3300 To be used in conjunction with PPML on letters, brochures, reports, EOI's, RFP's and Presentation Layouts. To ensure legibility, the minimum length of this logo should be 65mmW. Use this logo only as you have received it, do not adjust the spacing between the letters or words.

#F00000

COLOR SPACES OF #CC3300


Hex: #cc3300

RGB: 204, 51, 0

CMYK: 13, 90, 100, 4

HSV: 15°, 100, 80

TINTS OF
#CC3300



PLANNING
project management

#4cce00 to be used in conjunction with EE on letters, brochures, reports, EOI's, RFP's and Presentation Layouts. To ensure legibility, the minimum length of this logo should be 65mmW. Use this logo only as you have received it, do not adjust the spacing between the letters or words.

04 BRAND+ASSETS

4.1 BRANDED ICONS

A business card typically includes the giver's name, company or business affiliation (usually with a logo) and contact information such as street addresses, telephone number(s), e-mail addresses and website.

They may include social media addresses such as Facebook, LinkedIn and Twitter. Traditionally many cards were simple black text on white stock; today a professional business card will sometimes include one or more aspects of striking visual design.



PHONE ICONS

As a general rule, tints of the colours are to be avoided, but may be used for graphs and charts where colours are limited (eg single-colour printing).



BUSINESS ICONS

As a general rule, tints of the colours are to be avoided, but may be used for graphs and charts where colours are limited (eg single-colour printing).



WEB ICONS


As a general rule, tints of the colours are to be avoided, but may be used for graphs and charts where colours are limited (eg single-colour printing).

4.2 BUSINESS CARDS

This is the PLANNING business card template. Notice the consistent use of SWISS721 CN BT as the typeface for all information. Please ensure that all information is correct before submitting your card for print.



FRONT DESIGN



BACK DESIGN

PRINTING SPECIFICATIONS

Full Bleed Size

3.62" x 2.12"
92 x 54 mm
1085 x 635 pixels

Document Trim Size


3.50" x 2.00"
85 x 50 mm
1050 x 600 pixels

PRINT Resolution & COLOR

300 DPI
CMYK
Please be sure to keep all text within the safe margin.

4.2 LETTERHEAD

This is the PSSL business card template. Notice the consistent use of Open Sans Regular as the typeface for all information. Please ensure that all information is correct before submitting your card for print. Multo erri sendam patuam pribus, senduc fac ignostis bontium, consum tatum ilibus inatum patum facto Cat pere issestem pered mo vigil te caet, nove, quam, sularem ut caetil tum desim hora curi, Ti. Opiem tistus, conferi pricuiltiae norem publin tem apesili citissi muleri culi sed fui is et vem aberort iemquam co concla vivem is.



FRONT DESIGN

COLOR SPECIFICATIONS:

HEX: #1C2A4B

RGB: 255, 204, 0

CMYK: 0, 20, 100, 0

HSV: 48°, 100, 100


PRINTING SPECIFICATIONS

- 3.62" x 2.12"
- 92 x 54 mm
- 1085 x 635 pixels
- 300 DPI
- CMYK

Please be sure to keep all text within the safe margin.

4.4 APP DESIGN

This is the corporate letterhead template. Notice the use of the twin bands. It is an element that introduces the brand colors effectively. All text should be in MONTSEERRAT Regular if the document will be printed for distribution. In the case that the document is to be distributed electronically, use the alternate typeface, Arial.



DISPLAYING SCREENS ON A DEVICE

Screens should always be presented within the context of a relevant mobile, desktop or other device.

Mobile Device

1. The screens provided should not be used larger than 100% of the file size.
2. Fit screen to device without cropping the top or sides. The bottom of the screen can be cropped.
3. When customizing type layers on iOS screens, use San Francisco font. When customizing for Android screens, use Roboto font

APP ICON V.1



PLANNING ios app

Connect helps you capture everything you want to do in the real world – and then do it with friends. Whether it's places you want to go, people you want to see, or activities you're interested in,

What makes spectrum special?

Capture inspiration when it strikes – a location, a person, an idea – and add more details when you're ready.

Please be sure to keep all text within the safe margin.


4.5 WEB PAGE

This is the PSSSL business card template. Notice the consistent use of Open Sans Regular as the typeface for all information. Please ensure that all information is correct before launching the website.

Laptop

1. Use the available desktop product screens combined with a 15-inch laptop.
2. The screens provided should not be used larger than 100% of the file size.
3. Fit screen to device without cropping the top or sides. The bottom of the screen can be cropped.
4. When customizing type layers, use HELVETICA font.

CENTERED



CONNECT WEBPAGE SPECIFICATIONS

The PSSSL website will be full page positioned in all web browsers. The background colours will expand to fill to the width of the browser window, as shown below. The measurements below, and throughout this document reference 'pixels'.


SPACING AND MARGINS

These details will help you place items on the common page grid system.


- › the spacing between text is always 10 pxl
- › The left padding for promotion panel is always 10 pxl
- › If hand drawn line separates two objects, 30 pxl spacing is placed either side of the line.

4.5 PHOTOGRAPHY


This is the corporate letterhead template. Notice the use of the twin bands. It is an element that introduces the brand colors effectively. All text should be in Open Sans Regular if the document will be printed for distribution. In the case that the document is to be distributed electronically, use the alternate typeface, Arial.




As a general rule, tints of the colours are to be avoided, but may be used for graphs and charts where colours are limited (eg single-colour printing).



As a general rule, tints of the colours are to be avoided, but may be used for graphs and charts where colours are limited (eg single-colour printing).



As a general rule, tints of the colours are to be avoided, but may be used for graphs and charts where colours are limited (eg single-colour printing).



4.6 EMAIL SIGNATURES

Email signature font is Swis721 Cn Bt with font size for Name, Designation, and Logo 10.5 points normal text with corporate blue colour. Physical address is 9 points black text. Disclaimer text is 7.5 points 50% gray.

LOGO

PLANNING
architecture + land use

Henry Musangi
Design Director - Architect

henry.musangi@planning-kenya.com



Name - Position
Email - Phone
Number

www.planning-kenya.com

Tel: +254 20 4180650/1/2

Mobile: +254 724 255 088 / 733 555 001

Email: info@planning-kenya.com

PLANNING HOUSE, Lower Kabete

EMAIL SIGN NOTES SPACING AND MARGINS

These details will help you place items on the common page grid system.

- › The spacing between text is always 10 pxl
- › The general spacing between objects is 30 pxl.
- › The left padding for promotion panel is always 10 pxl
- › The general spacing between objects in the main column is 30 pxl
- › If hand drawn line separates two objects, 30 pxl spacing is placed either side of the line.

05 LOGO+PLACEMENT

5.1 INCORRECT LOGO USAGE

Whenever possible, the PSSSL logo should be placed in the upper right corner of the webpage/page in full color, on a white background.

Logo placement helps build PSSSL brand awareness. On printed material like a letterhead, a business card or an envelope, double the distance of the letters "ou" around the edge.

We have created two examples that illustrate this concept.

PRINT

In print applications, "initial view" refers to the cover of materials with multiple pages or the front of one-sided materials. For two-sided materials, the logo can appear on either side depending on design.

EMAIL

For HTML emails such as department newsletters, the logo must appear somewhere within the message. It does not need to be in the header.


WEBSITE

The logo must appear before any user interaction (click, scroll, input, etc.).



ADDED EFFECTS

Do not add a drop shadow or other effects to the logo.




TYPEFACE

Do not change the typeface of the wordmark.



DISTORTION

Do not distort or stretch any part of the logo.




INDIVIDUAL ELEMENTS

Do not deconstruct the logo elements to form new graphic lock-ups or identities.



BACKGROUND

Do not place the logo on a background that does not provide sufficient contrast.




ARRANGEMENT


Do not rearrange the position of the logo components.

5.2 THE RIGHT PLACE FOR LOGO

In an effort to remain one brand, one voice we are simplifying our email signatures. Our emails will no longer have an attached logo – it is all text based. This will ensure that the email signature will look the same across the board from desktop to mobile to tablet.



PRIMARY PLACEMENT



SECONDARY PLACEMENT



SPACING FOR PRIMARY
PLACEMENT



SPACING FOR SECONDARY
PLACEMENT

06 PHOTOGRAPHY

6.1 IMAGERY

In order to be successful in selecting visuals for presentations or for the website, the team should pay careful consideration to these key aspects of imagery.

HIGH QUALITY

The best images will be thoughtfully planned and well-executed. If possible avoid taking pictures with your phone unless its high resolution. Though more casual photographic styles have risen to popularity via Instagram and Flickr, an image must have high-quality composition, focus, and clarity to carry a webpage or document.

DIFFERENTIATED POINT OF VIEW

"Moments of insight" is the most brand-authentic point of view. This POV evokes the potential changes that education brings about in an individual's life. In this approach, selected images should attempt to capture and prioritize the seminal moment of an achievement, and convey a time, place, and feeling.






IMAGE 01 - DESCRIPTION

These details will help you place items on the common page grid system.

- › the spacing between text is always 10 pxl
- › The left padding for promotion panel is always 10 pxl
- › The general spacing between objects in the main column is 30 pxl



IMAGE 04 - DESCRIPTION

These details will help you place items on the common page grid system.

- › the spacing between text is always 10 pxl
- › The left padding for promotion panel is always 10 pxl
- › The general spacing between objects in the main column is 30 pxl



IMAGE 02 - DESCRIPTION

These details will help you place items on the common page grid system.

- › the spacing between text is always 10 pxl
- › The left padding for promotion panel is always 10 pxl
- › The general spacing between objects in the main column is 30 pxl



IMAGE 05 - DESCRIPTION

These details will help you place items on the common page grid system.

- › the spacing between text is always 10 pxl
- › The left padding for promotion panel is always 10 pxl
- › The general spacing between objects in the main column is 30 pxl



STRECHING


Avoid stretching images to fit. This



PHOTOGRAPHY OVERLAYS

Photography overlays are a great way to add contrast to images that are overlaid with copy. Only use the PSSSL shade of blue [C:100 M:70 Y:0 K:0](#)

07 CONTACT+US



NAIROBI. HEAD OFFICE

PLANNING HOUSE,
Lower Kabete Road
Hours of Operation: 9am – 6pm Mon-Fri

Tel: 254-20-4180650/1/2
Fax: 254-20-4182046
Mobile: +254 724 255 088, +254 733 555 001
Email: info@planning-kenya.com



PLANNING



**For further guidance
please contact:**

HENRY MUSANGI

Associate Director

ARCHITECT

PLANNING SYSTEMS SERVICES LTD

EMAIL: Henry.Musangi@planning-kenya.com

TELEPHONE: +254 724 255088/ 733 555001

MOBILE: +254 729 929 870