BALBc_Singles | BL6-BALBc_HTxC | clonotypes≥2 MEAN+PROP before/after (q=1.000, Ts=21.00) (page 1/22)



BALBc_Singles | BL6-BALBc_HTxC | clonotypes≥2 MEAN+PROP before/after (q=1.000, Ts=21.00) (page 2/22)



BALBc_Singles | BL6-BALBc_HTxC | clonotypes≥2 MEAN+PROP before/after (q=1.000, Ts=21.00) (page 3/22)



BALBc_Singles | BL6-BALBc_HTxC | clonotypes≥2 MEAN+PROP before/after (q=1.000, Ts=21.00) (page 4/22)



BALBc_Singles | BL6-BALBc_HTxC | clonotypes≥2 MEAN+PROP before/after (q=1.000, Ts=21.00) (page 5/22)



BALBc_Singles | BL6-BALBc_HTxC | clonotypes≥2 MEAN+PROP before/after (q=1.000, Ts=21.00) (page 6/22)



BALBc_Singles | BL6-BALBc_HTxC | clonotypes≥2 MEAN+PROP before/after (q=1.000, Ts=21.00) (page 7/22)



BALBc_Singles | BL6-BALBc_HTxC | clonotypes≥2 MEAN+PROP before/after (q=1.000, Ts=21.00) (page 8/22)



BALBc_Singles | BL6-BALBc_HTxC | clonotypes≥2 MEAN+PROP before/after (q=1.000, Ts=21.00) (page 9/22)



BALBc_Singles | BL6-BALBc_HTxC | clonotypes≥2 MEAN+PROP before/after (q=1.000, Ts=21.00) (page 10/22)



BALBc_Singles | BL6-BALBc_HTxC | clonotypes≥2 MEAN+PROP before/after (q=1.000, Ts=21.00) (page 11/22)



BALBc_Singles | BL6-BALBc_HTxC | clonotypes≥2 MEAN+PROP before/after (q=1.000, Ts=21.00) (page 12/22)



BALBc_Singles | BL6-BALBc_HTxC | clonotypes≥2 MEAN+PROP before/after (q=1.000, Ts=21.00) (page 13/22)



BALBc_Singles | BL6-BALBc_HTxC | clonotypes≥2 MEAN+PROP before/after (q=1.000, Ts=21.00) (page 14/22)



BALBc_Singles | BL6-BALBc_HTxC | clonotypes≥2 MEAN+PROP before/after (q=1.000, Ts=21.00) (page 15/22)



BALBc_Singles | BL6-BALBc_HTxC | clonotypes≥2 MEAN+PROP before/after (q=1.000, Ts=21.00) (page 16/22)



BALBc_Singles | BL6-BALBc_HTxC | clonotypes≥2 MEAN+PROP before/after (q=1.000, Ts=21.00) (page 17/22)



BALBc_Singles | BL6-BALBc_HTxC | clonotypes≥2 MEAN+PROP before/after (q=1.000, Ts=21.00) (page 18/22)



BALBc_Singles | BL6-BALBc_HTxC | clonotypes≥2 MEAN+PROP before/after (q=1.000, Ts=21.00) (page 19/22)



BALBc_Singles | BL6-BALBc_HTxC | clonotypes≥2 MEAN+PROP before/after (q=1.000, Ts=21.00) (page 20/22)



BALBc_Singles | BL6-BALBc_HTxC | clonotypes≥2 MEAN+PROP before/after (q=1.000, Ts=21.00) (page 21/22)



BALBc_Singles | BL6-BALBc_HTxC | clonotypes≥2 MEAN+PROP before/after (q=1.000, Ts=21.00) (page 22/22)