B10BR_HIL | BL6-B10BR_HTxB | clonotypes≥5 MEAN+PROP before/after (q=0.975, Ts=3.00) (page 1/14)



B10BR_HIL | BL6-B10BR_HTxB | clonotypes≥5 MEAN+PROP before/after (q=0.975, Ts=3.00) (page 2/14)



B10BR_HIL | BL6-B10BR_HTxB | clonotypes≥5 MEAN+PROP before/after (q=0.975, Ts=3.00) (page 3/14)



B10BR_HIL | BL6-B10BR_HTxB | clonotypes≥5 MEAN+PROP before/after (q=0.975, Ts=3.00) (page 4/14)



B10BR_HIL | BL6-B10BR_HTxB | clonotypes≥5 MEAN+PROP before/after (q=0.975, Ts=3.00) (page 5/14)



B10BR_HIL | BL6-B10BR_HTxB | clonotypes≥5 MEAN+PROP before/after (q=0.975, Ts=3.00) (page 6/14)



B10BR_HIL | BL6-B10BR_HTxB | clonotypes≥5 MEAN+PROP before/after (q=0.975, Ts=3.00) (page 7/14)



B10BR_HIL | BL6-B10BR_HTxB | clonotypes≥5 MEAN+PROP before/after (q=0.975, Ts=3.00) (page 8/14)



B10BR_HIL | BL6-B10BR_HTxB | clonotypes≥5 MEAN+PROP before/after (q=0.975, Ts=3.00) (page 9/14)



B10BR_HIL | BL6-B10BR_HTxB | clonotypes≥5 MEAN+PROP before/after (q=0.975, Ts=3.00) (page 10/14)



B10BR_HIL | BL6-B10BR_HTxB | clonotypes≥5 MEAN+PROP before/after (q=0.975, Ts=3.00) (page 11/14)



B10BR_HIL | BL6-B10BR_HTxB | clonotypes≥5 MEAN+PROP before/after (q=0.975, Ts=3.00) (page 12/14)



B10BR_HIL | BL6-B10BR_HTxB | clonotypes≥5 MEAN+PROP before/after (q=0.975, Ts=3.00) (page 13/14)



B10BR_HIL | BL6-B10BR_HTxB | clonotypes≥5 MEAN+PROP before/after (q=0.975, Ts=3.00) (page 14/14)