B10BR_Singles | BL6-B10BR_HTxC | clonotypes≥5 MEAN+PROP before/after (q=1.000, Ts=55.00) (page 1/13)



B10BR_Singles | BL6-B10BR_HTxC | clonotypes≥5 MEAN+PROP before/after (q=1.000, Ts=55.00) (page 2/13)



B10BR_Singles | BL6-B10BR_HTxC | clonotypes≥5 MEAN+PROP before/after (q=1.000, Ts=55.00) (page 3/13)



B10BR_Singles | BL6-B10BR_HTxC | clonotypes≥5 MEAN+PROP before/after (q=1.000, Ts=55.00) (page 4/13)



B10BR_Singles | BL6-B10BR_HTxC | clonotypes≥5 MEAN+PROP before/after (q=1.000, Ts=55.00) (page 5/13)



B10BR_Singles | BL6-B10BR_HTxC | clonotypes≥5 MEAN+PROP before/after (q=1.000, Ts=55.00) (page 6/13)



B10BR_Singles | BL6-B10BR_HTxC | clonotypes≥5 MEAN+PROP before/after (q=1.000, Ts=55.00) (page 7/13)



B10BR_Singles | BL6-B10BR_HTxC | clonotypes≥5 MEAN+PROP before/after (q=1.000, Ts=55.00) (page 8/13)



B10BR_Singles | BL6-B10BR_HTxC | clonotypes≥5 MEAN+PROP before/after (q=1.000, Ts=55.00) (page 9/13)



B10BR_Singles | BL6-B10BR_HTxC | clonotypes≥5 MEAN+PROP before/after (q=1.000, Ts=55.00) (page 10/13)



B10BR_Singles | BL6-B10BR_HTxC | clonotypes≥5 MEAN+PROP before/after (q=1.000, Ts=55.00) (page 11/13)



B10BR_Singles | BL6-B10BR_HTxC | clonotypes≥5 MEAN+PROP before/after (q=1.000, Ts=55.00) (page 12/13)



B10BR_Singles | BL6-B10BR_HTxC | clonotypes≥5 MEAN+PROP before/after (q=1.000, Ts=55.00) (page 13/13)