



## General

Enabled



### Description

Texte brut [Prévisualisation](#)☐ Ce build a des paramètres☐ Do not allow concurrent builds☐ Do not allow the pipeline to resume if the controller restarts[Tableau de bord](#)[TpDevOps](#)[Configuration](#)

## Configure

### GitLab Connection

Gitlab



Advanced Project Options



Pipeline

☐

Use alternative credential

☐

Pipeline speed/durability override

☐

Preserve stashes from completed builds

☐

Supprimer les anciens builds

☐

Throttle builds

## Build Triggers

☐

Construire après le build sur d'autres projets

☐

Construire périodiquement

Build when a change is pushed to GitLab. GitLab webhook URL:  
http://localhost:8090/project/TpDevOps

Enabled GitLab triggers

☐

Push Events in case of branch delete

Sauvegarder

Appliquer

Pushed Merge Request Events

☐

Build only if new commits were pushed to Merge Request

☐

Accepted Merge Request Events

☐

Closed Merge Request Events

Rebuild open Merge Requests

Never

☐ Approved Merge Requests (EE-only)

☐ Comments

☐ Comment (regex) for triggering a build

Jenkins please retry a build

Avancé 

☐ GitHub hook trigger for GITScm polling ☐

☐ Scrutation de l'outil de gestion de version ☐

☐ Période d'attente ☐

☐ Déclencher les builds à distance (Par exemple, à partir de scripts) ☐

---

## Advanced Project Options

Avancé 

---

## Pipeline

### Definition

---

Pipeline script from SCM

SCM

Git

Repositories

Repository URL

http://2d74df3e1794/root/darrag\_hamza\_tic-tac-toe.git

Credentials

root/\*\*\*\*\*

+ Ajouter ▼

Avancé ▼

Add Repository

Branches to build

Branch Specifier (blank for 'any')

\*/main

Add Branch

Navigateur de la base de code ☐

(Auto)

Additional Behaviours

Ajouter 

Script Path ☐

Jenkinsfile

Lightweight checkout ☐

[Pipeline Syntax](#)