

SAFETY DATA SHEET

Revision Date: 07/15/2025

Moroccan Clay

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPERATION AND OF THE COMPANY/UNDERTAKING

1.1 Product details

Product category : Architectural Interior Coating
 Product Name : Moroccan Clay
 Cas-No. : Not Available

1.2 Application/preparation of the substance

Restrictions : None known

1.3 Details of the Manufacturer/Supplier

Meoded Paints & Decoration Inc.
 6314 Santa Monica Blvd
 Los Angeles, CA 90038

Further Information Obtainable from : Info@meodedpaint.com

Contact Phone Number : +1 323-308-2600

Fax : +1 323-308-2606

1.4 In case of emergency, contact CHEMTREC

: +1 800-424-9300

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture in accordance with (OSHA HCS) 29 CFR 1910, 1200.

Classification : Carcinogenicity - Category 1B

2.2 Pictogram (GHS-US)



Signal Word (GHS-US) : Danger

Hazard statement(s) (GHS-US) : H350 May cause cancer (inhalation).
 : H335 May cause respiratory irritation.
 : H370 Causes damages to organs.

Precautionary statement(s) (GHS-US) : P202 Do not handle until all safety precautions have been read and understood.
 : P260 Do not breath dust.
 : P270 Do not eat, drink or smoke when using this product.
 : P280 Wear protective gloves, protective clothing, eye protection.
 : P302+P352 IF ON SKIN: Wash with plenty of soap and water.

(Contd. on page 2)



SAFETY DATA SHEET

Revision Date: 07/15/2025

Moroccan Clay

(Contd. of page 1)

- Precautionary statement(s) (GHS-US) : P305+P351 IF IN EYES: Rinse cautiously with water for several minutes.
: P308+P313 If exposed or concerned: Get medical advice/attention.
- Response statement(s) (GHS-US) : P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in position comfortable for breathing.
: P301+P312 IF SWALLOWED: Call a poison center or doctor/Physician if you feel unwell.
- Storage Statement(S) (GHS-US) : P402 Store in a dry place.
- Disposal Statement(s) (GHS-US) : P501 Dispose of contents/container to in accordance with local/regional/national/international regulations.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Composition/information on ingredients.

Dangerous components.

Component	Cas #	Exposure Limit	
Titanium Dioxide	13463-67-7	OSHA PEL (Respirable)	15 mg/m ³
		ACGIH TLV (Respirable)	10 mg/m ³
Crystalline Silica	14808-60-7	OSHA PEL (Respirable)	0.05 mg/m ³
		ACGIH TLV (Respirable)	0.025 mg/m ³

3.2 Compositions Comments: : All percentages withheld as trade secret.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

- General advice : n/a
- Incase of skin contact : Wash with plenty of soap and water. Continue rinsing and seek medical attention if irritation develops or persists.

(Contd. on page 3)



SAFETY DATA SHEET

Revision Date: 07/15/2025

Moroccan Clay

(Contd. of page 2)

- If swallowed** : If necessary, seek medical attention. If swallowed, drink plenty of water. Never give anything by mouth to an unconscious person. Rinse out mouth with water.
- Incase of eye contact** : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing and seek medical attention if irritation develops or persists.
- If inhaled** : Remove to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or Doctor/Physician.

SECTION 5: FIRE FIGHTING MEASURES

- 5.1 General Fire Hazards** : This product is not-flammable.
- 5.2 Extinguishing Media**
- Suitable extinguishing media : Water spray, foam, CO2, dry chemical.
- Unsuitable extinguishing media : This product is not-flammable.
- 5.3 Special hazards arising from the substance or mixture** : Dried product may burn under intense heat.
- 5.4 Special protective equipment** : Firefighters should wear protective equipment as required.
- 5.5 Advice for firefighters** : Use protective measures that suit the hazardous conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures**
- Non emergency personnel : Wear personal protection equipment. Remove person to safety. Use personal protective equipment as recommended in section 8. Wash thoroughly after handling matter. Wear appropriate protective clothing.
- For emergency responders : Use personal recommended in Section 8 of the SDS.

(Contd. on page 4)



SAFETY DATA SHEET

Revision Date: 07/15/2025

Moroccan Clay

(Contd. of page 3)

- 6.2 Environmental precautions** : Do not allow to enter into soil/subsoil. Prevent runoff from contacting public drains, sewers, streams, and water systems.
- 6.3 Methods and materials for containing and cleaning** : Limit leakage with earth or inert material. Remove most of the product and then rinse the contaminated area with water. Pick up and arrange for disposal without creating dust. Disposed of materials in a suitable containers in accordance with applicable regional, national and local laws and regulations.
- 6.4 Notification Procedures** : Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling** : Do not handle until all safety precautions have been read and understood. Consult all the other sections of this SDS. Avoid leakage of the product into the environment. Wear protective clothing to avoid skin or eye contact.
- 7.2 Conditions for safe storage, including any inculpabilities** : Store only in original container. Store the container sealed, in a well ventilated place, away from direct sunlight. Keep containers away from incompatible materials. Cross contamination will render product useless.
- 7.3 Specific end use(s)** Architectural Decorative Coating.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

United States. Occupational limits:			
Component	Cas #	Exposure Limit	
Titanium Dioxide	13463-67-7	OSHA PEL (Respirable)	15 mg/m ³
		ACGIH TLV (Respirable)	10 mg/m ³
Crystalline Silica	14808-60-7	OSHA PEL (Respirable)	0.05 mg/m ³
		ACGIH TLV (Respirable)	0.025 mg/m ³

(Contd. on page 5)

SAFETY DATA SHEET

Revision Date: 07/15/2025

Moroccan Clay

8.2 Exposure controls

(Contd. of page 4)

Appropriate engineering controls

: Use with adequate ventilation to ensure exposure levels are maintained below the limit provided above. Use exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits.

Individual Protective Measures
General information

: Personal protective equipment should be chosen according to applicable standards.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure the eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases, dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection Safety glasses with side shields.

Skin protection
Hand protection

: Chemical-resistant, impervious gloves complying with approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

(Contd. on page 6)



SAFETY DATA SHEET

Revision Date: 07/15/2025

Moroccan Clay

(Contd. of page 5)

- Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection : Based on the hazards and the potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training and other important aspects of use.
- Environmental exposure controls : Environmental manager/supervisor must be informed immediately of all major releases, Avoid unintended release into the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information in basic physical and chemical properties

Form	Viscous Liquid Paint
Color	White
Odor	Slight
Odor threshold	Not available.
PH	8 - 9
Melting/freezing point	No data available
Initial boiling point and boiling range	100°C
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower explosive flammable limits	No data available
Vapor pressure	No data available

Vapor density	No data available
Relative density	No data available
Water solubility	Dispersible in water
Partition coefficient (n- octanol water)	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available
Specific gravity (H2O=1)	
VOC:	25.0 g/l (0.21 lb./gal)

- 9.2 Other Information : No relevant additional information available.

SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity : No relevant additional information available.

(Contd. on page 7)



SAFETY DATA SHEET

Revision Date: 07/15/2025

Moroccan Clay

(Contd. of page 6)

- 10.3 Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reaction will not occur.
- 10.4 Conditions to avoid** : Air, dusting. DO NOT FREEZE.
- 10.5 Incompatible materials** : No data available.
- 10.6 Hazardous decomposition products** : CO₂ , CO, nitrogen oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

- 11.1 Acute toxicity** : Low. Not expected to be toxic under normal use.
- Skin corrosion/irritation : May cause slight irritation with prolonged contact.
- Eyes : May cause eye irritation.
- Respiratory : Unlikely in liquid form; inhalation of dried dust may cause respiratory irritation.
- Sensitization : No data available.
- Ingestion : Do not ingest. Harmful if ingested.
- Reproductive toxicity : No data available.
- Teratogenicity : No data available.
- Specific target organ toxicity (Single exposure) : Long term exposure to crystalline silica can cause lung injury(silicosis). IARC and NTP have determined that crystalline silica inhaled from occupational exposure source can cause cancer in humans. Risk of injury is dependent on duration and level of exposure. Target organs lungs.

Ingredient name	Category	Route of exposure	Target Organs
Titanium Dioxide	2B	Inhalation of respirable dust	Lungs
Crystalline Silica	1	Inhalation of respirable dust	Lungs

(Contd. on page 8)



SAFETY DATA SHEET

Revision Date: 07/15/2025

Moroccan Clay

(Contd. of page 7)

Additional Information : No data available.

SECTION 12: ECOLOGICAL INFORMATION

- 12.1 Toxicity** : The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.
- 12.2 Persistence and degradability** : Contains biodegradable components. Fillers are mineral-based and inert.
- 12.3 Bio accumulative potential** : Bioaccumulation is unlikely.
- 12.4 Mobility in soil** : Expected to have low mobility once dried or cured..
- 12.5 Other adverse effect** : No data available
- 12.6 Aquatic Toxicity** : No data on final mixture: some ingredients (biocides) may be toxic to aquatic organisms in concentrated form.
- Additional Information : Prevent runoff into water bodies.

SECTION 13: DISPOSAL CONSIDERATIONS

- 13.1 Disposal methods** : Dispose in a suitable waste treatment facility in compliance with federal, provincial and local regulations.
- : Do not allow into sewers or waterways.
- : Dried or cured product can typically be disposed of as non-hazardous solid waste.

SECTION 14: TRANSPORT INFORMATION

- 14.1 UN Number** : Not regulated

(Contd. on page 9)



SAFETY DATA SHEET

Revision Date: 07/15/2025

Moroccan Clay

(Contd. of page 8)

- 14.3 Transport Hazards Class(es)** : Not regulated
- 14.4 Packing Group** : Not regulated
- 14.5 Environmental Hazard Class(es)** : The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.
- 14.6 Sea Transport** : Not regulated
- 14.7 Air transport** : Not regulated
- 14.8 Special Precautions for user** : None

SECTION 15: REGULATORY INFORMATION

- 15.1 US Federal regulations**
OSHA Hazard Communication Standard, (29 CFR 1910.1200) : No data available
- 15.2 CERCLA, section 103 (40 CFR 302.4)** : No data available
- 15.3 CLEAN AIR ACT, section 112** : No data available
- 15.4 SARA, section 302 (40 CFR 355.30) and section 304 (40 CFR 355.40)** : No data available
- 15.5 SARA, section 311/312 (40 CFR 370.21)**
Hazard classes
- Fire/Flammability : No
- Reactivity : No
- Chronic Health Hazard : Yes
- Acute Health Hazard : Yes
- Release of Pressure : No

(Contd. on page 10)



SAFETY DATA SHEET

Revision Date: 07/15/2025

Moroccan Clay

(Contd. of page 9)

15.7 EPA VOC : 25.0 g/l VOC

15.8 California Prop 65.

Titanium Dioxide	Cas #	13463-67-7
Crystalline Silica	Cas #	14808-60-7

Additional Information: : N/A

SECTION 16: OTHER INFORMATION

16.1 Full text of H-Statements referred to under sections 2 and 3.

HMIS Hazard ID		Required Equipment
HEALTH	1	Safety glasses, Gloves, Respirator
FLAMMABILITY	0	
REACTIVITY	0	
PERSONAL PROTECTION	E	

16.1 Meoded Paint and Decoration provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using the product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. Meoded Paint and Decoration makes no representation or warranties, either express or implied, including without limitation any warranties of merchantability fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Meoded Paint and Decoration will not be responsible for damages resulting from use of or reliance upon this information.

END OF SDS SHEETS