Implementation of elliptic curve cryptography in constrained environments

Anthony Van Herrewege Prof. Dr. Ir. I. Verbauwhede & Prof. Dr. Ir. B. Preneel

18 Februari 2009



Outline

- Introduction
- 2 Elliptic Curve Pairings
- 3 Implementation
- 4 Conclussion

Outline

- Introduction
- 2 Elliptic Curve Pairings
- 3 Implementation
- 4 Conclussion

Implement a compact hardware implementation of elliptic curve pairings.

Implement a compact hardware **implementation of** elliptic curve pairings.

- Program in GEZEL
- Optimize in VHDL
- Synthetize to FPGA/ASIC

Outline

- 1 Introduction
- 2 Elliptic Curve Pairings
- 3 Implementation
- 4 Conclussion

Overview

- What?
- Why?
- How?

What?

• Public key cryptography

What?

- Public key cryptography
- Identity-based cryptography

What?

- Public key cryptography
- Identity-based cryptography
- Calculations over elliptic curves

- Identity-based cryptography
 - No public key lookup required:
 - eg. P = National identification number

- Identity-based cryptography
 - No public key lookup required:

eg. P = National identification number

• Date-stamped encryption possible:

eg.
$$P = Nin + "20091223"$$

- Identity-based cryptography
 - No public key lookup required:

eg. P = National identification number

• Date-stamped encryption possible:

eg.
$$P = Nin + "20091223"$$

Other positive aspects:

Non-interactive key establishment Single round tripartite key establishment Ideal for eg. sensor networks

- Identity-based cryptography
 - No public key lookup required:

eg. P = National identification number

• Date-stamped encryption possible:

eg.
$$P = Nin + "20091223"$$

Other positive aspects:

Non-interactive key establishment Single round tripartite key establishment Ideal for eg. sensor networks

Drawbacks as well:

no key revocation, still a central authority, ...

- Identity-based cryptography
 - No public key lookup required:

eg. P = National identification number

• Date-stamped encryption possible:

eg.
$$P = Nin + "20091223"$$

Other positive aspects:

Non-interactive key establishment Single round tripartite key establishment Ideal for eg. sensor networks

- Drawbacks as well:
 no key revocation, still a central authority, ...
- Key strength comparison [bits]:

RSA 3072

ECC 256

How?

Elliptic curve pairing *e*:

$$e: G_1 \times G_1 \rightarrow G_2$$

Mapping needs to be:

- Bilinear: $e(P_1 + P_2, P_3) = e(P_1, P_3) \cdot e(P_2, P_3)$
- Non-degenerate: $e(P, P) \neq 1$
- Efficiently computable


Several available pairings:

Outline

- 1 Introduction
- 2 Elliptic Curve Pairings
- 3 Implementation
- 4 Conclussion


MALU

Modulo Arithmetic Logical Unit [general]:




MALU

Modulo Arithmetic Logical Unit [optimized]:




MALU

Modulo Arithmetic Logical Unit [optimized; d-bits wide]:




Wrappers - GF_{2^m}

*GF*_{2^m} Multiplication/Addition:



Wrappers - ECC

ECC Point Addition/Doubling:



State of the art

Some currently available implementations:

Name	Platform	Field	Speed
TinyTate	ATMega128L [7.4Mhz]	$\mathbb{F}_{2^{256}}$	30.2s
TinyPBC	ATMega128L [7.4Mhz]	$\mathbb{F}_{2^{256}}$	5.45s
Hankerson	P4 [2.8Ghz]	$\mathbb{F}_{2^{1223}}$	0.07s
Hankerson	P4 [2.8Ghz] (SSE)	$\mathbb{F}_{2^{1223}}$	0.03s

Outline

- Introduction
- 2 Elliptic Curve Pairings
- 3 Implementation
- 4 Conclussion

Progress so far

- MALU
- *GF*_{2^m} functions
- ECC functions
- Pairing functions (partial)

To do

- Complete pairing functions
- Bugfixing
- Optimization (VHDL)
- Write thesis text

The end

Questions?