Open in Colab

Prelab 0.1 Introduction

0.1 Notation and rule

In the lab manuals, variables, menu, filename, command, code, and so on are written in a tilted font within single quotation marks (like *'example'*) to distinguish other text in the manual. Command for figuring out the IP address of Windows computer, for example, instruction will be 1) Open *'Command Prompt'*, 2) Type *'ipconfig'*. Or it is instructed as followed so that you can copy and paste the command when it is too long and complicated. Tips or comments will be given after a bullet point or pound mark (#). If you are taking online class, you should follow green-colored-text (Online class).

Windows - Command Prompt

`ipconfig`



Figure 1 Check IP address using Windows Command Prompt

In case of Raspberry Pi, your IP address can be checked by 1) Open *'Terminal'*, 2) Type *'ifconifg'*.

Raspberry Pi - Linux - Terminal

`ifconfig`



Figure 2 Check IP address of Raspberry Pi Terminal

In the prelab and lab manuals, there will be 'Task' directions. You should include **task** outcomes or answers to the question according to the directions in your prelab and lab report.

- Below are examples of various **tasks**, you do not need to complete these.

Examples:

Task 0.1

1) Capture your Terminal window and attach it to the report below:

Show code

Command Prompt | Windows PowerShell

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka
.ms/PSWindows

PS C:\Users\hades> ipconfig

Windows IP Configuration


Wireless LAN adapter Local Area Connection* 1:

   Media State . . . . . . . . . . . . : Media disconnected
   Connection-specific DNS Suffix  . :

Wireless LAN adapter Local Area Connection* 10:

   Media State . . . . . . . . . . . . : Media disconnected
   Connection-specific DNS Suffix  . :

Wireless LAN adapter Wi-Fi:

   Connection-specific DNS Suffix  . :
   IPv6 Address. . . . . . . . . . . : 2603:d0a0:c100:1102:7073:573:5a5d:c26
   Temporary IPv6 Address. . . . . . : 2603:d0a0:c100:1102:750d:bd34:f683:6a
2c
   Link-local IPv6 Address . . . . . : fe80::e4c4:c937:935a:3ed9%13
   IPv4 Address. . . . . . . . . . . : 172.16.102.76
   Subnet Mask . . . . . . . . . . . : 255.255.255.0
   Default Gateway . . . . . . . . . : fe80::cfa:bdff:fe15:4369%13
                                       172.16.102.1

Ethernet adapter Bluetooth Network Connection:

   Media State . . . . . . . . . . . . : Media disconnected
   Connection-specific DNS Suffix  . :
PS C:\Users\hades>
```

Place your screenshot here

2) What is your IP address?

T1

172.16.102.76

Show code

Please continue to Prelab 0.2 here.