



ViewPoint 2.0 Release Notes

August 2007

ViewPoint 2.0 Release Notes

Document Version 1

August 2007

© 2005 Olive Software Incorporation. All rights reserved. No part of this publication may be reproduced, transmitted, stored in a retrieval system, nor translated into any human or computer language, in any form or by any means, electronic, mechanical, magnetic, optical, chemical, manual or otherwise, without the prior written permission of the copyright owner, Olive Software, 2953 Bunker Hill Lane, Suite 203 Santa Clara, 95054, U.S.A. The copyrighted software that accompanies this manual is licensed to the User for use only in strict accordance with the License Agreement, which the Licensee should read carefully before commencing use of the software.

Improvements and changes to this manual, inaccuracies of current information, or improvements of the application may be made by Olive Software at any time and without notice. Such changes will however, be incorporated into new editions of this manual.

Olive Software, the Olive Software logo, ActivePaper, the ActivePaper logo, ActivePaper Publisher, ActivePaper Daily, ActivePaper Archive, ActiveMagazine, AdLauncher, ActiveTearsheet and all its modules are registered trademarks of Olive Software Incorporated.

All other trademarks are the property of their respective owners.

Olive Software Inc.
2953 Bunker Hill Lane
Suite 203
Santa Clara
95054

Tel: 408.200.1780
Fax: 408-200-1790

E-mail: info@olivesoftware.com

Table of Contents

1. OVERVIEW	4
2. NEW FEATURES.....	4
2.1 XML DISTILLER (XMD)	4
2.1.1 Support for Adobe Acrobat 7 and 8	4
2.1.2 Normalize Page Sizes.....	4
2.1.3 Entity Order and Logical TOC.....	4
2.1.4 ORL Script	5
2.1.5 Embedded Tables and Pictures.....	5
2.1.6 Inherit PDF Metadata (Document Properties).....	5
2.1.7 Metadata Location - New Link and Annotation Type.....	5
2.1.8 Changes in Logical TOC created by Output	5
2.2 VIEWPOINT CLIENT.....	6
2.3 XML DISTILLER CLUSTER.....	6
2.4 VIEWPOINT SERVER	6
2.4.1 Olive Web SDK	6
2.4.2 Advanced options for indexing of embedded entities.....	10
2.4.3 Metadata inheritance support	10
2.4.4 Content Administrator.....	10
3. KNOWN ISSUES.....	10
3.1 XML DISTILLER	10
3.2 VIEWPOINT CLIENT.....	10
3.3 XML DISTILLER CLUSTER.....	10
3.4 VIEWPOINT SERVER	11
3.4.1 Platform.....	11
3.4.2 Web SDK.....	11
4. COPYRIGHT AND THIRD-PARTY ACKNOWLEDGEMENTS.....	12

1. Overview

Olive ViewPoint 2.0 is an enterprise document archiving system that transforms existing scanned and unstructured electronic documents into usable and structured XML documents, whose information can be viewed, searched and repurposed.

This Release Notes document describes the updates and changes that are included in ViewPoint version 2.0 comparing to the previous version ViewPoint 1.1.

2. New Features

2.1 XML Distiller (XMD)

ViewPoint XML Distiller (XMD) includes new and enhanced features, as described in the following sections.

2.1.1 Support for Adobe Acrobat 7 and 8

ViewPoint 2.0 XML Distiller supports Adobe Acrobat versions 7 and 8.

Note: Adobe Acrobat 8 only supports MDI mode.

2.1.2 Normalize Page Sizes

XML Distiller can adjust the sizes of page in multi-page documents to be a uniform size, as defined by the user.

2.1.3 Entity Order and Logical TOC

Primitives' labels may show order of entities. The order is calculated automatically and can be modified manually in the User Interface. Automatic reordering can also be done as part of the Output process.

- A logical TOC is built from this order. The nodes of the logical TOC tree are:
 - Titles of entities
 - Any other headings primitives such as chapters, subchapters, etc.
 - Any primitive with a TOC_ENTRY_LEVEL metadata field (can be set manually or by ORL script)
- The node text is taken from the primitives' textual content and can also be altered manually:

- **Entity titles** - modifying the entity name in the entity properties dialog
- **Any primitive** - setting the TOC_ENTRY_NAME metadata field, manually or via ORL script

2.1.4 ORL Script

External Parameters

A new method **GetExternalParameter** for **OlvDoc** returns a string value of a parameter that is written into **XMD.ini** or **Profile**.

Automatically Turn Hierarchy into Components

AP_HierarchyRecognition.js recognizes Headlines by analyzing document fonts and styles when previous engines (TOC recognition) do not recognize hierarchy.

AP_SetEntitiesFromTOCHeadings.js segments the document to entities (ICs) according to the document's hierarchical structure.

AP_SetPageBasedEntities.js provides a page-based logical TOC when no previous engine recognized any document hierarchy.

2.1.5 Embedded Tables and Pictures

Final Segmentation embeds Tables and Picture entities.

- Text inside segmented as primitives of Picture Text elements.
- A single primitive is created from each Table cell.

2.1.6 Inherit PDF Metadata (Document Properties)

Every PDF document has some standard description fields such as **Title** and **Author**, appearing in **File->Properties** Acrobat dialog. These field names are mapped (in XMD.ini) to the Dublin core metadata field names that are written in the PrXML file.

2.1.7 Metadata Location - New Link and Annotation Type

Final Segmentation creates new link types using the **MDLocation** field in the **XMDAnnotation** and **OlvLinks** LOM objects. It links the document metadata to the specific PDF text within the document. The user can navigate to the location using the **Segmentation => Validate...** menu item.

2.1.8 Changes in Logical TOC created by Output

- Logical TOC (TOC_Entries XML node) is written only in TOC.xml (not in entity XMLs).

- Parameter “HierarchyOutputMode” is removed. Instead of it a new parameter **[Global] : HierarchyProcessingMode** is responsible for Logical TOC creation.

2.2 ViewPoint Client

ViewPoint Client is a Microsoft Windows application that creates distilling jobs for XML Distiller and includes the following new features:

- **Batch processing** - ViewPoint Client can send for processing the content of multiple files, an entire recursive folder, or several recursive folders.
- **Multiple ORL Scripts** can be attached to each ViewPoint Client Admin processing mode.
- **ViewPoint Client COM API** is an automation interface that may be used by programmers to develop custom batch processing with ViewPoint XML Distiller Batch processor.

Note: ViewPoint Client does not support and cannot be installed on a computer operating Windows Vista operating system.

2.3 XML Distiller Cluster

XML Distiller Cluster, a new Olive ViewPoint product, is a scalable version of XML Distiller (XMD). Unlike **XMD**, which operates as a stand-alone service on a single station, the **XMD Cluster** distributes the workload over parallel processors, enabling large distilling jobs with many documents and pages.

The XMD Cluster includes an entire suite of controlling servers, applications, and a database, to maintain smooth operation and processing of the largest and most complicated distilling jobs.

2.4 ViewPoint Server

2.4.1 Olive Web SDK

The ViewPoint Web API includes a series of new controls and improvements to existing controls:

- **Page control** improvements, including a new mechanism to track active controls that have been added to the Page, thus supporting such features as a single opened menu on the page. A new mechanism of keyboard events catching and dispatching has also been added to the Page, thus supporting menu or popup window closing on pressing the Esc key.
- **List control improvements** - All list based controls (Document List, Search Results List and Thumbnails List controls) now support for a grid-like layout, meaning that the displayed data may be grouped by group size, including nested grouping

(group inside group). Another addition made to all list based controls allows highlighting the currently selected list item.

- **Improved image viewing capabilities**

- New ImageViewer control has been added to the WebSDK, supporting anti-aliased display of scaled images, thus improving the images' readability. The control also supports automatic binding to the Magnifier, making every image automatically magnified.
- New IZoomable interface and logics are added to the WebSDK to support zooming displayed images.

- **Magnifier control improvements** - Magnifier control is improved and uses the ImageViewer control mentioned above to display scaled images. The event model of the Magnifier control was also improved and now supports an additional "clicked" event.

- **Search Form improvements**

- New feature added to Search Form control allows the selecting the search results layout template.
- Search Form control now supports inserting user parameters, which are then passed directly to the server, thus allowing execution of application specific actions. This feature adds a new mechanism for application specific customization.
- Search Form control now supports loading a search query form from a string.

- **Panes control improvements** now support standalone panes (collapsible sections).

- **Binding of controls** provides application engineers with a simplified way to develop logic of HTML page: control bindings mechanism. A new API simplifies implementation of the most common page workflows, like "clicking a node in the Folder Tree control reloads content in the Document List control" or "Clicking a tab switches to another page in Page Switcher control".

- **New Metadata List control** was created to present the metadata fields of Document and Information Component. It is aware of new metadata inheritance. Metadata List control also allows customization with XHTML templates (layout XML) and displayed fields filtering. The Old Metadata control (which does not provide most of features mentioned above) is still deployed with the SDK but can be considered as obsolete.

- **Document Viewer Aggregate control** was developed to simplify developing a complex viewer in an application. The new aggregate control supports following functionality:

- **Two panels with splitter** - left panel for navigation and search, right panel for Flash Document viewer. Option to show / hide and resize panels both manually and programmatically.

- **Tabbed view in the left pane** - all tabs are optional: TOC tab, Search Tab, Thumbnails Tab, Featured Pages tab.
- **Customizable HTML toolbar** with a variety of actions that may be added to it (page navigation, control viewer modes, zoom control, etc).
- **Built-in search within document** functionality.
- **Built-in “Navigate to clicked item” behavior** bound to every control in the left tab (click on TOC entry, search result, page thumbnail navigates to appropriate location in the Flash Document Viewer).
- **Printing controls** - New Print Form control has been added to the Web SDK. It is used both for printing of Document and Information Component, allowing selection of printed page scale, printed page orientation, selection of the desired range of document pages or entity chunks to be printed and more.
- **Choice control** combines the functionality of **IValue** and **IActiveItem**. This control may replace a combo box or group of radio buttons. It provides the same functionality, but looks completely different. The choice control contains a number of **choice option** controls. Only one choice option may be selected at a time.
- **Combo-box control** is based on predefined values. The new control allows executing a certain command passing it the value of the selected combo-box item as a parameter.
- **Menus control improvements** - Menu item now supports submenus. The WebSDK now also enables easy customizing of menu item by attaching an icon, text, check mark and a tool tip to it.
- **HTML Toolbar control** enables creating and easily customizing toolbars. It is possible to replace a toolbar currently implemented in the Flash Document Viewer by its HTML counterpart. Having toolbar in HTML also enables customizing application’s functionality and layout.
- **Flash Document Viewer control has been adapted to work with external HTML toolbar.** It supports hiding the internal Flash-based toolbar and exposes a rich set of commands that can be called by an external part. Application engineers can now create an HTML toolbar and bind it to the Flash Document Viewer control, calling to any command exposed by the viewer.
- **Flash Document Viewer control supports huge repositories** - Flash Document Viewer control now eliminates the need for creating SWF displayed pages on the fly – an action that caused for server overloading, thus limiting the size of the repository and the number of users’ concurrently viewing different documents. The viewer now supports direct loading page images from the Repository, at the same time preserving backward compatibility to display Rich Media content.
- **Flash Document Viewer control displays hits in the whole document** when opened from Search results. The choice when to display the hits in the whole document is controlled by the application engineer.

- **Information Component viewer control** was developed to display the content and metadata (optional) of a selected Information Component. This control can be used in various ways, such as displaying or printing of Information Component content. Among the many key features of the new control is the ability to present the Information Component content in its original picture viewing mode and in the text viewing mode, highlight and navigate between hits when the Information Component is opened from Search results, customizable display layout and more.
- **Popup Window control** is a very convenient and widely used UI pattern. Unfortunately, all modern browsers prevent client-side scripts from opening popup windows, limiting the functionality of Web applications. The new Popup Window control emulates the popup window behavior with floating HTML elements, making browser popup windows obsolete.
- **TOC Control filtering** now supports content filtering using certain customizable sets of rules. The filtering criteria may be applied to any TOC item according to its hierarchy level, item type, entity type and more.
- **Calendar Controls for Repository browsing** - A set of three new controls enable easy Repository browsing:
 - **Publication control** presents the list of publications in the repository.
 - **Years control** presents the list of years when a certain publication was published, giving the publication name.
 - **Months control** presents the list of months when a certain publication was published in a given publication year, and the publication itself.
- **Thumbnails List control** was developed to display a list of document pages. The source of the displayed document pages can originate from the TOC XML and from a Repository scan. The new control, similar to other list-based controls, supports for data pagination and grouping, and it supports layout customization using the standard WebSDK customization mechanisms.
- **Snippet control supports to display beginning of Information Component.** It was developed to display the snippet (beginning of Information Component) in image, text and custom viewing mode (deciding image or text mode according to entity type). The Snippet control supports hit highlighting when the Information Component originates from Search results. It also supports layout customization using the standard WebSDK customization mechanisms.
- **Snippet control supports display of page thumbnail.** The Snippet control was extended to display the thumbnail of a certain page. It supports hit highlighting when the page thumbnail originates from Search results. The Snippet control also supports for layout customization using the standard WebSDK customization mechanisms.
- **Search Results, Document Viewer and Component Viewer test applications** are delivered as a part of the Olive platform. They were developed to allow testing

the newly developed controls and features and to provide new functionality samples for the application engineers.

2.4.2 Advanced options for indexing of embedded entities

Advanced options were added to search engine collection style configuration file (style.olv) to provide control over the indexing of embedded entities : index inside parent, index separately or both.

2.4.3 Metadata inheritance support

Metadata inheritance policy is defined in the **settings.xml** file for each metadata field.

Additional metadata inheritance policy is defined in search engine collection style (style.olv).

2.4.4 Content Administrator

ViewPoint Content Administrator includes the following new features:

- **Keyword Search** in the processed documents, enabling settings and metadata to selected and filtered documents.
- **Metadata Inheritance** parent document metadata is associated with all its child documents. Search queries that search for parent document metadata will also return the child documents. This feature can be enabled or disabled in each collection.

3. Known Issues

3.1 XML Distiller

9731: Batch Monitor is stuck when handling corrupted PDF files.

3.2 ViewPoint Client

- **9822:** VP Client is not compatible with **Microsoft Windows Vista** operating system.

3.3 XML Distiller Cluster

10276: Path is not written in notification log after manual segmentation.

3.4 ViewPoint Server

3.4.1 Platform

Note: This platform does not currently support AP (ActivePaper) applications, such as APD, APA, and AM, as well as applications based on the old web SDK infrastructure, such as FileCabinet and SpectrumDemo.

In the coming weeks, R&D will issue a new release of FC2, based on the new web SDK infrastructure, and updates for Active Paper applications, as needed.

10318B: IIS Process error message

10436: Content Administrator - When publishing new output to HTML, pictures do not appear in the published HTML files

10433: Content Administrator - Inheritance can not be disabled

3.4.2 Web SDK

10273: Search Results - Virtual Documents, High memory & CPU usage

10406: The metadata card in documents that were not imported into the inventory appears with no information

10405: Document Viewer shows slow performance when opening documents with a large TOC

Note: The known issues listed above are the most critical or affect the ViewPoint user.

4. Copyright and Third-Party Acknowledgements

Copyrights and third-party acknowledgments for portions of this product include:

Copyright (C) 1995-2005 Jean-loup Gailly and Mark Adler
Copyright (c) 2004 Glenn Randers-Pehrson

This software is based in part on the work of the Independent JPEG Group.
Copyright (C) 1991-1998, Thomas G. Lane

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>).
Copyright (c) 1999 The Apache Software Foundation. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:
"This product includes software developed by the
Apache Software Foundation (<http://www.apache.org/>)."
Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
4. The names "Xerces" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.
5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2006 by the Open Source Initiative

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 1988-1997 Sam Leffler

Copyright (c) 1991-1997 Silicon Graphics, Inc.

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that (i) the above copyright notices and this permission notice appear in all copies of the software and related documentation, and (ii) the names of Sam Leffler and Silicon Graphics may not be used in any advertising or publicity relating to the software without the specific, prior written permission of Sam Leffler and Silicon Graphics.

THE SOFTWARE IS PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND, EXPRESS, IMPLIED OR OTHERWISE, INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

IN NO EVENT SHALL SAM LEFFLER OR SILICON GRAPHICS BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS,

WHETHER OR NOT ADVISED OF THE POSSIBILITY OF DAMAGE, AND ON ANY THEORY OF LIABILITY, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 1991-2005 dtSearch Corp. All Rights Reserved.

Olive products utilize Macromedia Flash (SWF) File Format specifications which are proprietary to Macromedia Inc.



macromedia
FLASH™
ENABLED