GUANGZHOU QTOP COLD CHAIN SCIENCES CO., LTD.

COLDPACKPRO · EXPORT PACKAGING CATALOG

Complete B2B Product Line: Coolers, Gel Ice Packs, PCM Bricks, Hydration Sheets, Instant Packs, EPP Shippers & Custom Tooling

DIRECT MANUFACTURER | ISO 9001:2015 CERTIFIED | CNAS AIR & SEA SAFETY | SGS & MSDS CERTIFIED | WORLDWIDE B2B EXPORT

COMPLETE EXPORT PRODUCT DIRECTORY:

SERIES 01 · Commercial Cooler Boxes & Heavy-Duty Shippers
Rotomolded LLDPE & PU foam (6L–1000L). Medical, grocery, marine & hotel.

SERIES 02 · PCM Rigid Phase Change Ice Bricks
Eutectic salt/polymer (-21°C to +18°C). Non-hazardous dry ice replacement.

SERIES 03 · Gel Ice Packs (Flexible Multi-Layer Pouches)
100g to 1000g food-grade SAP gel. Puncture-resistant multi-track PA/PE film.

SERIES 04 · Water-Activated Cooling Sheets (Flat Shipped)
Ships 100% dry and ultra-thin, saving 95% inbound ocean freight. 4 to 24 cells.

SERIES 05 · Instant Cold Packs (Endothermic Rapid Reaction)
Instant 0°C in <3 seconds without pre-freezing. Emergency medical & field backup.

SERIES 06 · EPP Foam Boxes (Expanded Polypropylene)
Lightweight circular packaging (45–65 g/L). Cuts 75% tare weight, 5+ yrs reuse.

SERIES 07 · OEM / ODM Custom Tooling & Thermal Chamber Validation
Private mold fabrication in 7-10 days, custom chemistry, empirical lab test reports.

DIRECT FACTORY MANUFACTURING ADVANTAGES:

- **Direct Guangzhou Source Pricing**
  Save 40% to 65% on per-unit costs compared to US/EU distributors.
- **Precision Phase Change Formulations (-21°C to +25°C)**
  High latent heat polymer & eutectic salt formulations engineered for bio-pharma, vaccine, frozen, chilled, and CRT thermal stability.
- **100% Export Documentation**
  English CNAS Air & Sea Transport Identification Reports and SDS provided with every order.
- **Rapid Sample & Tooling Turnaround**
  Standard samples dispatch within 48h; private aluminum mold tooling in 7-10 days.
- **Flexible Delivery Timeline**
  In-stock models dispatch in 3-7 days; custom models by mutual agreement.

COLDPACKPRO GUANGZHOU HEADQUARTERS & GLOBAL SALES DESK

- Factory Address: No. 18 Tianhe District / Panyu Manufacturing Hub, Guangzhou, Guangdong, China
- **Key Contact: Mr. Yang | Mobile / WhatsApp / WeChat: +86 13925109703 | Email: info@coldpackpro.com**
- **Digital Catalog & PI Tool: https://coldpackpro.com/catalog (Click to open online catalog)**
- Order Lead Time & Dispatch: In-stock items ship in 3–7 days; custom & OEM products scheduled by mutual agreement.

TEMPERATURE MATRIX · Master Cold-Chain Zone Selector & Application Guide

Engineered to help procurement managers, logistics engineers, and export coordinators instantly identify the exact packaging configuration and coolant chemistry for target payload temperatures.

Target Temperature Zone	Recommended Packaging Solution	Phase Point	Cold Hold Duration	Key Payload Applications
Ultra-Low Cryogenic (-78°C / Dry Ice Alt)	HP-320L Dry Ice Cooler + Sub-Zero Rigid PCM Bricks	-78.5°C to -21°C	72 – 120 Hours	Cryogenic biologics, clinical trial specimens, dry-ice elimination for DTC air freight.
Deep Frozen (-21°C to -15°C)	EPP Foam Box / HP Heavy Cooler + XLD-600 (-21°C Bricks)	-21°C Plateau	48 – 96 Hours	Frozen wagyu, sashimi tuna, ice cream, biologics, export seafood cargo.
Strict Chilled (2°C to 8°C Pharma)	HP Medical Cooler Boxes + XLH-500 (+4°C Anti-Freeze Bricks)	+4°C Plateau	36 – 72 Hours	Vaccines, insulin, diagnostic reagents, blood plasma, lab samples (UN2814).
Controlled Room Temp (15°C to 25°C)	EPP Insulated Shippers + CRT Phase Change Buffers (+22°C)	+20°C to +22°C	48 – 72 Hours	Monoclonal antibodies, temperature-sensitive oral tablets, cosmetics.
Last-Mile Fresh Grocery & Foodservice	HP-8L to HP-100L Delivery Coolers + High-Density Gel Packs	0°C / -10°C Formulations	12 – 24 Hours	Urban fresh groceries, restaurant banquet transfers, bakery, meal kits.



SERIES 01 · Commercial Cooler Boxes & Heavy-Duty Insulated Shippers

Manufactured with food-grade virgin LLDPE rotationally molded shells and high-density closed-cell PU foam. Left-aligned product visuals for each model row below.

1.1 Medical & Vaccine Cold Chain Series (HP-6L to HP-65L)

Validated for strict 2°C to 8°C pharmaceutical cold chains, clinical blood transfers & vaccine distribution.

Visual	Model	Capacity	External Dim (L×W×H)	Internal Dim (L×W×H)	Tare Wt	Hold Time	Recommended Applications
	**HP-6L**	6 Liters	320 × 230 × 240 mm	260 × 170 × 160 mm	1.8 kg	24 – 36h	Portable vaccine transport, insulin carriers, blood tubes.
	**HP-12L**	12 Liters	390 × 280 × 290 mm	320 × 210 × 210 mm	2.6 kg	36 – 48h	Clinical trials, diagnostic pathology transfer, lab reagents.
	**HP-17L**	17 Liters	440 × 310 × 320 mm	360 × 240 × 240 mm	3.2 kg	48 – 60h	Medical courier distribution, biological sample kits.
	**HP-20L**	20 Liters	470 × 330 × 340 mm	390 × 260 × 260 mm	3.8 kg	48 – 60h	Hospital pharmacy dispatch, clinical pathology shipments.
	**HP-33L**	33 Liters	540 × 370 × 370 mm	460 × 300 × 290 mm	5.1 kg	60 – 72h	Regional vaccine redistribution, multi-day specimen transit.
	**HP-35L**	35 Liters	560 × 380 × 385 mm	475 × 310 × 300 mm	5.5 kg	72 – 84h	Pharma export air freight, diagnostic laboratory logistics.
	**HP-50L**	50 Liters	640 × 420 × 420 mm	540 × 340 × 330 mm	7.2 kg	72 – 96h	Bulk biopharmaceutical inter-city distribution.
	**HP-65L**	65 Liters	710 × 450 × 440 mm	600 × 370 × 350 mm	9.0 kg	96 – 120h	Heavy hospital bulk medicine & plasma container logistics.

1.2 Commercial Fresh-Food & Grocery Delivery Series (HP-8L to HP-100L)

Built for daily multi-drop urban delivery, e-commerce fresh food logistics & refrigerated courier fleets.

Visual	Model	Capacity	External Dim (L×W×H)	Internal Dim (L×W×H)	Tare Wt	Hold Time	Recommended Applications
	**HP-8L**	8 Liters	340 × 240 × 260 mm	280 × 180 × 180 mm	1.9 kg	4 – 8h	DTC chocolate, pastry & small fresh parcel couriers.
	**HP-14L**	14 Liters	410 × 290 × 300 mm	340 × 220 × 220 mm	2.7 kg	6 – 10h	Chilled steaks, dairy cheeses & premium fruit baskets.
	**HP-28L**	28 Liters	500 × 350 × 360 mm	420 × 280 × 270 mm	4.2 kg	8 – 12h	Meal-kit delivery boxes, restaurant grocery replenishment.
	**HP-66L**	66 Liters	690 × 440 × 430 mm	580 × 360 × 340 mm	8.5 kg	12 – 24h	Supermarket cold chain van logistics, fresh poultry bulk.
	**HP-80L**	80 Liters	760 × 470 × 460 mm	640 × 390 × 360 mm	10.5 kg	24h	Central kitchen to store bulk refrigerated delivery.
	**HP-88L**	88 Liters	800 × 490 × 470 mm	680 × 400 × 370 mm	11.8 kg	24 – 36h	Commercial seafood, meat wholesale distribution.
	**HP-100L**	100 Liters	850 × 520 × 500 mm	720 × 430 × 390 mm	13.2 kg	36h	Extra-large commercial frozen cargo & pallet staging.

1.3 Marine Fishery & Interlocking Stackable Series (HP-65L to HP-1000L)

Heavy rotomolded commercial fishery containers & interlocking warehouse racking coolers.

Visual	Model	Capacity	External Dim (L×W×H)	Internal Dim (L×W×H)	Tare Wt	Hold Time	Recommended Applications
	**HP-300L**	300 Liters	1050 × 720 × 740 mm	930 × 600 × 600 mm	26 kg	120h+	Offshore catch, dockside tuna staging, fishery vessels.
	**HP-630L**	630 Liters	1230 × 1030 × 850 mm	1110 × 910 × 690 mm	45 kg	144h+	Forklift-ready heavy marine & aquaculture bulk storage.
	**HP-660L**	660 Liters	1250 × 1040 × 880 mm	1120 × 920 × 710 mm	48 kg	144h+	Large-volume seafood & fresh-food distribution container.
	**HP-800L**	800 Liters	1450 × 1050 × 920 mm	1310 × 920 × 740 mm	58 kg	168h+	Commercial seafood, tuna, salmon logistics & aquaculture.
	**HP-1000L**	1,000 Liters	1550 × 1150 × 1020 mm	1400 × 1000 × 820 mm	72 kg	168h+	Industrial fish processing, sea container bulk storage.
	**HP-65L (Stk)**	65 Liters	710 × 455 × 445 mm	600 × 370 × 350 mm	9.2 kg	96h	Interlocking warehouse racking & vehicle stacking.
	**HP-110L (Stk)**	110 Liters	880 × 540 × 520 mm	750 × 440 × 410 mm	14.5 kg	120h	Industrial pallet-compatible interlocking stacking.

1.4 Hotel 304 Stainless Foodservice & Outdoor Catering Series (HP-9L to HP-90L)

Food-grade 304 stainless steel insulated vats, Gastronorm pan coolers & rugged outdoor picnic boxes.

Visual	Model	Capacity	External Dim (L×W×H)	Internal Dim (L×W×H)	Tare Wt	Hold Time	Recommended Applications
	**HP-16L (SS)**	16 Liters	360 × 360 × 380 mm	280 dia × 280 mm	4.1 kg	8 – 12h	304 Stainless-Steel Insulated Hot/Cold Foodservice Vat.
	**HP-20L (SS)**	20 Liters	380 × 380 × 420 mm	300 dia × 310 mm	4.8 kg	8 – 12h	Commercial kitchen prep, buffet hot soup & cold sauce vat.
	**HP-30L (SS)**	30 Liters	420 × 420 × 470 mm	340 dia × 360 mm	6.2 kg	8 – 12h	Hotel banqueting, airline kitchen & catering foodservice.
	**HP-50L (SS)**	50 Liters	480 × 480 × 560 mm	390 dia × 440 mm	9.8 kg	10 – 14h	Heavy institutional foodservice, central kitchen logistics.
	**HP-90L**	90 Liters	790 × 490 × 480 mm	670 × 400 × 370 mm	12.5 kg	12 – 16h	Gastronorm pan compatible foodservice insulated cooler.
	**HP-9L**	9 Liters	350 × 245 × 270 mm	290 × 190 × 190 mm	2.1 kg	24h	Compact outdoor food, canned beverage and road trip storage.
	**HP-22L**	22 Liters	470 × 330 × 350 mm	395 × 260 × 260 mm	3.9 kg	48h	Outdoor dining, cold beer/wine, camping meals and BBQ storage.
	**HP-32L**	32 Liters	540 × 375 × 380 mm	450 × 300 × 280 mm	5.4 kg	72h	Family camping, picnic cookouts, weekend yachting and fishing.
	**HP-52L**	52 Liters	650 × 430 × 430 mm	550 × 340 × 330 mm	7.8 kg	96h	Large outdoor catering, corporate banquets and beverage cooling.



SERIES 02 · Phase Change Material (PCM) Rigid Ice Bricks

Engineered with virgin food-grade HDPE shells, internal anti-bulging pillars, and ultrasonic friction hermetic welds. Formulated for exact phase transition plateaus (-21°C, -16°C, -11°C, 0°C, +5°C, +18°C) to replace dry ice and eliminate sweating damage.

Visual	Model No.	Net Weight	Dimensions (L×W×H)	Phase Transition Point	Shell Architecture	Key Applications & Compatibility
	**XLD-200**	200 g	165 × 95 × 20 mm	0°C / -10°C / -16°C	Slim Ribbed Shell	Fast freezing ribs; parcel express mailers & fresh fruit boxes.
	**XLD-400**	400 g	185 × 130 × 25 mm	0°C / +5°C / -16°C	Dual Internal Pillars	Clinical diagnostic test kits, pharmaceutical chilled shippers.
	**XLD-600**	600 g	215 × 145 × 30 mm	-21°C / -25°C Subzero	Heavy Ultrasonic Weld	Dry-ice replacement for export wagyu, sashimi & bio-reagents.
	**XLD-1000**	1000 g	280 × 190 × 30 mm	-21°C Deep Freeze	Through-Hole Tie Points	Extended cold buffer for master shippers & wholesale parcels.
	**XLH-500**	500 g	240 × 170 × 25 mm	+2°C to +8°C Anti-Freeze	Flat Wall Profile	Vaccine vials, monoclonal antibodies & anti-freeze clinical kits.
	**XLH-800**	800 g	295 × 190 × 30 mm	-16°C / -10°C Frozen	Wall Lining Slab	Direct fit for HP-17L & HP-35L medical cooler box side walls.
	**XLH-1200**	1200 g	330 × 220 × 35 mm	-21°C Deep Subzero	Reinforced Grid Slab	Pallet-level bulk shippers, air freight frozen meat containers.
	**XLH-1600**	1600 g	380 × 260 × 35 mm	-21°C / 0°C Ultra-Latent	Industrial Grade HDPE	Seafood dockside transfer, bulk tuna holding & intermodal cargo.



SERIES 03 · Gel Ice Packs (Flexible Multi-Layer Cooling Pouches)

High-efficiency cold-chain gel pouches formulated with food-grade non-toxic sodium polyacrylate (SAP) and encased in heavy-duty co-extruded nylon/polyethylene (PA/PE) puncture-resistant barrier films.

Visual	Model No.	Net Weight	Dimensions (L×W)	Film Thickness	Formulation Temp	Packaging Yield / Applications
	**XLD-150**	150 g	200 × 80 mm	Food-Grade PE Film	2°C ~ 8°C (Sub-zero on request)	150 pcs/ctn. Food contact safe, non-toxic coolant, pharma & meal kits.
	**XLD-250C**	250 g	170 × 105 mm	Nylon / PE Composite	0°C (Hold 24–36 Hours)	80 pcs/ctn. Requires freezer <-10°C >=15h. Fresh steaks, farm boxes.

Visual	Model No.	Net Weight	Dimensions (L×W)	Film Thickness	Formulation Temp	Packaging Yield / Applications
	**XLD-500C**	500 g	215 × 135 mm	Nylon / PE Composite	0°C (Hold 24–36 Hours)	40 pcs/ctn. Requires freezer <-10°C >=15h. Bulk seafood & meat.
	**XLD-250D10Y**	250 g	170 × 105 mm	Nylon / PE Composite	-10°C (Hold 24–36 Hours)	80 pcs/ctn. Requires freezer <-20°C >=15h. Frozen pastries & foods.
	**XLD-500D10Y**	500 g	215 × 135 mm	Nylon / PE Composite	-10°C (Hold 24–36 Hours)	40 pcs/ctn. Requires freezer <-20°C >=15h. Frozen fish & meats.
	**XLD-250D25Y**	250 g	170 × 105 mm	Nylon / PE Composite	-25°C (Hold 24–36 Hours)	80 pcs/ctn. Deep freezer <-35°C >=15h. Ice cream & biologicals.
	**XLD-500D25Y**	500 g	215 × 135 mm	Nylon / PE Composite	-25°C (Hold 24–36 Hours)	40 pcs/ctn. Deep freezer <-35°C >=15h. Deep-freeze vaccine transport.
	**NWIP-250**	250 g	200 × 120 mm	Non-Woven + PE Film	2°C ~ 8°C Anti-Condensation	50 pcs/ctn. Anti-sweat non-woven outer layer prevents surface moisture.
	**XLD-300**	300 g	130 × 190 mm	High-Barrier PA/PE	2°C ~ 8°C (Sub-zero on request)	Commercial grocery deliveries, deli cuts, chilled meal boxes.
	**XLD-400**	400 g	150 × 205 mm	High-Barrier PA/PE	2°C ~ 8°C (Sub-zero on request)	35 pcs/ctn. Reagents, IVD diagnostics & blood sample shippers.
	**XLD-500**	500 g	220 × 170 mm	Heavy PA/PE Co-extrusion	2°C ~ 8°C (Sub-zero on request)	30 pcs/ctn. Bulk meat distribution & wholesale seafood shippers.
	**XLD-1000**	1000 g	200 × 300 mm	Reinforced Co-extrusion	2°C ~ 8°C (Sub-zero on request)	15 pcs/ctn. Master shipping carton thermal buffer & freight crates.
	**ZHB-1300**	1240 g	385 × 200 × 28 mm	Heavy Composite Shell	2°C ~ 8°C (Sub-zero on request)	10 pcs/ctn. Heavy cold containers, multi-day cold cargo shield.



SERIES 04 · Self-Absorbing & Water-Activated Cooling Sheets (ZXD Series)

Revolutionary dry-shipped cold chain sheets. Ships 100% dry and flat, slashing international ocean container freight costs by 95%. Simply soak in clean water for 3 to 5 minutes to hydrate super-absorbent polymer cells, then freeze flat.

Visual	Model No.	Configuration	Sheet Dimensions	Dry Weight	Hydrated Weight	Key Applications & Wrap Usage
	**ZXD-35**	1 Single Cell	72 × 65 mm	4 g (Dry)	~35 g (Hydrated)	Compact vials, diagnostic sample wraps & micro parcel mailers.
	**ZXD-100**	Narrow Strip	145 × 65 mm	8 g (Dry)	~100 g (Hydrated)	Express parcel mailers, confectionery & compact pharmaceutical wraps.
	**ZXD-250**	Standard Sheet	130 × 115 mm	15 g (Dry)	~250 g (Hydrated)	Chilled beef cuts, poultry steaks, farm basket delivery packages.
	**ZXD-420**	12 Cells Flexible	290 × 195 mm	24 g (Dry)	~420 g (Hydrated)	12-cell grid sheet. Wraps easily around seafood cartons & bottles.
	**ZXD-850**	24 Cells Matrix	390 × 290 mm	42 g (Dry)	~850 g (Hydrated)	24-cell full matrix sheet. Perimeter lining for oyster crates.
	**ZXD-1200**	12 Cells Heavy	390 × 290 mm	65 g (Dry)	~1200 g (Hydrated)	12 heavy cells. High-capacity thermal hold for intermodal freight.
	**ZXD-1620**	9 Cells Jumbo	390 × 290 mm	85 g (Dry)	~1620 g (Hydrated)	9 jumbo cells. Thermal ballast for large chilled freight shippers.



SERIES 05 · Instant Cooling Ice Packs (SLD-160 Rapid Activation <3s)

Single-use emergency cold packs that activate instantly without refrigeration. Squeezing ruptures an internal liquid pouch, triggering an endothermic reaction that drops temperature to 0°C within 3 seconds.

Visual	Model No.	Net Weight	Dimensions (L×W)	Core Chemistry	Cold Duration	Key Applications & Emergency Scenarios
	**SLD-160**	160 g	120 × 195 mm	Medical PE / Endothermic Salt	Instant drop in 3s (30–60m)	Single-use crush to activate. Clinical courier rescue & trauma first-aid.




SERIES 06 · EPP High-Density Foam Boxes (Lightweight Circular Shippers)

Features: 1. Lightweight & high-density; 2. Superior thermal retention with ice packs & PCM bricks; 3. Commercial-grade thickened material, multi-year reusable; 4. High impact, drop & crush resistance vs. traditional EPS; 5. 100% non-toxic, odorless, food-safe & eco-friendly recyclable; 6. Multi-tier interlocking stackable design.

Visual	Model No.	Capacity	External Dim	Internal Dim	Tare Wt	Wall / Config	Color & Application
	**EPP-8L**	8 Liters	370 x 270 x 155 mm	330 x 230 x 120 mm	0.12 kg	20 mm | Bare Box	Grey | Fresh food delivery / camping / picnic / fast food delivery
	**EPP-9L**	9 Liters	325 x 225 x 270 mm	275 x 150 x 215 mm	0.15 kg	25 mm | With Hinge	Blue lid + Orange body | Fresh food delivery / camping / picnic / fast food delivery
	**EPP-15L**	15 Liters	367 x 306 x 280 mm	304 x 244 x 195 mm	0.25 kg	30 mm | With Hinge	Grey / Pink / Yellow | Fresh food delivery / camping / picnic / fast food delivery
	**EPP-16L**	16 Liters	475 x 267 x 210 mm	420 x 210 x 165 mm	0.18 kg	25 mm | With Hinge	Grey | Fresh food delivery / camping / picnic / fast food delivery
	**EPP-18L**	18 Liters	390 x 262 x 310 mm	330 x 210 x 260 mm	0.68 kg	26-30 mm | With Hinge	Grey | Fresh food delivery / camping / picnic / fast food delivery
	**EPP-27L**	27 Liters	685 x 470 x 180 mm	605 x 405 x 113 mm	1.45 kg	30 mm | Bare Box	Grey | Fresh food delivery / camping / picnic / fast food delivery
	**EPP-27L**	27 Liters	587 x 380 x 266 mm	507 x 301 x 205 mm	1.45 kg	40 mm | Clear Lid	Pink | Fresh food delivery / camping / picnic / fast food delivery
	**EPP-31L**	31 Liters	587 x 380 x 266 mm	527 x 320 x 185 mm	1.35 kg	30 mm | With Food Pan	Grey / Blue | Fresh food delivery / camping / picnic / fast food delivery
	**EPP-31L**	31 Liters	587 x 380 x 266 mm	527 x 320 x 185 mm	1.35 kg	30 mm | Clear Lid	Pink | Fresh food delivery / camping / picnic / fast food delivery
	**EPP-34L**	34 Liters	600 x 400 x 255 mm	540 x 340 x 185 mm	1.35 kg	30 mm | With Hinge	Grey | Fresh food delivery / camping / picnic / fast food delivery
	**EPP-37L**	37 Liters	515 x 390 x 330 mm	450 x 330 x 250 mm	1.35 kg	30-35 mm | Bare Box	Grey | Fresh food delivery / camping / picnic / fast food delivery
	**EPP-43L**	43 Liters	490 x 380 x 395 mm	430 x 320 x 315 mm	1.42 kg	30 mm | With Handle & Hinge	Grey | Fresh food delivery / camping / picnic / fast food delivery
	**EPP-45L**	45 Liters	690 x 470 x 240 mm	610 x 390 x 190 mm	1.69 kg	30 mm | Bare Box	Grey | Fresh food delivery / camping / picnic / fast food delivery
	**EPP-62L**	62 Liters	555 x 445 x 395 mm	495 x 385 x 325 mm	1.76 kg	30 mm | With Handle & Hinge	Grey | Fresh food delivery / camping / picnic / fast food delivery
	**EPP-65L**	65 Liters	687 x 470 x 330 mm	615 x 395 x 270 mm	2.02 kg	30 mm | Bare Box	Grey | Fresh food delivery / camping / picnic / fast food delivery

Visual	Model No.	Capacity	External Dim	Internal Dim	Tare Wt	Wall / Config	Color & Application
	**EPP-78L**	78 Liters	620 x 510 x 425 mm	540 x 430 x 335 mm	2.84 kg	40 mm | With Handle & Hinge	Grey | Fresh food delivery / camping / picnic / fast food delivery
	**EPP-81L**	81 Liters	660 x 520 x 380 mm	596 x 456 x 315 mm	2.34 kg	30 mm | With Handle & Hinge	Blue / Pink / Yellow | Fresh food delivery / camping / picnic / fast food delivery
	**EPP-102L**	102 Liters	710 x 610 x 380 mm	630 x 530 x 305 mm	3.02 kg	40 mm | With Handle & Hinge	Grey | Fresh food delivery / camping / picnic / fast food delivery
	**EPP-108L**	108 Liters	660 x 520 x 480 mm	600 x 460 x 390 mm	2.72 kg	30 mm | With Handle & Hinge	Grey | Fresh food delivery / camping / picnic / fast food delivery
	**EPP-137L**	137 Liters	720 x 610 x 480 mm	640 x 530 x 405 mm	3.73 kg	40 mm | With Handle & Hinge	Grey | Fresh food delivery / camping / picnic / fast food delivery
	**EPP-172L**	172 Liters	710 x 610 x 580 mm	630 x 530 x 515 mm	3.85 kg	40 mm | With Handle & Hinge	Grey | Fresh food delivery / camping / picnic / fast food delivery



SERIES 07 · OEM / ODM Custom Tooling & Thermal Formulation Engineering

From private-label branding to clean-sheet mold design and specialized eutectic chemical synthesis, ColdPackPro operates full in-house tooling workshops, climate validation chambers, and automated production lines in Guangzhou.

Custom Engineering Service	Factory Capabilities & Scope	Lead Time / Turnaround	Deliverables
Private Mold Tooling	Blow molding, rotational molding & EPP aluminum tooling for custom sizes & internal cavities.	7 – 10 Business Days	3D CAD step files, prototype molds, first-article samples.
Eutectic PCM Formulation	Targeted phase change formulations from -40°C to +37°C tailored to specific payload criteria.	5 – 7 Business Days	DSC enthalpy curves, freeze/thaw cycle stability reports.
Thermal Chamber Validation	Calibrated environmental simulation chambers (-30°C to +50°C) with multi-channel data loggers.	3 – 5 Business Days	Empirical lab test / CNAS certified thermal hold decay profiles.
Brand & Graphic Customization	Multi-color gravure film printing, embossed logo tooling, bespoke outer cartons & barcodes.	Included in Production	Export master cartons, barcode labelling, multi-lingual text.

EXPORT COMPLIANCE & QA CERTIFICATIONS:

- CNAS Air Transport Report: Certified non-restricted cargo.
- CNAS Sea Freight Report: Standard container dispatch.
- Safety Data Sheets (SDS): 16-section GHS safety documentation.
- Eco-Friendly SAP Coolant Formulation: SGS & MSDS certified safe material.

COLDPACKPRO GUANGZHOU DIRECT SALES DESK:

- **Key Contact: Mr. Yang | Mobile/WhatsApp/WeChat: +86 13925109703**
- Email: info@coldpackpro.com | Factory: Guangzhou, Guangdong, China
- **Digital Catalog & PI Tool: https://coldpackpro.com/catalog (Click to open)**
- **Order Lead Time & MOQ: In-stock items ship in 3–7 days;**
  Custom & OEM private-label orders scheduled per mutual agreement.