




COOLER BOX
OVERALL PLAN
SUPPLIERS



Guangzhou QTOP Cold Chain Technology Co.Ltd

TEL: 020-39211361 020-39211337 postal code: 511486

FAX: 020-39211337-609

WEB: www.qtcooler.com

Guangzhou QTOP Cold Chain Technology Co.Ltd

China·guangzhou



保温箱整体
技术方案提供商
COOLER BOX OVERALL PLAN SUPPLIERS

公司介绍 COMPANY INTRODUCTION



Guangzhou QTOP Cold Chain Technology Co. Ltd., is a high-tech enterprise specializing in research and development of refrigeration technology, production of insulation equipment, cold chain verification and testing, cold chain supporting products and cold chain professional overall solutions.

The company has pioneering achievements in the fields of phase change cold storage technology and applications, high-efficiency thermal insulation materials, and smart cold chain applications. Cooperated with the Energy College of Guangdong University of Technology, 211 Engineering University, to undertake a number of provincial and municipal scientific research projects to provide food and pharmaceutical partners with efficient and intelligent cold chain transportation solutions.

The company has passed ISO9001 quality management system certification, and began to produce the first commercial incubator and ice pack in October 2005. Now it has reached an annual output of 50,000 refrigerators and 20 million ice packs. Guangzhou QTOP Cold Chain is the pioneer of cold storage and cold chain transportation in China.

Guangzhou QTOP Cold Chain main products include medical refrigerators, food refrigerators, vaccine refrigerators (bags),

blood refrigerators, laboratory sampling refrigerators, biological products refrigerators, phase change in the temperature range of -45 degrees to 68 degrees Cold storage materials, biological ice bags, ice boxes and other products.

Guangzhou QTOP Cold Chain adheres to the corporate vision of "providing perfect cold chain solutions for human health", regulates safety and health and focuses on improving the level of cold chain technology. The products produced have passed the FDA and FGB certifications by the Chinese Center for Disease Control and Prevention and the European SGS agency. It has been widely used in catering service companies, chain enterprise groups, blood centers across the country, disease control centers, pharmaceutical companies, biological companies and other industries. Mean while, it is also exported to North America, Europe, Asia, Southeast Asia and all over the world. Guangzhou QTOP Cold Chain can also develop and design cold chain equipment and operating methods for cold storage at different temperatures under various climatic conditions according to customer needs.

Guangzhou QTOP Cold Chain people adhere to the tenet of "products to satisfy customers, service to make customers more satisfied", and sincerely provide you with first-class service and first-class quality.

公司专利 COMPANY PATENT



公司荣誉 COMPANY PATENT



客户分布

CUSTOMER DISTRIBUTION



Government agency

The Center for Disease Control, Blood Center, Research Institute, Inspection and Quarantine Bureau, Animal Husbandry and Fisheries Bureau, Food and Drug Administration, Chinese Academy of Sciences, Railway Bureau, dining halls of many universities, middle schools and primary schools.



Food Industry

COFCO, Yum! Group, Li & Fung Group, Haibawang Group, Bright Food Group, Xiangyangfang, Haagen-Dazs, Coca-Cola, Benlai.com, Baiguoyuan, Xianyi.com, etc.



Biopharmaceutical

The Center for Disease Control, Blood Center, Research Institute, Inspection and Quarantine Bureau, Animal Husbandry and Fisheries Bureau, Food and Drug Administration, Chinese Academy of Sciences, Railway Bureau, dining halls of many universities, middle schools and primary schools.



Transportation industry

Sinopharm, Air China, Spring Airlines, SF Express, JD.com, Auto Transport Group, Transportation Group Logistics, Kintetsu International Logistics, Sinotrans, Guotong Logistics, etc.



Pharmaceutical industry

There are many hospitals, Great Forest, Neptune and so on.



Industry

Leading Sheng Group, Toshiba, Huitian Chemical, etc.

Successful case

Relying on professional cold chain incubator technology and supporting solutions, it serves customers in the global cold chain, food and pharmaceutical industries, and strives to build a leading enterprise in the cold chain incubator industry.



TEAM DULTURE

Enterprising

Innovation

Win-Win

Professional R&D and production team, 14 years of experience in R&D, production and sales of incubator ice box products

We have a young, smart, energetic and ambitious team. Cooperate with "Chinese Academy of Sciences", "South China University of Technology", "Nanjing University of Technology", "School of Materials and Energy, Guangdong University of Technology" and "Guangzhou Panyu Vocational and Technical College";

In the fast-growing cold chain logistics and food distribution industries, we adhere to the development concept of continuous technological innovation and rapid market response, adhere to the leading cold chain technology and high-quality system integration services as the criteria, and use our own good cold storage materials and incubators. The advantages of the development of cold storage equipment such as ice boxes and ice packs solve the actual needs of users, and provide users with satisfactory services with advanced technology and high-quality products.





保温箱整体
技术方案提供商
COOLER BOX OVERALL PLAN SUPPLIERS

OUR PRODUCTS

- [Health]** Made with conscience, absolutely no recycled materials, more than 8,000 companies have witnessed it, Guangzhou QTOP Cold Chain word of mouth, world-renowned.
- [Core technology]** Guangzhou QTOP Cold Chain focuses on the research and development of the energy storage temperature of phase change materials, ranging from -40° C to 120° C, with stable product performance and leading domestic technology.
- [Safety and environmental protection]** Provide a safe and effective cold chain transportation system, and the products have passed strict tests by the Chinese Center for Disease Control and Prevention and the European SGS and MSDS certification organizations.
- [Cold chain service]** We constantly observe the needs and desires of customers, and strive to provide product design and development, manufacturing, and cold chain verification services for the biomedical cold and fresh food industry with innovative technology, and optimize customer energy storage solutions.
- [Core product]** Guangzhou QTOP Cold Chain has independently developed 28 national patents. The series of products are environmentally friendly cold storage ice packs, ice boxes, environmentally friendly cold chain boxes, food incubators, bio-pharmaceutical GSP refrigerators, logistics cold chain boxes, and have undergone hundreds of harsh Transportation is measured, and we continue to upgrade the refrigeration and heat preservation experience to realize all the possibilities you have never dared to imagine.



Ice pack
P7-P12



Ice pack



Ice box



Instant Ice Pack



Cooler box
P13-P22



cooler box for food



Medical cooler box



Medical cooler box



Medical cooler box



Cooler box
for outdoor
P23-P32



Cooler box for outdoor



draw-bar cooler box



Cooler bag



COMPANY HISTORY

2005-2007

Early establishment

2007-2011

Operational start

The company has formed a cold chain logistics research team and built a digital temperature and humidity cold chain process verification laboratory to investigate and collect the impact of domestic climate change on cold chain transportation, and provide an unbiased cold chain distribution plan.

The ice boxes, ice bags, and incubators developed to escort the cold chain for the Beijing Olympics, the Guangzhou Asian Games, and the Wuhan-Guangzhou high-speed rail catering distribution.

2012-2014

Small achievement

Won the bid for a pharmaceutical company to develop a cold chain packaging plan for the pharmaceutical company and succeeded;

Establish a professional cold chain technology company, establish a more focused development in the direction of cold chain systems, and provide more professional services for the transformation of the cold chain industry led by the information age.

Cooperate with Guangdong University of Technology in a phase change cold storage material development project.

2015-2016

Stable and mature

All major platforms have harvested, winning the bid for SF Express and SF Express's preferred cold chain box project; winning the bid for a large-scale e-commerce fresh food distribution project, escorting the last mile fresh food distribution, and the product has attracted the attention of Premier Li Keqiang; winning the bid for a well-known central enterprise Rail cold transport provides 48-72 hours refrigerated transport container;

The "Food and Drug Passive Temperature Control Cold Chain System" project passed the review by Guangzhou Science and Technology Bureau.

2017-2018

Budding

The company already has a fairly complete system integrating production, R&D and sales; it has considerable experience in developing and customizing products with different needs;

The company has won a series of honors such as "High-tech Enterprise", "Guangdong Group Catering Association Supplier", "JD Self-operated Mall Supplier", and "SF Express Supplier".

Continuous innovation

2019

Guangzhou QTOP Cold Chain company continues to innovate and break through itself, develop more innovative appearance and new material insulation cold chain products, and push them to the broad market.



Professional passive temperature control products Escort for drug/food delivery

ACCUMULATION OF COLD PRODUCT

Product Features:

- ✓ Food-grade PE outer membrane, non-toxic and harmless, can directly contact food;
- ✓ Automated machines accurately seal and compress, and the rate of package breakage is low;
- ✓ The content can be selected from high molecular polymer/inorganic material/gel ice
- ✓ It can be repeated 1000 times of cold charging and discharging, and the attenuation of cold storage is not more than 3%;

Scope of application:

- ✓ Food, fresh food, cake, sushi, and other food transportation and distribution;
- ✓ Delivery of medicines, pharmaceuticals, cosmetics, vaccines, etc.

ICE PACK

2-8°C -3°C -10°C -16°C -25°C



XLD-250/500

Weight: 250/500g
Size: 180x110mm
Temperature: 2-8°C -3°C -10°C -16°C -25°C



XLD-Q70

Weight: 70g
Size: 135x90mm
Temperature: 2-8°C -3°C -10°C -16°C -25°C



XLD-100/150

Weight: 100/150g
Size: 200x80mm
Temperature: 2-8°C -3°C -10°C -16°C -25°C



XLD-200

Weight: 200g
Size: 120x170mm
Temperature: 2-8°C -3°C -10°C -16°C -25°C



XLD-B250

Weight: 250g
Size: 180x110mm
Temperature: 2-8°C -3°C -10°C -16°C -25°C



NWIP-250
无纺布防水冰袋

Weight: 250g
Size: 200x120mm
Temperature: 2-8°C -3°C -10°C -16°C -25°C



XLD-Q300

Weight: 300g
Size: 190x130mm
Temperature: 2-8°C -3°C -10°C -16°C -25°C



XLD-400

Weight: 400g
size: 205x150mm
Temperature: 2-8°C -3°C -10°C -16°C -25°C



XLD-Q500

Weight: 500g
Size: 220x170mm
Temperature: 2-8°C -3°C -10°C -16°C -25°C



XLD-1000

Weight: 1000g
Size: 330x275mm
Temperature: 2-8°C -3°C -10°C -16°C -25°C

CONNECTION WATER ABSORPTION ICE PACK

2-8°C -3°C -10°C -16°C -25°C



XLD2-620

Weight: 620g
Size: 120x410mm
Temperature: 2-8°C



XLD3-600

Weight: 600g
Size: 120x510mm
Temperature: 2-8°C



XLD12-1000

Weight: 1000g
Size: 390x300mm
Temperature: 2-8°C



XLD24-900

Weight: 900g
Size: 295x390mm
Temperature: 2-8°C

注水冰袋 INJECTION WATER ICE PACK



ZSD-250

Weight: 250g
Size: 165x100mm
Temperature: 2-8°C




ZSD-500

Weight: 500g
Size: 260x100mm
Temperature: 2-8°C



ZSD-800

Weight: 800g
Size: 225x145mm
Temperature: 2-8°C



ZSD-1000

Weight: 1000g
Size: 260x150mm
Temperature: 2-8°C

ACCUMULATION OF COLD ICE BOX

2-8°C -3°C -10°C -16°C -25°C



XLH-110

Weight: 150g
Size: 130x90x20mm
Temperature: 2-8°C



XLH-200

Weight: 200g
Size: 160x95x20mm
Temperature: 2-8°C



XLH-400

Weight: 400g
Size: 160x95x35mm
Temperature: 2-8°C



XLH-560

Weight: 560g
Size: 220x160x20mm
Temperature: 2-8°C



XLH-650

Weight: 650g
Size: 220x100x50mm
Temperature: 2-8°C



XLH-700

Weight: 700g
Size: 215x145x25mm
Temperature: 2-8°C



XLH-800

Weight: 920g
Size: 215x160x30mm
Temperature: 2-8°C



XLH-900

Weight: 1000g
Size: 305x215x20mm
Temperature: 2-8°C

ACCUMULATION OF COLD ICE BOX

2-8°C -3°C -10°C -16°C -25°C



XLH-1000

Weight: 1300g
Size: 240x190x38mm
Temperature: 2-8°C



XLH-1050

Weight: 1090g
Size: 220x17.5x50mm
Temperature: 2-8°C



XLH-1600

Weight: 2000g
Size: 335x260x30mm
Temperature: 2-8°C



XLH-1800

Weight: 1800g
Size: 488x300x25mm
Temperature: 2-8°C



XLH-1980

Weight: 2430g
Size: 480x290x25mm
Temperature: 2-8°C



XLH-2000

Weight: 2700g
Size: 435x280x30mm
Temperature: 2-8°C



XLH-2100

Weight: 2400g
Size: 415x275x30mm
Temperature: 2-8°C




THE CARTON OF ICE

Weight: customizable
Size: customizable
Temperature: 2-8°C

ACCUMULATION OF COLD PRODUCT

- Different sizes and appearances of ice packs can be customized
- 10,000 to 50,000 can be ordered at least, depending on the size of the ice pack
- The contents of the ice pack can be selected from three types, which can be configured according to different temperatures
- The appearance of the ice bag can be customized according to customer needs.



Type: XLD-J50 Weight: 50g Size: 8*7cm Type: XLD-Q50 Weight: 50g Size: 13.5*9cm



可定制蓄冷剂



PRODUCT INSTANT ICE PACK

FEATURE

1. It can be reduced to 0°C within 10-20s.
2. No need to refrigerate, just use when crushed.

Weight: 160g/customizable
Size: customizable



PRODUCT

High temperature ice pack

FEATURE

1. It can be keep at 5-8°C
2. Professional drug distribution and use.

Weight: can be customized
Size: can be customized

Professional passive temperature control products Escort for drug/food delivery



Food distribution series COOLER BOX

Product Features:


- ☒ Food-grade PE liner, non-toxic and harmless, can directly contact food;
- ☒ The inner shell is smooth and easy to clean;
- ☒ PU/EPS insulation layer is optional;
- ☒ Various sizes and capacities are available;

Scope of application:

- ☒ Food, fresh food, cake, sushi, and other food transportation and distribution;
- ☒ Delivery of medicines, pharmaceuticals, cosmetics, vaccines, etc.

FOOD DISTRIBUTION INCUBATOR BOX

- ☒ The box cover can be separated type / hinge type / drawstring type;
- ☒ It adopts professional stacked stacking structure design; it is convenient for transportation and stacking and storage in warehouse.



The cabinet can be installed with stainless steel/plastic locks. Rugged and durable, equipped with silicone sealing strip, Keep holding time longer.



HP-66

Outside Size/mm	655x485x365mm
Inside size/mm	554x424x294mm
Capacity/L	66L
Box weight/KG:	7.5KG
Maximum load weight/KG	30KG
Holding time	Heat preservation 12h/ cold preservation 32-72h
Insulation	PU/EPS
Optional accessories	Plastic buckles, metal buckles, hinges, drawstrings



HP-65/80

Outside Size	630x460x355/630x490x395mm
Inside size	545x400x280/545x420x330mm
Capacity/L	65L/80L
Box weight/KG:	7.5KG/9KG
Maximum load weight/KG	30KG/40KG
Holding time	Heat preservation 12h/ cold preservation 32-72h
Insulation	PU
Optional accessories	Plastic buckles, metal buckles, hinges, drawstrings

HP-88T

Outside Size	677x544x350mm
Inside size	598x478x300mm
Capacity/L	88L
Box weight/KG:	9.2KG
Maximum load weight/KG	42KG
Holding time	Heat preservation 12h/ cold preservation 32-72h
Insulation	PU
Optional accessories	Plastic buckles, metal buckles, hinges, drawstrings

Classic refrigerated incubator COOLER BOX

- ✓ Hinge + detachable design is easy to use
- ✓ Built-in and ice boxes make more reasonable use of space

It adopts professional stacked stacking structure design; it is convenient for transportation and stacking and storage in warehouse.



HP-50

Outside Size	570x390x405mm
Inside size	500x315x320mm
Capacity/L	50L
Box weight/KG:	7KG
Maximum load weight/KG	40KG
Holding time	32-72h
Insulation	PU/EPS
Optional accessories	Plastic buckles, metal buckles, hinges, drawstrings

Uses: medicine refrigerated transportation/ food fresh food distribution/lunch box fast food distribution/tram and bicycle vehicle/

HP-46

Outside Size	600x340x420mm
Inside size	490x240x335mm
Capacity/L	46L
Box weight/KG:	6KG
Maximum load weight/KG	32KG
Holding time	20h
Insulation	PU
Optional accessories	Plastic buckles, metal buckles, hinges, drawstrings



HP-54

Outside Size	615x415x450mm
Inside size	510x315x355mm
Capacity/L	54L
Box weight/KG:	8.0KG
Maximum load weight/KG	30KG
Holding time	32h
Insulation	PU
Optional accessories	Plastic buckles, metal buckles, hinges, drawstrings



HP-65B

Outside Size	670x470x440mm
Inside size	570x370x310mm
Capacity/L	65L
Box weight/KG:	11.5KG
Maximum load weight/KG	60KG
Holding time	32-72h
Insulation	PU/EPS
Optional accessories	Plastic buckles, metal buckles, hinges, drawstrings



Large capacity refrigerated cooler box

- ✓ Large-capacity design to deliver more items;
- ✓ The lid can be designed with split or hinge, more choices
- ✓ It adopts professional stacked stacking structure design; it is convenient for transportation and stacking and storage in warehouse.

HP-100A

Outside Size	680x500x540mm
Inside size	560x390x450mm
Capacity/L	100L
Box weight/KG:	11KG
Maximum load weight/KG	80KG
Holding time	20h
Insulation	PU
Optional accessories	Plastic buckles, metal buckles, hinges, drawstrings



HP-100B

Outside Size	680x500x540mm
Inside size	560x390x450mm
Capacity/L	100L
Box weight/KG:	11KG
Maximum load weight/KG	80KG
Holding time	20h
Insulation	PU
Optional accessories	Plastic buckles, metal buckles, hinges, drawstrings




HP-110A

Outside Size	680x500x570mm
Inside size	580x400x445mm
Capacity/L	110L
Box weight/KG:	13KG
Maximum load weight/KG	80KG
Holding time	24h
Insulation	PU
Optional accessories	Plastic buckles, metal buckles, hinges, drawstrings

HP-110B

Outside Size	850x530x400mm
Inside size	800x465x330mm
Capacity/L	110L
Box weight/KG:	12KG
Maximum load weight/KG	80KG
Holding time	12h以上
Insulation	PU
Optional accessories	Plastic buckles, metal buckles, hinges, drawstrings



Cabinet type cooler box

- ✓ Three-dimensional box structure with compartments inside to facilitate layered food placement;
- ✓ Equipped with a portable handle for easy transportation and handling.
- ✓ It can be equipped with a base with wheels, which can move freely and is more convenient for transportation and distribution.

HP-87

Outside Size	650x450x620mm
Inside size	540x330x490mm
Capacity/L	87L
Box weight/KG:	15KG
Maximum load weight/KG	60KG
Holding time	12h
Insulation	PU
Optional accessories	



- ✓ Can be installed on iron racks or serving plates, which is more convenient for food storage.
- ✓ Large space and large capacity can place more food.

HP-136

Outside Size	650x435x850mm
Inside size	520x345x760mm
Capacity/L	136L
Box weight/KG:	21KG
Maximum load weight/KG	100KG
Holding time	12h以上
Insulation	PU
Optional accessories	



HP-100C

590x520x570	Outside Size	1000x1000x1700
510x420x470	Inside size	900x900x1400
100	Capacity/L	1000
13KG	Box weight/KG:	130KG
80KG	Maximum load weight/KG	800KG
12h以上	Holding time	72h以上
PU	Insulation	PU

VF-1000



Fresh freight series cooler box

Product feature

- ✓ Large transportation incubator, can hold a large amount of fresh food
- ✓ You can use a forklift to get on and off the truck, making transportation more convenient

Scope of application:

- ✓ Transportation and distribution of fresh food, fresh food, seafood, big fish, etc.;

Fresh freight series cooler box

- ✓ The box cover can be separated type / hinge type / drawstring type;
- ✓ It adopts professional stacked stacking structure design; it is convenient for transportation and stacking and storage in warehouse.



箱体可安装不锈钢/塑料锁扣。坚固耐用，配有硅胶密封条，保温时间更长。

HP-460

Outside Size	1230x1030x665mm
Inside size	1130x935x450mm
Capacity/L	460L
Box weight/KG:	50KG
Maximum load weight/KG	400KG
Holding time	24h
Insulation	PU
Optional accessories	silicone tape



HP-660

Outside Size	1230x1030x750mm
Inside size	1135x935x590mm
Capacity/L	660L
Box weight/KG:	60KG
Maximum load weight/KG	700KG
Holding time	24h
Insulation	PU
Optional accessories	silicone tape



HP-1000

Outside Size	1490x1160x1020mm
Inside size	1390x1050x780mm
Capacity/L	1000L
Box weight/KG:	96KG
Maximum load weight/KG	1100KG
Holding time	24h
Insulation	PU
Optional accessories	silicone tape

Professional passive temperature control products
Escort for drug/vaccine distribution

Medicine distribution series refrigerated box

Product Features:


- ✓ Pharmaceutical grade PE liner, non-toxic and harmless;
- ✓ The inner shell is smooth and easy to clean;
- ✓ 30-50mm insulation layer has better cold insulation effect;
- ✓ Various sizes and capacities are available;

Scope of application:

- ✓ Delivery of medicines, pharmaceuticals, cosmetics, vaccines, etc.

FOOD DISTRIBUTION INCUBATOR BOX

- ✓ 医药级药品冷藏箱;
- ✓ 冷藏时间长, 保温层厚;



箱体可配肩背带, 箱盖配有硅胶密封条, 保温时间更长。



HP-6

Outside Size	340x230x280mm
Inside size	235x145x170mm
Capacity/L	6L
Box weight/KG:	1.9KG
Maximum load weight/KG	6KG
Holding time	48h
Insulation	PU
Optional accessories	thermometer



HP-12

Outside Size	400x240x300mm
Inside size	340x180x205mm
Capacity/L	12L
Box weight/KG:	2.5KG
Maximum load weight/KG	8KG
Holding time	24h
Insulation	PU
Optional accessories	thermometer



HP-17

Outside Size	440x300x320mm
Inside size	350x220x250mm
Capacity/L	17L
Box weight/KG:	3.2KG
Maximum load weight/KG	15KG
Holding time	24h
Insulation	PU
Optional accessories	thermometer



HP-20

Outside Size	440x270x310mm
Inside size	375x215x250mm
Capacity/L	65L
Box weight/KG:	3.5KG
Maximum load weight/KG	20KG
Holding time	24h
Insulation	PU
Optional accessories	thermometer



HP-28

Outside Size	505x355x350mm
Inside size	435x265x250mm
Capacity/L	28L
Box weight/KG:	5.3KG
Maximum load weight/KG	20KG
Holding time	48h
Insulation	PU
Optional accessories	thermometer



HP-33

Outside Size	570x310x370mm
Inside size	450x240x295mm
Capacity/L	33L
Box weight/KG:	4.5KG
Maximum load weight/KG	25KG
Holding time	20h
Insulation	PU
Optional accessories	thermometer

Outdoor car series

Product Features:

- ✓ Food grade PP liner, non-toxic and harmless, can directly contact food;
- ✓ The box is light and strong, suitable for carrying out

Scope of application:

- ✓ Food, fresh food, cakes, sushi, and other food insulation;
- ✓ Outdoor vehicle/refrigerated fresh food, etc.

Outdoor refrigerated cooler box

- ✓ Novel appearance, unique design, multiple functions in one box;
- ✓ Comes with Bluetooth speakers, large-capacity batteries, solar panels and other equipment in one;



HP-28S

Outside Size	470x343x410mm
Inside size	370x230x340mm
Capacity/L	28L
Box weight/KG:	6KG
Maximum load weight/KG	30KG
Holding time	24h
Insulation	PU
Optional accessories	ice box battery Speaker



HP-8S/14S

Outside Size(8)	347x270x220mm
Outside Size(14)	280x180x160mm
Inside size(8)	347x270x307mm
Inside size(14)	280x180x250mm
Capacity/L	8L/14L
Box weight/KG:	2.4KG/3KG 8/15KG
Holding time	24h
Insulation	PU
Optional accessories	ice box



HP-8M/14M/28M



Outside Size(8)	347x270x220mm
Inside size(8)	280x180x160mm
Outside Size(14)	347x270x307mm
Inside size(14)	280x180x250mm
Outside Size(28)	470x343x410mm
Inside size(28)	370x230x340mm
Capacity/L	8L/14L/28L
Box weight/KG:	2KG/2.5KG/6KG
Maximum load weight/KG	6KG/12KG/22KG
Holding time	8-12h
Insulation	EPS
Optional accessories	ice box

Rotomolding type car insulation refrigerator series

Product Features:

- ✓ Rotomolding process, heavy, strong and resistant to fall;
- ✓ Long holding time;

Scope of application:

- ✓ Food, fresh food, cakes, sushi, and other food insulation;
- ✓ Outdoor vehicle/refrigerated fresh food, etc.

Rotomolding refrigerated incubator

- ✓ The cabinet can be installed with stainless steel/plastic locks.
- ✓ Rugged and durable, it is equipped with a silicone sealing strip for longer heat preservation time.



The cabinet can be installed with stainless steel/plastic locks. Rugged and durable, it is equipped with a silicone sealing strip for longer heat preservation time.

HP-22A

Outside Size	630x440x210mm
Inside size	505x310x140mm
Capacity/L	22L
Box weight/KG:	5.5KG
Maximum load weight/KG	18KG
Holding time	12h
Insulation	PU
Optional accessories	ice box



HP-26A

Outside Size	630x440x260mm
Inside size	505x310x170mm
Capacity/L	26L
Box weight/KG:	7.5KG
Maximum load weight/KG	30KG
Holding time	hot12h/cool30h
Insulation	PU
Optional accessories	ice box



HP-31A

Outside Size	630x440x305mm
Inside size	505x310x200mm
Capacity/L	65L
Box weight/KG:	7.5KG
Maximum load weight/KG	30KG
Holding time	hot12h/cool30h
Insulation	PU
Optional accessories	ice box



HP-22B

445x400x420	Outside Size	508x456x470
300x245x300	Inside size	345x280x342
22	Capacity/L	32
8.2KG	Box weight/KG:	10.7KG
18KG	Maximum load weight/KG	28KG
24h	Holding time	24h
PU	Insulation	PU
ice box	Optional accessories	ice box



HP-32B



HP-52B

Outside Size	708x456x470mm
Inside size	545x280x342mm
Capacity/L	52L
Box weight/KG:	10.7KG
Maximum load weight/KG	28KG
Holding time	24h
Insulation	PU
Optional accessories	ice box



Trolley car insulation refrigerated box series

Product Features:

- ✓ Convenient to carry whe traveling for picnics;
- ✓ Large wheels, strong passing performance;

Scope of application:

- ✓ Food, fresh food, cakes, sushi, and other food insulation;
- ✓ Outdoor vehicle/refrigerated fresh food, etc.

拉杆冷藏保温箱

FOOD DISTRIBUTION INCUBATOR BOX

- ✓ The box cover can be separated type / hinge type / drawstring type;
- ✓ It adopts professional stacked stacking structure design; it is convenient for transportation and stacking and storage in warehouse.



HP-65C

Outside Size	520x460x530mm
Inside size	430x370x440mm
Capacity/L	65L
Box weight/KG:	7.5KG
Maximum load weight/KG	30KG
Holding time	12h
Insulation	PU
Optional accessories	ice box



HP-16C

Outside Size	364x267x390mm
Inside size	290x190x315mm
Capacity/L	16L
Box weight/KG	2.3KG
Maximum load weight/KG	10KG
Holding time	12h-24h
Insulation	PU
Optional accessories	ice box



HP-26C

Outside Size	420x299x433mm
Inside size	340x220x375mm
Capacity/L	26L
Box weight/KG:	3KG
Maximum load weight/KG	18KG
Holding time	12h-24h
Insulation	PU
Optional accessories	ice box



HP-36C

Outside Size	465x436x315mm
Inside size	405x255x385mm
Capacity/L	36L
Box weight/KG:	3.76KG
Maximum load weight/KG	25KG
Holding time	12-24h
Insulation	PU
Optional accessories	ice box

Imposition insulation bag series

LL-44

Outside Size	415x360x480mm
Inside size	357x295x420mm
Capacity/L	44L
Box weight/KG:	2.3KG
Maximum load weight/KG	15KG
Holding time	24h以上
Insulation	PU
Optional accessories	ice pack/ice box



LL-66

Outside Size	600x450x380mm
Inside size	545x390x310mm
Capacity/L	66L
Box weight/KG:	2.6KG
Maximum load weight/KG	20KG
Holding time	24h以上
Insulation	PU
Optional accessories	ice pack/ice box



BD-E6

Outside Size	300x200x250mm
Capacity/L	12L
shell fabric	210D nylon
Holding time	2-3h
Insulation	Nonwoven + aluminum foil
Optional accessories	ice box/ice pack



BD-20

Outside Size	400x300x220mm
Capacity/L	20L
shell fabric	210D nylon
Holding time	2-3h
Insulation	Nonwoven + aluminum foil
Optional accessories	ice box/ice pack



BD-60

Outside Size	450x330x350mm
Capacity/L	60L
Holding time	2-3h
Insulation	Nonwoven + aluminum foil
Optional accessories	ice box/ice pack



BD-65

Outside Size	380x380x350mm
Capacity/L	65L
shell fabric	210D nylon
Holding time	8-12h
Insulation	extruded sheet
Optional accessories	ice box/ice pack