## **Practical 04 Code**

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Portfolio</title>
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  k
href="https://fonts.googleapis.com/css2?family=Poppins:wght@600;700&display=swap"
rel="stylesheet">
  <style>
    * {
      margin: 0;
      padding: 0;
    body {
      background-color: rgb(1, 1, 88);
      color: white;
      font-family: 'Poppins', sans-serif;
    }
    nav {
      display: flex;
      justify-content: space-around;
      align-items: center;
      height: 80px;
      background-color: rgb(124, 25, 216);
    }
    nav ul {
      display: flex;
      justify-content: center;
    }
    nav ul li {
```

```
list-style: none;
  margin: 0 23px;
}
nav ul li a {
  list-style: none;
  text-decoration: none;
  color: white;
}
nav ul li a:hover {
  color: pink;
  font-size: 1.04rem;
}
.left {
  font-size: 1.5rem;
}
.firstSection {
  display: flex;
  justify-content: space-around;
  margin: 80px 0;
  align-items: center;
}
.firstSection>div {
  width: 30%;
}
.leftSection {
  font-size: 2.3rem;
}
.rightSection img {
  height: 400px;
```

```
}
.purple {
  color: blueviolet;
#element {
  color: blueviolet;
}
. second Section \, \{ \,
  max-width: 80vw;
  margin: auto;
  height: 80vh;
}
.secondSection h1 {
  font-size: 1.9rem;
}
main hr {
  border: 0;
  background-color: rgb(201, 159, 240);
  height: 1.2px;
  margin: 60px 84px;
}
.text_grey {
  color: gray;
}
.secondSection .box {
  background: white;
  width: 78vw;
  height: 2px;
  margin: 56px 0;
  display: flex;
}
.secondSection .vertical {
```

```
height: 93px;
  width: 1px;
  background-color: white;
  margin: 0 6vw;
}
.image_top {
  width: 50px;
  position: relative;
  top: -32px;
  left: -9px;
}
.vertical_title {
  position: relative;
  top: 50px;
  width: 150px;
  font-size: 14px;
}
.vertical desc {
  position: relative;
  top: 86px;
  color: grey;
  width: 150px;
  font-size: 9px;
}
footer {
  background-color: rgb(77, 15, 148);
}
.footer {
  display: flex;
  padding: 123px 122px;
  justify-content: space-evenly;
}
.footer ul {
```

```
list-style: none;
}
.footer>div {
  width: 123px;
}
footer .footer-rights {
  text-align: center;
  color: grey;
  padding: 12px 0;
}
.leftSection button {
  padding: 10px;
  background-color: rgb(17 17 131);
  border: 2px solid white;
  color: white;
  font-size: 20px;
  cursor: pointer;
  border-radius: 6px;
}
@media screen and (max-width: 1000px) {
  body {}
  .firstSection {
    flex-direction: column-reverse;
  }
  .secondSection .vertical {
    height: unset;
  }
  .box {
    flex-direction: column;
  }
  .vertical_title,
  .vertical_desc {
    left: 45px;
```

```
}
      .secondSection.box {
        width: 50vw;
      }
      nav {
        flex-direction: column;
      }
      .leftSection {
        width: 100% !important;
        display: flex;
        flex-direction: column;
        justify-content: center;
        align-items: center;
      }
      .rightSection {
        width: 421px !important;
      }
      .secondSection {
        display: flex;
        flex-direction: column;
        align-items: center;
      }
    }
  </style>
</head>
<body>
  <header>
    <nav>
      <div class="left">Kinjal's Portfolio</div>
      <div class="right">
        <a href="/">Home</a>
```

```
<a href="about.html">About</a>
        <a href="/">Services</a>
        <a href="projects.html">Projects</a>
        <a href="/">Contact Me</a>
      </div>
  </nav>
</header>
<main>
  <section class="firstSection">
    <div class="leftSection">
      <div> Hi, My name is <span class="purple">Kinjal</span></div>
      <div>and I am Passionate </div>
      <span id="element"></span>
      <div class="buttons">
        <button class="btn">Download Resume</button>
        <button class="btn">Visit GitHub</button>
      </div>
    </div>
    <div class="rightSection">
      <img src="bg.png">
    </div>
  </section>
  <hr>
  <section class="secondSection">
    <span class="text_grey">What I have done so far</span>
    <h1>Work Experience</h1>
    <div class="box">
      <div class="vertical">
        <img class="image top" src="img.png">
        <div class="vertical title">Java Developer</div>
      <div class="vertical">
        <img class="image top" src="img.png">
        <div class="vertical title">Python Developer</div>
      <div class="vertical">
        <img class="image top" src="img.png">
        <div class="vertical title">Graphic Designer</div>
      <div class="vertical">
        <img class="image_top" src="img.png">
        <div class="vertical title">Data Structure & Algorithm </div>
```

```
</div>
 </section>
</main>
<footer>
 <div class="footer">
   <div class="footer-first">
     <h3>Kinjal's Portfolio</h3>
   </div>
   <div class="footer-second">
     Home
       About
       Services
       Contact
     </div>
   <div class="footer-third">
     Home
       About
       Services
       Contact
     </div>
   <div class="footer-fourth">
     Home
       About
       Services
       Contact
     </div>
 </div>
 <div class="footer-rights">
   Copyright © www.kinjalsportfolio.com | All rights reserved
 </div>
</footer>
<script src="https://unpkg.com/typed.js@2.0.16/dist/typed.umd.js"></script>
<script>
 var typed = new Typed('#element', {
```

## **Practical 05 Code**

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <style>
    p {
      position: absolute;
      top: 50%;
      left: 50%;
      transform: translate(-50%, -50%);
    }
    body {
      background-image: url('p5.jpg');
      background-repeat: no-repeat;
      background-attachment: fixed;
      background-size: cover;
  </style>
</head>
<body>
 <script>
    var var1 = setInterval(inTimer, 1000);
    var fs = 5;
    var ids = document.getElementById("demo");
    function inTimer() {
      ids.innerHTML = 'TEXT GROWING';
      ids.setAttribute('style', "font-size: " + fs + "px;color: red");
      fs += 5;
      if (fs >= 50) {
        clearInterval(var1);
        var2 = setInterval(deTimer, 1000);
      }
```

```
function deTimer() {
    fs -= 5;
    ids.innerHTML = 'TEXT SHRINKING';
    ids.setAttribute('style', "font-size:" + fs + "px;color:blue");
    if (fs == 5) {
        clearInterval(var2);
     }
    }
    </script>
</body>
</html>
```

## **Practical 06 Code**

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=<device-width>, initial-scale=1.0">
  <style>
    body {
     background-image: url('p5.jpg');
     background-repeat: no-repeat;
     background-size: cover;
     background-attachment: fixed;
    }
   th {
     background-color: #ff0000;
     color: white;
    }
   tr:hover {
     background-color: coral;
    }
   th,
   td {
     text-align: left;
     padding: 10px;
   }
 </style>
  <title>Document</title>
</head>
<body>
  <center>
    <br><br>>
    <h1>Squares and Cubes of 1 to 10</h1>
    Number
        Square
```