Analysis of GOT Series

kinmar01

Table of contents

1	Overview Houses of GOT Series	1		
	Analysis 2.1 Screen time per Character	1		
3	References	5		
exercise, part of the course cma (mainly based on Laube (2014))				

Abstract

This Document gives a brief overview over some houses of the GOT series (Section 1) and an short Analysis (Section 2) of the top 10 characters with the most screentime

1 Overview Houses of GOT Series

See Coat of Arms of different Houses in Figure 1

2 Analysis

See Table 1 for top 10 characters with the most screen time

2.1 Screen time per Character



Figure 1: Figure 2: A collection of different coats of arms from the book 'A song of Ice and Fire', created by dezzzart published on deviantart.com

```
pacman::p_load("readr","ggplot2","dplyr","ggrepel","knitr")

screentimes <- read_delim("GOT_screentimes_1.csv")

Rows: 191 Columns: 6
-- Column specification ------
Delimiter: ","
chr (4): name, imdb_url, portrayed_by_name, portrayed_by_imdb_url
dbl (2): screentime, episodes

i Use `spec()` to retrieve the full column specification for this data.
i Specify the column types or set `show_col_types = FALSE` to quiet this message.

screentimes |> str()
```

\$ portrayed_by_name : chr [1:191] "Peter Dinklage" "Kit Harington" "Emilia Clarke" "Lena
\$ portrayed_by_imdb_url: chr [1:191] "http://www.imdb.com/name/nm0227759/" "http://www.imdb

- attr(*, "spec")=
.. cols(

.. name = col_character(),

.. imdb_url = col_character(),

```
.. screentime = col_double(),
.. episodes = col_double(),
.. portrayed_by_name = col_character(),
.. portrayed_by_imdb_url = col_character()
.. )
- attr(*, "problems")=<externalptr>
```

screentimes |> summary()

```
imdb_url
                                                        episodes
   name
                                      screentime
                  Length: 191
                                    Min. : 1.150
                                                     Min. : 2.00
Length: 191
Class :character
                  Class :character
                                    1st Qu.: 4.375
                                                     1st Qu.: 4.00
Mode :character
                  Mode :character
                                    Median : 10.300
                                                     Median : 7.50
                                           : 27.261
                                                            :12.44
                                    Mean
                                                     Mean
                                    3rd Qu.: 27.650
                                                     3rd Qu.:17.00
                                    Max. :293.300
                                                     Max.
                                                            :54.00
                                                     NA's
                                                            :15
```

portrayed_by_name portrayed_by_imdb_url


Length: 191 Length: 191

Class :character Class :character Mode :character Mode :character

```
screentimes_high <- screentimes |> top_n(10, screentime)

screentimes |>
    ggplot(aes(screentime, episodes)) +
    geom_point() +
    geom_text_repel(data = screentimes_high,aes(label = name),min.segment.length = 0)
```

Warning: Removed 15 rows containing missing values or values outside the scale range (`geom_point()`).



```
screentimes_high |>
select(name, screentime, episodes) |>
kable()
```

Table 1: Top 10 Characters with the most Screentime

name	screentime	episodes
Tyrion Lannister	293.30	54
Jon Snow	268.15	49
Daenerys Targaryen	221.30	49
Cersei Lannister	201.45	52
Sansa Stark	199.30	47
Arya Stark	189.15	47
Jaime Lannister	162.30	43
Theon Greyjoy	123.30	39
Samwell Tarly	121.45	37
Jorah Mormont	117.30	42

3 References

Laube, Patrick. 2014. Computational Movement Analysis. 2014th ed. SpringerBriefs in Computer Science. Cham: Springer International Publishing AG.