
队列处置重复打标-问题排查





笔记

旧队列source:



新队列:



用户

旧:





multiProcessObject代码如下:

```
复制代码
Java 🗸
      protected void multiProcessObject(DisposalTaskRequestBO request, DisposalTaskContext
  context)
          throws TException {
          // 举报队列处置埋点
          this.reportDisposalBuriedPoint(request);
          // 非v2版本队列,单一对象处置,(待定可删除,结合配置process0bject只有v2后缀的队列才有实现)
          if (!request.getSourceType().contains(REPORT_V2_SUFFIX)) {
              processObject(request, context);
          }
          // v2版本队列
          if (CollectionUtils.isEmpty(request.getDisposeTaskRequests())) {
              return;
          }
          // 处置举报对象
          this.processReportObject(request);
          // 处置非举报对象
          List<Long> labelList = request.getDisposeTaskRequests()
              .stream()
              .filter(i -> !"COMMON REPORT".equals(i.getProcessType()))
              .map(com.xiaohongshu.sns.mars.entity.bo.DisposeTaskRequest::getLabelId)
              .collect(Collectors.toList());
          List<Long> originAllLabels = request.getLabelIds();
          request.setLabelIds(labelList);
          processObject(request, context);
          request.setLabelIds(originAllLabels);
      }
```