

API Documentation

TMail v5 – Temporary Multi Domain Email System

By Harshit Peer

List of Domains

URL

[https://yourdomain.com/api/domains?key=\[yourkey\]](https://yourdomain.com/api/domains?key=[yourkey])

Parameters

Key	Value
key	Key which you may have set in your Admin Panel of TMail Installation.

Sample Response

```
[  
  "bavfau.gq"  
]
```

Create Email ID

URL

[https://yourdomain.com/api/create?key=\[yourkey\]&email=\[id\]&domain=\[yourdomain\]](https://yourdomain.com/api/create?key=[yourkey]&email=[id]&domain=[yourdomain])

Parameters

Key	Value
key	Key which you may have set in your Admin Panel of TMail Installation.
email	Email keyword that you want to create. For example, if you want to create something @google.com then send something as a value. Its optional. If nothing is passed then a random keyword is generated.
domain	Domain which you receive from above API call. You need to pass any one of the domain name received in previous call. If nothing is provided then app will randomly assign any domain name.

Sample Response

harshit@bavfau.ga

Fetch New Unseen Emails

URL

`https://yourdomain.com/api/fetch?key=[yourkey]&email=[id]`

Parameters

Key	Value
key	Key which you may have set in your Admin Panel of TMail Installation.
email	Enter the email id generated in previous call. Please enter full email id, for example, harshit@bavfau.ga

Fetch All Emails

URL

`https://yourdomain.com/api/fetch?key=[yourkey]&email=[id]&all=true`

Parameters

Key	Value
key	Key which you may have set in your Admin Panel of TMail Installation.
email	Enter the email id generated in previous call. Please enter full email id, for example, harshit@bavfau.ga