


Name : Kanishka Shrivastava

Screenshots: Evaluation 3




The screenshot shows an IDE window titled 'evaluation3 - Eval3.java'. The project structure on the left includes 'com.example' with sub-packages 'controller', 'entity', 'exceptions', 'repository', 'service', and 'resources'. The 'Eval3.java' file is open, showing the following code:

```
1 package com.example;
2
3 import org.springframework.boot.SpringApplication;
4 import org.springframework.boot.autoconfigure.SpringBootApplication;
5
6
7 import org.springframework.context.ApplicationContext;
8
9 @SpringBootApplication
10 public class Eval3 {
11
12     public static void main(String[] args) {
13         ApplicationContext ctx = SpringApplication.run(Eval3.class, args);
14     }
15 }
16
17
18
19
```

The Run console at the bottom shows the following output:

```
2023-01-07T17:28:43.933+05:30 INFO 14228 --- [ restartedMain] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Start completed.
2023-01-07T17:28:44.030+05:30 INFO 14228 --- [ restartedMain] SQL dialect : HHH000400: Using dialect: org.hibernate.dialect.MySQLDialect
2023-01-07T17:28:45.631+05:30 INFO 14228 --- [ restartedMain] o.h.e.t.j.p.i.JtaPlatformInitiator : HHH000498: Using JtaPlatform implementation: [org.hibernate.engine.transaction.jta.platform.internal.NoJtaPlatform]
2023-01-07T17:28:46.409+05:30 WARN 14228 --- [ restartedMain] JpaBaseConfiguration$JpaWebConfiguration : spring.jpa.open-in-view is enabled by default. Therefore, database queries may execute in the wrong thread.
2023-01-07T17:28:47.117+05:30 INFO 14228 --- [ restartedMain] o.s.b.d.a.OptionalLiveReloadServer : LiveReload server is running on port 35729
2023-01-07T17:28:47.198+05:30 INFO 14228 --- [ restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat started on port(s): 8080 (http) with context path ''
2023-01-07T17:28:47.219+05:30 INFO 14228 --- [ restartedMain] com.example.Eval3 : Started Eval3 in 10.13 seconds (process running for 11.333)
```



The screenshot shows an IDE window titled 'evaluation3 - FIR.java'. The project structure on the left includes 'com.example' with sub-packages 'controller', 'entity', 'exceptions', 'repository', 'service', and 'resources'. The 'FIR.java' file is open, showing the following code:

```
11 @Entity
12 @NoArgsConstructor
13 @Data
14
15 public class FIR {
16
17     @Id
18     @GeneratedValue
19     private int f_id;
20     @Pattern(regexp = "^[a-zA-Z]{6,12}$",
21             message = "Please Enter Valid Alphabets")
22     private String firstName;
23     @Pattern(regexp = "^[a-zA-Z]{6,12}$",
24             message = "Please Enter Valid Alphabets")
25     private String lastName;
26     private String mobileNumber;
27     private String address;
28     private int age;
29     private String gender;
30     @Pattern(regexp = "^(?=.*[a-z])(?=.*[A-Z])(?=.*[@$%&+])(?=.*[0-9]){6,12}$", message = "Enter Correct Password")
31     private String password;
32 }
33
34
35
36
37
38
```

```
File Edit View Navigate Code Refactor Build Run Tools VCS Window Help evaluation3 - User.java
evaluation3 src \ main \ java \ com \ example \ entity \ User \ lastName
pom.xml (evaluation3) Eval3.java Service_FIR.java FIR_Impl.java MyController.java FIR.java User.java Error_thing.java User_Impl.java Service_User.java
16 usages
@Entity
@NoArgsConstructor
@AllArgsConstructor
@Data
public class User {
    @Id
    @GeneratedValue
    private int u_id;
    @Pattern(regexp = "[a-zA-Z]{6,12}$", message = "Please Enter Valid Alphabets")
    private String firstName;
    @Pattern(regexp = "[a-zA-Z]{6,12}$", message = "Please Enter Valid Alphabets")
    private String lastName;
    private String mobileNumber;
    private String address;
    private int age;
    private String gender;
    @Pattern(regexp = "^(?=.*[a-z])(?=.*[A-Z])(?=.*[@#$%&*])(?=.*[0-9]){6,12}$", message = "Enter Correct Password")
    private String password;
}
```

Version Control Find Run TODO Problems Terminal Services Build Dependencies

Build completed successfully in 9 sec. 60 ms (3 minutes ago)



12°C Sunny 28:28 CRLF UTF-8 4 spaces 5:31 PM 1/7/2023

```
File Edit View Navigate Code Refactor Build Run Tools VCS Window Help evaluation3 - MyController.java
evaluation3 src \ main \ java \ com \ example \ controller \ MyController
pom.xml (evaluation3) Eval3.java Service_FIR.java FIR_Impl.java MyController.java FIR.java User.java Error_thing.java User_Impl.java Service_User.java
1 package com.example.controller;
2
3 import com.example.entity.FIR;
4 import com.example.entity.User;
5 import com.example.service.Service_FIR;
6 import com.example.service.Service_User;
7 import org.springframework.beans.factory.annotation.Autowired;
8 import org.springframework.web.bind.annotation.*;
9
10 @RestController
11 @RequestMapping("/basefir/user/")
12 public class MyController {
13
14     1 usage
15     @Autowired
16     Service_FIR service;
17     3 usages
18     @Autowired
19     Service_User service_user;
20
21     @PostMapping("/register")
22     public User createUser(@RequestBody User user) { return service_user.createUser(user); }
23
24     @PostMapping("/login")
25     public User createUse(@RequestBody User user) { return service_user.createUser(user); }
26
27     @GetMapping("/{userId}/fir/")
28     public User getUserId(@PathVariable int u_id) { return service_user.getUserId(u_id); }
29
30     @PostMapping("/fir")
31     public FIR createfir(@RequestBody FIR fir) { return service.createfir(fir); }
```

Version Control Find Run TODO Problems Terminal Services Build Dependencies

Build completed successfully in 9 sec. 60 ms (3 minutes ago)

12°C Sunny 11:35 CRLF UTF-8 4 spaces 5:31 PM 1/7/2023



evaluation3 - InvalidException.java

```
1 package com.example.exceptions;
2
3 public class InvalidException extends RuntimeException{
4
5     public InvalidException() {}
6
7     public InvalidException(String msg) { super(msg); }
8
9 }
10
11
```

Project Structure:

- java
 - com.example
 - controller
 - MyController
 - entity
 - FIR
 - User
 - exceptions
 - Error_thing
 - GlobalExceptionHandler
 - InvalidException
 - repository
 - FIR_Repo
 - User_Repo
 - service
 - FIR_Impl
 - Service_FIR
 - Service_User
 - User_Impl
 - Eval3
 - resources
 - static
 - templates
 - application.properties
 - validations.properties
 - test
- target
- gitignore
- evaluation3.iml
- HELP.md
- mvnw
- mvnw.cmd
- pom.xml

Build completed successfully in 9 sec. 60 ms (4 minutes ago)

12°C Sunny

evaluation3 - FIR_Repo.java

```
1 package com.example.repository;
2
3 import com.example.entity.FIR;
4 import org.springframework.data.jpa.repository.JpaRepository;
5 import org.springframework.stereotype.Repository;
6
7 @Repository
8 public interface FIR_Repo extends JpaRepository<FIR,Integer> {
9
10 }
11
```

Project Structure:

- java
 - com.example
 - controller
 - MyController
 - entity
 - FIR
 - User
 - exceptions
 - Error_thing
 - GlobalExceptionHandler
 - InvalidException
 - repository
 - FIR_Repo
 - User_Repo
 - service
 - FIR_Impl
 - Service_FIR
 - Service_User
 - User_Impl
 - Eval3
 - resources
 - static
 - templates
 - application.properties
 - validations.properties
 - test
- target
- gitignore
- evaluation3.iml
- HELP.md
- mvnw
- mvnw.cmd
- pom.xml

Build completed successfully in 9 sec. 60 ms (4 minutes ago)



12°C Sunny

```
1 package com.example.repository;
2
3 import com.example.entity.User;
4 import org.springframework.data.jpa.repository.JpaRepository;
5 import org.springframework.stereotype.Repository;
6
7
8 2 usages
9 @Repository
10 public interface UserRepo extends JpaRepository<User,Integer> {
11 }
```

Build completed successfully in 9 sec. 60 ms (4 minutes ago)

```
1 package com.example.service;
2
3 import com.example.entity.FIR;
4 import com.example.repository.FIRRepo;
5 import org.springframework.beans.factory.annotation.Autowired;
6 import org.springframework.stereotype.Service;
7
8 @Service
9 public class FIR_Impl implements Service_FIR{
10
11     1 usage
12     @Autowired
13     FIRRepo firRepo;
14
15     1 usage
16     @Override
17     public FIR createFir(FIR fir){ return firRepo.save(fir); }
18
19
20 }
```

Build completed successfully in 9 sec. 60 ms (4 minutes ago)



```
1 package com.example.service;
2
3 import com.example.entity.User;
4 import com.example.repository.UserRepo;
5 import org.springframework.beans.factory.annotation.Autowired;
6 import org.springframework.stereotype.Service;
7
8 @Service
9 public class User_Impl implements Service_User{
10
11     2 usages
12     @Autowired
13     UserRepo userRepo;
14
15     2 usages
16     @Override
17     public User createUser(User user) { return userRepo.save(user); }
18
19     1 usage
20     @Override
21     public User getUserById(int u_id) {
22         return userRepo.findById(u_id).get();
23     }
24 }
25
```

Build completed successfully in 9 sec. 60 ms (4 minutes ago)

```
1 package com.example;
2
3 import org.springframework.boot.SpringApplication;
4 import org.springframework.boot.autoconfigure.SpringBootApplication;
5
6 import org.springframework.context.ApplicationContext;
7
8 1 usage
9 @SpringBootApplication
10 public class Eval3 {
11
12     public static void main(String[] args) {
13         ApplicationContext ctx = SpringApplication.run(Eval3.class, args);
14     }
15 }
16
17
18
19
```

Build completed successfully in 9 sec. 60 ms (5 minutes ago)

evaluation3 - application.properties

```
1 server.port=8080
2
3 spring.datasource.url=jdbc:mysql://localhost:3306/webapp
4 spring.datasource.username=root
5 spring.datasource.password=Kanishka@1
6
7 spring.jpa.property.hibernate.dialect=org.hibernate.dialect.MySQL8Dialect
8 spring.jpa.hibernate.ddl-auto=update
9 spring.jpa.show-sql=true
10
11 #for non handler exception
12 spring.mvc.throw-exception-if-no-handler-found=true
13 spring.web.resources.add-mappings=false
14
15
16
```

Build completed successfully in 9 sec. 60 ms (5 minutes ago)

12°C Sunny

evaluation3 - validations.properties

```
1 firstName.invalid=Must not contain numbers or special characters
2 lastName.invalid= Must not contain numbers or special characters
3 mobileNumber.invalid=Must have 10 digits
4 age.invalid= Must be above 8 years
5 gender.invalid= Must be either male or female or transgender
6 password.invalid= Should be alphanumeric and must contain 6-12 characters having at least one special character, one upper case, one
```

Build completed successfully in 9 sec. 60 ms (5 minutes ago)

12°C Sunny

