```
110         PRINT 'Student deleted successfully';
111     END;
112     GO
113
114     INSERT INTO Student VALUES (106, 'Arjun', 75, 2);
115
116     UPDATE Student
117     SET Marks = 95
118     WHERE Student_ID = 106;
119
120     DELETE FROM Student
121     WHERE Student_ID = 106;
122     GO
```

```
73
74  CREATE PROCEDURE DeleteStudent
75      @ID INT
76  AS
77  BEGIN
78      DELETE FROM Student
79      WHERE Student_ID = @ID;
80  END;
81  GO
82
83  EXEC GetStudents;
84  EXEC InsertStudent 105, 'Karan', 80, 1;
85  EXEC UpdateStudent 105, 90;
86  EXEC DeleteStudent 105;
87  GO
88
89  CREATE TRIGGER CheckMarks
90  ON Student
91  AFTER INSERT, UPDATE
92  AS
93  BEGIN
94      IF EXISTS (
95          SELECT 1 FROM inserted
96          WHERE Marks < 0 OR Marks > 100
97      )
98      BEGIN
99          RAISERROR('Marks must be between 0 and 100', 16, 1);
100         ROLLBACK TRANSACTION;
101     END
102 END;
103 GO
104
105 CREATE TRIGGER StudentDelete
106 ON Student
107 AFTER DELETE
108 AS
109 BEGIN
110     PRINT 'Student deleted successfully';
```

Output:

Student_ID	Name	Marks	Dept_ID	Dept_ID	Dept_Name
101	Rahul	85	1	1	CSE
102	Priya	92	2	2	IT
103	Amit	70	1	1	CSE
104	Neha	88	3	3	ECE

Student_ID	Name	Marks	Dept_ID	Dept_ID	Dept_Name
101	Rahul	85	1	1	CSE
102	Priya	92	2	2	IT
103	Amit	70	1	1	CSE
104	Neha	88	3	3	ECE

Student_ID	Name	Marks	Dept_ID	Dept_ID	Dept_Name
101	Rahul	85	1	1	CSE
103	Amit	70	1	1	CSE
102	Priya	92	2	2	IT
104	Neha	88	3	3	ECE

Student_ID	Name	Marks	Dept_ID	Dept_ID	Dept_Name
101	Rahul	85	1	1	CSE
102	Priya	92	2	2	IT
103	Amit	70	1	1	CSE
104	Neha	88	3	3	ECE