```
CREATE TABLE corbeille_adm (
  id_corbeille INT AUTO_INCREMENT PRIMARY KEY,
  table_source VARCHAR(50),
  id_element INT,
  donnees TEXT,
  date_suppression DATETIME DEFAULT CURRENT_TIMESTAMP
);
DELIMITER $$
CREATE TRIGGER trg_delete_patient
BEFORE DELETE ON patient
FOR EACH ROW
BEGIN
  INSERT INTO corbeille_adm(table_source, id_element, donnees, date_suppression)
  VALUES(
    'patients',
    OLD.id_patient,
    CONCAT(OLD.nom,' ',OLD.prenom,' ',OLD.telephone),
    NOW()
  );
END $$
DELIMITER ;
```

	Nom	Temps	Évènement	
☐	trg_delete_patient	BEFORE	DELETE	Éditer Exporter Supprimer

```
CREATE EVENT purge_corbeille_adm
ON SCHEDULE EVERY 1 DAY
DO
DELETE FROM corbeille_adm
WHERE date_suppression < NOW() - INTERVAL 2 DAY;
DELIMITER $$
CREATE TRIGGER trg_limit_actions
BEFORE INSERT ON actions
FOR EACH ROW
```

```
BEGIN
  DECLARE total INT;
 SELECT COUNT(*) INTO total FROM actions;
IF total >= 5 THEN
     DELETE FROM actions
     ORDER BY id_action ASC
     LIMIT 1;
  END IF;
END $$
DELIMITER ;
```

	Nom	Table	Temps	Évènement			
☐	**trg_delete_patient**	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	**trg_limit_action**	action	BEFORE	INSERT	Éditer	Exporter	Supprimer

```
DELIMITER $$
CREATE TRIGGER trg_del_patient
BEFORE DELETE ON patient
FOR EACH ROW
BEGIN
INSERT INTO corbeille_adm(table_source,id_element,donnees,date_suppression)
VALUES('patients',OLD.id_patient,OLD.nom,NOW());
END $$
DELIMITER ;
```

	Nom	Table	Temps	Évènement			
☐	**trg_del_patient**	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	**trg_delete_patient**	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	**trg_limit_action**	action	BEFORE	INSERT	Éditer	Exporter	Supprimer

```
DELIMITER $$
CREATE TRIGGER trg_del_medecin
BEFORE DELETE ON medecin
FOR EACH ROW
BEGIN
```

```
INSERT INTO corbeille_adm VALUES(NULL,'medecins',OLD.id_medecin,OLD.nom,NOW());
END $$
DELIMITER ;
```

	Nom	Table	Temps	Évènement			
☐	trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer

```
DELIMITER $$
CREATE TRIGGER trg_del_service
BEFORE DELETE ON service
FOR EACH ROW
BEGIN
INSERT INTO corbeille_adm VALUES(NULL,'services',OLD.id_service,OLD.nom_service,NOW());
END $$
DELIMITER ;
```

	Nom	Table	Temps	Évènement			
☐	trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_service	service	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer

```
DELIMITER $$
CREATE TRIGGER trg_del_action
BEFORE DELETE ON action
FOR EACH ROW
BEGIN
INSERT INTO corbeille_adm VALUES(NULL,'actions',OLD.id_action,OLD.nom_action,NOW());
END $$
DELIMITER ;
```

	Nom	Table	Temps	Événement			
☐	trg_del_action	action	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_service	service	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer

```
DELIMITER $$

CREATE TRIGGER trg_del_consult

BEFORE DELETE ON consultation

FOR EACH ROW

BEGIN

INSERT INTO corbeille_adm VALUES(NULL,'consultation',OLD.id_consultation,OLD.diagnostic,NOW());

END $$

DELIMITER ;
```

	Nom	Table	Temps	Événement			
☐	trg_del_action	action	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_consult	consultation	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_service	service	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer

```
DELIMITER $$

CREATE TRIGGER trg_del_benevole

BEFORE DELETE ON benevole

FOR EACH ROW

BEGIN

INSERT INTO corbeille_adm VALUES(NULL,'benevole',OLD.id_benevole,OLD.nom,NOW());

END $$

DELIMITER ;
```

	Nom	Table	Temps	Événement			
☐	trg_del_action	action	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_benevole	benevole	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_consult	consultation	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_service	service	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer

```
DELIMITER $$
CREATE TRIGGER trg_del_participation
BEFORE DELETE ON participation
FOR EACH ROW
BEGIN
INSERT INTO corbeille_adm VALUES(NULL,'participation',OLD.id_participation,OLD.role,NOW());
END $$
DELIMITER ;
```

	Nom	Table	Temps	Événement			
☐	trg_del_action	action	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_benevole	benevole	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_consult	consultation	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_participation	participation	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_service	service	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer

```
DELIMITER $$
CREATE TRIGGER trg_del_plainte
BEFORE DELETE ON plainte
FOR EACH ROW
BEGIN
INSERT INTO corbeille_adm VALUES(NULL,'plainte',OLD.id_plainte,OLD.motif,NOW());
END $$
DELIMITER ;
```

	Nom	Table	Temps	Événement			
☐	trg_del_action	action	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_benevole	benevole	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_consult	consultation	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_participation	participation	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_plainte	plainte	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_service	service	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer

```
DELIMITER $$
CREATE TRIGGER trg_ins_patient
AFTER INSERT ON patient
FOR EACH ROW
INSERT INTO corbeille_adm VALUES(NULL,'log_patient',NEW.id_patient,NEW.nom,NOW());
```

END $$

DELIMITER ;

	Nom	Table	Temps	Événement			
☐	trg_del_action	action	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_benevole	benevole	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_consult	consultation	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_participation	participation	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_plainte	plainte	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_service	service	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_ins_patient	patient	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer

DELIMITER $$

CREATE TRIGGER trg_ins_medecin

AFTER INSERT ON medecin

FOR EACH ROW

INSERT INTO corbeille_adm VALUES(NULL,'log_medecin',NEW.id_medecin,NEW.nom,NOW());

END $$

DELIMITER ;

	Nom	Table	Temps	Événement			
☐	trg_del_action	action	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_benevole	benevole	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_consult	consultation	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_participation	participation	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_plainte	plainte	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_service	service	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_ins_medecin	medecin	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_ins_patient	patient	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer

DELIMITER $$

CREATE TRIGGER trg_ins_service

AFTER INSERT ON service

FOR EACH ROW

INSERT INTO corbeille_adm VALUES(NULL,'log_service',NEW.id_service,NEW.nom_service,NOW());

END $$

DELIMITER ;

	Nom	Table	Temps	Événement			
☐	trg_del_action	action	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_benevole	benevole	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_consult	consultation	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_participation	participation	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_plainte	plainte	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_service	service	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_ins_medecin	medecin	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_ins_patient	patient	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_ins_service	service	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer

```
DELIMITER $$

CREATE TRIGGER trg_ins_action

AFTER INSERT ON action

FOR EACH ROW

INSERT INTO corbeille_adm VALUES(NULL,'log_action',NEW.id_action,NEW.nom_action,NOW());

END $$

DELIMITER ;
```

	Nom	Table	Temps	Événement			
☐	trg_del_action	action	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_benevole	benevole	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_consult	consultation	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_participation	participation	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_plainte	plainte	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_service	service	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_ins_action	action	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_ins_medecin	medecin	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_ins_patient	patient	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_ins_service	service	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer

```
DELIMITER $$

CREATE TRIGGER trg_ins_consult

AFTER INSERT ON consultation

FOR EACH ROW

INSERT INTO corbeille_adm VALUES(NULL,'log_consult',NEW.id_consultation,NEW.diagnostic,NO
W());

END $$

DELIMITER ;
```

	Nom	Table	Temps	Événement			
☐	trg_del_action	action	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_benevole	benevole	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_consult	consultation	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_participation	participation	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_plainte	plainte	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_service	service	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_ins_action	action	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_ins_consult	consultation	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_ins_medecin	medecin	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_ins_patient	patient	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_ins_service	service	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer

```
DELIMITER $$

CREATE TRIGGER trg_up_patient

AFTER UPDATE ON patient

FOR EACH ROW

INSERT INTO corbeille_adm VALUES(NULL,'update_patient',OLD.id_patient,OLD.nom,NOW());

END $$

DELIMITER ;
```

	Nom	Table	Temps	Événement			
☐	trg_del_action	action	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_benevole	benevole	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_consult	consultation	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_participation	participation	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_plainte	plainte	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_service	service	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_ins_action	action	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_ins_consult	consultation	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_ins_medecin	medecin	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_ins_patient	patient	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_ins_service	service	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer
☐	trg_up_patient	patient	AFTER	UPDATE	Éditer	Exporter	Supprimer

```
DELIMITER $$

CREATE TRIGGER trg_up_medecin

AFTER UPDATE ON medecin

FOR EACH ROW

INSERT INTO corbeille_adm VALUES(NULL,'update_medecin',OLD.id_medecin,OLD.nom,NOW());

END $$

DELIMITER ;
```

	Nom	Table	Temps	Événement			
	trg_del_action	action	BEFORE	DELETE	Éditer	Exporter	Supprimer
	trg_del_benevole	benevole	BEFORE	DELETE	Éditer	Exporter	Supprimer
	trg_del_consult	consultation	BEFORE	DELETE	Éditer	Exporter	Supprimer
	trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
	trg_del_participation	participation	BEFORE	DELETE	Éditer	Exporter	Supprimer
	trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
	trg_del_plainte	plainte	BEFORE	DELETE	Éditer	Exporter	Supprimer
	trg_del_service	service	BEFORE	DELETE	Éditer	Exporter	Supprimer
	trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
	trg_ins_action	action	AFTER	INSERT	Éditer	Exporter	Supprimer
	trg_ins_consult	consultation	AFTER	INSERT	Éditer	Exporter	Supprimer
	trg_ins_medecin	medecin	AFTER	INSERT	Éditer	Exporter	Supprimer
	trg_ins_patient	patient	AFTER	INSERT	Éditer	Exporter	Supprimer
	trg_ins_service	service	AFTER	INSERT	Éditer	Exporter	Supprimer
	trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer
	trg_up_medecin	medecin	AFTER	UPDATE	Éditer	Exporter	Supprimer
	trg_up_patient	patient	AFTER	UPDATE	Éditer	Exporter	Supprimer

```
DELIMITER $$

CREATE TRIGGER trg_up_service

AFTER UPDATE ON service

FOR EACH ROW

INSERT INTO corbeille_adm VALUES(NULL,'update_service',OLD.id_service,OLD.nom_service,NOW
());

END $$

DELIMITER ;
```

	Nom	Table	Temps	Événement			
	trg_del_action	action	BEFORE	DELETE	Éditer	Exporter	Supprimer
	trg_del_benevole	benevole	BEFORE	DELETE	Éditer	Exporter	Supprimer
	trg_del_consult	consultation	BEFORE	DELETE	Éditer	Exporter	Supprimer
	trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
	trg_del_participation	participation	BEFORE	DELETE	Éditer	Exporter	Supprimer
	trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
	trg_del_plainte	plainte	BEFORE	DELETE	Éditer	Exporter	Supprimer
	trg_del_service	service	BEFORE	DELETE	Éditer	Exporter	Supprimer
	trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
	trg_ins_action	action	AFTER	INSERT	Éditer	Exporter	Supprimer
	trg_ins_consult	consultation	AFTER	INSERT	Éditer	Exporter	Supprimer
	trg_ins_medecin	medecin	AFTER	INSERT	Éditer	Exporter	Supprimer
	trg_ins_patient	patient	AFTER	INSERT	Éditer	Exporter	Supprimer
	trg_ins_service	service	AFTER	INSERT	Éditer	Exporter	Supprimer
	trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer
	trg_up_medecin	medecin	AFTER	UPDATE	Éditer	Exporter	Supprimer
	trg_up_patient	patient	AFTER	UPDATE	Éditer	Exporter	Supprimer
	trg_up_service	service	AFTER	UPDATE	Éditer	Exporter	Supprimer

```
DELIMITER $$

CREATE TRIGGER trg_up_action

AFTER UPDATE ON action

FOR EACH ROW

INSERT INTO corbeille_adm VALUES(NULL,'update_action',OLD.id_action,OLD.nom_action,NOW
());

END $$

DELIMITER ;
```

Nom	Table	Temps	Évènement			
trg_del_action	action	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_benevole	benevole	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_consult	consultation	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_participation	participation	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_plainte	plainte	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_service	service	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_ins_action	action	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_consult	consultation	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_medecin	medecin	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_patient	patient	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_service	service	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer
trg_up_action	action	AFTER	UPDATE	Éditer	Exporter	Supprimer
trg_up_medecin	medecin	AFTER	UPDATE	Éditer	Exporter	Supprimer
trg_up_patient	patient	AFTER	UPDATE	Éditer	Exporter	Supprimer
trg_up_service	service	AFTER	UPDATE	Éditer	Exporter	Supprimer

```
DELIMITER $$

CREATE TRIGGER trg_up_plainte

AFTER UPDATE ON plainte

FOR EACH ROW

INSERT INTO corbeille_adm VALUES(NULL,'update_plainte',OLD.id_plainte,OLD.motif,NOW());

END $$

DELIMITER ;
```

Nom	Table	Temps	Évènement			
trg_del_action	action	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_benevole	benevole	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_consult	consultation	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_participation	participation	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_plainte	plainte	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_service	service	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_ins_action	action	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_consult	consultation	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_medecin	medecin	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_patient	patient	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_service	service	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer
trg_up_action	action	AFTER	UPDATE	Éditer	Exporter	Supprimer
trg_up_medecin	medecin	AFTER	UPDATE	Éditer	Exporter	Supprimer
trg_up_patient	patient	AFTER	UPDATE	Éditer	Exporter	Supprimer
trg_up_plainte	plainte	AFTER	UPDATE	Éditer	Exporter	Supprimer
trg_up_service	service	AFTER	UPDATE	Éditer	Exporter	Supprimer

```
DELIMITER $$

CREATE TRIGGER trg_patient_insert_log

AFTER INSERT ON patient

FOR EACH ROW

INSERT INTO corbeille_adm(table_source,id_element,donnees,date_suppression)

VALUES('log_patient',NEW.id_patient,NEW.nom,NOW());

END $$

DELIMITER ;
```

	Nom	Table	Temps	Événement			
☐	trg_del_action	action	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_benevole	benevole	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_consult	consultation	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_participation	participation	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_plainte	plainte	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_service	service	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_ins_action	action	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_ins_consult	consultation	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_ins_medecin	medecin	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_ins_patient	patient	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_ins_service	service	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer
☐	trg_patient_insert_log	patient	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_up_action	action	AFTER	UPDATE	Éditer	Exporter	Supprimer
☐	trg_up_medecin	medecin	AFTER	UPDATE	Éditer	Exporter	Supprimer
☐	trg_up_patient	patient	AFTER	UPDATE	Éditer	Exporter	Supprimer
☐	trg_up_plainte	plainte	AFTER	UPDATE	Éditer	Exporter	Supprimer
☐	trg_up_service	service	AFTER	UPDATE	Éditer	Exporter	Supprimer

```
DELIMITER $$

CREATE TRIGGER trg_medecin_insert_log

AFTER INSERT ON medecin

FOR EACH ROW

INSERT INTO corbeille_adm(table_source,id_element,donnees,date_suppression)

VALUES('log_medecin',NEW.id_medecin,NEW.nom,NOW());

END $$

DELIMITER ;
```

	Nom	Table	Temps	Événement			
☐	trg_del_action	action	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_benevole	benevole	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_consult	consultation	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_participation	participation	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_plainte	plainte	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_del_service	service	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
☐	trg_ins_action	action	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_ins_consult	consultation	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_ins_medecin	medecin	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_ins_patient	patient	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_ins_service	service	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer
☐	trg_medecin_insert_log	medecin	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_patient_insert_log	patient	AFTER	INSERT	Éditer	Exporter	Supprimer
☐	trg_up_action	action	AFTER	UPDATE	Éditer	Exporter	Supprimer
☐	trg_up_medecin	medecin	AFTER	UPDATE	Éditer	Exporter	Supprimer
☐	trg_up_patient	patient	AFTER	UPDATE	Éditer	Exporter	Supprimer
☐	trg_up_plainte	plainte	AFTER	UPDATE	Éditer	Exporter	Supprimer
☐	trg_up_service	service	AFTER	UPDATE	Éditer	Exporter	Supprimer

```
DELIMITER $$

CREATE TRIGGER trg_service_insert_log

AFTER INSERT ON service

FOR EACH ROW

INSERT INTO corbeille_adm(table_source,id_element,donnees,date_suppression)
```

VALUES('log_service',NEW.id_service,NEW.nom_service,NOW());

END $$

DELIMITER ;

trg_del_action	action	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_benevole	benevole	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_consult	consultation	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_participation	participation	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_plainte	plainte	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_service	service	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_ins_action	action	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_consult	consultation	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_medecin	medecin	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_patient	patient	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_service	service	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer
trg_medecin_insert_log	medecin	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_patient_insert_log	patient	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_service_insert_log	service	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_up_action	action	AFTER	UPDATE	Éditer	Exporter	Supprimer
trg_up_medecin	medecin	AFTER	UPDATE	Éditer	Exporter	Supprimer
trg_up_patient	patient	AFTER	UPDATE	Éditer	Exporter	Supprimer
trg_up_plainte	plainte	AFTER	UPDATE	Éditer	Exporter	Supprimer
trg_up_service	service	AFTER	UPDATE	Éditer	Exporter	Supprimer

DELIMITER $$

CREATE TRIGGER trg_action_insert_log

AFTER INSERT ON action

FOR EACH ROW

INSERT INTO corbeille_adm(table_source,id_element,donnees,date_suppression)

VALUES('log_action',NEW.id_action,NEW.nom_action,NOW());

END $$

DELIMITER ;

trg_action_insert_log	action	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_del_action	action	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_benevole	benevole	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_consult	consultation	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_participation	participation	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_plainte	plainte	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_service	service	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_ins_action	action	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_consult	consultation	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_medecin	medecin	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_patient	patient	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_service	service	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer
trg_medecin_insert_log	medecin	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_patient_insert_log	patient	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_service_insert_log	service	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_up_action	action	AFTER	UPDATE	Éditer	Exporter	Supprimer
trg_up_medecin	medecin	AFTER	UPDATE	Éditer	Exporter	Supprimer
trg_up_patient	patient	AFTER	UPDATE	Éditer	Exporter	Supprimer
trg_up_plainte	plainte	AFTER	UPDATE	Éditer	Exporter	Supprimer
trg_up_service	service	AFTER	UPDATE	Éditer	Exporter	Supprimer

DELIMITER $$

CREATE TRIGGER trg_consult_insert_log

AFTER INSERT ON consultation

FOR EACH ROW

INSERT INTO corbeille_adm(table_source,id_element,donnees,date_suppression)

VALUES('log_consultation',NEW.id_consultation,NEW.diagnostic,NOW());

END $$

DELIMITER ;

trg_annuler_insert_log	consultation	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_del_action	action	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_benevole	benevole	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_consult	consultation	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_participation	participation	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_plainte	plainte	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_service	service	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_ins_action	action	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_consult	consultation	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_medecin	medecin	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_patient	patient	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_service	service	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer
trg_medecin_insert_log	medecin	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_patient_insert_log	patient	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_service_insert_log	service	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_up_action	action	AFTER	UPDATE	Éditer	Exporter	Supprimer
trg_up_medecin	medecin	AFTER	UPDATE	Éditer	Exporter	Supprimer
trg_up_patient	patient	AFTER	UPDATE	Éditer	Exporter	Supprimer
trg_up_service	service	AFTER	UPDATE	Éditer	Exporter	Supprimer

DELIMITER $$

CREATE TRIGGER trg_participation_log

AFTER INSERT ON participation

FOR EACH ROW

INSERT INTO corbeille_adm(table_source,id_element,donnees,date_suppression)

VALUES('log_participation',NEW.id_participation,NEW.role,NOW());

END $$

DELIMITER ;

trg_del_action	action	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_benevole	benevole	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_consult	consultation	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_medecin	medecin	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_participation	participation	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_plainte	plainte	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_del_service	service	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_delete_patient	patient	BEFORE	DELETE	Éditer	Exporter	Supprimer
trg_ins_action	action	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_consult	consultation	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_medecin	medecin	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_patient	patient	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_ins_service	service	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_limit_action	action	BEFORE	INSERT	Éditer	Exporter	Supprimer
trg_medecin_insert_log	medecin	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_participation_log	participation	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_patient_insert_log	patient	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_service_insert_log	service	AFTER	INSERT	Éditer	Exporter	Supprimer
trg_up_action	action	AFTER	UPDATE	Éditer	Exporter	Supprimer
trg_up_medecin	medecin	AFTER	UPDATE	Éditer	Exporter	Supprimer
trg_up_patient	patient	AFTER	UPDATE	Éditer	Exporter	Supprimer
trg_up_plainte	plainte	AFTER	UPDATE	Éditer	Exporter	Supprimer
trg_up_service	service	AFTER	UPDATE	Éditer	Exporter	Supprimer

DELIMITER $$

CREATE TRIGGER trg_plainte_log

AFTER INSERT ON plainte

FOR EACH ROW

INSERT INTO corbeille_adm(table_source,id_element,donnees,date_suppression)

VALUES('log_plainte',NEW.id_plainte,NEW.motif,NOW());

END $$

DELIMITER ;

trg_del_benevole	benevole	BEFORE	DELETE	Editer	Exporter	Supprimer
trg_del_consult	consultation	BEFORE	DELETE	Editer	Exporter	Supprimer
trg_del_medecin	medecin	BEFORE	DELETE	Editer	Exporter	Supprimer
trg_del_participation	participation	BEFORE	DELETE	Editer	Exporter	Supprimer
trg_del_patient	patient	BEFORE	DELETE	Editer	Exporter	Supprimer
trg_del_plainte	plainte	BEFORE	DELETE	Editer	Exporter	Supprimer
trg_del_service	service	BEFORE	DELETE	Editer	Exporter	Supprimer
trg_delete_patient	patient	BEFORE	DELETE	Editer	Exporter	Supprimer
trg_ins_action	action	AFTER	INSERT	Editer	Exporter	Supprimer
trg_ins_consult	consultation	AFTER	INSERT	Editer	Exporter	Supprimer
trg_ins_medecin	medecin	AFTER	INSERT	Editer	Exporter	Supprimer
trg_ins_patient	patient	AFTER	INSERT	Editer	Exporter	Supprimer
trg_ins_service	service	AFTER	INSERT	Editer	Exporter	Supprimer
trg_insert_action	action	BEFORE	INSERT	Editer	Exporter	Supprimer
trg_medecin_insert_log	medecin	AFTER	INSERT	Editer	Exporter	Supprimer
trg_participation_log	participation	AFTER	INSERT	Editer	Exporter	Supprimer
trg_patient_insert_log	patient	AFTER	INSERT	Editer	Exporter	Supprimer
trg_plainte_log	plainte	AFTER	INSERT	Editer	Exporter	Supprimer
trg_service_insert_log	service	AFTER	INSERT	Editer	Exporter	Supprimer
trg_up_action	action	AFTER	UPDATE	Editer	Exporter	Supprimer
trg_up_medecin	medecin	AFTER	UPDATE	Editer	Exporter	Supprimer
trg_up_patient	patient	AFTER	UPDATE	Editer	Exporter	Supprimer
trg_up_plainte	plainte	AFTER	UPDATE	Editer	Exporter	Supprimer
trg_up_service	service	AFTER	UPDATE	Editer	Exporter	Supprimer