

Computing for Medicine

Monsoon 2025

Lecture 1

Today's Menu

Introduction	Welcome and Introductions
Learning Objectives	What you are expected to learn
Course Structure	Major Topics covered in this course
The Big Picture	Health Systems: Nuts, Bolts and Abstract

Course Structure

- **The Big Picture**
 - Computing and Healthcare
- **Data**
 - Open & FAIR Data
 - Syntactic Interoperability Standards (HL7, DICOM, FHIR)
 - Semantic Interoperability Standards (SNOMED, Ontologies)
- **Data Science, ML & AI**
 - Structured data - Statistics, Applied Machine Learning
 - Unstructured data - Natural Language Processing in Healthcare
 - **New Topic: Agentic AI in Healthcare**
- **Case Studies with Open Data**
 - Tindering Open Datasets
 - Antibiotic Resistance and its Trajectory Analysis
 - Predictive Modeling for Intensive Care Units
 - Issues with Inclusion, Safety and Ethics of Healthcare AI

Post conditions

You will

- build interoperable data exchange solutions for medicine and public health
- understand and critique existing modeling methods for medical and public health data
- produce models for medical and public health scenarios
- develop new interventions for real world healthcare challenges

Pedagogy

- Learning
 - **In-person** Lectures
 - Class participation: questions, discussions, activities
 - Online platform: Google Classroom
- Evaluation
 - Exams
 - Assignments
 - Quizzes (n-1 policy for quizzes applies)
- Learning by doing
 - Course project
 - 60 mins - 20 mins (in class discussions)

Grading


- Assignments: 15%
- Quizzes: 15%
- Mid sem Exam: 20%
- End sem Exam: 25%
- Project: 25%

Plagiarism

- What is it?
- Copying HWs
- Any content taken from another source without citation
- First time caught, zero on that submission
- Second time caught will be directed to academic committee
- Caught in final report, one grade lower
- Whatever policy from IIITD

Computing For Medicine: The Big Picture

Hype Cycle Of The Top 50 Emerging Digital Health Trends



What Do You See?



f_x



Computing for Medicine is Highly Interdisciplinary!


Some related programs and courses:-

- Biomedical Informatics (Stanford University, Harvard University, UT Houston)
- Health Informatics (Melbourne Medical School)
- Computational Bioscience (University of Colorado, School of Medicine)
- Biomedical Data Science (Stanford University)
- Artificial Intelligence in Healthcare (Stanford University)
- Clinical and Translational Science (University of Vermont, USA)


C4M encourages polymathic learning by collaboration.

“Biology is the study of the complex things in the Universe. Physics is the study of the simple ones.”

- Richard Dawkins



Human Cell: A Prototypical Complex System





Key characteristics of biological systems

Biological systems are:-

- Complex Adaptive Systems
- Exhibit Self Organizing behavior
- Are dynamically changing
- Have oscillatory properties
- Are homeostatic and homeokinetic
- Operate far from equilibrium
- Unpredictably sensitive
- Are not always optimum

Published: 12 February 2004

An optimal bronchial tree may be dangerous

B. Maurey, M. Filoche, E. R. Weibel & B. Sapoval 

Nature **427**, 633–636(2004) | [Cite this article](#)

345 Accesses | 172 Citations | 0 Altmetric | [Metrics](#)

Abstract

The geometry and dimensions of branched structures such as blood vessels or airways are important factors in determining the efficiency of physiological processes. It has been shown that fractal trees can be space filling¹ and can ensure minimal dissipation^{2,3,4}. The bronchial tree of most mammalian lungs is a good example of an efficient distribution system with an approximate fractal structure^{5,6}. Here we present a study of the compatibility between physical optimization and physiological robustness in the design of the human bronchial tree. We show that this physical optimization is critical in the sense that small variations in the geometry can induce very large variations in the net air flux. Maximum physical efficiency therefore cannot be a sufficient criterion for the physiological design of bronchial trees. Rather, the design of bronchial trees must be provided with a safety factor and the capacity for regulating airway calibre. Paradoxically, our results suggest that bronchial malfunction related to asthma is a necessary consequence of the optimized efficiency of the tree structure.

How are Health Systems Different?

The Why, What, How? And Who Cares?

The Why? Questions “they” care about

- improving the health of populations through better
 - screening
 - diagnosis
 - treatment
 - prognosis
- reducing the per capita cost of healthcare
- improving the patient experience including quality and satisfaction
- Supporting healthcare providers by providing augmented decision support
- However, healthcare AI needs safety, interpretability

What? Same Data Different Purposes



Example:


Two recent studies have looked at the potential link between pioglitazone and bladder cancer.

- In 2015, researchers used prescription data, cancer and mortality rates from people with Type 2 diabetes across six different regions from four different countries (three of the groups came from the UK) and did not find any evidence that pioglitazone increased the risk of bladder cancer.
- In 2016, a different study looked at nearly 150,000 people who were treated with antidiabetic drugs between 2000 and 2013, and followed up until 2014. This work did identify an increased risk of bladder cancer with the use of pioglitazone.

How? Data Science Approaches


How were the Data Generated?

Example of Retrospective Study Design



How were the Data Generated?


Example of Prospective Study Design



How? Need for Novel Data Science Approaches

You are a health
policy maker:

How do you
interpret this data?




How? Need for Novel Data Science Approaches

Findings on sub-groups of data may be opposite to that on the whole data!

Q: What is this phenomenon called?

Simpson's Paradox






Israeli Data: August 15, 2021

From: <https://datadashboard.health.gov.il/COVID-19/general>



Age	Population (%)		Severe cases		Efficacy
	Not Vax %	Fully Vax %	Not Vax per 100k	Fully Vax per 100k	vs. severe disease
All ages	1,302,912 18.2%	5,634,634 78.7%	214 16.4	301 5.3	67.5%
<50	1,116,834 23.3%	3,501,118 73.0%	43 3.9	11 0.3	91.8%
>50	186,078 7.9%	2,170,563 90.4%	171 90.9	290 13.6	85.2%

This strange result illustrates something called **Simpson's Paradox**, in this case meaning you can have **very high efficacy in each group**, but the **overall efficacy looks much lower** because one group (older people) is **more vaccinated** and have a **much higher risk of severe disease**.

World of Conditional Probabilities




AI Failure Can Be of Many Types







Example: Classical Statistical Fail

RESEARCH-ARTICLE

X in  f 

Intelligible Models for HealthCare: Predicting Pneumonia Risk and Hospital 30-day Readmission

Authors:  Rich Caruana,  Yin Lou,  Johannes Gehrke,  Paul Koch,  Marc Sturm,  Noemie Elhadad [Authors Info & Claims](#)

[KDD '15: Proceedings of the 21th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining](#) • Pages 1721 - 1730
<https://doi.org/10.1145/2783258.2788613>

Published: 10 August 2015 [Publication History](#) 

Caruana, R., et al. (2015). Intelligible Models for HealthCare: Predicting Pneumonia Risk and Hospital 30-day Readmission. In *Proceedings of the 21th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining* (pp. 1721–1730). Association for Computing Machinery.

Confounding

ing [1]. Although models based on rules were not as accurate as the neural net models, they were *intelligible*, i.e., interpretable by humans. On one of the pneumonia datasets, the rule-based system learned the rule “HasAsthma(x) \Rightarrow LowerRisk(x)”, i.e., that patients with pneumonia who have a history of asthma have lower risk of dying from pneumonia than the general population. Needless to say, this rule is counterintuitive. But it reflected a true pattern in the training data: patients with a history of asthma who presented with pneumonia usually were admitted not only to the hospital but directly to the ICU (Intensive Care Unit).

Open Discussion (5 Minutes)

Who Benefits from Health Data?

Computing for Medicine Starts With Data!

Making Healthcare Data Science Reproducible and FAIR

To be **Findable**:

- F1. (meta)data are assigned a globally unique and persistent identifier
- F2. data are described with rich metadata (defined by R1 below)
- F3. metadata clearly and explicitly include the identifier of the data it describes
- F4. (meta)data are registered or indexed in a searchable resource

To be **Accessible**:

- A1. (meta)data are retrievable by their identifier using a standardized communications protocol
 - A1.1 the protocol is open, free, and universally implementable
 - A1.2 the protocol allows for an authentication and authorization procedure, where necessary
- A2. metadata are accessible, even when the data are no longer available

To be **Interoperable**:

- I1. (meta)data use a formal, accessible, shared, and broadly applicable language for knowledge representation.
- I2. (meta)data use vocabularies that follow FAIR principles
- I3. (meta)data include qualified references to other (meta)data

To be **Reusable**:

- R1. meta(data) are richly described with a plurality of accurate and relevant attributes
 - R1.1. (meta)data are released with a clear and accessible data usage license
 - R1.2. (meta)data are associated with detailed provenance
 - R1.3. (meta)data meet domain-relevant community standards

Subjects

- ☒ COVID-19
- ☐ Coronavirus
- ☐ SARS-CoV-2
- ☐ coronavirus
- ☐ covid-19
- ☐ Covid-19
- ☐ covid
- ☐ Coronaviridae
- ☐ pathogens
- ☐ CETAF-taskforce

File type

- ☐ PDF
- ☐ BIN
- ☐ ZIP

Clear

March 16, 2020 (2020-03-01)

Dataset

Open

881

COVID-19 Open Research Dataset (CORD-19)

Sebastian Kohlmeier; Kylie Lo; Lucy Lu Wang

352

Important: This dataset is updated regularly and the latest version for download can be found here. In response to the COVID-19 pandemic, the Allen Institute for AI has partnered with leading research groups to prepare and distribute the COVID-19 Open Research Dataset (CORD-19), a free resource of scholarly articles, including full text conten...

263

Uploaded on May 7, 2020

7 more versions exist for this record

237

180

148

April 11, 2020 (v1)

Preprint

Open

141

Immunological mechanisms explaining the role of IgE, mast cells, histamine, elevating ferritin, IL-6, D-dimer, VEGF levels in COVID-19 and dengue, potential treatments such as mast cell stabilizers, antihistamines, Vitamin C, hydroxychloroquine, ivermectin and azithromycin

Arumugham, Vinu

120

119

A novel coronavirus, SARS-CoV-2 was identified in Wuhan, China. The disease caused by the virus can range in severity from asymptomatic to acute respiratory distress syndrome (ARDS) and death. Primary dengue infection results in IgE mediated sensitization against dengue virus (DENV) proteins. These IgE bind to receptors on mast cells. Upon sub...

118

Uploaded on April 11, 2020

13243

7422

13229

7445

November 13, 2020 (2020-10-20)

Journal article

Open

4,293

COVIPENDIUM: information available to support the development of medical countermeasures and interventions against COVID-19

Martina DENIS; Valerie VANDEWEERD; Rein VERBEEKE

398

145

Finding Datasets for Secondary Analysis

[About This Guide](#)[New to Hopkins?](#)[Research Data Repositories & Databases](#)[NIH Data Repositories](#)[Examples of NIH Data Repositories](#)[Other Data Repositories/Consortium](#)

NIH Data Repositories

In general, NIH does not endorse or require sharing in any specific repository and encourages researchers to select the repository that is most appropriate for their data type and discipline (though such specification does exist for particular initiatives). To help researchers locate an appropriate resource for sharing their data, as well as to promote awareness of resources where datasets can be located for reuse, Trans_NIH BioMedical Informatics Coordinating Committee (BMIC) maintains lists of several types of data sharing resources:

- Open NIH-supported domain-specific repositories that house data of a specific type or related to a specific discipline;
- Other NIH-supported domain-specific resources, including repositories and knowledgebases, that have limitations on submitting and/or accessing data; and
- Generalist repositories that house data regardless of type, format, content, or subject matter.

Hopkins Initiatives

- COVID-19 Precision Medicine Analytics Platform Registry (JH-CROWN)

The main data source is Johns Hopkins' electronic medical record, Epic. The registry is refreshed weekly with new and updated data and is available for Johns Hopkins investigators to analyze subsets of the COVID-19 patient population for retrospective analyses. CHSOR members Dr. Jodi Segal and Dr. Caleb Alexander have been using these data.

- COVID-19-specific Common Data Model

PCORnet®, the National Patient-Centered Clinical Research Network, is creating a COVID-19-specific Common Data Model that will allow the use of information from patients across PCORnet's network. At Johns Hopkins, Dr. Harold Lehmann leads these activities.

- Johns Hopkins COVID-19 Collaboration Platform

Over 400 such trials have been registered on clinicaltrials.gov with dozens being added each day. Many of them are designed to answer similar questions and combining data or aggregating evidence could dramatically increase their efficiency and precision, getting answers to doctors faster and more reliably. *more...*

- National COVID Cohort Collaborative

The National COVID Cohort Collaborative is the partnership among the NCATS-supported Clinical and Translational Science Awards (CTSA) Program hubs and the National Center for Data to Health (CD2H). At Johns Hopkins, Dr. Christopher Chute has taken the lead on this activity.

The Healthcare Data Revolution -> Transformation

- 4CE: Consortium for Clinical Characterization of COVID-19 by EHR
- Figshare: COVID-19 open data
- GitHub: COVID-19 Open Repo Data
- Harvard Dataverse: COVID-19 Data
- ICPSR: COVID-19 Data Repository
- ImmPort: COVID 19
- Mendeley Data: Elsevier COVID-19 Research Environment
- National COVID Cohort Collaborative (N3C)
OHDSI: Characterizing Health Associated Risks, and Your Baseline Disease In SARS-COV-2 (CHARYBDIS)
- Open-Access Data and Computational Resources to Address COVID-19.
- OpenSAFELY
Tableau: COVID-19 Data Hub
- Vivli: Covid data
Zenodo: Coronavirus Disease Research Community - COVID-19
- COVID-19 Research Database

MIMIC (Medical Information Mart for Intensive Care) Database

Medical Information Mart for Intensive Care III (MIMIC-III) is a large, freely-available database comprising de-identified health-related data associated with over 40,000 patients who stayed in critical care units of the Beth Israel Deaconess Medical Center between 2001 and 2012.

The database includes information such as demographics, vital sign measurements made at the bedside (~1 data point per hour), laboratory test results, procedures, medications, caregiver notes, imaging reports, and mortality (both in and out of hospital).

MIMIC-III supports a diverse range of analytic studies spanning epidemiology, clinical decision-rule improvement, and electronic tool development. It is notable for three factors:

- it is freely available to researchers worldwide
- it encompasses a diverse and very large population of ICU patients
- it contains high temporal resolution data including lab results, electronic documentation, and bedside monitor trends and waveforms

Sources of Health Data



[Home](#) [About](#) [Members](#) [News & Events](#) [Resources](#) [Portals](#) [LOG IN](#)

A global clinical research data sharing platform

The Vivli team is dedicated to helping researchers share and access data from clinical trials to advance science.

[SEARCH FOR STUDIES](#)

[SUBMIT YOUR STUDY](#)

Sources of Health Data



Sign up Log in

KEYWORD SEARCH

BROWSE

What are you looking for today?



Antimicrobials

Select Multiple

Organisms

Select Multiple

Time of Sample

Select Multiple

Data Contributor

Select Multiple

Resistance Grouping

Select Multiple

Country

Select Multiple

Region

Select Multiple

Years Data Collected

From

To

Select One

Select One

Sources of Samples

Select Multiple

☐ Includes Genotype Information

☐ Includes Pediatrics Information

9

Results

[How To Guide](#) [Privacy](#) [Cookie Policy](#) [EEA Disclosure Policy](#) [Contact Us](#)

© Copyright 2017 - 2020 Vivvi

Sources of Health Data

Published May 30, 2018 | Version v1.0

Software

Open

SAFE-ICU/AMRsteward: stone

Tavpritesh; shubham14101; Tavpritesh@SAFE-ICU

Release version of AMR_Steward, the Bayesian Artificial Intelligence Dashboard for Stewarding Antimicrobial Stewardship at AIIMS, New Delhi, India.

Files

SAFE-ICU/AMRsteward-v1.0.zip

SAFE-ICU/AMRsteward-v1.0.zip

SAFE-ICU-AMRsteward-b02c641

AMRsteward.Rproj	356 Bytes
DESCRIPTION	1.2 kB
LICENSE	35.1 kB

**Thanks for
attending the class!**