PixelLab Account

Vibe Coding

Enable "Vibe Coding" with our Model Context Protocol server. Generate animated pixel art characters and tilesets directly from your AI coding assistant!

Build a 2D platformer in Unity with AI assistance

Create a pixel art RPG in Godot with Claude

Make a roguelike in GameMaker Studio

VS Code | Cursor | Claude Code | Droid | Cline | Windsurf | Other (13)

```
claude mcp add pixellab https://api.pixellab.ai/mcp -t http -H "Authorization: Bea
```

Gemini CLI CLI
Codex CLI CLI
Zed IDE
Claude Desktop App
Continue Extension

Installation Steps:

1. Open your terminal

2. Run the command above
3. Start Claude Code to use PixelLab tools

View documentation

	BoltAI	App
	LM Studio	App
	Perplexity Desktop	App
	Kiro	App
	Junie	IDE
	Warp	Terminal
	STDIO-only Clients	Universal
	Other MCP Clients	Universal

💡 Pro tip: Help your AI find and use the tools

Include this link in your prompts for a complete overview of all PixelLab tools:

```
@ https://api.pixellab.ai/mcp/docs
```

Works with AI assistants that support URL context fetching (Claude, ChatGPT, etc.)

Why AI-Powered Game Development? 🤖

AI assistants can now help you build entire games from scratch. With PixelLab's MCP integration, your coding assistant becomes a game development powerhouse - generating assets, writing code, and bringing your ideas to life faster than ever.

✨ Instant Asset Generation

Your AI creates game-ready sprites and immediately writes the code to use them. Assets go straight from generation into your game.

🚀 Rapid Prototyping

Go from idea to playable prototype in minutes. Perfect for game jams, experimentation, and finding the fun fast.

🎮 Framework Agnostic

Works with any game engine or framework. Unity, Unreal Engine, Godot, GameMaker Studio, Raylib, MonoGame, Defold, Love2D, or Pygame - your AI assistant adapts to your preferred tools.

💡 Your Way, Your Pace

Whether you're learning to code or shipping your 100th game, AI adapts to you. Guide it with high-level ideas or dive into the details together.

Tip: Claude works particularly well with Godot - it can run the engine headless and understands GDScript well.

What is the Model Context Protocol?

The Model Context Protocol (MCP) is an open standard that enables AI assistants to safely interact with external tools and data sources. With PixelLab's MCP server, your AI assistant can generate pixel art characters, animations, and tilesets directly within your coding environment.

Available Tools

Create Character

Create pixel art characters with 4 or 8 directional views

```
create_character(description="cute wizard", n_directions=8)
```

Animate Character

Add animations to existing characters (walk, run, idle, etc.)

```
animate_character(character_id="abc123", animation="walk")
```

Top-Down Tileset Creation

Generate Wang tilesets for seamless terrain transitions. Chain multiple terrains together.

```
create_topdown_tileset(lower="ocean", upper="beach", lower_base_tile_id=previous_id)
```

Sidescroller Tileset Creation

Generate platform tilesets for 2D platformer games with seamless transitions.

```
create_sidescroller_tileset(lower="stone brick", transition="moss", base_tile_id=previous_id)
```

Isometric Tiles

```
create_isometric_tile(description="grass on top of dirt", size=32)
```

Map Objects

Create pixel art objects with transparent backgrounds for game maps. Supports style matching to blend with existing maps.

```
create_map_object(description="oak tree", background_image='{"type": "base64", "base64": "..."}')
```

Auto-deleted after 8 hours. Width/height auto-detected from background. Use style matching to blend with your map's art style.

Raw Images

Generate, edit, repair and animate plain images — no character or tileset required. Works on any image you already have.

```
create_image_pixflux(description="health potion", width=64, height=64, no_background=True)
create_image_pixen(description="ornate iron key", width=64, height=64)
create_image_pro(description="ornate iron key", reference_images='[{"base64": png, "usage": "outfit"}]')
edit_image(images_base64=[png], description="make the armor gold")
inpaint_image(image_base64=png, description="a clean hand", mask_x=18, mask_y=30, mask_width=14,
mask_height=14)
animate_image(first_frame_base64=png, action="walking forward", frame_count=8)
```

Three generators to choose from: pixflux (img2img and forced palettes), pixen (larger canvas), and pro (best quality, returns a set of candidates, takes labelled reference images). All return a job id — poll get_image to fetch the result. Transparency is preserved: a transparent sprite comes back transparent.

Recommended Game Development Alternatives

PixelLab

Account

🎨 Visual Editors

Note that you'll sometimes need to learn how the editor works and click around to achieve certain things.

🎯 Cursor + Unity
Industry-standard with massive asset store

🎮 Claude Code + Godot
Lightweight open-source, Claude can run headless

💻 Code-First Frameworks

⚡ Raylib + Zig
Modern systems language, C-level performance

🔥 Raylib + C/C++
Maximum control and performance

🐍 Pygame
Python-based, fast iteration speed

🎯 MonoGame
Cross-platform C#, great balance

💡 *All work with PixelLab's MCP integration - your AI generates assets for any framework!*

PixelLab

Support & Resources

Account

Join our Discord

MCP Documentation

Terms of Service

Refund Policy

Privacy Policy