EPISTEMIC-AWARE DRO · 72 US ETFs · 2010–2024

Three pre-registered attempts.

The holdout is still untouched.

What I learned trying to make uncertainty pay.

Swipe →

Can uncertainty improve a DRO portfolio?

A mean-CVaR optimizer can shrink bets when the forecast is uncertain. The hypothesis: an ML uncertainty layer should improve the tail-risk / return trade-off, net of costs.

I tested it three ways. Each was frozen before the holdout. Each was stopped by a gate.

v1 epistemic uncertainty → H1/H3 fail, H2 pass

v2 conformal quantiles → gate 65.4%

v3 conditional tail risk → gate 43.0%

The mean signal was not there.

Ridge B0, 2010–2024: pooled OOS -0.019 R^2; mean rank IC 0.013, $t = 0.56$.

A date-blocked information audit found no feature surviving the 80% rule. The reduced DRO did not separate from point-estimate DRO.


Strategy	Sharpe	Max DD	CVaR95
M1 reduced	0.816	−24.2%	−8.3%
B5 point DRO	0.798	−24.3%	−8.4%
1/N	0.673	−26.6%	−9.8%

H1 / H3 fail · H2 pass No alpha claim. The DRO/CVaR optimizer beat 1/N; the uncertainty layer did not separate.

Calibration worked. Information did not.

LightGBM quantile regression at q05/q50/q95, three seeds, split-conformal calibration. Coverage was 89.9% on validation and 85.9% on development test.

The frozen gate asked whether the conformal sigma carries stable date-level information. It passed 65.4% against an 80% bar.




Stopped before the 2025–2026 holdout.

A calibrated forecast can still be uninformative.

LightGBM L1 forecast of next-month absolute excess return. Mean sigma 4.29% vs realized 4.30%. Correlation 0.28. Top-minus-bottom decile spread 3.76%.

It passed 43.0% of date-level information tests and underperformed trailing volatility on development.



Stopped before the holdout. Still untouched.

Calibration ≠ information.

Gates > narratives.

The mean signal is the binding constraint. A better optimizer cannot rescue a weak forecast.

Stability is the hard part. Average calibration and a decile spread are not enough.

Preserve the holdout. Three attempts, zero holdout touches. The apparatus is the result.

Paper + code: github.com/kira-ml/epistemic-dro