Useful ideas. Different possibilities.

A selection of six small projects showing approaches to websites, organisation and data. New work can take a different shape, depending on the goal.

Start with the outcome you need.

We can define a clear scope, review a practical result, and prepare documentation for the handover.

Areas of work

Websites and custom tools
Landing pages, portfolios, small web experiences and focused application prototypes.

Automation and data
Repeated workflows, spreadsheet cleanup, validation and readable reporting.

Practical IT and documentation
Linux, Windows, virtual machines, networking and clear PDF handover material.

About the examples: these are personal learning projects built with AI assistance, not paid customer case studies. No client outcomes, certifications or production monitoring are claimed. Scope and feasibility are agreed for each new project.

Less repetitive work.

EXAMPLE 01

File organisation

A folder becomes easier to navigate.

The result. A local tool copies mixed files into categories while keeping the original files.

The approach. Recognise file types, handle matching filenames and verify copied content with SHA-256.

The example. Five sample files are organised into Documents, Scripts and Tables.

The boundary. This is a local copying tool, not continuous storage monitoring or full deduplication.

EXAMPLE 02

Network export archive

Find a configuration export by device and date.

The result. Existing exports are grouped into device and month folders.

The approach. Read the filename, validate its date and copy accepted exports into a consistent structure.

The example. Three valid sample exports are accepted; two unsuitable files are identified and skipped.

The boundary. The tool does not connect to equipment, create exports or restore configurations.

Potential adaptations: document intake, archive housekeeping, named export collections or other repeatable file workflows. Requirements would be agreed before implementation.

Make the information useful.

EXAMPLE 03

Device inventory

Bring inconsistencies into view.

The result. A cleaner device list and a separate list of records that need review.

The approach. Normalise names, validate addresses and memory values, remove exact duplicates and flag conflicts.

The example. Eight input rows become five accepted records with four review notes. IP conflicts stay visible.

The boundary. This works from exported data. It does not scan a network or resolve conflicting records automatically.

EXAMPLE 04

Backup reporting

See which recorded jobs need attention.

The result. A readable overview of exported backup runs and the latest recorded failures.

The approach. Validate records, exclude duplicate job IDs and compare timestamped results for each machine.

The example. Six valid runs: four successful and two failed. The success rate is 66.7% per run.

The boundary. An export summary cannot prove recoverability, detect missing machines or replace a restore test.

Data examples accept CSV and basic values-only XLSX input. They produce readable reports and structured output. Checks ran in Linux; Windows and desktop Excel need local verification.

Give the work a clear home.

EXAMPLE 05

Home lab portfolio

A dark website concept for a personal lab.

The result. A responsive presentation of a learning environment and its projects.

The approach. Clear sections, a visual lab illustration, project filters and links to sample results.

The example. Built as a standalone HTML, CSS and JavaScript website.

The boundary. The topology and indicators are illustrative. There is no connection to live systems.

EXAMPLE 06

IT service website

A friendly service-page concept.

The result. A light website explaining focused services and a simple process.

The approach. Use plain language, responsive layouts and expandable answers to common questions.

The example. A self-contained website concept with a service overview and enquiry preparation section.

The boundary. Fictional service content. No real booking, payment collection or customer reviews are configured.

Verification: nine behaviour tests covered the underlying file and data examples. The website layouts and key interactions were checked in a browser. These examples demonstrate an approach; they do not define the limits of future project types.