

IST 363

LAB 03

LAB CORRECTIONS

1. <https://kiraariadesai.github.io/ist363/lab02/lab02.html>

WARMUP

You may not use artificial intelligence to answer the questions below.

2.
 - a. Why would a developer choose SASS over plain CSS?
It improves overall design aspects by setting a standard for every browser, so websites look the same regardless of browser settings. It is also meant to make css code more efficient and readable.
 - b. Using the syr.edu home page, give an example where syr.edu could use a SASS variable. Give me the SASS code and a brief statement of how a variable would be helpful.
Syracuse can use color variables as SASS so they don't keep writing the same hex code repeatedly, it is easier to refer back to one name and apply it where necessary.
Example:
`$background-color: #ff700`
`$text-color: #000000`

`h1{ background-color: $background-color
color: $text-color}`

`p{ color: $text-color}`
 - c. Using the syr.edu home page, find an example of where you could use nesting to replace a descendant selector (you may have to view the source code for this). Give me the SASS code and a brief statement of how a variable would be helpful.
An example of where the syr.edu homepage could be is:
`$size: 10px;`
`$space: 15px;`
-

```
.card{
  .title{
    Font-size: $size
    Padding: $space
  }
}
```

This could be helpful for cards on the Syracuse homepage. If I want all my padding for the cards to be 10 instead of 15, I just change the variable at the top.

- d. Using the syr.edu home page, find an example of where you could use a mixin. Give me the SASS code and a brief statement of how a variable would be helpful.

```
$border-color: orange;
```

```
@mixin border-style{
Border: 1px solid $border-color;}
.box{@include border-style}
.card {@include border-style}
```

The variables let me change the border color once and it updates everywhere automatically, this could be helpful for re-branding purposes

- e. Using the syr.edu home page, find an example of where you could use an extend. Give me the SASS code and a brief statement of how a variable would be helpful.

```
$text-color: #333;
```

```
.heading { font-weight: bold;
color: $text-color;}
```

```
.title { @extend .heading;
font-size: 24px;}
```

```
.subtitle {@extend .heading;
font-size: 18px;}
```



This extend could be helpful when trying to make headings darker or lighter without changing each selector manually.

SASS PAGE

<https://kiraariadesai.github.io/ist363/lab03/index.html#>

