



# Vidyavardhini's College of Engineering and Technology

## Department of Artificial Intelligence & Data Science

---

**Aim :** To Perform various GIT operations on local and Remote repositories using GIT  
Cheat-Sheet

**Objective:** Objective is to acquire proficiency in common Git commands and workflows, enabling efficient version control, collaboration, and project management in software development projects, both locally and across distributed teams

**Theory :**

### Git Commands

**For Setup :**

- `git config --global user.name "Enter User name of Github Account"`
- `git config --global user.email "Enter email of Github Account"`

**For Initialization :**

- `git init` : Initialize an existing Directory as a Git Repository.
- `git clone [url]` : Retrieve an entire repository from a hosted location via URL (Paste HTTPS OR SSH key From your gitHub)

**Stage and SnapShot :**

(Following commands works with respect to staging area)

- `git status` : show modified files in working directory, staged for your next commit
- `git add [file]` : add a file to a staging area
- `git reset [file]` : (get file back from staging area )unstage a file while retaining the changes in working directory
- `git diff` : diff of what is changed but not staged
- `git diff --staged` : diff of what is staged but not yet committed
- `git commit -m "[type a message]"` : commit your staged content as a new commit snapshot



# Vidyavardhini's College of Engineering and Technology

## Department of Artificial Intelligence & Data Science

---

### Branch & merge :

(work in branches, changing context, and integrating changes)

- `git branch` : list your branches. a \* means currently active branch
- `git branch [branch-name]` : create a new branch at the current commit
- `git checkout` : switch to another branch and check it out into your working directory
- `git merge [branch]` : merge the specified branch's history into the current one
- `git log` : show all commits in the current branch's history

### Inspect & compare

- `git log` : show the commit history for the currently active branch
- `git log : branchB..branchA` : show the commits on branchA that are not on branchB
- `git log --follow [file]` : show the commits that changed file, even across renames
- `git diff branchB...branchA` : show the diff of what is in branchA that is not in branchB
- `git show [SHA]` : show any object in Git in human-readable format

### Share & update :

(Retrieving updates from another repository and updating local repos)

- `git remote add [alias] [url]` : add a git URL as an alias
- `git fetch [alias]` : fetch down all the branches from that Git remote
- `git merge [alias]/[branch]` : merge a remote branch into your current branch to bring it up to date
- `git push [alias] [branch]` : Transmit local branch commits to the remote repository branch
- `git pull` : fetch and merge any commits from the tracking remote branch



# Vidyavardhini's College of Engineering and Technology

## Department of Artificial Intelligence & Data Science

---

### Tracking path changes :

(Versioning file removes and path changes)

- `git rm [file]` : delete the file from project and stage the removal for commit
- `git mv [existing-path] [new-path]` : change an existing file path and stage the move
- `git log --stat -M` : show all commit logs with indication of any paths that moved

### Rewrite history

(Rewriting branches, updating commits and clearing history)

- `git rebase [branch]` : apply any commits of current branch ahead of specified one
- `git reset --hard [commit]` : clear staging area, rewrite working tree from specified commit
- `git stash` : Save modified and staged changes
- `git stash list` : list stack-order of stashed file changes
- `git stash pop` : write working from top of stash stack
- `git stash drop` : discard the changes from top of stash stack

### Conclusion :

Q1. How to retrieve an entire repository from a hosted location via URL ?

Ans: 1. On GitHub.com, navigate to the main page of the repository.

2. Above the list of files, click Code.

3. Copy the URL for the repository.

4. To clone the repository using HTTPS, under "HTTPS", click .

Q2. How to change an existing file path ?

Ans: There are two ways to set the file path for the items you selected:

1. In the File path for [name] list on the Select File Path dialog, click a file path.

2. Click on a blank file path or on a defined path no longer in use, and then click Edit. The Edit File Path dialog displays.