

## JAVA SCRIPT FUNCTIONS AND EVENTS

### AIM

Write a program to implement cahnge in g color in button click,onmouseover,onmouseout,and onfocus

### Souce Code

#### index.html

```
<html>
  <head>
    <title> testing</title>
  </head>
  <body>
    <button onclick="changeColor()">Change Color</button><br>
    <input type="text" onfocus="alerts()"
onblur=notdisp(this)><br>
    
  </body>
  <script>
```

```

const
colors=["red","green","blue","cyan","yellow","white","black","#753a00","
#9c9d00","#f50d75","#6f9fdc"];
function changeColor()
{



document.body.style.background=colors[Math.floor(Math.random()*color
s.length+1)];
}
function display(){
    document.getElementById("image1").src="img2.png";
}
function display2(){
    document.getElementById("image1").src="img.png";
}
function alerts(){
    alert("input in focus");
}
function notdisp(b){
    b.onfocus=null;
}
</script>
</html>
<style>
img,button,input{

```

```
margin-bottom:30px;
}
img{
border-radius:50px ;
height: 400px;
}
button{
width:140px;
height:50px;
border-radius:30px;
font-size:14px;
background-color:#fff;
border:0.5px solid orange;
}
input{
border-radius:5px;
height:25px;
border:0.5px solid orange;
}
```

</style>

## **Screenshots**



Change Color

