Status	Finished
Started	Sunday, 25 October 2026, 11:59 AM
Completed	Sunday, 25 October 2026, 12:08 PM
Duration	8 mins 50 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Finding the location of a given item in a collection of items is called

a. Finding

b. Searching ✓

c. Discovering

d. Mining

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following scenarios is best suited for applying binary search?

a. When the list is sorted ✓

b. When the list is very small

c. When the list is unsorted

d. When the list contains duplicate elements

Question **3**

Incorrect

Mark 0.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 99; what are the mid values(corresponding array elements) in the first and second levels of recursion?

a. 89 and 94 ✗

b. 90 and 99

c. 89 and 99

d. 90 and 94

Question **4**

Correct

Mark 1.00 out of 1.00

What is the best-case time complexity of linear search?

- a. O👎
- b. O(1) ✓
- c. O(log n)
- d. O(n log n)

Question **5**

Correct

Mark 1.00 out of 1.00

In the context of searching, what is a successful search?

- a. When the element is found in the list ✓
- b. When the list is sorted
- c. When the search algorithm finishes
- d. When the list contains duplicate elements

Question **6**

Correct

Mark 1.00 out of 1.00

In binary search, what happens if the middle element does not match the target element?

- a. The search continues from the beginning
- b. The search stops
- c. The list is sorted
- d. The search continues in the left or right sublist ✓

Question **7**

Correct

Mark 1.00 out of 1.00

If the target element is greater than the middle element in binary search, where does the search continue?

- a. At the beginning of the list
- b. In the right sublist ✓
- c. In the middle of the list
- d. In the left sublist

Question **8**

Correct

Mark 1.00 out of 1.00

What is the time complexity of linear search in the worst case?

a. O(log n)
b. O(n log n)
c. O👎 ✓
d. O(1)

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following is a conventional searching technique?

a. Hashing
b. Linear search ✓
c. Binary search
d. Dynamic search

Question **10**

Incorrect

Mark 0.00 out of 1.00

What happens in a binary search if the list has an even number of elements?

a. The higher middle element is chosen as the middle element
b. The middle element is chosen randomly
c. The lower middle element is chosen as the middle element ✗
d. The search stops

Question **11**

Correct

Mark 1.00 out of 1.00

The average case occurs in the linear search algorithm

a. When the item is somewhere in the middle of the array ✓
b. When the item is not the array at all
c. Item is the last element in the array or item is not there at all
d. When the item is the last element in the array

Question **12**

Correct

Mark 1.00 out of 1.00

_____ search takes a sorted/ordered list and divides it in the middle.

a. Linear

b. Both (1) & (3)

c. Binary ✓

d. Hash

Question **13**

Correct

Mark 1.00 out of 1.00

During a linear search, what is the maximum number of comparisons needed to find an element in a list of size n?

a. log n

b. n ✓

c. n-1

d. n/2

Question **14**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 100; What are the mid values(corresponding array elements) generated in the first and second iterations?

a. 90 and 100

b. 89 and 94

c. 94 and 99

d. 90 and 99 ✓

Question **15**

Correct

Mark 1.00 out of 1.00

In binary search, if the target element is less than the middle element, where does the search continue?

a. At the beginning of the list

b. In the entire list

c. In the left sublist ✓

d. In the right sublist