Status	Finished
Started	Monday, 5 October 2026, 10:21 AM
Completed	Monday, 5 October 2026, 10:25 AM
Duration	3 mins 59 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

The _____ statement returns the values from the function to the calling function.

a. give
b. take
c. send
d. return ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Which module is to be imported for using randint function?

a. rand
b. randrange
c. random ✓
d. randomrange

Question **3**

Correct

Mark 1.00 out of 1.00

Which keyword is used for defining a function?

a. Fun
b. Function
c. def ✓
d. Define

Question **4**

Correct

Mark 1.00 out of 1.00

Which of the following are advantages of using function in program?

a. It increases readability of program.
b. All of the mentioned ✓
c. It makes debugging easier.
d. It increases reusability.

Question **5**

Correct

Mark 1.00 out of 1.00

Choose the incorrect statement.

a. print(pow(2, 3, 2))
b. print(pow(2, 3))
c. None of the mentioned ✓
d. print(pow(2.3, 3.2))

Question **6**

Correct

Mark 1.00 out of 1.00

The process of dividing a computer program into separate independent blocks of code with specific functionalities is known as _____.

a. Modular Programming ✓
b. Programming
c. More Programming
d. Step Programming

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following function definition header is wrong?

a. def scan(p1, p2 = 4, p3 = 5):
b. def mul(p1, n1, m1):
c. def div(p1=4, p2, p3): ✓
d. def sum(n1, n2, n = 3):

Question **8**

Incorrect

Mark 0.00 out of 1.00

cal(n1) : What is n1?

a. None of the mentioned
b. Keyword
c. Parameter ✗
d. Argument

Question **9**

Correct

Mark 1.00 out of 1.00

A function may return multiple values using _____.

a. Tuple ✓
b. Dictionary
c. String
d. List

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following function headers is correct?

a. def fun(a = 2, b = 3, c)
b. def fun(a, b, c = 3, d)
c. def fun(a, b = 2, c = 3) ✓
d. def fun(a = 2, b, c = 3)

Question **11**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code?

```
def printMax(a, b):
    if a > b:
        print(a, 'is maximum')
    elif a == b:
        print(a, 'is equal to', b)
    else:
        print(b, 'is maximum')
printMax(3, 4)
```

a. 4

b. 3

c. 4 is maximum ✓

d. None of the mentioned

Question **12**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code?

```
def maximum(x, y):
    if x > y:
        return x
    elif x == y:
        return 'The numbers are equal'
    else:
        return y
print(maximum(2, 3))
```

a. 2

b. 3 ✓

c. The numbers are equal

d. None of the mentioned

Question **13**

Correct

Mark 1.00 out of 1.00

def cal(n1) : What is n1?

- a. Parameter ✓
- b. Argument
- c. Keyword
- d. None of the mentioned

Question **14**

Correct

Mark 1.00 out of 1.00

A variable that is defined inside any function or a block is known as a ____.

- a. Global variable
- b. Local variable ✓
- c. inside variable
- d. Function Variable

Question **15**

Correct

Mark 1.00 out of 1.00

What is the output of the add() function call?

```
def add(a, b):
    return a+5, b+5
result = add(3, 2)
print(result)
```

- a. 8
- b. Syntax Error
- c. (8,7) ✓
- d. 15