Status	Finished
Started	Monday, 5 October 2026, 10:45 AM
Completed	Monday, 5 October 2026, 10:52 AM
Duration	6 mins 26 secs
Grade	**12.00** out of 15.00 (**80**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What will be the output after the following statements?
m = ['Play']
n = ['Games', 'in', 'Python']
o = m + n
print(o)

a. [‘PlayGames’, ‘in’, ‘Python’]

b. [‘Games’, ‘in’, ‘Python’, ‘Play’]

c. [‘Play’, ‘Games’, ‘in’, ‘Python’] ✓

d. [‘Play Games’, ‘in’, ‘Python’]

Question **2**

Correct

Mark 1.00 out of 1.00

Write the output of the following :

L = “123456”
L = list(L)
print(type(L[0]))

Answer: <class 'str'> ✓

Question **3**

Correct

Mark 1.00 out of 1.00

Find the output?

list1 = [1, 2, 3, 4,1,2,3]

print(list1.pop())

a. 3 ✓

b. 1

c. [ ]

d. 2

Question **4**

Correct

Mark 1.00 out of 1.00

Given a list L = [10, 20, 30, 40, 50, 60, 70], what would L[2: -2] return?

a. [10, 20, 30, 40]

b. [20, 30, 40, 50]

c. [20, 30, 40]

d. [30, 40, 50] ✓

Question **5**

Correct

Mark 1.00 out of 1.00

Suppose list1 is [3, 4, 5, 20, 5, 25, 1, 3], what is list1 after list1.reverse()?

a. [3, 4, 5, 20, 5, 25, 1, 3]

b. [3, 1, 25, 5, 20, 5, 4, 3] ✓

c. [1, 3, 3, 4, 5, 5, 20, 25]

Question **6**

Incorrect

Mark 0.00 out of 1.00

Find the output?

```
list3=[]
list1 ='REC_CSE_ECE'
list2= list1.split('_')
for i in list2:
    list3.extend(i)
print(list3)
```

a. ['REC_CSE_ECE']

b. Error

c. ['REC', 'CSE', 'ECE']

d. ['R', 'E', 'C', 'C', 'S', 'E', 'E', 'C', 'E'] ✗

Question **7**

Correct

Mark 1.00 out of 1.00

Find the output?

list1 = list('REC_CSE_ECE')

print('r' not in list1)

- a. True ✓
- b. false
- c. False
- d. true

Question **8**

Correct

Mark 1.00 out of 1.00

In the given program if extend() is used instead of append() than what will be the output?

```
list1 = [1, 2, 3, 4]
list1.append([5,6,7,8])
print(list1)
```

- a. [1,2,3,4]
- b. [1,2,3,4][5,6,7,8]
- c. [1,2,3,4,5,6,7,8] ✓
- d. [1,2,3,4,[5,6,7,8]]

Question **9**

Incorrect

Mark 0.00 out of 1.00

Find the output?

```
list1 = [1, 2, 3, 4,1,2,3,1]
list2 = list1
list1.clear()
print(list2)
```

- a. [1, 2, 3, 4, 1, 2, 3, 1] ✗
- b. [1, 2, 3, 4]
- c. [1, 1, 2, 2, 3, 3, 4,]
- d. [ ]

Question **10**

Correct

Mark 1.00 out of 1.00

Suppose listExample is ['h','e','l','l','o'], what is len(listExample)?

a. 4

b. Error

c. 5 ✓

Question **11**

Correct

Mark 1.00 out of 1.00

Find the output?

list1 = [1, 2, 3, 4,1,2,3]

list1.sort()

list1.pop()

list1.reverse()

print(list1)

a. [3, 3, 2, 2, 1, 1] ✓

b. [4, 3, 3, 2, 2, 1, 1]

c. [3, 2, 1, 3, 2, 1]

d. [4, 3, 3, 2, 2, 1]

Question **12**

Correct

Mark 1.00 out of 1.00

What will be the output after the following statements?
m = [25, 34, 70, 63]
n = m[2] - m[0]
print👇

a. 45 ✓

b. 70

c. 34

d. 25

Question **13**

Incorrect

Mark 0.00 out of 1.00

Find the output?

```
list1 = [1, 2, 3, 4]
list1.append([5,6,7,8])
print(list1)
```

a. [1,2,3,4][5,6,7,8]

b. [1,2,3,4,[5,6,7,8]]

c. [1,2,3,4,5,6,7,8] ✗

d. [1,2,3,4]

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following can delete an element from a list, if its value is given?

a. remove() ✓

b. extend()

c. pop()

d. del()

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following is a standard Python library function and not an exclusively list function?

a. remove()

b. len() ✓

c. append()

d. pop()