Status	Finished
Started	Sunday, 25 October 2026, 11:51 AM
Completed	Sunday, 25 October 2026, 11:57 AM
Duration	5 mins 44 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

To obtain the number of entries in dictionary which command is used?

a. d.size()

b. d.len()

c. size(d)

d. len(d) ✓

Question **2**

Correct

Mark 1.00 out of 1.00

There is no index value in dictionary like we have in List.(T/F)

a. True ✓

b. False

Question **3**

Correct

Mark 1.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22
for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

a. ['Janice', 'John', 'Erik']

b. ['Emily', 'John', 'Erik'] ✓

c. ['Janice', 'Emily', 'John', 'Eleanor']

d. ['Janice', 'Emily', 'John']

Question **4**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same keys or same values but cannot have two same key-value pair

b. A python, a dictionary can neither have two same keys nor two same values.

c. A dictionary can have two same values with different keys. ✓

d. A dictionary can have two same keys with different values.

Question **5**

Correct

Mark 1.00 out of 1.00

Dictionaries are flexible in nature, means elements can be added or removed from it.

a. True ✓

b. False

Question **6**

Correct

Mark 1.00 out of 1.00

Following statement return values in the form of: D1.keys() # D1 is a dictionary

a. dictionary

b. list ✓

c. string

d. tuple

Question **7**

Correct

Mark 1.00 out of 1.00

____ function returns the value corresponding to the key passed as the argument.

a. del

b. update

c. values

d. get ✓

Question **8**

Correct

Mark 1.00 out of 1.00

We can repeat the values of Key in Dictionary?

a. False

b. True ✓

Question **9**

Correct

Mark 1.00 out of 1.00

What will be the Output of the following code?

```
dl={1:10, 2:20, 3:30, 4:40}
d2={5:50, 6:60, 7:70}
dl.update (d2)
print (dl)
```

a. {1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70} ✓

b. {1:10, 2: 20, 4: 40, 5: 50, 6: 60, 7: 70}

c. [1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70]

d. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]

Question **10**

Correct

Mark 1.00 out of 1.00

Keys of dictionary must be _____.

a. antique

b. integers

c. mutable

d. unique ✓

Question **11**

Incorrect

Mark 0.00 out of 1.00

Only values (without keys) can be printed in dictionary?

a. True

b. False ✗

Question **12**

Correct

Mark 1.00 out of 1.00

Key – value concept is in _____.

a. List
b. Dictionary ✓
c. Tuple
d. String

Question **13**

Correct

Mark 1.00 out of 1.00

Choose the correct statement, in reference to the following code: D1.update(D2) #D1 and D2 are dictionaries

a. It will create a new dictionary.
b. None of the mentioned
c. It will merge all the elements of dictionary 'D1' in dictionary 'D2'.
d. It will merge all the elements of dictionary 'D2' in dictionary 'D1'. ✓

Question **14**

Incorrect

Mark 0.00 out of 1.00

Which one of the following is correct?

a. A python, a dictionary can neither have two same keys nor two same values. ✗
b. A dictionary can have two same keys with different values.
c. A dictionary can have two same keys or same values but cannot have two same key-value pair
d. A dictionary can have two same values with different keys.

Question **15**

Correct

Mark 1.00 out of 1.00

Write a statement to retrieve the value corresponding to the key 7 in dictionary 'D1'.

a. D1.get(7) ✓
b. D1.values(7)
c. D1.pop(7)
d. D1.disp(7)