#### **User Feedback Source Code:**

## pom.xml

```
<?xml version="1.0" encoding="UTF-8"?>
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 https://maven.apache.org/xsd/maven-
4.0.0.xsd">
       <modelVersion>4.0.0</modelVersion>
       <parent>
               <groupId>org.springframework.boot</groupId>
               <artifactId>spring-boot-starter-parent</artifactId>
               <version>3.1.0</version>
               <relativePath/> <!-- lookup parent from repository -->
       </parent>
       <groupId>com.ecommerce
       <artifactId>UerFeedback</artifactId>
       <version>0.0.1-SNAPSHOT
       <name>UerFeedback</name>
       <description>Demo project for Spring Boot</description>
       cproperties>
               <java.version>17</java.version>
       <dependencies>
               <dependency>
                      <groupId>org.springframework.boot</groupId>
                      <artifactId>spring-boot-starter-data-jpa</artifactId>
               </dependency>
               <dependency>
                      <groupId>org.springframework.boot</groupId>
                      <artifactId>spring-boot-starter-web</artifactId>
               </dependency>
               <dependency>
                      <groupId>com.mysql</groupId>
                      <artifactId>mysql-connector-j</artifactId>
                      <scope>runtime</scope>
               </dependency>
               <dependency>
                      <groupId>org.springframework.boot</groupId>
                      <artifactId>spring-boot-starter-test</artifactId>
                      <scope>test</scope>
               </dependency>
       </dependencies>
       <build>
               <plugins>
                      <plugin>
                              <groupId>org.springframework.boot</groupId>
                              <artifactId>spring-boot-maven-plugin</artifactId>
                      </plugin>
               </plugins>
       </build>
```

</project>

## Feedback.java:

```
package com.ecommerce.entity;
import jakarta.persistence.Column;
import jakarta.persistence.Entity;
import jakarta.persistence.GeneratedValue;
import jakarta.persistence.GenerationType;
import jakarta.persistence.Id;
import jakarta.persistence.Table;
@Entity
@Table(name = "feedback")
public class Feedback {
        @GeneratedValue(strategy = GenerationType.IDENTITY)
        private Long id;
        @Column(nullable = false)
        private String name;
        @Column(nullable = false)
        private String email;
        @Column(nullable = false)
        private int rating;
        @Column
        private String comment;
        // Constructors, getters, and setters
        public Feedback() {
        public Feedback(String name, String email, int rating, String comment) {
                 this.name = name;
                 this.email = email;
                 this.rating = rating;
                 this.comment = comment;
        // Getters and setters
        public Long getId() {
                 return id;
```

```
public void setId(Long id) {
        this.id = id;
}
public String getName() {
        return name;
public void setName(String name) {
        this.name = name;
public String getEmail() {
        return email;
public void setEmail(String email) {
        this.email = email;
public int getRating() {
        return rating;
public void setRating(int rating) {
        this.rating = rating;
public String getComment() {
        return comment;
public void setComment(String comment) {
        this.comment = comment;
```

#### FeedbackController:

package com.ecommerce.controller;

import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.http.MediaType;
import org.springframework.web.bind.annotation.PostMapping;

```
KIRANKUMAR D NATIKAR
EMP ID NO:2576955
SOURCE:
import org.springframework.web.bind.annotation.RequestParam;
import org.springframework.web.bind.annotation.RestController;
import com.ecommerce.entity.Feedback;
import com.ecommerce.repository.FeedbackRepository;
@RestController
public class FeedbackController {
        private final FeedbackRepository feedbackRepository;
        @Autowired
        public FeedbackController(FeedbackRepository feedbackRepository) {
               this.feedbackRepository = feedbackRepository;
        @PostMapping(value = "/api/feedback", consumes =
MediaType.APPLICATION_FORM_URLENCODED_VALUE)
        public String createFeedback(@RequestParam("comment") String comment, @RequestParam("email")
String email,
                        @RequestParam("name") String name, @RequestParam("rating") int rating) {
               Feedback feedback = new Feedback(name, email, rating, comment);
               feedbackRepository.save(feedback);
               return "Feedback submitted successfully";
}
FeedbackRepository:
package com.ecommerce.repository;
import org.springframework.data.jpa.repository.JpaRepository;
import org.springframework.stereotype.Repository;
import com.ecommerce.entity.Feedback;
@Repository
public interface FeedbackRepository extends JpaRepository<Feedback, Long> {
index.html
<!DOCTYPE html>
<html>
<head>
```

<meta charset="UTF-8"> <title>User Feedback</title>

<style>

#### KIRANKUMAR D NATIKAR EMP ID NO:2576955

```
SOURCE:
```

```
body {
       font-family: Arial, sans-serif;
       margin: 20px;
    h1 {
       text-align: center;
    form {
       max-width: 400px;
       margin: 0 auto;
    label {
       display: block;
       margin-top: 10px;
    input[type="text"],
    input[type="email"],
    textarea {
       width: 100%;
       padding: 5px;
       font-size: 16px;
    button[type="submit"] {
       display: block;
       margin-top: 20px;
       padding: 10px 20px;
       background-color: #4CAF50;
       color: #fff;
       border: none;
       cursor: pointer;
    button[type="submit"]:hover {
       background-color: #45a049;
  </style>
</head>
<body>
  <h1>User Feedback</h1>
  <form id="feedbackForm" method="POST" action="/api/feedback" enctype="application/json">
    <label for="name">Name:</label>
    <input type="text" id="name" name="name" required>
    <label for="email">Email:</label>
    <input type="email" id="email" name="email" required>
    <label for="rating">Rating:</label>
    <input type="number" id="rating" name="rating" min="1" max="5" required>
    <label for="comment">Comment:</label>
```

# application.properties:

```
spring.datasource.url=jdbc:mysql://localhost:3306/ecommerce?useSSL=false&serverTimezone=UTC spring.datasource.username=root spring.datasource.password=kiran@1312 spring.jpa.show-sql=true spring.jpa.hibernate.ddl-auto=update
```

## **SQl Database:**

```
CREATE TABLE feedback (

id INT AUTO_INCREMENT PRIMARY KEY,

name VARCHAR(255) NOT NULL,

email VARCHAR(255) NOT NULL,

rating INT NOT NULL,

comment VARCHAR(1000)

);
```